

DAFTAR PUSTAKA

- Agbani, A., Aminou, O., Machmoum, M., Germot, A., Badaoui, B., Petit, D. & Piro, M. 2025. A systematic literature review of mitochondrial DNA analysis for horse genetic diversity. *Animals*, 15(6): 885.
- Al Hidayat, A. 2023. *Barbonymus balleroides* [Foto]. GBIF. <https://www.gbif.org/occurrence/4075568893>
- Anderson, M.J. 2001. A new method for non-parametric multivariate analysis of variance. *Austral Ecology*, 26(1): 32–46.
- Anita, S., Haryono & Wahyudewantoro, G. 2019. Nutritional component of *Barbonymus balleroides*: A wild fresh water fish from Indonesia. *Biodiversitas*, 20(2): 581–588.
- Astuti, I., Fadjar, M., Nurdiani, R. & Sulistyati, T.D. 2022. Mitochondrial cytochrome oxidase 1 (COI) and morphology of Penja fish (*Sicyopterus* spp.) in Budong-Budong River, West Sulawesi, Indonesia. *Biodiversitas*, 23(9): 4724–4729.
- Ayyubi, H., Budiharjo, A. & Sugiyarto. 2018. Karakteristik morfologis populasi ikan tawes *Barbonymus gonionotus* (Bleeker, 1849) dari lokasi perairan berbeda di Provinsi Jawa Tengah. *Jurnal Iktiologi Indonesia*, 19(1): 65–78.
- Bahiyah, Solihin, D.D. & Affandi, R. 2013. Variasi genetik populasi ikan brek (*Barbonymus balleroides* Val. 1842) sebagai dampak fragmentasi habitat di Sungai Serayu. *Jurnal Iktiologi Indonesia*, 13(2): 175–186.
- Batubara, A.S., Muchlisin, Z.A., Efizon, D., Elvyra, R., Fadli, N., Rizal, S., Siti-Azizah, M.N. & Wilkes, M. 2021. DNA barcoding (COI genetic marker) revealed hidden diversity of Cyprinid fish (*Barbonymus* spp.) from Aceh Waters, Indonesia. *Biharean Biologist*, 15(1): 39–47.

- Bingpeng, X., Heshan, L., Zhilan, Z., Chunguang, W., Yanguo, W. & Jianjun, W. 2018. DNA barcoding for identification of fish species in the Taiwan Strait. *PloS one*, 13(6): 1–13.
- Bleeker, P. 1853. Nieuwe tientallen diagnostische beschrijvingen van nieuwe of weining bekende vischsoorten van Sumatra. *Natuurkundig tijdschrift voor Nederlandsch Indië*, 5: 495–534.
- Bleeker, P. 1849. Bijdrage tot de kennis der ichthyologische fauna van Midden- en Oost-Java. *Verhandelingen van het Bataviaasch Genootschap van Kunsten en Wetenschappen*, 23(12): 1–23.
- Bogutskaya, N. G. & Naseka, A. M., 2004. *Catalogue of agnathans and fishes of fresh and brackish waters of Russia with comments on nomenclature and taxonomy*. KMK Scientific Press Ltd. Moscow. p 389.
- Bouckaert, R., Heled, J., Kühnert, D., Vaughan, T., Wu, C.-H., Xie, D., Suchard, M.A., Rambaut, A. & Drummond, A.J. 2014. BEAST 2: A Software Platform for Bayesian Evolutionary Analysis A. Prlic, ed. *PLoS Computational Biology*, 10(4): e1003537.
- Budiantoro, A., Widyaningrum, A.S. & Swartiningsih, N. 2021. Inventarisasi jenis ikan air tawar di Sungai Gajahwong Kabupaten Bantul. *Jurnal Riset Daerah*, 21(1): 3802–3821.
- Costa, F.O., deWaard, J.R., Boutillier, J., Ratnasingham, S., Dooh, R.T., Hajibabaei, M. & Hebert, P.D.N. 2007. Biological identifications through DNA barcodes: The case of the Crustacea. *Canadian Journal of Fisheries and Aquatic Sciences*, 64(2): 272–295.
- Cuvier, G. & Valenciennes, A. 1842. *Histoire naturelle des poissons (Vol. 16)*. P. Bertrand, Paris
- Dahrudin, H., Sholihah, A., Sukmono, T., Sauri, S., Nurhaman, U., Wowor, D., Steinke, D. & Hubert, N. 2021. Revisiting the diversity of *Barbonymus*

(Cypriniformes, Cyprinidae) in Sundaland using DNA-based species delimitation methods. *Diversity*, 13(283): 1–12.

Darshan, A., Abujam, S. & Das, D. N. 2019. Systematic account. In *Biodiversity of fishes in Arunachal Himalaya: Systematics, classification, and taxonomic identification*. Elsevier: 25–254.

Desrita, B. Manik, R. Rambey, I. E. Susetya, & J. S. Hasibuan. 2021. Morphology and weight-length relationship of tinfoil barb (*Barbonymus schwanenfeldii*) at Tasik River, South Labuhanbatu Regency, Sumatera Utara. *IOP Conference Series: Earth and Environmental Science*, 782(1): 042013.

Dinas Lingkungan Hidup dan Kehutanan Daerah Istimewa Yogyakarta. 2020. *Dokumen informasi kinerja pengelolaan lingkungan hidup daerah tahun 2019*. Pemerintah Daerah Istimewa Yogyakarta, Yogyakarta.

Figura, A., Gryzinska, M. & Jakubczak, A. 2024. Comparison of universal mtDNA primers in species identification of animals in a sample with severely degraded DNA. *Animals*, 14(22): 1–9.

FishBase. 2025. *Barbonymus balleroides* (Valenciennes, 1842). <https://www.fishbase.se/summary/Barbonymus-balleroides>. Diakses tanggal 5 April 2025, pukul 14.39 WIB.

Friedman, S.T., Price, S.A., Corn, K.A., Larouche, O., Martinez, C.M. & Wainwright, P.C. 2020. Body shape diversification along the benthic–pelagic axis in marine fishes. *Proceedings of the Royal Society B: Biological Sciences*, 287(1925): 20201053.

GBIF Backbone Taxonomy. 2026. *Barbonymus balleroides* (Valenciennes, 1842) in GBIF Secretariat. <https://www.gbif.org/species/2365894>. Diakses tanggal 4 Agustus 2026, pukul 21.48 WIB.

Haryono, Rahardjo, M.F., Affandi, R. & Mulyadi. 2015. Reproductive biology of barb fish (*Barbonymus balleroides* Val. 1842) in fragmented habitat of

upstream Serayu River Central Java, Indonesia. *International Journal of Sciences: Basic and Applied Research (IJSBAR)*, 23(1): 189–200.

Haryono, Rahardjo, M.F., Affandi, R. & Mulyadi. 2017. Karakteristik morfologi dan habitat ikan brek (*Barbonymus balleroides* Val. 1842) di Sungai Serayu Jawa Tengah. *Jurnal Biologi Indonesia*, 13(2): 223–232.

Hebert, P.D.N., Cywinska, A., Ball, S.L. & deWaard, J.R. 2003. Biological identifications through DNA barcodes. *Proceedings of the Royal Society B: Biological Sciences*, 270(1512): 313–321.

Hidayat, A.N., Muslih & Sari, L.K. 2022. Penentuan jenis kelamin *Barbonymus balleroides* berdasarkan karakter truss morfometrik di Sungai Logawa Banyumas. *Jurnal Maiyah*, 1(1): 120–127.

Hubert, N. 2015. *Barbonymus schwanefeldii* [Foto]. BOLD Systems. <https://portal.BOLDsystems.org/record/BIFD2849-15>. Diakses tanggal 4 Agustus 2026, pukul 21.00 WIB.

Hurlbut, T. & Clay, D. 1998. Morphometric and meristic differences between shallow- and deep-water populations of white hake (*Urophycis tenuis*) in the southern Gulf of St. Lawrence. *Canadian Journal of Fisheries and Aquatic Sciences*, 55: 2274–2282.

Jailani, A.Q. & Mujtahidah, T. 2021. Kajian biodiversitas iktiofauna berbasis sistem informasi geografis (SIG) di aliran Sungai Progo, Magelang, Jawa Tengah. *Journal of Aquaculture Science*, 6(1): 38–47.

Jiang, S., Li, Z., Li, J., Xu, K., & Ye, Y. 2024. Analysis of genetic diversity and structure of eight populations of *Nerita yoldii* along the coast of China based on mitochondrial COI gene. *Animals*, 14 (5): 718.

Jónsdóttir, G.Ó., von Elm, L.-M., Ingimarsson, F., Tersigni, S., Snorrason, S.S., Pálsson, A., & Steele, S.E. 2024. Diversity in the internal functional feeding elements of sympatric morphs of Arctic charr (*Salvelinus alpinus*). *PLOS ONE*, 19(5): e0300359.

- Kottelat, M. 2013. The Fishes of The Inland Waters of Southeast Asia: A Catalogue and Core Bibliography of The Fishes Known to Occur in Freshwaters, Mangroves and Estuaries. *The Raffles Bulletin of Zoology*, Suppl. 27: 1–663.
- Kottelat, M., Whitten, A.J., Kartikasari, S.N. & Wirjoatmodjo, S. 1993. *Freshwater fishes of Western Indonesia and Sulawesi*. Periplus Editions, Jakarta.
- Kusmini, I.I., Putri, F.P. & Prakoso, V.A. 2016. Bioreproduksi dan hubungan panjang-bobot terhadap fekunditas pada ikan lalawak (*Barbonymus balleroides*). *Jurnal Riset Akuakultur*, 11(4): 339–345.
- Kusmini, I.I., Putri, F.P. & Radona, D. 2017. The growth and survival rate of red tailed tinfoil, *Barbonymus balleroides* (Valenciennes, 1842) post-larvae in aquariums with different densities. *Jurnal Iktiologi Indonesia*, 17(1): 21–27.
- Langerhans, R.B. 2008. Predictability of phenotypic differentiation across flow regimes in fishes. *Integrative and Comparative Biology*, 48(6): 750–768.
- Lumbantobing, D. 2020. *Barbonymus balleroides*. *The IUCN Red List of Threatened Species*, 2020: e.T181133A1702121.
- Lutz, Í., Martins, T., Araújo, F., Ferreira, C., Santana, P., Miranda, J., Matos, S., Sousa, J., Pereira, L., Bentes, B., da Silva, R., Veneza, I., Sampaio, I., Vallinoto, M. & Gomes, G.E. 2023. Molecular characterization of juvenile fish from the Amazon estuary using DNA barcoding approach. *PLOS ONE*, 18(9): e0292232.
- Mamndeyati, U.N., Rose, A.O. & Solomon, G.S. 2025. Genetics of quantitative phenotype of African fan shrimp (*Atya gabonensis*) from Lower River Benue, Makurdi, Nigeria using principal component analysis. *Kwaghe International Journal of Sciences and Technology*, 2(2): 222–235.

- Marini, M., Suman, A., Farajallah, A. & Wardiatno, Y. 2017. Identifying *Penaeus merguensis* de Man, 1888 stocks in Indonesian Fisheries Management Area 573: a truss network analysis approach. *Bioflux*, 10(4): 922–935.
- Maulizar, S., Nur, F.M., Eprilurahman, R., Nugroho, A.P., Batubara, A.S., Zulfahmi, I., & Maghfiriadi, F. 2026. Phenotypic differentiation among *Helostoma temminckii* (Actinopterygii: Helostomatidae) populations from East Kalimantan, Indonesia, using truss morphometry. *Egyptian Journal of Aquatic Biology & Fisheries*, 30(3): 4217–4234.
- Menon, A.S., Nandini, N.J., Mathews, M. & Jacob, J. 2024. DNA Barcoding of fish fauna using mitochondrial COI gene. *Mapana Journal of Sciences*. 23(1): 133–147.
- Moreira, C., Froufe, E., Vaz-Pires, P., Triay-Portella, R. & Correia, A.T. 2020. Landmark-based geometric morphometrics analysis of body shape variation among populations of the blue jack mackerel, *Trachurus picturatus*, from the North-East Atlantic. *Journal of Sea Research*, 163: 101926.
- Mote, N., Affandi, R. & Haryono. 2014. Biologi reproduksi ikan brek (*Barbonymus balleroides* Cuvier & Val. 1842) di Sungai Serayu zona atas dan bawah Waduk Panglima Besar Soedirman, Jawa Tengah. *Jurnal Iktiologi Indonesia*, 14(2): 111–122.
- Mutanen, M., Kivelä, S.M., Vos, R.A., Doorenweerd, C., Ratnasingham, S., Hausmann, A., Huemer, P., Dincă, V., van Nieukerken, E.J., Lopez-Vaamonde, C., Vila, R., Aarvik, L., Decaëns, T., Efetov, K.A., Hebert, P.D.N., Johnsen, A., Karsholt, O., Pentinsaari, M., Rougerie, R., Segerer, A., Tarmann, G., Zahiri, R. & Godfray, H.C.J. 2016. Species-level para- and polyphyly in DNA barcode gene trees: Strong operational bias in European Lepidoptera. *Systematic Biology*, 65(6): 1024–1040.
- Nakabo, T., 2002. *Fishes of Japan with pictorial keys to the species, English edition I*. Tokai University Press, Japan. pp v-866.

- Nelson, J.S., Grande, T.C. & Wilson, M.V.H. 2016. *Fishes of the World*. John Wiley & Sons, Hoboken.
- Nuryanto, A. & Saprudin. 2024. DNA barcoding reveals possible misidentification of selected barb species (Cypriniformes) from Klawing River, Central Java, Indonesia. *AACL Bioflux*, 17(2): 591–604.
- Orchida, K., Arfiati, D., Kusuma, W.E. & Hamami, S.M.A. 2025. Analysis of morphological characteristics and growth patterns of uceng fish *Nemacheilus fasciatus* (Valenciennes, 1842) on the Setail River, Banyuwangi, East Java. *Jurnal Penelitian Pendidikan IPA*, 11(1): 751–760.
- Paunikar, S. & Kaneez, F. 2023. Morphometric characters and meristic counts of two freshwater fishes of order Cypriniformes from River Dehradun, Uttarakhand. *International Journal of Zoology and Applied Biosciences*, 8(6): 1–6.
- Poniente, J.A., Pereda, J.M.R., Peña, J.T.D., Ventolero, M.F.H. & Santos, M.D. 2022. Mitochondrial DNA-based species testing of confiscated aquatic wildlife in the Philippines. *Forensic Science International: Animals and Environments*, 2(100051): 1–9.
- Prasetya, A.Y., Triastuti, J. & Saputra, E. 2022. The effect of differences extraction solutions on the gelatin characteristic fishbone of bader bang (*Barbonymus balleroides*). *IOP Conf. Series: Earth and Environmental Science*, 1036: 1–13.
- Puillandre, N., Brouillet, S. & Achaz, G. 2020. ASAP: assemble species by automatic partitioning. *Molecular Ecology Resources*, 21(2): 609–620.
- Puillandre, N., Lambert, A., Brouillet, S. & Achaz, G. 2012. ABGD, Automatic Barcode Gap Discovery for primary species delimitation. *Molecular Ecology*, 21(8): 1864–1877.

- Pulcini, D., Christensen, K., Wheeler, P.A., Russo, T. & Thorgaard, G.H. 2016. The genetic basis of morphometric and meristic traits in rainbow trout (*Oncorhynchus mykiss*). *Annals of Aquaculture and Research*, 3(3): 1023.
- Rabbani, C. N., Damayanti, A. E., Sulung, C.A.V.T., Rahayu, D.A., Nugroho, E. D., Rusdianto, R. & Mamat, N. B. 2025. Morphology and molecular identification of Cyprinidae from the Sumber Umbulan Ngenep, Malang Regency, East Java. *Jurnal Riset Biologi dan Aplikasinya*, 7(2): 142–159.
- Radona, D., Kusmini, I.I. & Aththar, M.H.F. 2017. Karakterisasi meristik dan morfometrik tiga generasi ikan tengadak *Barbonymus schwanefeldii* asal Kalimantan Barat, Indonesia. *Jurnal Riset Akuakultur*, 12(1): 1–8.
- Rolls, R.J., Leigh, C. & Sheldon, F. 2012. Mechanistic effects of low-flow hydrology on riverine ecosystems: Ecological principles and consequences of alteration. *Freshwater Science*, 31(4): 1163–1186.
- Sorgon, K.E.S., Martinez, M.J.L., So, A.J.F., Aboganda, M.F.R., Parungo, J.N.G., Poricallan, A.J.G., Prieto, K.T.B., Magday, M.J.S., Geronimo, A.CD., Anupol, M.V.J.E. & De Leon, D.O. 2025. First specimen-based record of *Barbonymus schwanefeldii* (Bleeker, 1854) (Teleostei: Cyprinidae) from Laguna de Bay, Philippines. *Philippine Journal of Systematic Biology*, 18(1): 55–67.
- Stavrou, A. A., Mixão, V., Boekhout, T. & Gabaldón, T. 2018. Misidentification of genome assemblies in public databases: The case of *Naumovozyma dairenensis* and proposal of a protocol to correct misidentifications. *Yeast*, 35(6): 425–429.
- Suryaningsih, S., Sagi, M., Kamiso, H.N. & Hadisusanto, S. 2014. Sexing pada ikan brek *Puntius orphoides* (Valenciennes, 1863) menggunakan metode *Truss Morfometrics*. *Biosfera*, 31(1): 8–16.

- Tamura, K., Stecher, G. & Kumar, S. 2021. MEGA11: Molecular evolutionary genetic analysis version 11. *Molecular Biology and Evolution*, 38(7): 3022–3027.
- Tao, W., Yang, L., Mayden, R.L., & He, S. 2019. Phylogenetic relationships of Cypriniformes and plasticity of pharyngeal teeth in the adaptive radiation of cyprinids. *Science China Life Sciences*, 62(4): 553–565.
- Trijoko, Yudha, D.S., Eprilurahman, R., Pambudi, S.S. 2016. Keanekaragaman jenis ikan di sepanjang Sungai Boyong – Code Propinsi Daerah Istimewa Yogyakarta. *Journal of Tropical Biodiversity and Biotechnology*, 1: 21–29.
- Turan, C. 1999. A note on the examination of morphometric differentiation among fish populations: The truss system. *Turkish Journal of Zoology*, 23(3): 259–264.
- van Velzen, R., Weitschek, E., Felici, G., & Bakker, F.T. 2012. DNA barcoding of recently diverged species: Relative performance of matching methods. *PLoS ONE*, 7 (1): e30490.
- Ward, R.D., Zemlak, T.S., Innes, B.H., Last, P.R. & Hebert, P.D.N. 2005. DNA barcoding Australia's fish species. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 360(1462): 1847–1857.
- Yanti, A.H., Setyawati, T.R. & Barrata. 2022. Morphology and anatomy of endemic fish *Leptobarbus melanopterus* (Cyprinidae) in Danau Sentarum National Park Kapuas Hulu Regency. *HAYATI Journal of Biosciences*, 29(4): 487–498.
- Yudha, D.S., Trijoko, Eprilurahman, R., Nugraha, R., Suranto, R.D.P., Abida, F.U., Tobing, V.F., Fathiya, R.F. & Nopitasari, S. 2020. Keanekaragaman jenis ikan di sepanjang Sungai Opak Propinsi Daerah Istimewa Yogyakarta, Indonesia. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, 5(2): 81–91.

Zelditch, M.L., Swiderski, D.L. & Sheets, H.D. 2012. *Geometric morphometrics for biologists: A primer* (2nd ed.). Academic Press, California.