

DAFTAR PUSTAKA

- Al-Khuzaay, M. I. M. and et al. (2025). Improving EEG classification of alcoholic and control subjects using DWT-CNN-BiGRU with various noise filtering techniques. *Frontiers in Neuroinformatics*, 19:1618050.
- Albaqami, H., Hassan, G. M., and Datta, A. (2023). MP-SeizNet: A multi-path CNN bi-LSTM network for seizure-type classification using EEG. *Biomedical Signal Processing and Control*, 84:104780.
- Alzubaidi, L., Zhang, J., Humaidi, A. J., Al-Dujaili, A., Duan, Y., Al-Shamma, O., Santamaría, J., Fadhel, M. A., Al-Amidie, M., and Farhan, L. (2021). Review of deep learning: concepts, cnn architectures and challenges. *Journal of Big Data*, 8:53.
- Antoniadis, A. and Fan, J. (2001). Regularization of wavelet approximations. *Journal of the American Statistical Association*, 96(455):939–967.
- Attallah, O. (2023). Multitask deep learning-based pipeline for gas leakage detection via e-nose and thermal imaging multimodal fusion. *Chemosensors*, 11(7):364.
- Baum, E. B. and Wilczek, F. (1988). Supervised learning of probability distributions by neural networks. In Anderson, D. Z., editor, *Neural Information Processing Systems*, pages 52–61. American Institute of Physics.
- Başarslan, M. S. (2025). M-camp;m-bl: a novel classification model for brain tumor classification: multi-cnn and multi-bilstm. *The Journal of Supercomputing*, 81(3).
- Bishop, C. M. (2006). *Pattern Recognition and Machine Learning*. Springer, New York.
- Botchkarev, A. (2019). A new typology design of performance metrics to measure errors in machine learning regression algorithms. *Interdisciplinary Journal of Information, Knowledge, and Management*, 14:045–076.

- Bridle, J. S. (1990). *Probabilistic Interpretation of Feedforward Classification Network Outputs, with Relationships to Statistical Pattern Recognition*, pages 227–236. Springer Berlin Heidelberg.
- Buratto, W. G., Muniz, R. N., Nied, A., Barros, C. F. d. O., Cardoso, R., and Gonzalez, G. V. (2024). Wavelet cnn-lstm time series forecasting of electricity power generation considering biomass thermal systems. *IET Generation, Transmission amp; Distribution*, 18(21):3437–3451.
- Bursa Efek Indonesia (2024). Islamic capital market performance in q3 2024. Technical report.
- Cai, T. T. (1999). Adaptive wavelet estimation: a block thresholding and oracle inequality approach. *The Annals of Statistics*, 27(3).
- Chang, S., Yu, B., and Vetterli, M. (2000). Adaptive wavelet thresholding for image denoising and compression. *IEEE Transactions on Image Processing*, 9(9):1532–1546.
- Chatfield, C. (2003). *The Analysis of Time Series*. Chapman and Hall/CRC.
- Chen, G., Bui, T., and Krzyzak, A. (2005). Image denoising using neighbouring wavelet coefficients. *Integrated Computer-Aided Engineering*, 12(1):99–107.
- Cohen, J. P., Morrison, P., Dao, L., Roth, K., Duong, T., and Ghassemi, M. (2020). Covid-19 image data collection: Prospective predictions are the future. *Machine Learning for Biomedical Imaging*, 1(December 2020):1–38.
- Daubechies, I. (1992). *Ten Lectures on Wavelets*. Society for Industrial and Applied Mathematics.
- Devasudha, P., Raghupathy, R., and Vadivukarassi, M. (2026). Wavelet–cnn–lstm framework for accurate earthquake magnitude prediction from seismic wave-forms. *International Journal of Computer Information Systems and Industrial Management Applications*, 18(3s):482–492.

- Donoho, D. (1995). De-noising by soft-thresholding. *IEEE Transactions on Information Theory*, 41(3):613–627.
- Donoho, D. and Johnstone, I. M. (1995). Adapting to unknown smoothness via wavelet shrinkage. *Journal of the American Statistical Association*, 90(432):1200–1224.
- Donoho, D. and Johnstone, I. M. (1998). Minimax estimation via wavelet shrinkage. *The Annals of Statistics*, 26(3).
- Elman, J. L. (1990). Finding structure in time. *Cognitive Science*, 14(2):179–211.
- Fausett, L. (1994). *Fundamentals of neural networks: architectures, algorithms, and applications*. Pentrice Hall.
- Fernandes, R., Huang, L., and Vejarano, G. (2019). Non-audible speech classification using deep learning approaches. In *2019 International Conference on Computational Science and Computational Intelligence (CSCI)*. IEEE.
- Gao, H., Yan, L., Shen, R., and Zhang, Z. (2025). Cwt-mcnn-lstm: A wavelet-cnn-lstm framework for ecg signal classification. In *2025 5th International Symposium on Computer Technology and Information Science (ISCTIS)*, pages 29–32. IEEE.
- Gaoyong Luo (2008). Fast wavelet image denoising based on local variance and edge analysis.
- García, F., Guijarro, F., Oliver, J., and Tamošiūnienė, R. (2024). Foreign exchange forecasting models: Lstm and bilstm comparison. In *ITISE 2024*, ITISE 2024, page 19. MDPI.
- Glorot, X., Bordes, A., and Bengio, Y. (2011). Deep sparse rectifier neural networks. In *Proceedings of the Fourteenth International Conference on Artificial Intelligence and Statistics*, volume 15, pages 315–323. PMLR.
- Gonzalez, R. C. and Woods, R. E. (2018). *Digital Image Processing*. Pearson, New York.

- Goodfellow, I., Bengio, Y., and Courville, A. (2016). *Deep Learning*. MIT Press, Cambridge, MA.
- Graves, A. and Schmidhuber, J. (2005). Framewise phoneme classification with bidirectional lstm and other neural network architectures. *Neural Networks*, 18(5-6):602–610.
- Haar, A. (1910). Zur theorie der orthogonalen funktionensysteme: Erste mitteilung. *Mathematische Annalen*, 69(3):331–371.
- Haennah, J. H. J., Christopher, C. S., and King, G. R. G. (2024). Combined U-Net and CNN image classification model for COVID disease detection using CXR/CT imaging. *Journal of Intelligent & Fuzzy Systems*, pages 1–17.
- Haykin, S. S. (2009). *Neural Networks and Learning Machines*. Pearson, Upper Saddle River, NJ, 3 edition.
- Hernandez-Gonzalez, E., Gomez-Gil, P., Bojorges-Valdez, E., and Ramirez-Cortes, M. (2021). Bi-dimensional representation of EEGs for BCI classification using CNN architectures. In *2021 43rd Annual International Conference of the IEEE Engineering in Medicine Biology Society (EMBC)*. IEEE.
- Hochreiter, S. and Schmidhuber, J. (1997). Long short-term memory. *Neural Computation*, 9(8):1735–1780.
- Hodson, T. O., Over, T. M., and Foks, S. S. (2021). Mean squared error, deconstructed. *Journal of Advances in Modeling Earth Systems*, 13(12).
- Hong, J., Jin, W., Nandi, M., and Alastruey, J. (2026). Real-time classification of blood pressure changes using photoplethysmography and deep learning. *Biomedical Signal Processing and Control*, 112:108380.
- Hyndman, R. J. and Athanasopoulos, G. (2018). *Forecasting: Principles and practice*.
- Janiesch, C., Zschech, P., and Heinrich, K. (2021). Machine learning and deep learning. *Electronic Markets*, 31(3):685–695.

- Jordan, M. I. and Mitchell, T. M. (2015). Machine learning: Trends, perspectives, and prospects. *Science*, 349(6245):255–260.
- Juchuang, L. and Anmin, Z. (2022). CNN-wavelet-transform-based model for solar photovoltaic power prediction. In *2022 19th International Computer Conference on Wavelet Active Media Technology and Information Processing (ICCWAMTIP)*. IEEE.
- Kivanc Mihcak, M., Kozintsev, I., Ramchandran, K., and Moulin, P. (1999). Low-complexity image denoising based on statistical modeling of wavelet coefficients. *IEEE Signal Processing Letters*, 6(12):300–303.
- Kovalenko, D. and Marcek, D. (2024). Integration advanced neural networks technologies: a new opportunity for economic time series forecasting. In *2024 IEEE 17th International Scientific Conference on Informatics (Informatics)*, pages 168–172. IEEE.
- Kumar, A. K., Ritam, M., Han, L., Guo, S., and Chandra, R. (2022). Deep learning for predicting respiratory rate from biosignals. *Computers in Biology and Medicine*, 144:105338.
- Lantz, B. (2019). *Machine Learning with R*. PACKT Publishing.
- Lee, H.-C. and Jung, C.-W. (2022). Vitaldb, a high-fidelity multi-parameter vital signs database in surgical patients.
- Lee, H.-C., Park, Y., Yoon, S. B., Yang, S. M., Park, D., and Jung, C.-W. (2022). Vitaldb, a high-fidelity multi-parameter vital signs database in surgical patients. *Scientific Data*, 9(1).
- Lee, J., Park, S., and Kim, H. (2023). Resource-efficient convolutional networks: A survey on cnn architectures, pruning & quantization. *ACM Computing Surveys*, 55(12):1–32.
- Liang, Y., Liang, W., and Jia, J. (2023). Structural vibration signal denoising using

- stacking ensemble of hybrid CNN-RNN. *Advances in Artificial Intelligence and Machine Learning*, 03(02):1110–1122.
- Lin, Y., Chen, K., Zhang, X., Tan, B., and Lu, Q. (2022). Forecasting crude oil futures prices using BiLSTM-attention-CNN model with wavelet transform. *Applied Soft Computing*, 130:109723.
- Liu, P., Zhang, H., Lian, W., and Zuo, W. (2019). Multi-level wavelet convolutional neural networks. *IEEE Access*, 7:74973–74985.
- Liu, P., Zhang, H., Zhang, K., Lin, L., and Zuo, W. (2018). Multi-level wavelet-CNN for image restoration. In *2018 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW)*. IEEE.
- Liu, S., Zhang, C., and Ma, J. (2017a). CNN-LSTM neural network model for quantitative strategy analysis in stock markets. In *Neural Information Processing*, pages 198–206. Springer International Publishing.
- Liu, Y., Chen, X., Peng, H., and Wang, Z. (2017b). Multi-focus image fusion with a deep convolutional neural network. *Information Fusion*, 36:191–207.
- Mallat, S. (1989). A theory for multiresolution signal decomposition: the wavelet representation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 11(7):674–693.
- Mallat, S. (1999). *A Wavelet Tour of Signal Processing*. Academic Press.
- Mallat, S. and Hwang, W. (1992). Singularity detection and processing with wavelets. *IEEE Transactions on Information Theory*, 38(2):617–643.
- McCulloch, W. S. and Pitts, W. (1943). A logical calculus of the ideas immanent in nervous activity. *The Bulletin of Mathematical Biophysics*, 5(4):115–133.
- Mienye, I. D., Nwakanma, C., and Liu, Y. (2025). Deep convolutional neural networks in medical image analysis: A review. *Information*, 16(3):195.
- Mitchell, T. M. (1997). *Machine Learning*. McGraw-Hill, New York.

- Muralidharan, A. and Mahfuz, S. (2025). Human activity recognition using hybrid cnn-rnn architecture. *Procedia Computer Science*, 257:336–343.
- Nair, V. and Hinton, G. E. (2010). Rectified linear units improve restricted boltzmann machines. In *Proceedings of the 27th International Conference on Machine Learning*, pages 807–814. Omnipress.
- Nurtiyasari, D., Abdurakhman, and Sumardi (2026a). Local variance multilevel wavelet thresholding with hybrid cnn for medical image classification. *Communications in Statistics - Simulation and Computation*. Under review (minor revision).
- Nurtiyasari, D., Abdurakhman, and Sumardi (2026b). Real-time blood pressure change classification using enhanced ppg signals and convolutional neural networks. *International Journal of Statistics in Medical Research*. In press.
- Nurtiyasari, D., Rosadi, D., Abdurakhman, A., and Sumardi, S. (2025). Performance evaluation for indonesia sharia stocks price prediction integrating wavelet and hybrid approaches. *Industrial Engineering amp; Management Systems*, 24(2):211–224.
- Peng, X., Shu, W., Pan, C., Ke, Z., Zhu, H., Zhou, X., and Song, W. W. (2022). DSCSSA: A classification framework for spatiotemporal features extraction of arrhythmia based on the seq2seq model with attention mechanism. *IEEE Transactions on Instrumentation and Measurement*, 71:1–12.
- Pirani, M., Thakkar, P., Jivrani, P., Bohara, M. H., and Garg, D. (2022). A comparative analysis of arima, gru, lstm and bilstm on financial time series forecasting. In *2022 IEEE International Conference on Distributed Computing and Electrical Circuits and Electronics (ICDCECE)*, pages 1–6. IEEE.
- Prasad, V. K., Savaliya, D., Sanghavi, S., Sakariya, V., Bhattacharya, P., Verma, J. P., Shah, R., and Tanwar, S. (2023). Stock price prediction for market forecasting using machine learning analysis. In *Proceedings of Fourth International Con-*

- ference on Computing, Communications, and Cyber-Security*, pages 477–492. Springer Nature Singapore.
- Pu, Z., Yan, J., Chen, L., Li, Z., Tian, W., Tao, T., and Xin, K. (2023). A hybrid wavelet-cnn-lstm deep learning model for short-term urban water demand forecasting. *Frontiers of Environmental Science & Engineering*, 17(2):22.
- Rahul, J. and Sharma, L. D. (2022). Automatic cardiac arrhythmia classification based on hybrid 1-d CNN and bi-LSTM model. *Biocybernetics and Biomedical Engineering*, 42(1):312–324.
- Rosadi, D. (2014). *Analisis Runtun Waktu dan Aplikasinya dengan R*. Gadjah Mada University Press.
- Rosenblatt, F. (1958). The perceptron: A probabilistic model for information storage and organization in the brain. *Psychological Review*, 65(6):386–408.
- Rumelhart, D. E., Hinton, G. E., and Williams, R. J. (1986). Learning representations by back-propagating errors. *Nature*, 323(6088):533–536.
- Schuster, M. and Paliwal, K. (1997). Bidirectional recurrent neural networks. *IEEE Transactions on Signal Processing*, 45(11):2673–2681.
- Sendur, L. and Selesnick, I. (2002). Bivariate shrinkage with local variance estimation. *IEEE Signal Processing Letters*, 9(12):438–441.
- Shalev-Shwartz, S. and Ben-David, S. (2014). *Understanding Machine Learning: From Theory to Algorithms*. Cambridge University Press, Cambridge.
- Shang, C., Tian, L., Li, M., Wang, Y., Cui, X., and Han, H. (2023). Research on the relationship between electrical signal and growth state of plants based on temperature factor. In *2023 IEEE 3rd International Conference on Information Technology, Big Data and Artificial Intelligence (ICIBA)*. IEEE.
- Shiraishi, J., Katsuragawa, S., Ikezoe, J., Matsumoto, T., Kobayashi, T., Komatsu, K., Matsui, M., Fujita, H., Kodera, Y., and Doi, K. (2000). Development of a

- digital image database for chest radiographs with and without a lung nodule: Receiver operating characteristic analysis of radiologists' detection of pulmonary nodules. *American Journal of Roentgenology*, 174(1):71–74. Available at: <http://db.jsrt.or.jp/eng.php>.
- Simongyi, M. and Chongstitvatana, P. (2018). Machine learning methods for abnormality detection in hard disk drive assembly process: Bi-LSTM, wavelet-CNN and SVM. In *2018 2nd European Conference on Electrical Engineering and Computer Science (EECS)*. IEEE.
- Sokolova, M. and Lapalme, G. (2009). A systematic analysis of performance measures for classification tasks. *Information Processing amp; Management*, 45(4):427–437.
- Solla, S. A., Levin, E., and Fleisher, M. (1988). Accelerated learning in layered neural networks. *Complex Systems*, 2(6):625–640.
- Song, Y., Cai, C., Ma, D., and Li, C. (2024). Modelling and forecasting high-frequency data with jumps based on a hybrid nonparametric regression and LSTM model. *Expert Systems with Applications*, 237:121527.
- Song, Y., Zhang, L., Yan, Y., Li, Z., Yang, M., and Hu, Z. (2025). Time-frequency attention fusion network with wavelet-transformer for time series classification. In *2025 9th IEEE International Conference on Network Intelligence and Digital Content (IC-NIDC)*, pages 141–145. IEEE.
- Tianyou, Y., Xunbo, L., Hao, L., Jieling, S., Tengfei, W., and Zhenlin, W. (2024). Weformer: Wavelet embedding transformer for multivariate time series forecasting. In *2024 21st International Computer Conference on Wavelet Active Media Technology and Information Processing (ICCWAMTIP)*, pages 1–4. IEEE.
- Uchida, S. (2013). Image processing and recognition for biological images. *Development, Growth amp; Differentiation*, 55(4):523–549.
- Vincent, P., Larochelle, H., Bengio, Y., and Manzagol, P.-A. (2008). Extracting and composing robust features with denoising autoencoders. In *Proceedings of the*

25th international conference on Machine learning - ICML '08, ICML '08, pages 1096–1103. ACM Press.

Wilson, G. T. (2016). Time series analysis: Forecasting and control, 5th edition, by george e. p. box, gwilym m. jenkins, gregory c. reinsel and greta m. ljung, 2015. published by john wiley and sons inc., hoboken, new jersey, pp. 712. isbn: 978-1-118-67502-1. *Journal of Time Series Analysis*, 37(5):709–711.

Yang, S., Shan, T., and Yang, X. (2025). Interpretable dwt-1dcnn-lstm network for power quality disturbance classification. *Energies*, 18(2):231.

Yang, Y. and Wei, Y. (2022). An adaptive shrinkage function for image denoising based on the neighborhood characteristics. *Image Analysis amp; Stereology*, 41(2):121–131.

Yann LeCun, Bernhard Boser, J. D. D. H. R. H. W. H. L. J. (1989). Handwritten digit recognition with a back-propagation network. *Advances in Neural Information Processing Systems 2*.

Zhang, J., Wang, H., Li, X., Jin, X., and Chen, Y. (2024). Interpretable eeg-based seizure prediction using a hybrid wavelet cnn-lstm model with shap. *Mathematical Modelling of Engineering Problems*, 11(4).

Zhang, W., Wang, L., Chen, J., Xiao, W., and Bi, X. (2021). A novel gas recognition and concentration detection algorithm for artificial olfaction. *IEEE Transactions on Instrumentation and Measurement*, 70:1–14.

Zhang, Y., Yu, K., Huang, C., Qu, R., Fan, Z., Zhu, P., Chen, W., and Hao, J. (2025). Adaptive layer-dependent threshold function for wavelet denoising of ecg and multimode fiber cardiorespiratory signals. *Sensors*, 25(24):7644.

Zhao, L. and Zhang, Z. (2024). A improved pooling method for convolutional neural networks. *Scientific Reports*, 14(1).