

DAFTAR PUSTAKA

- Abrofarakh M., Zivdar M., Mohebbi-Kalhari D. (2025). Analysis of Elbow Erosion in Natural Gas Pipelines with Dense Phase Flow: A Computational Fluid Dynamic-Discrete Element Method (Gas-Solid Flow) Study. *Iranian Journal of Chemistry and Chemical Engineering (IJCCE)*, 44(03): 917-929.
- ANSYS Inc. (2017). *Mesh Quality and Advance Topics*. ANSYS.
- Atmaja, H. J., Kamal, S., & Sugiyono, S. (2020). Simulasi Numerik Prediksi Erosi Aliran Fase Cair-Gas Berpasir Pada Belokan Pipa Sumur Minyak Mentah Menggunakan Model Finnie, McLaury dan Oka. *Journal of Mechanical Design and Testing*, 2(1), 47. <https://doi.org/10.22146/jmdt.53724>.
- Beijing DaTongLongYuan Energy. (2022). *Lontar Power Station Anti Blocking Bunker Operation Manual*. Banten: PLTU Banten 3 Lontar.
- Beyralvand, D., Banazadeh, F., Moghaddas, R. (2023). Numerical investigation of novel geometric solutions for erosion problem of standard elbows in gas-solid flow using CFD-DEM. *Results in Engineering*, 17, 101014. <https://doi.org/10.1016/j.rineng.2023.101014>
- Borsuk, G., Dobrowolski, B., Wydrych, J. (2014). The use of numerical methods in the design and operation of pneumatic transport systems. *Logistyka*, 6, 2227–2236.
- Burnett, A. J., De Silva, S. R., & Reed, A. R. (1994). Comparisons between “sand blast” and “centripetal effect accelerator” type erosion testers. *Proceeding of the 8th International Conference on Erosion by Liquid and Solid Impact*, 168–178. [https://doi.org/10.1016/0043-1648\(95\)07143-1](https://doi.org/10.1016/0043-1648(95)07143-1).
- Chen, X., Mclaury, B.S., Shirazi, S.A. (2004). Application and experimental validation of a computational fluid dynamics (CFD) based erosion prediction model in elbows and plugged tees comput. *Fluids*, 33, 1251–1272.
- Chunming, A.I., Wang, Z., Liu, Chau., Wu, A. (2024). Study on mechanism of erosion and wear of elbow pipes by coarse particles in filling slurry. *Scientific Report*, 14, 30888.
- Dongfang Electric Ltd. (2011). *Chemistry Operation Manual Book*. Banten: PLTU Banten 3 Lontar.

- Ferrin, J.L., Saavedra, L. (2012). Distribution of the coal flow in the mill-duct system of the As Pontes Power Plant using CFD modeling. *Fuel Processing Technology*, 106, 84-94.
- Finnie, I., Stevick, G.R., Ridgely, J.R. (1992). The influence of impingement angle on the erosion of ductile metals by angular abrasive particles. *Wear*, 152, 91–98.
- Gandhi, B., & Borse, S. (2002). Effect of Particle Size and Size Distribution on Estimating Erosion Wear of Cast Iron in Sand-Water Slurries. *Indian J. Eng. Mater. Science*, 9, 480-486.
- Guo, X., Liu, J., Dai, L., Liu, Q., Fang, D., Wei, A., Wang, J. (2020). Friction-wear failure mechanism of tubing strings used in high-pressure, high-temperature and high-yield gas wells. *Wear*, 203576, 0468-0469.
- Grant, T., Tabakoff, W. (1975). Erosion prediction in turbomachinery resulting from environmental solid particles. *J Aircraft*, 12, 471–547.
- Habib, R. (2013). *Pembangkit Listrik Tenaga Thermal 1 (PLTU & PLTP)*. Jakarta: Sekolah Tinggi Teknik PLN.
- Hernik, B. Research to Reduce the Risk of Corrosion and Erosion of Boilers. Ph.D. Thesis, Silesian University of Technology IMiUE, Gliwice, Poland, 2009.
- Hernik, B., Pronobis, M., Wejkowski, R., Wojnar, W. (2017). Experimental verification of a CFD model intended for the determination of restitution coefficients used in erosion modelling. *E3S Web Conference*, 13, 05001.
- Hong, B., Li, X., Li, Y., Li, Y., Yu, Y., Wang, Y., Gong, J., Ai, D. (2021). Numerical Simulation of Elbow Erosion in Shale Gas Fields under Gas-Solid Two-Phase Flow. *Energies*, 14, 3804.
- Hutchings, I. M. (1992). *Ductile-Brittle Transitions and Wear Maps for the Erosion and Abrasion of Brittle Materials*. *Journal of Physics D: Applied Physics*, Vol. 25, p. A212.
- Karimi, S., Siamack, S.A.; McLaury, B.S. (2017). Predicting fine particle erosion utilizing computational fluid dynamics. *Wear*, 376–377, 1130–1137.
- Kleis, I., & Kulu, P. (2008). Solid particle erosion: Occurrence, prediction and control. In *Solid Particle Erosion: Occurrence, Prediction and Control*. <https://doi.org/10.1007/978-1-84800-029-2>.
- Laitone, J. A. (1979). Aerodynamic effects in the erosion process. *Wear*, 56(1),

239–246. [https://doi.org/10.1016/0043-1648\(79\)90022-X](https://doi.org/10.1016/0043-1648(79)90022-X).

- Levy, A. V., & Chik, P. (1983). The effects of erodent composition and shape on the erosion of steel. *Wear*, 89(2), 151–162. [https://doi.org/10.1016/0043-1648\(83\)90240-5](https://doi.org/10.1016/0043-1648(83)90240-5).
- Levy, A. (1995). *Solid particle erosion and erosion-corrosion of materials*. ASM International.
- Love, A.I.J., Giddings, D., Power, H. (2014). Numerical analysis of particle flows within a double expansion. *Powder Technol*, 266, 22–37.
- Mansouri, A. (2016). *A Combined CFD-Experimental Method for Developing an Erosion Equation both Gas-Sand and Liquid-Sand Flows*. The University of Tulsa.
- McLaury, B. S., Wang, J., Shirazy, S. A., SPE, Shadley, J. R., & Rybicki, E. F. (1997). *Solid Particle Erosion in Long Radius Elbows and Straight Pipes*.
- Okafor, E., Ibeneme, I.O. (2019). Parametric Analysis of Sand Erosion in Pipe Bends Using Computational Fluid Dynamics. *Int. J. Sci. Eng. Sci.*, 3, 60–65.
- Parsi, M. (2015). *Sand Particle Erosion in Vertical Slug/Churn Flow*. The University of Tulsa.
- Parsi, M., Arabnejad, H., Al-Sarkhi, A., Zahedi, P., Vleira, R. E., Sharma, P., & McLaury, B. S. (2018). A new correlation for predicting solid particle erosion caused by gas-sand flow in elbows. *Proceedings of the Annual Offshore Technology Conference*, 4, 2725–2742. <https://doi.org/10.4043/28995-ms>.
- Peraturan Menteri ESDM No. 27. (2017). *Tingkat Mutu Pelayanan dan Biaya Yang Terkait Dengan Penyaluran Tenaga Listrik di PT PLN (Persero)*. Jakarta: Kementerian ESDM.
- PLN Persero. (2022). *BUKU 1 PUSAT LISTRIK TENAGA UAP (PLTU) BATUBARA JAWA - BALI*. Jakarta: PT PLN Persero Kantor Pusat.
- Salik, J., Buckley, D., & Brainard, W. A. (1981). The effect of mechanical surface and heat treatments on the erosion resistance of 6061 aluminum alloy. *Wear*, 65(3), 351–358. [https://doi.org/10.1016/0043-1648\(81\)90061-2](https://doi.org/10.1016/0043-1648(81)90061-2).
- Schade, K.-P., Erdmann, H.-J., Hadrich, T., Schneider, H., Frank, T., Bernert, K. (2002). Experimental and numerical investigation of particle erosion caused by pulverised fuel in channels and pipework of coal-fired power plant. *Powder Technol*, 125, 242–250.

- Sharma, J., Malviya, G., Shah, V. (2024). Controllability Analysis of Coal Mill Pulverizer Model. *Communications on Applied Nonlinear Analysis*, 32.
- Smeltzer, C. E., Gulden, M. E., & Compton, W. A. (1970). Mechanisms of metal removal by impacting dust particles. *Journal of Fluids Engineering, Transactions of the ASME*, 92(3), 639–652. <https://doi.org/10.1115/1.3425091>.
- Sooraj, V. S., & Radhakrishnan, V. (2013). Elastic impact of abrasives for controlled erosion in fine finishing of surfaces. *Journal of Manufacturing Science and Engineering*, 135(5). <https://doi.org/10.1115/1.4025338>.
- Srinivasan, S., & Scattergood, R. O. (1988). Effect of erodent hardness on erosion of brittle materials. *Wear*, 128(2), 139–152. [https://doi.org/10.1016/0043-1648\(88\)90180-9](https://doi.org/10.1016/0043-1648(88)90180-9).
- Sundararajan, G. (1991). A comprehensive model for the solid particle erosion of ductile materials. *Wear*, 149(1–2), 111–127. [https://doi.org/10.1016/0043-1648\(91\)90368-5](https://doi.org/10.1016/0043-1648(91)90368-5).
- Tilly, G. P. (1973). A two stage mechanism of ductile erosion. *Wear*, 23(1), 87–96. [https://doi.org/10.1016/0043-1648\(73\)90044-6](https://doi.org/10.1016/0043-1648(73)90044-6).
- Veritas, D. N. (2007). *RECOMMENDED PRACTICE RP O501 EROSIVE WEAR IN PIPING SYSTEMS*.
- Vuthaluru, H.B., Pareek, V.K., Vuthaluru, R. (2005). Multiphase flow simulation of a simplified coal pulveriser. *Fuel Processing Technol*, 86, 1195–1205.
- Wang, J., Shirazi, S.A. (2003). A CFD based correlation for erosion factor for long-radius elbows and bends. *Trans*, 125, 26–34.
- Wood, R.J.K., Jones, T.F., Ganeshalingam, J.; Miles, N.J. (2004). Comparison of predicted and experimental erosion estimates in slurry ducts. *Wear*, 256, 937–947.
- Yudhatama, I. W., Purbawanto, M. I., & Jatimurti, W. (2018). Computational Fluid Dynamics (CFD) Simulation of Sand Particle Erosion in Turbulent Gas Fluid Flow in Vertical-Horizontal Elbow. *Jurnal Teknik ITS*, 7(2). <https://doi.org/10.12962/j23373539.v7i2.30445>.
- Zdravecká, E., Slota, J., Tkáčová, J. (2014). Erosive failure of steel pipeline by solid pulverized particles. *Eng. Fail. Anal.*, 46, 18–25.

Zhu, D.S., Ou, G.F., Luo, M.H., Gu, Y.J. (2022). Gas-Solid Erosion Study of Elbow Pipe based on Erosion Dynamic Grid Technology. *Journal of Applied Fluid Mechanics*, 15, 1837-1850.

Zikanov, O. (2010). Essential Computational Fluid Dynamics. In *Sustainability (Switzerland)*. John Wiley & Sons.
http://scioteca.caf.com/bitstream/handle/123456789/1091/RED2017-Eng-8ene.pdf?sequence=12&isAllowed=y%0Ahttp://dx.doi.org/10.1016/j.regsciurbeco.2008.06.005%0Ahttps://www.researchgate.net/publication/305320484_SISTEM_PEMBETUNGAN_TERPUSAT_STRATEGI_MELESTARI.