UNIVERSITAS
GADJAH MADA
**Pengaruh Pemberian Mineral Oil dan Bacillus tropicus Terhadap Aktivitas Makan Diaphorina citri Pada
Tanaman Jeruk Siam (Citrus nobilis L.) yang Dimonitor Menggunakan Electrical Penetration Graph**
Alia Nafiatus Syifa Ilyas, Alan Soffan, S.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Agnello, M.A. 2002. Petroleum – Derived Spray Oils; Chemistry, History, Refining and Formulation. In Beattie, GAC., Watson, DM., Stevens, ML., Rae and Spooner-Hart eds. Spray Oils Beyond 2000, Sustainable Pest and Disease Management. University of Western sydney Press.

Agrios, G. N. 2005. Plant pathology. Elsevier.

Aji, O. R., & I. D. Lestari. 2020. Bakteri endofit tanaman jeruk nipis (*Citrus aurantifolia*) penghasil asam indol asetat (AIA). AL-KAUNIYAH: Jurnal Biologi, 13(2); 179-191.

Alvarez, A. E., E. Garzo, M. Verbeek, B. Vosman, M. Dicke, and W. F. Tjallingii. 2007. Infection of potato plants with potato leafroll virus changes attraction and feeding behaviour of Myzus persicae. Entomologia Experimentalis et Applicata. 125(2): 135 – 144.

Ammar, E. D., D. G. Hall., & R. G. Shatters. (2013). Stylet Morphometrics and Citrus Leaf Vein Structure in Relation to Feeding Behavior of the Asian Citrus Psyllid *Diaphorina citri*, Vector of Citrus *Huanglongbing* Bacterium. PLoS One, *8*(3): e59914.

Avosani, S., R. W. Mankin., T. E. S. Sullivan., J. Polajnar., D. M. Suckling., & V. Mazzoni. (2022). Vibrational Communication in Psyllids. Biotremology: Physiology, Ecology, and Evolution. Animal Signals and Communication, 8.

Avosani, S., Sullivan, T. E., Ciolli, M., Mazzoni, V., & Suckling, D. M. (2020). Can Vibrational Playbacks Disrupt Mating or Influence Other Relevant Behaviours in *Bactericera cockerelli* (Triozidae: Hemiptera). Insects, 11(5): 299.

Backus, E. A., & Hsien-Tzung, S. 2020. Review of the EPG Waveforms of Sharpshooters and Spittlebugs Including Their Biological Meanings in Relation to Transmission of Xylella fastidiosa (Xanthomonadales: Xanthomonadaceae). Journal Insect Science, (4):6. doi: 10.1093/jisesa/ieaa055. PMID: 32677684; PMCID: PMC7366067.

Baker, J. E., & Baker, H. G. 1973. The role of nectar in the ecology of flowering plants. Ecology, 54(1); 1-10.

Bassanezi, R. R., L. H. Montesino., & E. S. Stuchi. 2009. Effects of Huanglongbing on Fruit Quality of Sweet orange Cultivars in Brazil. European Journal of Plant Pathologym 125(4); 565-572.

Blanco Crivelli, X., C. Cundon., M. P. Bonino., M. S. Sanin., & A. Bentancor. (2024). The Complex and Changing Genus *Bacillus*: A Diverse Bacterial Powerhouse for Many Applications. Bacteria, 3(3): 256-270.

Bonani, J. P., Fereres, A., Garzo, E., Miranda, M. P., Appezzato-Da-Gloria, B., & Lopes, J. R. S. 2010. Characterization of electrical penetration graphs of the Asian citrus psyllid, Diaphorina citri, in sweet orange seedlings. Entomologia Experimentalis et Applicata, 134(1); 35-49.

Bové, J. M., Dwiastuti, M. E., Triviratno, A., Supriyanto, A., Nasli, E., Becu, P., & Garnier, M. 2000. Incidence of huanglongbing and citrus rehabilitation in North Bali, Indonesia. In *International Organization of Citrus Virologists Conference Proceedings (1957-2010)* (14); 4.

Chen, F., Wang, M., Zheng, Y., Luo, J., Yang, X., & Wang, X. 2010. Quantitative changes of plant defense enzyme and phytohormone in biocontrol of cucumber Fusarium wilt by Bacillus substilis B579. World Journal of Microbiology and Biotechnology, 26(4); 675-684.

Cui, X., Zhan, X., Liu, Y., Huang, Z., Deng, X., Zheng, Z., & Xu, M. Integrated Transcriptome and Metabolome Analysis Reveals Phenylpropanoid Biosynthesis and Phytohormone Signaling Contribute to

UNIVERSITAS
GADJAH MADA
**Pengaruh Pemberian Mineral Oil dan Bacillus tropicus Terhadap Aktivitas Makan Diaphorina citri Pada
Tanaman Jeruk Siam (Citrus nobilis L.) yang Dimonitor Menggunakan Electrical Penetration Graph**
Alia Nafiatus Syifa Ilyas, Alan Soffan, S.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

"*Candidatus* Liberibacter asiaticus" Accumulation in Citrus Fruit Piths (Fluffy Albedo). 2022. International Journal of moleculer Sciences, 23(24); 15648.

Cocroft, R. B., & RodrígueZ, R. L. (2005). The Behavioral Ecology of Insect Vibrational Communication. BioScience, 55(4), 323.

Eben, A., Mühlethaler, R., Gross, J. Gross., & H. Hoch. (2015). First evidence of acoustic communication in the pear psyllid *Cacopsylla pyri* L. (Hemiptera: Psyllidae). Journal of Pest Science, 88: 87–95.

Ebert, T.A., E. A. Backus., & H. J. Shugart. (2018). Behavioral Plasticity in Probing by *Diaphorina citri* (Hemiptera, Liviidae): Ingestion from Phloem Versus Xylem is Influenced by Leaf Age and Surface. Journal Insect Behavior, 31: 119–137.

Elkin, L. A., M. Kay., J. J. Higgins., & J. O. Wobbrock. (2021). An aligned rank transform procedure for multifactor contrast tests. In *The 34th annual ACM symposium on user interface software and technology* (pp. 754-768).

Etxeberria, E., Gonzalez, P., Vincent, C., & Schumann, A. 2019. Extended persistence of Candidatus Liberibacter asiaticus (CLas) DNA in Huanglongbing affected citrus tissue after bacterial death. Physiological and Molecular Plant Pathology, 106; 204-207.

Farina, A., A. C. Barbera., G. Leonardi., G. E. Massimino Cocuzza., P. Suma., & C. Rapisarda. (2022). *Bemisia tabaci* (Hemiptera: Aleyrodidae): what relationships with and morpho-physiological effects on the plants it develops on?. Insects, 13(4): 351.

Fu, Y., Colella, S., & Uzest, M. (2025). Hemipteran vectors of stylet-borne plant viruses: Aphids lead the charge. Insect Science. 1-17.

George, J., R. Kanissery., M. Bashyal., B. Tamayo., & L. L. Stelinski. (2022). Survival and Feeding Behavior of *Diaphorina citri* (Hemiptera: Liviidae) Adults on Common Cover Crops in Citrus. Agriculture, 12(12): 2175.

Ghanim, M., Fattah-Hosseini, S., Levy, A., & Cilia, M. 2016. Morphological abnormalities and cell death in the Asian citrus psyllid (*Diaphorina citri*) midgut associated with *Candidatus* Liberibacter asiaticus. Sci Rep; 6:33418. https://doi.org/10.1038/srep33418.

Gond, S. K., M. S. Bergen, M. S. Torres, & J. F. White Jr. 2015. Endophytic Bacillus spp. produce antifungal lipopeptides and induce host defence gene expression in maize. Microbiological research, 172; (79-87).

Gottwald, T. R. 2010. Current epidemiological understanding of citrus huanglongbing. Annual Review of Phytopathology, 48, 119–139.

Grafton-Cardwell, E.E., Stelinski, L.L., & Stansly, P.A. 2013. Biology and management of Asian citrus psyllid, vector of the huanglongbing pathogens. Annual Review of Entomology. 58:413-432.

Guo. C-F., Kong. W-Z., M. Mukangango., Hu. Y-W., Liu. Y-T., W. Sang., & Qiu. B-L. (2024). Distribution and Dynamic Changes of *Huanglongbing* Pathogen in Its Insect Vector *Diaphorina citri*. Front Cell Infect Microbiol, 14:1408362. https://doi.org/10.3389/fcimb.2024.1408362

Halbert, S. E., & Manjunath, K. L. 2004. Asian citrus psyllid (Hemiptera: Psyllidae) and greening disease of citrus: A literature review. Florida Entomologist, 87(3); 330-353.

Helmy, E. I., F. A. Kwaiz., & O. M. N. El-Sahn. 2012. The usage of mineral oils to control insects. Egyptian Academic Journal of Biological Sciences Entomology 5(3); 167-174.

Hosseinzadeh, S., & M. Heck. 2023. Variations on a Theme: Factors Regulating Interaction Between *Diaphorina citri* and "*Candidatus* Liberibacter asiaticus" Vector and Pathogen of Citrus Huanglongbing. Insect Science, 56

UNIVERSITAS GADJAH MADA
Pengaruh Pemberian Mineral Oil dan Bacillus tropicus Terhadap Aktivitas Makan Diaphorina citri Pada Tanaman Jeruk Siam (Citrus nobilis L.) yang Dimonitor Menggunakan Electrical Penetration Graph
Alia Nafiatus Syifa Ilyas, Alan Soffan, S.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Khatoon, Z., Huang, S., Farooq, M. A., Santoyo, G., Rafique, M., Javed, S., & Gul, B. 2022. Role of plant growth-promoting bacteria (PGPB) in abiotic stress management. Mitigation of Plant Abiotic Stress by Microorganisms, 257-272.

Killiny, N., & A. Fereres. (2025). Harnessing the Power of Electrical Penetration Graph Technology to Understand Psyllid-Transmitted Fastidious Bacterial Diseases. Phytopathology, 115(4): 332-342.

Kumar, V., Avery, P. B., Ahmed, J., Cave, R. D., McKenzie, C. L., & Osborne, L. S. (2017). Compatibility and Efficacy of *Isaria fumosorosea* with Horticultural Oils for Mitigation of the Asian Citrus Psyllid, *Diaphorina citri* (Hemiptera: Liviidae). *Insects*, *8*(4), 119. https://doi.org/10.3390/insects8040119.

Leong, S. S., S. C. T. Leong., & G. A. C. Beattie. (2021). Effect of Horticultural Mineral Oil on Huanglongbing Transmission by *Diaphorina citri* Kuwayama (Hemiptera: Psyllidae) Population in a Commercial Citrus Orchard in Sarawak, Malaysia, Northern Borneo. Insects, 12(9): 772.

Liao, YC., & Yang, MM. 2017. First Evidence of Vibrational Communication in Homotomidae (Psylloidea) and Comparison of Substrate-Borne Signals of Two Allied Species of the Genus *Macrohomotoma* Kuwayama. Journal Insect Behavior, 30; 567–581.

Liu, Y. H. and J. H. Tsai. 2000. Effects of temperature on biology and life table parameters of the Asian citrus psyllid, Diaphorina citri Kuwayama (Homoptera: Psyllidae). Ann. Appl. Biol. 137: 201-206.

Lujo, E. S. Hartman, K. Norton, E. A. Pregmon, B. B. Rohde, & R. W. Mankin. 2016. Disrupting Mating Behavior of *Diaphorina citri* (Liviidae). Journal of Economic Entomology, 109(6), 2373–2379.

Luo, X., A. L. Yen., K. S. Powell., F. Wu., Y. Wang., L. Zen & Y. Cen. (2015). Feeding behavior of *Diaphorina citri* (Hemiptera: Liviidae) and its acquisition of '*Candidatus* Liberibacter asiaticus', on *huanglongbing*-infected *Citrus reticulata* Leaves of Several Maturity Stages. Florida Entomologist: 186-192.

Marisna, I., A. Soffan., S. Subandiyah., Y. Cen., & T. Joko. 2024. The Feeding Behavior of *Diaphorina citri* by Using an Electrical Penetration Graph (DC-EPG) on Citrus Plants Treated with *Bacillus cereus* and *Bacillus velezensis*. Journal of Plant Protection Research, 64(3): 234-241.

Martini, X., E. H. Kuhns., A. Hoyte., & L. L. Stelinski. (2014). Plant Volatiles and Density-Dependent Conspecific Female Odors Are Used by Asian citrus psyllid to Evaluate Host Suitability on A Spatial Scale. Arthropod-Plant Interactions, 8(5): 453-460.

Milase, R. N., J. Lin., N. E. Mvubu., & N. Hlengwa. 2024. Reclassification of the first Bacillus tropicus phage calls for reclassification of other Bacillus temperate ohages previously designated as plasmid. BMC Genomics (25), 1018; 1-15.

Nieri, R., Anfora, G., Berardo, A., Zaffaroni Caorsi, V., Akassou, I., Pugno, N. M., & Mazzoni, V. (2023). Vibrational mating disruption against insect pests: five years of experimentation in the vineyard. In *29th International Congress on Sound and Vibration, Prague, 9-13 July 2023*. International Institute of Acoustics and Vibration (IIAV).

Nurhadi. 2015. Penyakit huanglongbing tanaman jeruk (*Candidatus* Liberibacter asiaticus): ancaman dan strategi pengendalian. Pengembangan Inovasi Pertanian, 8(1): 30895.

Pandey, S. S. Li. J., Oswall. C., & Wang. N. 2024. Dynamics of 'Candidatus Liberibacter asiaticus' growth, concentrations of reactive oxygen species, and ion leakage in huanglongbing positive sweet orange. Phytopathology, 114(5); 961-970.

Paprocka, M., K. Dancewicz., B. Kordan., M. Damszel., I. Sergiel., M. Biesaga., & Gabryś, B. (2023). White-berried grapevines as hosts for polyphagous aphids:

UNIVERSITAS GADJAH MADA
Pengaruh Pemberian Mineral Oil dan Bacillus tropicus Terhadap Aktivitas Makan Diaphorina citri Pada Tanaman Jeruk Siam (Citrus nobilis L.) yang Dimonitor Menggunakan Electrical Penetration Graph
Alia Nafiatus Syifa Ilyas, Alan Soffan, S.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

analysis of probing behavior, plant leaf anatomy and allelochemicals. The European Zoological Journal, 90(2): 814–831.https://doi.org/10.1080/24750263.2023.2275637

Poerwanto, M. E., Y. A. Trisyono., S. Subandiyah., E. Martono., P. Halford., & G. A. Charles Beattie. 2008. Effects of mineral oils on host selection behavior of Diaphorina citri. Jurnal Perlindungan Tanaman Indonesia 14(1); 23-28.

Pompon, J., Quiring, D., Goyer, C., Giordanengo, P., & Pelletier, Y. (2011). A phloem-sap feeder mixes phloem and xylem sap to regulate osmotic potential. *Journal of Insect Physiology*, *57*(9), 1317-1322.

Putri, E. A., E. Yuningsih., S. Subandiyah., & T. Joko. 2025. Antagonistic potential and plant growth enhancement by endophytic *Bacillus* isolated from citrus plants. Pertanika Journal Agricultural Science, 48(6); 2153-2176.

Qader, F. A. (2024). Adaptive Osmotic Filtration Mechanisms in Sap-Feeding Insects. House of Wisdom: Journal on Library and Information Sciences, 1(4): 10-21070. https://doi.org/10.21070/how.v1i4.280

Romero, B., J. Rojek., T. Wist., & Prager, SM. (2024). Characterization and correlation of the probing behaviors of *Macrosteles quadrilineatus* (Hemiptera: Cicadellidae) with electropenetrography (EPG) waveforms. Journal Insect Science. 24(2):16.

Ruan, C. Q., Hall, D. G., Liu, B., Duan, Y., Li, T., Hu, H., & Fan, G. 2015. Host-Choice Behavior of *Diaphorina citri* Kuwayama (Hemiptera: Psyllidae) Under Laboratory Conditions. Journal of Insect Behavior 28(2); 138–146.

Saragih, M. D. S., D. Bakti., & I. Safni. 2018. Uji preferensi Spodoptera litura (Lepidoptera: Noctuidae) terhadap beberapa tanaman Leguminosa dan Palmae. Jurnal Pertanian Tropik (5)2; 237-246.

Shugart, H., Ebert, T., Gmitter, F., & Rogers, M. 2019. The Power of Electropenetrography in Enhancing Our Understanding of Host Plant-Vector Interactions. Insects, 10(11); 407. https://doi.org/10.3390/insects10110407

Stelinski, L. L. 2019. Ecological aspects of the vector-borne bacterial disease, citrusw greening (huanglongbing): dispersal and host use by asian citrus psyllid, Diaphorina citri Kuyawa. Insects, 20(7); 208.

Takanashi, T., Uechi, N. & Tatsuta, H. Vibrations in hemipteran and coleopteran insects: behaviors and application in pest management. *Appl Entomol Zool* **54**, 21–29 (2019).

Talabac. 2022. Pesticide Profile: Horticultural Oil. University of Maryland Extension. https://extension.umd.edu/resource/pesticide-profile-horticultural oil/

Tao, T., Z. Wang., R. Mao., M. Hussain., S. P. Arthurs., F. Ye., X. An., & J. Gao. (2023). Vermicompost Amendments Disrupt Feeding Behavior of *Diaphorina citri* Kuwayama and Boost Activities of Salicylic Acid and Jasmonic Acid Pathway-Related Enzymes in Citrus. Insects, 14(5): 410. https://doi.org/10.3390/insects14050410

Thakuria, D., Chaliha, C., Dutta, P., Sinha, S., Uzir, P., Singh, S. B., Hazarika, S., Sahoo, L., Kharbikar, L. L., & Singh, D. 2023. Citrus Huanglongbing (HLB): Diagnostic and management options. Physiological and Molecular Plant Pathology, 125, 102016.

Walker, G.P., A. Fereres., & W. F. Tjallingii. (2024). Guidelines for Conducting, Analyzing, And Interpreting Electrical Penetration Graph (EPG) Experiments on Herbivorous Piercing-Sucking Insects. Entomologia Experimentalis et Applicata, 172(7): 564-580. https://doi.org/10.1111/eea.13434

Wenninger. E. J., G. H. David., & W. M. Richard. Vibrational Communication Between the Sexes in *Diaphorina citri* (Hemiptera: Psyllidae). Annals of the Entomological Society of America, 102 (3): 547-555. https://doi.org/10.1603/008.102.0327

UNIVERSITAS
GADJAH MADA
**Pengaruh Pemberian Mineral Oil dan Bacillus tropicus Terhadap Aktivitas Makan Diaphorina citri Pada
Tanaman Jeruk Siam (Citrus nobilis L.) yang Dimonitor Menggunakan Electrical Penetration Graph**
Alia Nafiatus Syifa Ilyas, Alan Soffan, S.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wijaya, I. N. 2007. Preferensi Diaphorina citri Kuyawama (Homoptera: Psyllidae) pada beberapa jenis tanaman jeruk. Agritrop, 26(3): 110-116.

Wobbrock, J. O., L. Findlater., D. Gergle., & J. J. Higgins. 2011. The allignef rank transform for nonparametric factorial analyses using only ANOVA procedures. CHI 2011 Session: Research Methods, 143-146.

Yanagisawa, R., H. Tatsuta., T. Sekine.,T. Oe., H. Mukai., N. Uechi., T. Koike., R. Onodera., R. Suwa., & T. Takanashi. (2024). Vibrations as a New Tool for Pest Management–a review. Entomologia Experimentalis et Applicata, 172(12): 1116-1127.

Zhu, H. M., Zeng, X. N., Zaka, S. M., & Cen, Y. J. 2010. Influence of the essential oil of guava leaves on the feeding behavior of the Asian citrus psyllid. Huan Jing Kun Chong Xue Bao, 32; 483-487.