

## DAFTAR PUSTAKA

- Agte V.V., Gokhale M.K., dan Chiplonkar S.A. 1997. Effect of Natural Fermentation On In Vitro Seng Bioavailability In Cereal-Legume Mixture. *International Journal Food Science Technology*. Volume 31:29–32.
- Almatsier S. 2006. Prinsip Dasar Ilmu Gizi. *Gramedia Pustaka Utama*. Jakarta Pusat
- Almeida, C.C., Monteiro, M.L.G., da Costa-Lima, B.R.C., Alvares, T.S., dan Conte-Junior, C.A. 2015. In Vitro Digestibility of Commercial Whey Protein Supplements. *LWT-Food Science and Technology*. Vol 61:7-11.
- Ardo, Ylva. 2006. Flavour Formation by Amino Acid Catabolism. *Biotechnology Advances*. Volume 24;238-242.
- Association of Official Analytical Chemist (AOAC). 2005. *Official Methods of Analysis(18Ed)*. Association of Official Analytical Chemist Inc. Mayland. USA.
- Badan Pusat Statistik Indonesia. 2017. Rata-Rata Konsumsi per Kapita Seminggu Beberapa Macam Bahan Makanan Penting, 2007-2016. <https://www.bps.go.id/> . Diakses pada tanggal 17 Februari 2018 jam 09:03.
- Badan Standardisasi Nasional. 2009. SNI 3144:2009 Tempe Kedele. BSN. Jakarta.
- Bavia, A.F.B., and da Silva, C.E. 2012. Chemical Composition of Tempeh From Soybean Cultivars Specially Developed for Human Consumption. *Food Science and Technology*. 32(3): 613-620
- Bhattacharya, S. 2014. Roasting and Toasting Operations in Food: Process Engineering and Applications. *Wiley Blackwell*. NJ.
- Buckle, K. A. *et al*, 1978. Ilmu Pangan, Penerbit UI PRESS, Jakarta.
- Campbell, Neil A. 2004. Biologi. Edisi Kelima Jilid 3. Erlangga. Jakarta
- Choe, E. and Min, D.B. 2007. Chemistry of deep-fat frying oils. *Journal of food sc.* 72.

- Davies, N.T. and Reid H. 1979. An Evaluation of The Phytate, Seng, Copper, Besi, and Manganese Contents Of, and Zn Availability From, Soya-Based Textured-Vegetable-Protein Meat-Substitutes or Meat-Extenders. *Br.J. Nutr.* Vol 41;579.
- Delatorre. P. 2008. Structure of a lectin from *Canavalia gladiata* seeds: new structural insights for old molecules. *Departamento de Bioquímica e Biología Molecular*. Universitas Ceara. Brazil.
- Dian, S.P., Handajani, S., dan Rachmawati, D. 2008. Pengaruh Teknik Pemanasan Terhadap Kadar Asam Fitat dan Aktivitas Antioksidan Koro Benguk (*Mucuna Pruriens*), Koro Glinding (*Phaseolus Lunatus*), dan Koro Pedang (*Canavalia Ensiformis*). *Biofarmasi*. Vol. 6, No. 2, pp. 36-44.
- Diouf-Lewis, A., Commereuc, S., dan Verney, V. 2017. Toward Greener Polyolefins: Antioxidant effect of Phytic Acid from Cereal Waste. *European Polymer Journal*. Volume 96;190-196.
- Doss, A., Pugalenti, M., Vadivel, V.G., Subhashini, G., dan Anita S.R. 2011. Effects of processing technique on the nutritional composition and antinutrients content of under-utilized food legume *Canavalia ensiformis* L.DC. *International Food Research Journal*. Volume 18(3):965-970.
- Egli, I., Davidsson, L., Juillerat, M. A., Barclay, D. dan Hurrell, R. F. 2002. The Influence of Soaking and Germination on The Phytase Activity and Phytic Acid Content of Grains and Seeds Potentially Useful for Complementary Feeding. *Journal of Food Science*. Volume 67: 3484–3488.
- Ekanayake.S. *et al.*2006. Canavanine content in sword beans (*Canavalia gladiata*): Analysis and effect of processing Department of Biochemistry, *Faculty of Medical Sciences*. Sri Lanka: University of Sri Jayewardenepura, Nugegoda.
- Erkan N., dan Ozden O. 2011. A Preliminary Study of Amino Acid and Mineral Profiles of Important and Estimable 21 Seafood Species. *British Food Journal* Volume 4 (113):457-569.

Fellows, P.J. 2000. Food Procession Technology, Principles and. Practise.2nd ed. Woodread.Pub.Lim. Cambridge. England.

Fennema O.N. 1996. Food chemistry third edition. Marcel Dekker Inc. New York.

Fitriani, A. 2017. Karakteristik organoleptic, komponen gizi, dan anti gizi, serta nilai cerna protein *in vitro* biji kabau (*archidendron bubalinum*) kukus, rebus, dan goreng. Tesis. Fakultas teknologi pertanian. UGM.

Fitriani, S.N., Handajani, S., dan Affandi, D.R. 2016. Kadar asam fitat dan protein tempe koro babi (*Vicia faba*) dengan variasi pengecilan ukuran dan lama fermentasi. *Bioteknologi*. Vol.13(2):54-62.

Haard NF, Odunfa SA, Lee CH, Quintero-Ramirez A, Lorence Q. A.1989. Fermented cereals: a global perspective. FAO. Agricultural Service Bulletin 138.

Hanafi, Amat. 1999. Potensi Tepung Ubi Jalar sebagai Bahan Substitusi Tepung Terigu pada Proses Pembuatan Cookies yang Disuplementasi dengan Kacang Hijau. *Skripsi*. Fakultas Teknologi Pertanian. IPB. Bogor.

Hanani, E., Mun'im, A., dan Sekarini, R. 2005. Identifikasi Senyawa Antioksidan dalam Spons Callyspongia sp. *Ilmu Kefarmasian*. 2(3): 127-133.

Handajani S.2001. Indigenous mucuma tempe as functional food. *Asia Pac J. Clin Nutr* 10(3):222-225.

Harris, R. S. dan E. Karmas. 1989. Evaluasi Gizi pada Pengolahan Bahan Pangan. ITB – Press, Bandung.

Heuze, V. dan Tran. G. 2015. Jack Bean (*Canavalia ensiformis*). *Feedipedia*. [www.feedipedia.org](http://www.feedipedia.org). Diakses pada tanggal 4 April 2018.

Hutapea, E.B., Parkanyiova, L., Parkanyiova, J., Miyahara, M., Sakurai, H., dan Pokorny, J. (2004). Browning Reactions Between Oxidised VegeTabel Oils and Amino Acids. *Czech Journal of Food Science*. Volume 22(3): 99-107.

Hutkins, R.W. 2006. Microbiology and technology of fermented foods. *Blackwell Publishing*. USA

- Irene, T., H. Liem., Keith H. S., dan Ted C. 1977. Production of Vitamin B-12 in Tempeh, a Fermented Soybean Food. *App Envbesimental Microbiology*. pp: 773-776.
- Jadhav S.J., Nimbalkar S.S, Kulkarni, A.D., et al. 1993. Lipid oxidation in biological and food system. Food Processing Development Center. Alberta. Canada.
- Kasmidjo.1990. *Tempe, Mikrobiologi dan Biokimia Pengolahan serta Pemanfaatannya*. Soegijapranata Press. Semarang.
- Kay D.E. 1979. Food legumes. Crops and Product Diagest No.3. Tropical Products Institute. London. UK.
- Ketaren, S. 2005. Pengantar teknologi minyak dan lemak pangan. UI-Press. Jakarta.
- Kumar, V., Sinha, A.K., Makkar, H.P.S., dan Becker, K. 2010. Dietary roles of phytate and phytase in human nutrition: A review. *Journal of Food*. 120:945–959.
- Kurniawan, A, dan Ismail A. 2007. Diversitas genetik plasma nutfah kacang pedang (*canavalia ensiformis* l.) Berdasarkan karakter morfologi bunga dan daun. *Zuriat*. Vol. 18. No.2. Bandung
- Kurniawan, A.K. 2011. Daya Cerna Protein *in vitro* dua puluh minuman bubuk komersial berbasis kedelai di Indonesia. Skripsi. FTP.IPB.
- Kusnandar, F. 2010. Kimia Pangan: komponen makro. Dian Rakyat. Jakarta.
- Mega, A.K.S. 2012. Pengaruh Lama Pemangangan dan Ukuran Tebal Tempe Terhadap Komposisi Proksimat Tempe Kedelai. *Skripsi*. Fakultas Ilmu Kesehatan. UMS. Surakarta.
- Molnar-Perl, I., and Vasanits A. 1998. Stability and characteristics of the *o*-phthaldialdehyde/3-mercaptopropionic acid and *o*-phthaldialdehyde/*N*-acetyl-L-cysteine reagents and their amino acid derivatives measured by high-performance liquid chromatography. *Journal of Chromatography A*. 835 (1999) 73-91.

- Nout, *M.J.R dan Kiers, J.L.* (2005). A Review : Tempe Fermentation, Innovation and. Functionality: Update Info the third Millenium. *Journal of Applied Microbiology*,. 98,789-805
- Nurhidajah, Anwar, S., dan Nurrahman. 2009. Daya Terima dan Kualitas Protein In Vitro Tempe Kedelai Hitam (*Glycine Soja*) yang Diolah pada Suhu Tinggi
- Pangastuti, H.P., dan Triwibowo S. 1996. Pengaruh Lama Fermentasi terhadap Kandungan Asam Fitat dalam Tempe Kedelai. *Publikasi Departemen Kesehatan RI*. Jakarta.
- Pramita, D.S., Handajani, S., dan Rachmawati, D. 2008. Pengaruh Teknik Pemanasan terhadap kadar asam fitat dan aktivitas antioksidan koro benguk (*Mucuna pruriens*), koro glinding (*Phaseolus lunatus*), dan koro pedang (*Canavalia ensiformis*). *Biofarmasi*. Volume 6. No. 2. pp.36-44.
- Preti, R. And Vinci, G. 2016. Nutritional and Sensory Evaluation of Ready-To-Eat Salads During Shelf Life. *Agro Food Industry Hi Tech*. Vol 27(1); 26-31.
- Setyani, S., Nurdjanah, S., dan Eliyana. 2017. Evaluasi sifat kimia dan sensoris temp ekedelai jagung dengan berbagai konsentrasi ragi raprima dan berbagai formulasi. *Jurnal teknologi industry dan hasil pertanian*. Vol. 22 No.2. 85-98.
- Shahidi F, Jiankang W, Udaya NW. 2007. Methods for measuring oxidative rancidity in fats and oils. Dalam: Casimir C. Akoh dan David B. Min. *Food lipids: chemistry, nutrition, and biotechnology*. *Marcel Dekker, Inc*. New York.
- Silva, D.P., Rudolph, V. dan Taranto, O.P. 2005. The Drying of Sewage Sludge by Immersion Frying. *Braz. Journal Chemistry Engineering*. Volume 22 No. 2.
- Sridhar, K.R., dan Seenaa, S. 2006. Nutritional and antinutritional significance of four unconventional legumes of the genus *Canavalia* – A comparative study. *Food Chemistry* Volume 99. Page 267-288.

- Stone, H. and J.L. Sidel.1993.Sensory Evaluation Practices.AcademicPress.San Diego.
- Sudarmadji, S., Haryono, B., dan Suhardi. 2010. Analisa bahan makanan dan pertanian. Liberty. Yogyakarta.
- Sugito dan Ari H. 2006. Penambahan Daging Ikan Gabus (*Ophicephallus strianus BLKR*) dan aplikasi pembekuan pada pembuatan pempek gluten. *Jurnal Ilmu-Ilmu Pertanian Indonesia*. Volume 8. No.2. Hal 147-151.
- Sundari, D., Almasyhuri, dan Lamis, A. 2015. Pengaruh Proses Pemasakan terhadap Komposisi Zat Gizi Bahan Pangan Sumber Protein. *Litbangkes*. Vol. 25 No. 4
- Suwarto, A.T.C. 2011. Kinetika perubahan asam fitat pada tempe selama proses pemanasan. Skripsi. Fakultas teknologi pertanian. IPB Bogor.
- Tarwotjo C. S. 1998. Dasar-dasar Gizi Kuliner. Jakarta: Grasindo
- Urbach G. 1993. Relations Between Cheese Flavor and Chemical Composition. *International Dairy Journal*. Volume 3:389-422.
- Utari, D.M., Rimbawan, Riyadi, H., Muhilal, dan Purwastyastuti. 2010. Pengaruh Pengolahan Kedelai Menjadi Tempe Dan Pemasakan Tempe Terhadap Kadar Isoflavon. *PGM*. Vol33(2); 148-153.
- Wang, L., Xu, R., Hu, B., and Zeng, X. Analysis of Free Amino Acids In Chinese Teas and Flower of Tea Plant by High Performance Liquid Chromatography Combined With Solid-Phase Extraction. *Food Chemistry*. Vol 123; 1259-1266.
- Widaningrum, Sukasih, E., dan Purwani, Y.E. 2015. Introductory Study On Processing of Fermented Jack Bean. *Jur Penelitian Pascapanen Pertanian*. Volume 12(3)
- Widianarko, B., Pratiwi, R., Soedarini., Dewi, R., Wahyuningsih, S., dan Sulistyani, N. 2003. Menuai Polong. PT Grasindo. Jakarta.

Wihandini, D.A., Arsanti, A., dan Wijanarka, A. 2012. Sifat fisik, kadar protein dan uji organoleptik tempe kedelai hitam dan tempe kedelai kuning dengan berbagai metode pemanasan. *Gizya. Vol. 14. No.1*

Winarno, FG. 2002. Kimia Pangan dan Gizi. Gramedia. Jakarta.

Yokotsuka, T. 1986. Soy sauce biochemistry. *Advances in Food Research*. Volume 30:195-329.

Yong, F.M. dan Wood, B.J.B. 1974. Microbiology and Biochemistry of soy sauce fermentation. Applied microbial. London.