UNIVERSITAS
GADJAH MADA
Peningkatan Kualitas Gel Surimi Ikan Lele dengan Penambahan Isolat Protein Jeroan Ikan Lemuru Menggunakan Metode pH-Shift
Windha Gusta Arum Condro Manik, Ir. Mgs. Muh. Prima Putra, S.Pi., M.Sc., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdollahi, M., and Undeland, I. 2018. Structural, functional, and sensorial properties of protein isolate produced from salmon, cod, and herring By-product. Food and Bioprocess Technology 11: 1733-1749.

Abdollahi, M., dan I. Undeland. 2019. Physicochemical and gel-forming properties of protein isolated from salmon, cod and herring by-products using the pH-shift method. Lebensmittel-Wissenschaft and Technology. Food Science and Technology, 10(1) : 678-684.

Abdullah, D. A., Ridwan, M., dan Sulkifli. 2022. Sistem penerimaan bahan baku ikan lemuru (*Sardinella*. Sp) pada pengalengan ikan sarden di PT. Sarana Tani Pratama Jembrana, Bali. Journal of Applied Agribussiness and Agrotechnology, 1(1): 11–20.

Adebiyi, A. P., and Aluko, R. E. 2011. Functional properties of protein fractions obtained from commercial yellow field pea (*Pisum sativum* L.) seed protein isolate. Food Chemistry, 128(4): 902–908.

Aji, F. M. R., dan Sahubawa, L. 2024. Karakteristik fish cake dari surimi lele dumbo (*Clarias gariepinus*) dengan bahan pengikat yang berbeda. Jurnal Pengolahan Hasil Perikanan Indonesia, 27(9): 817-833.

Alam, N. 2019. Efektivitas pengawsan mutu proses pengemasan minuman pada PT. Dharana Inti Boga (Garudafood) di Kabupaten Gowa. Skripsi. Universitas Muhammadiyah Makassar.

Anggraini, D. K. 2014. Profil asam lemak ikan jelawat (*Leptobarbus hoevenii*) berdasarkan perbedaan umur panen. Skripsi, Jurusan Teknologi Hasil Perikanan Fakultas Perikanan dan Ilmu Kelautan Universitas Riau, Pekanbaru.

Anisah, W., Putri, M., dan Devina, F. 2018. Pengaruh substitusi isolat dan konsentrat protein kedelai terhadap sifat kimia dan sensoris sosis daging ayam. Majalah Teknologi Agro Indonesia, 10(1): 25–32.

Association of Official Analytical Chemist. 2005. Official Methods of Analysis. Association of Official Analytical Chemist Inc. Mayland. USA.

Astuti, R.T., Y.S. Darmanto., dan I. Wijayanti. 2014. Pengaruh penambahan isolat protein kedelai terhadap karakteristik bakso dari surimi ikan swangi (*Priacanthus tayenus*). Jurnal Pengolahan dan Bioteknologi Hasil Perikanan, 3(3): 47-54.

Awwaly, U.A., S. Triatmojo., W.T. Artama., dan Y. Erwanto. 2015. Komposisi kimia dan beberapa sifat fungsional protein paru sapi yang diekstraksi dengan metode alkali. Jurnal Ilmu dan Teknologi Hasil Ternak, 10(2):54-62.

Badan Standardisasi Nasional. 2021. Surimi. SNI 2694:2021.

UNIVERSITAS
GADJAH MADA
Peningkatan Kualitas Gel Surimi Ikan Lele dengan Penambahan Isolat Protein Jeroan Ikan Lemuru Menggunakan Metode pH-Shift
Windha Gusta Arum Condro Manik, Ir. Mgs. Muh. Prima Putra, S.Pi., M.Sc., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Bappeda DIY. 2023. Aplikasi Dataku Daerah Istimewa Yogyakarta. Pemerintah Daerah Istimewa Yogyakarta. Dataku Bappeda DIY.

Batista, I .1999. Recovery Of Proteins From Fish Waste Products By Alkaline Extraction. European Food Technology, 210:84–89.

Benelhadj, S., A. Gharsallaoui, P. Degraeve, H. Attia, and D. Ghorbel. 2016. Effect of pH on the functional properties of *Arthrospira platensis* protein isolate. Food chemistry, 194: 1056–1063.

Bharane, P.R., C. M.S. Bethi., and T.G. Kudre. 2020. Effect of *Catla catla roe* protein isolate on textural and sensorial properties of surimi gel from *Piaractus brachypomus*. Journal of Food Measurement and Characterization, 14 (3): 1391-1401.

Bleakley, S., and Hayes, M. 2021. Functional and bioactive properties of protein extracts generated from *Spirulina platensis* and *Isochrysis galbana* T-Iso. Applied Science, 11: 1-15.

Boye, J. I., Aksay, S., Roufik, S., Rib´ereau, S., Mondor, M., and Farnworth, E. 2010. Comparison of the functional properties of pea, chickpea and lentil protein concentrates processed using ultrafiltration and isoelectric precipitation techniques. Food Research International, 43(2): 537–546.

Brishti, F. H., Chay, S. Y., Muhammad, K., Ismail-Fitry, M. R., Zarei, M., Karthikeyan, S., and Saari, N. 2020. Effects of drying techniques on the physicochemical, functional, thermal, structural and rheological properties of mung bean (*Vigna radiata*) protein isolate powder. Food Research International, 138.

Brishti, F. H., Zarei, M., Muhammad, S. K. S., Ismail-Fitry, M. R., Shukri, R., and Saari, N. 2017. Evaluation of the functional properties of mung bean protein isolate for development of textured vegetable protein. International Food Research Journal, 24(4):1595–1605.

Cahyani, R. T., T. Alawiyah, N. Fadilla, dan A. Ramadani. 2024. Potensi limbah genjer udang windu (*Penaeus monodon*) sebagai bahan baku pengolahan isolat dan hidrolisat isolat protein. Jurnal Yudharta, 15(1): 112–119.

Cando, D., B. Herranz, A. J. Borderías, H. M. Moreno. 2015. Effect of high pressure on reduced sodium chloride surimi gels. Food Hydrocolloids, 51: 176-187

Canti, M., dan K.L. Martawidjaja. 2024. Physicochemical and sensory properties of kamaboko produced from *Asian seabass* surimi-catfish protein isolate (*Clarias gariepinus*). Food, 15:1-10.

Chaijan, M., Benjakul, S., Visessanguan, W., Lee, S., and Faustman, C. 2008. Interaction of fish myoglobin and myofibrillar proteins. Journal of Food Science, 73:292–298.

UNIVERSITAS
GADJAH MADA
Peningkatan Kualitas Gel Surimi Ikan Lele dengan Penambahan Isolat Protein Jeroan Ikan Lemuru Menggunakan Metode pH-Shift
Windha Gusta Arum Condro Manik, Ir. Mgs. Muh. Prima Putra, S.Pi., M.Sc., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Chaijan, M., W. Panpipat dan S. Benjakul. 2010. Physicochemical and gelling properties of short-bodied mackarel (*Rastrelliger brachysoma*) protein isolate prepared using alkaline-aided process. Food and Bioproducts Processing. 88(5) : 174-180.

Chen, Y. C., and Jaczynski, J. 2007. Gelation of protein recovered from whole antarctic krill (*Euphausia superba*) by isoelectric solubilization/precipitation as affected by functional additives. Journal of Agricultural and Food Chemistry, 55(5):1814–1822.

Chen, Y. C., and Jaczynski, J. 2007. Protein recovery from rainbow trout (*Oncorhynchus mykiss*) processing byproducts via isoelectric solubilization/precipitation and its gelation properties as affected by functional additives. Journal of agricultural and food chemistry, 55(22): 9079–9088.

Choi,J.Y., and J.S. Kim. 2005. Fish protein recovered using pH shifting method and its physicochemical properties. Journal Ocean Univercity of China, 4(3):224–228.

Chomnawang, C., and J. Yongsawatdigul. 2013. Protein recovery of tilapia frame by-products by pH-shift method. Journal Aquatic Food Production Technology, 22(2):112–120.

Codex Alimentarius Commission. 1989. General standard for protein products (CXS 175-1989). Food and Agriculture Organization; World Health Organization.

Damodaran, S. 2017. Amino Acids, Peptides, And Proteins. In S. Damodaran, K. L. Parkin, & O. R. Fennema (Eds.), Fennema's Food Chemistry (5th ed.). CRC Press.

Derkach, S., Kuchina, Y., Kolotova, D., Borovinskaya, E., Voropaeva, S., Voron'ko, N., Nikiforova, A., Klimovitskaya, M., Klimovitskii, A., and Abramov, V. 2025. Food gels of fish protein isolate from atlantic cod (*Gadus morhua*) by-products recovered by pH shift. Gels, 11(970) : 1-22.

Dinas Kelautan dan Perikanan Provinsi Jawa Timur. 2024. Statistik Ekspor Produk Perikanan Provinsi Jawa Timur Tahun 2023.

Domili, R. S. 2017. Frekuensi pencucian yang berbeda terhadap kekuatan gel dan protein larut garam surimi ikan manggabai (*Glossogobius giuris*). Jurnal Aquabis, 6(1):31–34.

Duan, W., Qiu, H., Htwe, K.K., Wang, Z., Liu, Y., Wei, S., Xia, Q., Sun, Q., Han, Z., and Liu, S. 2023. Correlation between water characteristics and gel strength in the gel formation of golden pompano surimi induced by dense phase carbon dioxide. Foods, 12: 1-19.

Fahrizal., N. Arpi, S. Rohaya, and R. Febriani. 2018. Surimi from freshwater fish with cryoprotectant sucrose, sorbitol, and sodium tripolyphosphate. In IOP conference series: Earth and environmental science. IOP Publishing, 207(1).

UNIVERSITAS
GADJAH MADA
Peningkatan Kualitas Gel Surimi Ikan Lele dengan Penambahan Isolat Protein Jeroan Ikan Lemuru Menggunakan Metode pH-Shift
Windha Gusta Arum Condro Manik, Ir. Mgs. Muh. Prima Putra, S.Pi., M.Sc., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Faizal, M. H. 2024. Isolasi dan karakterisasi sifat fisikokimia isolat protein dari hasil samping ekstraksi fikosianin *Arthrospira platensis*. Skripsi, Universitas Gadjah Mada, Yogyakarta.

FAO. 2020. The State of World Fisheries and Aquaculture 2020. Sustainability in action. Rome.

Fariadi, H., Yulihartika, R., Azhari, D., dan Saputra, J. 2024. Sosialisasi limbah tulang ikan sebagai bahan baku pengolahan produk pangan inovatif. Jurnal Dehasen Untuk Negeri, 3(1):143–148.

Fatimah, F. Y., Haryati, S., and Aditia, R. P. 2024. Preparation of payus fish protein isolate (*Elops hawaiensis*) with different pH methods. Agrikan Jurnal Agribisnis Perikanan, 17(1): 278-292.

Feng, Y., and Hultin, H.O. 2001. Effect of pH on the rheological and structural properties of gels of water-washed chicken-breast muscle at physiological ionic strength. Journal of Agric Food Chem, 49:3927-35.

Ferreira, F.A., Freire, B.P., Andreghetto de Souza, J.T., Cortez-Vega, W.R., and C. Prentice .2013. Evaluation of physicochemical and functional properties of protein recovered obtaining from whitemouth croaker (*Micropogonias furnieri*) by-products. Journal Food Nutrition Science, 4:580–585.

Feryana, K. W. I., S. H. Suseno dan Nurjanah. 2014. Pemurnian minyak ikan makarel hasil samping penepungan dengan netralisasi alkali. Jurnal Pengolahan Hasil Perikanan Indonesia, 17(3) : 207-214.

French, J.S. and Pedersen, L.D. 1990. Properties and Stability of Surimi Combined with Process Water Protein Concentrate. Proc. IIF-IIR Commision, Aberden (UK). 97 pp.

Ge, J., Sun, C.-X., Mata, A., Corke, H., Gan, R.-Y., and Fang, Y. 2021. Physicochemical and pH-dependent functional properties of proteins isolated from eight traditional Chinese beans. Food Hydrocolloids, 112, Article 106288.

Gehring, C.K., Gigliotti, J.C., Moritz, J.S., Tou, J.C., and J. Jaczynsky. 2011. Functional and nutritional characteristics of protein and lipid recovered by isoelectric processing of fish by-products and low-value fish: a review. Food Chemical, 124(2):422–431.

Gouvea, L., Caldeira, R., de Lima Azevedo, T., Galdeano, M. C., Felberg, I., Lima, J. R., and Mellinger, G. G. 2023. Physical and techno-functional properties of a common bean protein concentrate compared to commercial legume ingredients for the plant-based market. Food Hydrocolloids, 137 : 1-10.

Guldiken, B., Stobbs, J., and Nickerson, M. 2021. Heat induced gelation of pulse protein networks. Food Chemistry, 350, Article 129158.

UNIVERSITAS
GADJAH MADA
Peningkatan Kualitas Gel Surimi Ikan Lele dengan Penambahan Isolat Protein Jeroan Ikan Lemuru Menggunakan Metode pH-Shift
Windha Gusta Arum Condro Manik, Ir. Mgs. Muh. Prima Putra, S.Pi., M.Sc., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hadi, T.S.N.S., Sakinah, H., dan R. P. Aditia. 2024. Pengaruh pencucian terhadap karakteristik surimi ikan bandeng (*Chanos chanos*) serta aplikasinya pada produk narutomaki. Prosiding Seminar Nasional Sains dan Teknologi, 1(2): 1223-1235.

Hamada, S., Kunimoto, M., and N. Kato. 2016. Main protein components in frozen surimi contributed to heat induced gel formation. International Food Research Journal,23(5): 1939-1948.

Haryati, S., Sukarno., Budijanto, S., dan Prangdimurti, E. 2021. Kajian sifat fungsional isolat protein dan kapasitas antioksidan hidrolisat isolat protein ikan lele. (Disertasi). Institut Pertanian Bogor.

Hasdinda, H., P. Satrimafitrah, S. Bahri, A. R. Razak, D. J. Puspitasari, dan A. A. Amar. 2023. Produksi konsentrat protein dari ampas kelapa (*Cocos nucifera* L.) menggunakan NaOH dan (NH4) 2SO4. Jurnal Riset Kimia, 9(1):63-69.

Haura, H., M. Martunis, dan F. Fahrizal. 2022. Karakteristik organoleptik biskuit substitusi tepung uwi ungu (*Dioscorea alata*) dan isolat protein kedelai. Jurnal Ilmiah Mahasiswa Pertanian. 7(1):374-381.

Hendrasaputra, D. 2008. Optimasi proses kristalisasi urea pada pembuatan konsentrat asam lemak omega 3 dari minyak hasil samping penepungan ikan lemuru (*Sardinella longiceps*). Skripsi. Jurusan Teknologi Hasil Pertanian. Universitas Brawijaya. Malang.

Heruwati, E. S. 2002. Pengolahan ikan secara tradisional: prospek peluang dan pengembangan. Jurnal Litbang Pertanian, 21:92-99.

Hossain, M. I., Kamal, M. M., Shikha, F. H., and Hoque, M. S. 2004. Effect of washing and salt concentration on the gel forming ability of two tropical fish species. International Journal of Agriculture and Biology, 6(5): 762–766.

Hudson, B.J.F. 1992. Biochemistry of Foods Proteins. London: Elsevier Applied Sci.

Husain, R., S. Suparmo., E. Harmayani dan C. Hidayat. 2017. Kinetika oksidasi protein ikan kakap (*Lutjanus* sp.) selama penyimpanan. Jurnal Agritech, 37(2) : 199-204.

Ilma, P. R. A., Nocianitri, K. A., dan Hapsari, N. M. I. 2019. Pengaruh penambahan isolat protein kedelai terhadap karakteristik kamaboko ikan barramundi (*Lates calcalifer*). Jurnal Ilmu dan Teknologi Pangan, 8(3): 313-322.

Jafarpour A, Hajiduon HA, Rez aie M. 2012. A comparative study on effect of egg white, soy protein isolate and potato starch on functional properties of common carp (*Cyprinus carpio*) surimi gel. Journal Food Process Technology, 3:190.

Jafarpour. S.A., H. Hajidon.,and M. Rezaei. 2013. Enhancement of quality properties of common carp (*Cyprinus carpio*) surimi by addition of soy protein isolate. Research Institute of Food Science and Technology, 2(1): 93-108.

UNIVERSITAS
GADJAH MADA
Peningkatan Kualitas Gel Surimi Ikan Lele dengan Penambahan Isolat Protein Jeroan Ikan Lemuru Menggunakan Metode pH-Shift
Windha Gusta Arum Condro Manik, Ir. Mgs. Muh. Prima Putra, S.Pi., M.Sc., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kakko, T., E. Aitta., O.Laaksonen., P. Tolvanen., L. Jokela., T. Salmi., A. Damerau., and B. Yang. 2022. Baltic herring (*Clupea harengus* membras) protein isolate produced using the pH-shift process and its application in food models. Food Research International, 158 : 1-14.

Kallista, F.A. 2021. Pengaruh konsentrasi tepung putih telur terhadap mutu surimi lele dumbo (*Clarias gariepinus*). Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Disertasi.

Karthikeyan, M., Shamasundar, B.A., Mathew, S., Kumar, P.R., and Prakash, V. 2004. Physicochemical and functional properties of protein from pelagic fatty fish (*Sardinella longicep*) as function of water washing. International Journal of Food Properties, 7 (3): 353-365.

Kolanus, J. P. M. 2020 Functional properties and chemical composition of dried surimi mackerel (*Scomberomorus* sp) with different cryoprotectants and drying methods. In Journal of Physics: Conference Series. 1463 (1): 012022. IOP Publishing.

Kristinsson, H. G. dan Rasco, B. A. 2000. Fish protein hydrolysates: production, biochemical, and functional properties. Critical Reviews in Food Science and Nutrition, 40: 43-81.

Kristinsson, H., Theodore, A.E., Demir, N., and Ingadottir, B. 2005. A comparative study between acid and alkali-aided processing and surimi processing for the recovery of proteins from Channel catfish muscle. Journal Food Science, 70(4):298–306.

Kristinsson, H.G., and H.O.Hultin. 2003. Changes in conformation and subunit assembly of cod myosin at low and high pH and after subsequent refolding. Journal Agriculture Food Chemical, 51:7187–7196.

Kristinsson, H.G., and Y. Liang. 2006. Effect of pH-shift processing and surimi processing on Atlantic croaker (*Micropogonias undulates*). Journal Food Science, 71(5):304–312.

Kudre, T., Benjakul, S., and Kishimura, H. 2013. Effects of protein isolates from black bean and mungbean on proteolysis and gel properties of surimi from sardine (*Sardinella albella*). LWT-Food Science and Technology, 50(2): 511-518.

Kumarakuru, K., C.K. Reddy., and S. Haripriya. 2018. Physicochemical, morphological and functional properties of protein isolates obtained from four fish species. Journal of Food and Science Technology, 55(12): 4928-4936.

Kusuma, B., Dayutia, S., Waluyo, E., Perdanaa, A. W., Fahmia, A. S., and Habibieb, I. Y. 2020. Proximate and physical characteristics of premium fish patties (*Clarias* sp.) substituted with chicken meat (*Gallus domesticusw*) formulations. Journal of Fisheries and Marine Research, 4(3): 389–392.

UNIVERSITAS
GADJAH MADA
Peningkatan Kualitas Gel Surimi Ikan Lele dengan Penambahan Isolat Protein Jeroan Ikan Lemuru Menggunakan Metode pH-Shift
Windha Gusta Arum Condro Manik, Ir. Mgs. Muh. Prima Putra, S.Pi., M.Sc., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Laksono, U. T., Lasmi, L., Sasongko, L. W., dan Nofreeana, A. 2022. Studi potensi ikan gulamah (*Johnius trachycephalus*) sebagai bahan baku surimi dan produk olahan berbasis daging ikan. Manfish Journal, 3(2): 119-127.

Latifa, B. N., Darmanto, Y. S., & Riyadi, P. H. 2014. Pengaruh penambahan karagenan, egg white dan isolat protein kedelai terhadap kualitas gel surimi ikan kurisi (*Nemipterus nematophorus*). Jurnal Pengolahan dan Bioteknologi Hasil Perikanan, 3(4): 89-97.

Lehninger, A. L. 1982. Dasar-Dasar Biokimia. Jakarta: Erlangga.

Leng, L., Zou, H., Wang, Y., Yu, C., and Qi, H. 2022. Seaweed slurry improved gel properties and enhanced protein structure of silver carp (*Hypophthalmichthys molitrix*) surimi. Foods, 11(19): 3115.

Lozober, H. S., Z. Okun, and A. Shpigelman. 2021. The impact of high pressure homogenization on thermal gelation of *Arthrospira platensis* (spirulina) protein concentrate. Innovative Food Sciensce Emerging Technologies. 74: 102857.

Lucas, B. F., A. P. C. da Rosa, L. F. de Carvalho, M. G. de Morais, T. D. Santos, J. A. V. Costa. 2019. Snack bar enriched with spirulina for schoolchildren's nutrition. Food Science and Technology, 4(10): 1-7.

Ma, Y.; and Chen, F. 2023. Plant protein heat-induced gels: formation mechanisms and regulatory strategies. Coatings, 13(11): 1-19.

MacDonald, G.A., Lanier, T.C., and Carvajal, P.A. 2000. Stabilization of Proteins in Surimi. In J. W. Park (Ed.), Surimi and surimi seafood (pp. 91–125). New York: Marcel Dekker, Inc

Marmon, S. K., and Undeland, I. 2010. Protein isolation from gutted herring (*Clupea harengus*) using pH-shift processes. Journal of Agricultural and Food Chemistry, 58(19): 10480–10486.

Masijn, Q., L.Dekeukelaere., S.D.Brabander., A. Mukherjee., Y.Li., and I. Fraeye. 2026. Isothermal heating of native pea protein: impact of temperature on aggregation and gelation. Food Hydrocolloids,172:1-13.

Miranti, S., dan Putra, W.K.A. 2019. Uji potensi limbah ikan dari pasar tradisional di kota Tanjungpinang sebagai bahan baku alternatif pembuatan pakan untuk budidaya ikan laut. Intek Akuakultur, 3(1):8-15.

Mosibo, O. K., G. Ferrentino, and C. C. Udenigwe. 2024. Microalgae proteins as sustainable ingredients in novel foods: recent developments and challenges. Foods, 13: 733.

Naghdi, S., M. Rezaei., M. Tabarsa., and M. Abdollahi. 2025. Expanding the pH-Shift technique for sequential extraction of intact proteins and sulfated polysaccharide from fish heads: a novel biorefinery approach. Food Science & Nutrition, 13(8): 1-18.

UNIVERSITAS
GADJAH MADA
Peningkatan Kualitas Gel Surimi Ikan Lele dengan Penambahan Isolat Protein Jeroan Ikan Lemuru Menggunakan Metode pH-Shift
Windha Gusta Arum Condro Manik, Ir. Mgs. Muh. Prima Putra, S.Pi., M.Sc., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Nguyen, H.T., Bao, H.N.D.,Dang, H.T.T., Tómasson, T., Arason, S., Gudjónsdóttir, M. 2022. Protein recovery of tra catfish (*Pangasius hypophthalmus*) protein-rich side streams by the pH-shift method. Foods, 11(1531):1-18.

Nielsen, R. G. and Piggot, G. M. 1996. Differences in textural properties in minced pink salmon (*Onchorhynchus gorbuscha*) processed with phosphate treated protein gums. Journal of Aquatic Food Technology, 5(3): 81-104.

Niwa, E. 1985. Functional Aspects of Surimi. In: Proceeding of the International Symposium on Engineered Seafood Including Surimi. R.E. Marthim (ed.). Collete R.I and National Fisheries Institute. Seattle. Washington DC.. 141 – 147.

Nolsøe, H., and I.Undeland. 2009. The acid and alkaline solubilization processfor the isolation of muscle proteins: state of art. Food Bioprocess Technology, 2:1–27.

Nugroho, A., dan P. Ekawatiningsih. 2020. Pemanfaatan spirulina dan ikan salem pada produk spirulina farfalle salem woku untuk meningkatkan potensi perikanan indonesia. Jurnal Pendidikan Teknik Boga Busana, 15(1):1-7.

Nurhayati, T., Desniar, dan Suhandana, M. 2013. Pembuatan pepton secara enzimatis menggunakan bahan baku jeroan ikan tongkol. Jurnal Pengolahan Hasil Perikanan Indonesia, 16(1): 1-11.

Nurhayati, T., Nugraha, R., dan Ningdya, L. D. 2020. Karakterisasi fraksi amonium sulfat tripsin yang diisolasi dari usus ikan tongkol (*Euthynnus affinis*). Jurnal Pengolahan Hasil Perikanan Indonesia, 23(2): 372-382

Ogunwolu, S.O., Henshaw, F.O., Mock, H.-P., Santros, A., and Awonorin, S.O. 2009. Functional properties of protein concentrates and isolates produced from cashew (*Anacardium occidentale* L.) . Nutrition Food Chemical, 115:852–858.

Oktasari, T., Suparmi, dan R. Karnila. 2015. Pembuatan isolat protein ikan gurami (*Osphronemus gouramy*) dengan metode pH berbeda. Jurnal Fakultas Perikanan dan Ilmu Kelautan Universitas Riau, 5:1-12.

Oujifard, A., S. Benjakul., M. Ahmad., and J. Seyfabadi. 2012. Effect of bambara groundnut protein isolate on autolysis and gel properties of surimi from threadfin bream (*Nemipterus bleekeri*). Food Science and Technology, 47(2):261-266.

Panpipat, W., and M. Chaijan .2016. Biochemical and physicochemical characteristics of protein isolates from bigeye snapper (*Priacanthus tayenus*) head by-product using pH shift method. Journal Fish Aquatic Science, 16:41–50.

Parhusip, A. J. N. 2024. Microencapsulation of probiotic lactic acid bacteria using freeze-drying with isolated whey protein and trehalose as coating material. Jurnal Teknologi &Amp; Industri Hasil Pertanian, 29(2): 168–175.

Park, J. W. 2000. Ingredient Technology and Formulation Development. Food Science and Technology-New York-Marcel Dekker.. 343–392

UNIVERSITAS
GADJAH MADA
Peningkatan Kualitas Gel Surimi Ikan Lele dengan Penambahan Isolat Protein Jeroan Ikan Lemuru Menggunakan Metode pH-Shift
Windha Gusta Arum Condro Manik, Ir. Mgs. Muh. Prima Putra, S.Pi., M.Sc., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Park, J. W. 2000. Surimi Gel Colors as Affected By Moisture Content and Physical Conditions. Journal of Food Science, 60: 15–18.

Park, J. W., and Morrissey, M. T. 2005. Manufacturing of Surimi from Light Muscle Fish. In: Surimi and Surimi Seafood, 3rd Ed. CRC Press. New York.

Park, J.W., dan Lin T.M.J. 2005. Surimi: Manufacturing and Evaluation, in Park, Surimi and Surimi Seafood. Boca Raton: Taylor and Francis Group.

Pires, C., Costa, S., Batista, A. P., Nunes, M. C., Raymundo, A., and Batista, I. 2012. Properties of protein powder prepared from *Cape hake* by-products. Journal of Food Engineering, 108(2): 268–275.

Pramono, H., N.T. Irawan., and M.R.A. Firdaus. 2019. Characteristics of the fish protein isolate recovered from Sardine by-products using the isoelectric solubilization precipitation method. Earth and Environmental Science, 236 : 1-6.

Prastari, C., S. Yasni dan M. Nurilmala. 2017. Karakteristik protein ikan gabus yang berpotensi sebagai antihiperglikemik. Jurnal Pengolahan Hasil Perikanan, 20(2) : 413-423.

Purwaningrum, S. D., dan Sukaryo, S. 2018. Uji karakteristik biodiesel berbahan dasar limbah jeroan ikan diproses menggunakan mikrogelombang. METANA, 14(2): 37-42.

Quan, T. H., and Benjakul, S. 2019. Impact of salted duck egg albumen powder on proteolysis and gelling properties of sardine surimi. Journal of texture studies, 50(5): 434-442.

Rawdkuen, S., Sai-Ut, S., Khamsorn, S., Chaijan, M., and S.Benjakul .2009. Biochemical and gelling properties of tilapia surimi and protein recovered using an acid-alkaline process. Journal Food Chemical, 112:112–119.

Riska., A. Abdullah., dan Ilham. 2024. Efektifitas pengawasan mutu pada proses produksi pengalengan ikan lemuru (*Sardinella* sp.) di PT.Sarana Tani Pratama Bali. Jurnal Ilmiah Perikanan dan Peternakan, 2(2): 16-39.

Rizkita, A. D., Saldaw, A., Rohman, A. A. R. L., Yohanes, K., dan Gibran, S. S. 2023. Encapsulation of catfish bone gelatin. Jurnal Farmasi Dan Sains, 7(1): 68–80.

Rochim, B.A. 2024. Pengaruh penambahan isolat protein dari hasil samping ekstraksi fikosianin spirulina (*Arthrospira platensis*) terhadap mutu surimi lele. Skripsi. Yogyakarta: Fakultas Pertanian. Universitas Gadjah Mada.

Rostini, I. 2013. Pemanfaatan limbah fillet ikan kakap merah sebagai bahan baku surimi untuk produk perikanan. Jurnal Akuatik, 4(2):141-148.

Saanin, H. 1984. Taksonomi dan Kunci Identifikasi Ikan Jilid I dan II. Binacipta, Jakarta.

UNIVERSITAS
GADJAH MADA
Peningkatan Kualitas Gel Surimi Ikan Lele dengan Penambahan Isolat Protein Jeroan Ikan Lemuru Menggunakan Metode pH-Shift
Windha Gusta Arum Condro Manik, Ir. Mgs. Muh. Prima Putra, S.Pi., M.Sc., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Saliada, F., H. Onibala., dan T. Nurmeilita. 2017. Karakteristik surimi yang dibuat dari hasil pencucian daging ikan cakalang (*Katsuwonus pelamis* L) dengan air dingin (± 4ºC). Jurnal Media Teknologi Hasil Perikanan, 5(2): 54-57.

Saputra, E. 2018. Pengaruh pencucian dan penyimpanan pada pembuatan surimi dan kamaboko ikan nila (*Oreochromis* sp.). Journal of Marine and Coastal Science, 7(3): 89-102.

Saraswati, E., F. Purwangka., Mustaruddin., dan Darmawan. 2022. Analisis risiko penurunan mutu ikan lemuru selama aktivitas penanganan di UD. Duta Quraesy, Jember . Albacore, 6(2) : 111-122.

Sarie, O.T., A.N. Asikin., dan I. Kusumaningrum. 2018. Pengaruh perbedaan jenis ikan terhadap karakteristik gel surimi. ZIRAA'AH, 43(3): 266-272.

Shahidi, F. 1994. Proteins From Seafood Processing Discards. In: Seafood Proteins (edited by Z.E. Sikorski, B. Sun Pan & F. Shahidi). Pp. 171-193. New York: Chapman and Hall.

Shahidi, F. 1994. Seafood Processing By-Products. In: Seafoods: Chemistry, Processing Technology and Quality (edited by F. Shahidi & J.R. Botta). Pp. 320-330. London: Blackie Academic & Profes-sional.

Shahidi, F., Han, X.Q. and Synowiecki, J. 1995. Production and characteristics of protein hydrolysates from capelin (*Mallotus villosus*). Food Chemistry, 53: 285-293.

Shaviklo, G.R., Thorkelsson, G., Arason, S., and K. Sveinsdottir .2012. Characteristics of freeze-dried fish protein isolated from saithe (*Pollachius virens*). Journal Food Science Technology, 49(3):309–318.

Shaviklo. G.R.. 2006. An Introduction to Quality Improvement of Sea Food Products, Iranian Fisheries Organization. In Persian.

Shimizu, Y., and H. Toyohara. 1992 . Fish Jelly Products. In JICA, Science Of Processing Marine Food Products, Vol.2, Published by Japan International Cooperation Agency.

Sihombing HP, Hendrawan IG, Suteja Y. 2018. Analisis hubungan kelimpahan plankton di permukaan terhadap hasil tangkapan ikan lemuru (*Sardinella lemuru*) di Selat Bali. Journal of Marine and Aquatic Sciences, 4(1): 151-161

Simbolon, S. E., Onibala, H., Pandey, E. V., Taher, N., Mentang, F., Dotulong, V., dan Harikedua, S. D. 2021. Kualitas sensori dan mikrobiologi surimi ikan cakalang (*Katsuwonus pelamis* L) yang dipengaruhi oleh waktu pencucian. Jurnal Media Teknologi Hasil Perikanan, 9(1): 1–7.

Singapurwa, N. M. A. S. 2023. Analisis proksimat, asam lemak dan asam amino pada pangan tradisional ikan lemuru dengan proses pengeringan berbeda. Jurnal Teknologi & Industri Hasil Pertanian, 28(2): 150–162.

UNIVERSITAS
GADJAH MADA
Peningkatan Kualitas Gel Surimi Ikan Lele dengan Penambahan Isolat Protein Jeroan Ikan Lemuru Menggunakan Metode pH-Shift
Windha Gusta Arum Condro Manik, Ir. Mgs. Muh. Prima Putra, S.Pi., M.Sc., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sinuraya, S., I. Zuraida., S. Diachanty., I.Irawan., dan B.F.Pamungkas. 2024. Karakteristik gel surimi ikan bulan-bulan (*Megalops cyprinoides*) terhadap frekuensi pencucian. Jambura Fish Processing Journal, 6(2): 142-152.

Sipahutar., Yuliati,H., dan Zhafirah, F. 2021. Proses pengolahan ikan tongkol abu - abu (*Thunnus tonggol*) dalam kaleng dengan media air garam di PT. Jui Fa International Foods,Cilacap - Jawa Tengah. Prosiding Simposium Nasional Kelautan dan Perikanan.

Siwi, F. S., Haryati, S., dan Aditia, R. P. 2025. Karakterisasi sifat fungsional isolat protein ikan pepetek (*Leiognathus* sp.) dengan perlakuan pH berbeda. Jurnal Perikanan Terpadu, 6(1): 70-78.

Soleha, F. M., As'ari, H., dan Ardiyansyah, F. 2025. Identifikasi karakteristik sisik ikan lemuru (*Sardinella lemuru*) di tempat pendaratan ikan Muncar dan Pulau Santen Banyuwangi. Jurnal Biosense, 8(3): 249–262.

Sukarno, N. T. Hendartina, D. Fardiaz, dan N. Sukarno. 2014. Karakteristik fungsional protein miselium jamur tiram merah muda dan merang. Jurnal IPB, 25(1): 72–77.

Surasani V. K. R. 2018. Acid and alkaline solubilization (pH shift) process: a better approach for the utilization of fish processing waste and by-products. Environmental science and pollution research international, 25(19): 18345–18363.

Surasani, V. K. R. 2018. Acid and alkaline solubilization (pH shift) process: a better approach for the utilization of fish processing waste and by–products. National Library of Medicine, 25(19):18345–18363.

Suryaningrum, D., Hastarini, E., Utomo, B. S. B., dan Ayudiarti, D. L. 2014. Teknologi Pengolahan Surimi dan Produk Olahannya. Penerbit ITB, Bandung.

Susanti, E., I. S. Setiasih., dan E. Wulandari. 2019. Analisis kekuatan gel surimi ikan lele (*Clarias gariepinus*) hasil ozonasi selama penyimpanan pada suhu 4 ± 1ºC. Pasundan Food Technology Journal, 6(2): 91-94.

Suzuki, T. 1981. Fish and Krill Protein in Processing Technology. London: Applied Science Publishing, Ltd.

Syahriyal M.H. 2010. Karakteristik kimia surimi beku ikan (*Oreochromis niloticus*) dengan penambahan formula cryoprotectant berbasis keragenan .Skripsi. Bogor: Fakultas Perikanan dan Ilmu Kelautan. Institut Pertanian Bogor.

Syamsir., A.S. Naiu., dan N. Yusuf. 2022. Karakteristik mutu surimi berbagai ikan dari perairan Kota Gorontalo. Jurnal Ilmiah Perikanan dan Kelautan, 10(2): 84-91.

Sych, J., Lacroix, C., Adambounou, L. T., and Castaigne, F. 1990. Cryoprotective effects of some materials on cod-surimi proteins during frozen storage. Journal of Food Science, 55(5): 1222-1227.

UNIVERSITAS
GADJAH MADA
Peningkatan Kualitas Gel Surimi Ikan Lele dengan Penambahan Isolat Protein Jeroan Ikan Lemuru Menggunakan Metode pH-Shift
Windha Gusta Arum Condro Manik, Ir. Mgs. Muh. Prima Putra, S.Pi., M.Sc., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Tahergorabi, R., Beamer, S. K., Matak, K.E., and Jaczynski J. 2012. Isoelectric solubilization/precipitation as a means to recover protein isolate from Striped Bass (*Morone saxatilis*) and Its physicochemical properties in a nutraceutical seafood product. Journal Agric Food Chem, 60:5979–5987.

Tahergorabi, R., Beamer, S.K., Matak, K.E., and J. Jaczynski. 2012. Functional food products made from fish protein isolate recovered with isoelectric solubilization/precipitation. Journal Food Science Technology, 48(1): 89–95.

Tahergorabi, R., Matak, K.E., and J.Jaczynski .2015. Fish protein isolate: development of functional foods with nutraceutical ingredients. Journal Functional Foods, 18:746–756.

Tan, E.-S., Ying-Yuan, N., and Gan, C.-Y. 2014. A comparative study of physicochemical characteristics and functionalities of pinto bean protein isolate (PBPI) against the soybean protein isolate (SPI) after the extraction optimisation. Food Chemical, 152:447–455.

Tang, Z.X., R.F. Ying., and L. Shi. 2021. Physicochemical and functional characteristics of proteins treated by a pH-shift process: a review. International Journal of Food Science and Technology, 56(2):515–529.

Triyono, A. 2010. Mempelajari pengaruh penambahan beberapa asam pada proses isolasi protein terhadap tepung protein isolat kacang hijau (*Phaseolus radiatus*). Seminar Rekayasa Kimia dan Proses. ISSN 14114216.

Utami, P., S. Lestari, dan S. D. Lestari. 2016. Pengaruh metode pemasakan terhadap komposisi kimia dan asam amino ikan seluang (*Rasbora argyrotaenia*). Jurnal Fishtech, 5(1): 73-84.

Valenciennes, A., and G. Cuvier. 1847. Histoire naturelle des poissons. Tome vingtième. Livre vingt et unième. De la famille des Clupéoïdes. Hist. Nat. Poiss. v. 20(472): 591-606

Vareltzis, P.K., Evaggelia, P., Ntoumas, D., and Adamopoulos, K.G. 2012. Process characteristics and functionality of sardine (*Sardina pilchardus*) muscle proteins extracted by a ph-shift method. Annalys Food Science Technology, 13(2):132–143.

Vatria, B., dan T. S. Nugroho. 2022. Karakteristik mutu sosis ikan nila (*Oreochromis niloticus*) dengan penambahan isolat protein kedelai sebagai emulsifier alami. Manfish Journal. 2(3): :128-135

Wahyuni, M. 1992. Sifat kimia dan fungsional ikan hiu lanyam (*Charcarinus limbatus*) serta penggunaannya dalam pembuatan sosis. tesis. Bogor Program Pascasarjana, IPB.

Walayat, N., Xiong, H., Xiong, Z., Moreno, H. M., Nawaz, A., Niaz, N., and Randhawa, M. A. 2022. Role of cryoprotectants in surimi and factors affecting surimi gel properties: a review. Food Reviews International, 38(6): 1103–1122.

UNIVERSITAS
GADJAH MADA
Peningkatan Kualitas Gel Surimi Ikan Lele dengan Penambahan Isolat Protein Jeroan Ikan Lemuru Menggunakan Metode pH-Shift
Windha Gusta Arum Condro Manik, Ir. Mgs. Muh. Prima Putra, S.Pi., M.Sc., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Welfredo G. Y., Villatus, A. C., Soriano, M. G.G, Santos, M. N. 2007. Milkfish Production And Processing Technologies In The Philippines. Milkfish Project Publication Series No. 2, 96 pp.

Widowati, Sri. 2016. Teknologi Pengolahan Kedelai. Balai Besar Penelitian dan Pasca Panen Pertanian. Bogor.

Wijaya, D. A., dan I.R.A.P. Jati. 2026. Pengolahan Limbah Ikan dengan Metode Hidrolisis dan Pemanfaatan Hasilnya Sebagai Sumber Protein Hidrolisat. Zigma, 41(1): 425-444.

Wijayanti, I., Romadhon dan I. Rianingsih. 2016. Karakteristik hidrolisat protein ikan bandeng (*Chanos chanos*) dengan konsentrasi enzim bromelin yang berbeda. Journal of Fisheries Science and Technology, 11(2) : 129-133.

Wijayanti, I., Santoso, J., dan Jacoeb, A. M. 2012. Pengaruh frekuensi pencucian terhadap karakteristik gel surimi ikan lele dumbo (*Clarias gariepinus*). Jurnal Saintek Perikanan, 8(1): 31-36.

Wiradimadja, M. M. D., Pratama, R. I., dan Rizal, A. 2017. Karakterisasi mutu surimi segar dan kamaboko ikan nila berdasarkan perbedaan proses pencucian menggunakan NaCl dan NaHCO3. Jurnal Perikanan Kelautan, 8(2): 140-144.

Witono, Y., Masahid, A. D., Belgis, M., Nafi', A., Azkiyah, L., Wahyuni, L., and Majid, N. I. O. 2024. Characteristics of sardinella smart flavor based on enzymatic hydrolysis using a calotropin and papain combination. Indonesian Food Science and Technology Journal, 7(2): 172–179.

Wudianto. 2001. Analisis sebaran dan kelimpahan ikan lemuru (*Sardinella lemuru* Bleeker 1853) di Perairan Selat Bali: kaitannya dengan optimalisasi penangkapan. Disertasi. Program Pascasarjana. Institut Pertanian Bogor. Bogor.

Wulandari, E., F. S. P. Sihombing, E. Sukarminah, dan M. Sunyoto. 2019. Karakterisasi sifat fungsional isolat protein biji sorgum merah (*Sorghum bicolor* (L.) Moench) varietas lokal bandung. Jurnal Unpad, 7(1): 14–19.

Yang, J., Zamani, S., Liang, L., and Chen, L. 2021. Extraction methods significantly impact pea protein composition, structure and gelling properties. Food Hydrocolloids, 117

Yücetepe, A., Ö. Saroğlu, and B. Özçelik. 2019. Response surface optimization of ultrasound–assisted protein extraction from Spirulina platensis: investigation of the effect of extraction conditions on techno–functional properties of protein concentrates. Journal Food Science Technologies, 56: 3282–3292.

Yuliani, Y., T. W. Agustini., E. N. Dewi., dan D. N. Afifah. 2023. Purifikasi fikosianin dari Spirulina platensis hasil intervensi kemangi (*Ocimum basilicum*) pada konsentrasi amonium sulfat berbeda. Jurnal Pengolahan Hasil Perikanan Indonesia, 26(3): 448-459

UNIVERSITAS
GADJAH MADA
Peningkatan Kualitas Gel Surimi Ikan Lele dengan Penambahan Isolat Protein Jeroan Ikan Lemuru Menggunakan Metode pH-Shift
Windha Gusta Arum Condro Manik, Ir. Mgs. Muh. Prima Putra, S.Pi., M.Sc., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zaghbib, I., S. Arafa, M. Félix, M. Hassouna, and A. Romero. 2016. Enhancement of the gelling properties of sardine surimi with transglutaminase and optimization of its activity using response surface methodology. Journal of Food Processing & Technology, 7(1):29-42.

Zayas, J.F. 1997. Functionality of Proteins in Food. Berlin: Springer-Verlag.

Zhang, S., Song, Z., Gu, J., Guo, X., Wan, Y., Tian, H., and Wang, X. 2024. Effect of Soy Protein Isolate on the Quality Characteristics of Silver Carp Surimi Gel during Cold Storage. Foods, 13: 1-23.

Zhang, Y., A. Herneke., M.Langton., and M.Johansson .2025. Effect of pH and ionic strength on heat-induced pea protein isolate aggregation and gel formation. Food Hydrocolloids, 167 : 1-11.

Zhang, Y., and Chang, S.K. C. 2022. Color and texture of surimi-like gels made of protein isolate extracted from catfish byproducts are improved by washing and adding soy whey. Journal of Food Science, 87: 3057–3070.

Zhong, S., Liu, S., Cao, J., Chen, S., Wang, W., and Qin, X. 2016. Fish protein isolates recovered from silver carp (*Hypophthalmichthys molitrix*) by-products using alkaline pH solubilization and precipitation. Journal of Aquatic Food Product Technology, 25(3):400–413.