UNIVERSITAS
GADJAH MADA
**Pengaruh Amplitudo pada Ekstraksi Sargassum hystrix dengan Metode Ultrasound-Assisted Extraction
terhadap Aktivitas Anti-Tirosinase**
Sholahudin Al Ayyubi, Prof. Dr. Amir Husni, S.Pi., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abubakar, M., Setyaningsih, I., Bayu, A., & Desniar. (2024). Antioxidant Activity and Tyrosinase of Brown Seaweed Extract Using Ultrasonic and Magnetic Stirrer Extraction Methods. International Journal of Chemical and Biochemical Sciences, 26(20), 135–146.

Alagan, V., R. Valsala, & K. Rajesh. 2017. Bioactive chemical constituent analysis, in vitro antioxidant and antimicrobial activity of whole plant methanol extracts Ulva Lactuca Linn. British Journal of Pharmaceutical Research, 15(1): 1-14.

Alara, O. R., Abdurahman, N. H., & Ukaegbu, C. I. (2021). Extraction of phenolic compounds: A review. Current Research in Food Science, 4, 200–214.

Amri, E., A. Dharma, Arnaini, & D.H. Tjong. 2017.Potency of microalgae as tyrosinase inhibitor. Journal of Pharmaceutical Biological and Chemical Sciences, 8(4): 577-581.

Arguelles, E. D. L. R., & Sapin, A. B. (2020). Bioprospecting of Turbinaria ornata (Fucales, Phaeophyceae) for cosmetic application: Antioxidant, tyrosinase inhibition and antibacterial activities. Journal of the International Society for Southeast Asian Agricultural Sciences, 26(2), 30–41.

Arifianti, A. E., E. Anwar, & Nurjanah. 2017. Aktivitas penghambatan tirosinase dan antioksidan serbuk rumput laut dari *Sargassum Plagyphyllum* segar dan kering. Jurnal Pengolahan Hasil Perikanan Indonesia, 20(3): 488 493.

Ashooriha, M., Hosseini, S. A., Abyat, P., Saeidnia, S., & Jamalifar, H. (2020). Review of Bioactive Compounds as Tyrosinase Inhibitors from Natural Resources. Journal of Asian Natural Products Research, 22(10), 907–920.

Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., Mohamed, A., Sahena, F., Jahurul, M. H. A., Ghafoor, K., Norulaini, N. A. N., & Omar, A. K. M. (2013). Techniques for extraction of bioactive compounds from plant materials: A review. Journal of Food Engineering, 117(4), 426–436.

Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., Mohamed, A., Sahena, F., Jahurul, M. H. A., Ghafoor, K., Norulaini, N. A. N., & Omar, A. K. M. (2013). Techniques for extraction of bioactive compounds from plant materials: A review. Journal of Food Engineering, 117(4), 426–436. https://doi.org/10.1016/j.jfoodeng.2013.01.014

Baek, S. H., Lee, S. H., Kim, C., Kim, J. H., & Kim, S. Y. (2021). Phenolic compounds from natural sources as tyrosinase inhibitors: A review. Antioxidants, 10(7), 1123.

Budiastra, I.W., Mardjan, S.S. & Aziz, A.A., 2020. Pengaruh amplitudo ultrasonik dan waktu ekstraksi terhadap rendemen dan mutu oleoresin pala. Jurnal Keteknikan Pertanian, 8(2), hlm. 45–52.

UNIVERSITAS
GADJAH MADA
**Pengaruh Amplitudo pada Ekstraksi Sargassum hystrix dengan Metode Ultrasound-Assisted Extraction
terhadap Aktivitas Anti-Tirosinase**
Sholahudin Al Ayyubi, Prof. Dr. Amir Husni, S.Pi., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Cabanes, J., García-Cánovas, F., Lozano, J. A., & García-Carmona, F. (1987). A kinetic study of the melanization pathway between L-tyrosine and dopachrome. Biochimica et Biophysica Acta (BBA) – General Subjects, 923(2), 187–195. https://doi.org/10.1016/0304-4165(87)90003-1

Chan, Y. Y., K. H Kim, & S.H. Cheah. 2011. Inhibitory effects of *Sargassum Polycystum* on tyrosinase activity and melanin formation in bl6f10 murine melanoma cells. Journal Of Ethnopharmacology, 137(3): 1183-1188.

Chang, C. C., Yang, M. H., Wen, H. M., & Chern, J. C. (2002). Estimation of total flavonoid content in propolis by two complementary colorimetric methods. Journal of Food and Drug Analysis, 10(3), 178–182.

Chang, T. S. (2009). An updated review of tyrosinase inhibitors. International Journal of Molecular Sciences, 10(6), 2440–2475.

Chemat, F., *et al.* (2017). *Ultrasound-Assisted Extraction* of food and natural products: Mechanisms, techniques, combinations, protocols and applications. Ultrasonics Sonochemistry, 34, 540–560.

Coşkun, N., Saritaş, S., Bordiga, M., & Karav, S. (2024). The Impact of Freeze Drying on Bioactivity and Physical Properties of Food Products. Applied Sciences, 14(20), 9183.

Dai, J., & Mumper, R. J. (2010). Plant phenolics: Extraction, analysis and their antioxidant and anticancer properties. Molecules, 15(10), 7313–7352.

Dai, J., & Mumper, R. J. 2010. Plant phenolics: Extraction, analysis and their antioxidant and anticancer properties. Molecules, 15(10): 7313–7352.

De Seta, F., Schmidt, M., Vu, B., Essmann, M., Larsen, B., & Arfuso, V. (2009). Antifungal mechanisms supporting boric acid therapy of Candida vaginitis. Journal of Antimicrobial Chemotherapy, 63(2), 325–336.

Dewatisari, W. F. 2020. Perbandingan pelarut kloroform dan etanol terhadap rendemen ekstrak daun lidah mertua (Sanseviaria trifasciataprain.) menggunakan metode maserasi. Prosiding Seminar Nasional Biologi di Era Pandemi Covid-19, 127-132.

Di Petrillo, A., González-Paramás, A. M., Era, B., Medda, R., Pintus, F., & Fais, A. (2016). Tyrosinase inhibition and antioxidant properties of Asphodelus microcarpus extracts. BMC Complementary and Alternative Medicine, 16, 453.

Doğan, A., & Akocak, S. (2024). Natural products as tyrosinase inhibitors. Enzymes, 56, 85–109.

Duan, X., Subbiah, V., Xie, C., Agar, O. T., Barrow, C. J., Dunshea, F. R., & Suleria, H. A. R. 2023. Evaluation of the antioxidant potential of brown seaweeds extracted by different solvents and characterization of their phenolic compounds by LC–ESI-QTOF-MS/MS. Journal of Food Science, 88(9), 3737–3757.

UNIVERSITAS
GADJAH MADA
**Pengaruh Amplitudo pada Ekstraksi Sargassum hystrix dengan Metode Ultrasound-Assisted Extraction
terhadap Aktivitas Anti-Tirosinase**
Sholahudin Al Ayyubi, Prof. Dr. Amir Husni, S.Pi., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Garcia-Larez, F. L., Esquer, J., Guzmán, H., Zepeda-Quintana, D. S., Moreno-Vásquez, M. J., Rodríguez-Félix, F., Del-Toro-Sánchez, C. L., Ebenehezer López-Corona, B., & Tapia-Hernández, J. A. (2025). Effect of *Ultrasound-Assisted Extraction* (UAE) parameters on the recovery of polyphenols from pecan nutshell waste biomass and its antioxidant activity. Biomass Conversion and Biorefinery, 15, 10977–10995.

Gazali, M., *et al.* (2025). Tyrosinase inhibitory activity of methanolic extract and fractions from green seaweed Ulva lactuca. Squalen Bulletin, 20(1), 1–9.

Gomes, S. V. F., Portugal, L. C. A., & de Souza, R. O. M. A. (2018). Ultrasound-assisted extraction of phenolic compounds from olive tree biomass: Optimization of extraction conditions. Ultrasonics Sonochemistry, 44, 123–131.

Guaschino, S., De Seta, F., Sartore, A., Ricci, G., & Piccoli, M. (2001). Efficacy of maintenance therapy with topical boric acid in recurrent vulvovaginal candidiasis. American Journal of Obstetrics and Gynecology, 184(4), 598–602.

Gunathilake, T. M. S. U., Samarakoon, K. W., Ranasinghe, P., & Peiris, L. D. C. (2022). Seaweed Phenolics as Natural Antioxidants, Aquafeed Additives, Veterinary Treatments and Cross-Linkers for Microencapsulation. Marine Drugs, 20(7), 445.

Handayani, M., *et al.* (2025). Profil Flavonoid, Fenolik Total, dan Tanin pada Filtrat dan Residu Ekstrak *Sargassum*. Jurnal Kelautan Tropis.

Harasym, J., & Hałdys, K. (2025). Microalgae and Macroalgae as Advanced Sources of Tyrosinase Inhibitors. Molecules, 31(1), 20.

Hilma, R., H. Herliani, & M. Almurdani. 2018. Determination of total phenolic, flavonoid content and free radical scavenging activity of etanol extract sawo stem bark (Manilkara sapota (L.)). Conference Proceedings Celseitech-Umri, 3: 62-68.

Holdt, S. L., & Kraan, S. (2011). Bioactive compounds in seaweed: Functional food applications and legislation. Journal of Applied Phycology, 23(3), 543–597.

Hu, L., Zhang, Y., & Wang, X. (2022). Role of MITF and oxidative stress in regulation of melanogenesis. International Journal of Molecular Sciences, 23(4), 2055.

Hu, Z.-M., Zhong, K.-L., Weinberger, F., Duan, D.-L., Draisma, S. G. A., & Serrão, E. A. (2020). Linking ecology to genetics to better understand adaptation and evolution: A review in marine macrophytes. *Frontiers in Marine Science, 7*, 545102.

Hübschmann, H. J. (2015). Handbook of GC-MS: Fundamentals and Applications (3rd ed.). Wiley-VCH.

Husni, A., *et al.* (2022). Characteristics and antioxidant activity of fucoidan from *Sargassum hystrix* : Effect of extraction method. International Journal of Food Science, 2022, 3689724.

UNIVERSITAS
GADJAH MADA
**Pengaruh Amplitudo pada Ekstraksi Sargassum hystrix dengan Metode Ultrasound-Assisted Extraction
terhadap Aktivitas Anti-Tirosinase**
Sholahudin Al Ayyubi, Prof. Dr. Amir Husni, S.Pi., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Javed, A., *et al.* (2025). Tyrosinase inhibitory activity of *Sargassum fusiforme*. Phytochemical Analysis, 36(2), 343–357.

Joller, N., Herold, M. J., & Hansen, U. (2020). Activation of the Keap1–Nrf2 pathway by organosulfur compounds protects cells against oxidative stress. Redox Biology, 36, 101676.

Kasminah. (2016). Aktivitas antioksidan rumput laut Halymenia durvillai [Skripsi, Universitas Airlangga].

Kaur, B., Panesar, P. S., & Anal, A. K. (2022). Standardization of Ultrasound-Assisted Extraction for the recovery of phenolic compounds from mango peels. Journal of Food Science and Technology, 59, 2813–2820.

Kementerian Kelautan dan Perikanan (KKP). (2022). Produksi rumput laut di Indonesia (2011–2021).

Kim, H. S., Wijesekara, I., & Kim, Se-Kwon (2019). *Sargassum* Seaweed as a Source of Anti-Inflammatory Substances and the Potential Insight of the Tropical Species: A Review. Marine Drugs, 17(10), 590.

Koivikko, R. (2008). *Brown algal phlorotannins: Improving and applying chemical methods* (Doctoral dissertation). University of Turku, Finland.

Kumar, A., *et al.* (2022). Advances in natural tyrosinase inhibitors. Phytomedicine, 96, 153842.

Kumar, K., *et al.* (2020). *Ultrasound-Assisted Extraction* (UAE): A review. Ultrasonics Sonochemistry, 70, 105325.

Kurniasari, L., Djaeni, M., & Kumoro, A. C. (2023). *Ultrasound-Assisted Extraction* (UAE) of sappan wood (Caesalpinia sappan L.): Effect of solvent concentration and kinetic studies. Brazilian Journal of Food Technology, 26, e2022068.

Lailatussifa, R., Husni, A., & Isnansetyo, A. 2017. Antioxidant activity and proximate analysis of dry powder from brown seaweed *Sargassum hystrix* . Jurnal Perikanan Universitas Gadjah Mada, 19(1), 29–37.

Lee, S. H., & Jeon, Y. J. (2013). Phlorotannins from Ecklonia cava. Marine Drugs, 11(1), 146–174.

Lee, S. H., *et al.* (2017). α-Glucosidase and α-amylase inhibitory activities. Phytotherapy Research, 21(4), 401–406.

Lee, Z. J., *et al.* (2024). Optimization of ultrasonic extraction parameters. Antioxidants, 13(4), 409.

Leksawasdi, N., Maungchan, N., Srilaong, V., & Narkprasom, K. (2022). Ultrasonic extraction of bioactive compounds from green soybean pods and application in green soybean milk antioxidants fortification. Foods, 11(4), 588.

UNIVERSITAS
GADJAH MADA
**Pengaruh Amplitudo pada Ekstraksi Sargassum hystrix dengan Metode Ultrasound-Assisted Extraction
terhadap Aktivitas Anti-Tirosinase**
Sholahudin Al Ayyubi, Prof. Dr. Amir Husni, S.Pi., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Leksawasdi, N., Taesuwan, S., Thongtue, C., Jantanasakulwong, K., Phongthai, S., & Rawdkuen, S. (2022). Ultrasonic extraction of bioactive compounds from green soybean pods and application in green soybean milk antioxidants fortification. Foods, 11(4), 588.

Liu, W., *et al.* (2023). New mechanistic insights of melasma. Clinical, Cosmetic and Investigational Dermatology, 16, 429–442.

Loranza, B. 2012. Uji penghambatan aktivitas enzim alfa-glukosidase dan identifikasi golongan senyawa kimia dari fraksi taraktif daun buni (Antidesma bunius L.). Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Indonesia. Skripsi.

Manivannan, K, P. Anantharaman, & B. Thangavel. 2009. Proximate composition different group of seaweeds from vedalai coastal waters (gulf of mannar): southeast coast of India. Journal of Scientific Research, 4(2): 72-77.

Medina-Torres, N., Espinosa-Andrews, H., Trombotto, S., Ayora-Talavera, T., Patrón-Vázquez, J., González-Flores, T., Sánchez-Contreras, Á., Cuevas-Bernardino, J. C., & Pacheco, N. 2019. *Ultrasound-Assisted Extraction* Optimization of Phenolic Compounds from Citrus latifolia Waste for Chitosan Bioactive Nanoparticles Development. Molecules, 24(19): 3541.

Mustarichie, R., Y. Iskandar, & N. M. Saptarini. 2022. Coleus atropurpureus (L) benth. leaves as a new promising drug for abscesses caused by methicillin-resistant Staphylococcus aureus and Staphylococcus auraus. Pharmacognosy Journal, 14(2): 439-443.

Nakagawa, M., Kawai, K., & Kawai, K. (1995). Contact allergy to kojic acid in skin care products. Contact Dermatitis, 32(1), 9–13.

Nuri, N., E. Puspitasarı, M. A. Hidayat, I. Y. Ningsih, B. Triatmoko, & D. Dianasari. 2020. Pengaruh metode ekstraksi terhadap kadar fenol dan flavonoid total, aktivitas antioksidan serta antilipase daun jati belanda (Guazuma ulmifolia). Jurnal Sains Farmasi & Klinis, 7(2): 143-150.

Oliyaei, N., & Moosavi-Nasab, M. (2021). Ultrasound-assisted extraction of fucoxanthin from Sargassum angustifolium and Cystoseira indica brown algae. Journal of Food Processing and Preservation, 45(11), e15929.

Oubannin, S., El Kantar, S., Ait Lahcen, S., & Achemchem, F. (2024). Recent advances in the extraction of bioactive compounds and the enrichment of vegetable oils: A review. Journal of Food Engineering, 374, 112039.

Panzella, L., & Napolitano, A. (2019). Natural and Bioinspired Phenolic Compounds as Tyrosinase Inhibitors for the Treatment of Skin Hyperpigmentation: Recent Advances. Cosmetics, 6(4), 57.

Pérez, M., Domínguez-López, I., Bulló, M., & Casas, R. (2023). The Chemistry Behind the Folin–Ciocalteu Method for the Estimation of (Poly)Phenol Content in Food:

UNIVERSITAS
GADJAH MADA
**Pengaruh Amplitudo pada Ekstraksi Sargassum hystrix dengan Metode Ultrasound-Assisted Extraction
terhadap Aktivitas Anti-Tirosinase**
Sholahudin Al Ayyubi, Prof. Dr. Amir Husni, S.Pi., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Total Phenolic Intake in a Mediterranean Dietary Pattern. Journal of Agricultural and Food Chemistry, 71(46), 17418–17433.

Prasetyo, B. F. 2021. Uji aktivitas antioksidan dan daya hambat enzim tirosinase ekstrak etanol Azolla filiculoides Lam. Jurnal Sains Farmasi & Klinis, 8(1): 53-59.

Pratista, I. M. I., Wartini, N. M., & Gunam, I. B. W. (2017). Karakteristik pewarna alami pada ekstrak *Sargassum polycystum* dengan perlakuan konsentrasi pelarut etanol dan lama maserasi. Jurnal Rekayasa dan Manajemen Agroindustri, 5(4), 51–60.

Pritty, R., *et al.* (2021). Hyperpigmentation disorders. Dermatology Review, 13(2), 115–128.

Putri, L. T., Y. Syukri, & S. Werdyani. 2021. Aplikasi gold nanopartikel dengan bahan alam sebagai kosmetik pemutih wajah: tinjauan sistematis. Jurnal Sains Farmasi & Klinis, 8(2): 116-127.

Quah, C. C., Kim, K. H., Lau, M. S., Kim, W. R., Cheah, S. H., & Gundamaraju, R. (2014). Pigmentation and dermal conservative effects of the astonishing algae *Sargassum* polycystum and Padina tenuis on guinea pigs, human epidermal melanocytes (HEM) and Chang cells. African Journal of Traditional, Complementary and Alternative Medicines, 11(4), 77–83.

Ramadhan, W., U. Uju, S. D. Hardiningtyas, R. F. Pari, N. Nurhayati, & D. Sevica. 2022. Ekstraksi polisakarida ulvan dari rumput laut Ulva lactuca berbantu gelombang ultrasonik pada suhu rendah. Jurnal Pengolahan Hasil Perikanan Indonesia, 25(1): 132-142.

Rezapour Niri, D., Sayahi, M. H., Behrouz, S., Moazzam, A., Rasekh, F., Tanideh, N., Irajie, C., Seif Nezhad, M., Larijani, B., Iraji, A., & Mahdavi, M. (2023). Design, synthesis, in vitro, and in silico evaluations of kojic acid derivatives linked to amino pyridine moiety as potent tyrosinase inhibitors. Heliyon, 9(11), e21576.

Riwanti, P., & F. Izazih. 2020. Pengaruh perbedaan konsentrasi etanol pada kadae flavonoid total ekstrak etanol 50, 70 dan 96% *Sargassum* polycystum dari Madura. Journal of Pharmaceutical Care Anwar Medika, 2(2): 82-95.

Rushdi, M. I., Abdel-Rahman, I. A. M., Saber, H., Attia, E. Z., Abdelraheem, W. M., Hassan, H. M., Madkour, H. A., & Abdelmohsen, U. R. (2020). Pharmacological and natural products diversity of the brown algae genus *Sargassum*. RSC Advances, 10(42), 24951–24972.

Ryu, J. W., Kim, J. H., Lee, H. J., *et al.* (2024). Tyrosinase Inhibition Effects of Korean Edible Brown, Green, and Red Seaweed Extracts. Fisheries and Aquatic Sciences, 27, e44.

Seo, C., Jeong, S. J., Yun, H. J., Lee, H. J., Lee, J. W., Ahn, H., Han, N., Jung, W.-K., & Lee, S. (2022). Nutraceutical potential of polyphenol-rich *Sargassum* species grown off the Korean coast: A review. *Food Science and Biotechnology, 31*(8), 971–984.

UNIVERSITAS
GADJAH MADA
**Pengaruh Amplitudo pada Ekstraksi Sargassum hystrix dengan Metode Ultrasound-Assisted Extraction
terhadap Aktivitas Anti-Tirosinase**
Sholahudin Al Ayyubi, Prof. Dr. Amir Husni, S.Pi., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Seo, H. Y., Kim, J. H., Kim, Y. J., Kim, D. H., & Kim, K. S. (2001). Effect of S-Methyl Methanethiosulfinate on the Growth of Escherichia coli O157:H7. Journal of Food Protection, 64(10), 1513–1518.

Shraim, A. M., Ahmed, T. A., Rahman, M. M., & Hijji, Y. M. (2021). Determination of total flavonoid content by aluminum chloride assay: A critical evaluation. LWT, 150, 111932.

Singla RK, Dubey AK, Garg A, Sharma RK, Fiorino M, Ameen SM, Haddad MA, Al-Hiary M. 2019. Natural polyphenols: Chemical classification, definition of classes, subcategories, and structures. Journal of AOAC International.

Singleton, V. L., & Rossi, J. A., Jr. (1965). Colorimetry of Total Phenolics with Phosphomolybdic–Phosphotungstic Acid Reagents. American Journal of Enology and Viticulture, 16(3), 144–158.

Snow, N. H., & Slack, G. C. (2002). Head-space analysis in modern gas chromatography. TrAC Trends in Analytical Chemistry, 21(9–10), 608–617.

Špan, A. (2005). The genus *Sargassum* in the Adriatic Sea: Morphology, systematics and ecology. Acta Adriatica, 46(Suppl.), 9–32.

Sparkman, O. D., Penton, Z., & Kitson, F. G. (2011). Gas Chromatography and Mass Spectrometry: A Practical Guide (2nd ed.). Academic Press.

Thong-olran, A., *et al.* (2025). Natural tyrosinase inhibitors from marine resources. Journal of Cosmetic Dermatology, 24(1), 55–66.

Tian, Y., Deng, D., Luo, H., He, M., & Wang, S. (2025). Ultrasonic assisted enzymatic extraction, structural characterization, and tyrosinase inhibition mechanism of phlorotannins from Sargassum horneri. Algal Research, 88, 104038.

Tiwari, B. K. (2015). Ultrasound: A clean, green extraction technology. Trends in Analytical Chemistry, 71, 100–109.

Tsao R. 2010. Chemistry and biochemistry of dietary polyphenols. Nutrients. 2(12):1231–1246.

Utami, D. T., Setyowati, E. P., Murti, Y. B., & Meiyanto, E. (2024). Marine resources with melanogenic regulatory properties: Seagrass, seaweed, and marine sponges as anti-melanogenic agents. Journal of Applied Pharmaceutical Science, 14(7), 45–58.

Vilkhu, K., Mawson, R., Simons, L., & Bates, D. L. (2008). Applications and opportunities for *Ultrasound-Assisted Extraction* in the food industry—A review. *Innovative Food Science and Emerging Technologies, 9*(2), 161–169.

Wang, C. Y., *et al.* (2015). Fucoidan from *Sargassum* cristaefolium. Journal of Food and Drug Analysis, 23(4), 766–777.

UNIVERSITAS
GADJAH MADA
**Pengaruh Amplitudo pada Ekstraksi Sargassum hystrix dengan Metode Ultrasound-Assisted Extraction
terhadap Aktivitas Anti-Tirosinase**
Sholahudin Al Ayyubi, Prof. Dr. Amir Husni, S.Pi., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wang, J., Ma, H., Pan, Z., & Qu, W. 2017. Sonochemical effect of flat sweep frequency and pulsed ultrasound (FSFP) treatment on stability of phenolic acids in a model system. Ultrasonics Sonochemistry, 39, 707–715.

Wang, W., Ma, X., Jiang, P., Hu, L., Zhi, Z., Chen, J., Ding, T., Ye, X., & Liu, D. 2017. Characterization of the degradation of phenolic acids under ultrasound-assisted free radical depolymerization of pectin. Food Chemistry, 218, 484–491.

Wang, Z. J., Si, Y. X., Oh, S., Yang, J. M., Yin, S. J., Park, Y. D., Lee, J., & Qian, G. Y. (2012). The effect of fucoidan on tyrosinase: Computational molecular dynamics integrating inhibition kinetics. Journal of Biomolecular Structure and Dynamics, 30(4), 460–473.

Widyowati, R., Agil, M., Rahmawati, D., *et al.* (2022). Antioxidant and Tyrosinase Inhibitor Activities of Ethanol Extract of Turbinaria conoides. Pharmacognosy Journal, 14(2), 260–266.

Wolf Horrell, E. M., Boulanger, M. C., & D'Orazio, J. A. (2016). Melanocortin 1 receptor: Structure, function, and regulation. Frontiers in Genetics, 7, 95.

Yusoff, I. M., Mat Taher, Z., Rahmat, Z., & Chua, L. S. (2022). A review of ultrasound-assisted extraction for the extraction of bioactive compounds from plant materials. Food Research International, 157, 111268.

Zakaria, R. (2015). Kandungan florotanin pada rumput laut cokelat. Jurnal Biota Laut, 20(2), 55–62.

Zhang, Y., *et al.* (2024). Extraction of bioactive compounds from brown algae.

Zhang, Z., Poojary, M. M., Choudhary, A., Rai, D. K., Lund, M. N., & Tiwari, B. K. 2020. Evaluation of direct *Ultrasound-Assisted Extraction* of phenolic compounds from potato peels. Processes, 8(12), 1665.

Zolghadri, S., *et al.* (2022). Review on tyrosinase inhibitors. Journal of Enzyme Inhibition and Medicinal Chemistry, 37(1), 279–309.