

## DAFTAR PUSTAKA

- Abdi, H. (2010). Coefficient of Variation. In *Encyclopedia of Research Design* (hal. 169–171).
- Ahmed, S., Ibrahim, R. F., & Hefny, H. A. (2017). GIS-Based Network Analysis for the Roads Network of the Greater Cairo Area. *International Conference on Applied Research in Computer Science and Engineering*.
- Ahn, B. S. (2011). Compatible Weighting Method With Rank Order Centroid: Maximum Entropy Ordered Weighted Averaging Approach. *European Journal of Operational Research*, 212, 552–559. <https://doi.org/10.1016/j.ejor.2011.02.017>
- Alharbi, M., & Hassan, M. (2023). Optimizing the Distribution of Public Transportation Stops Using GIS: A Case of Amman City in Jordan. *Civil Engineering and Architecture*, 11(3), 1558–1568. <https://doi.org/10.13189/cea.2023.110335>
- Aminah, S. (2016). *Penataan Transportasi Publik dan pengembangan Aksesibilitas Masyarakat* (1 ed.). Airlangga University Press.
- Awangga, R. M. (2019). *Pengantar Sistem Informasi Geografis* (M. Y. H. Setyawan (ed.); 1 ed.). Kreatif Industri Nusantara.
- Badan Pengembangan dan Pembinaan Bahasa, K. P. dan K. (2016). *Kamus Besar Bahasa Indonesia (KBBI) Daring*. <https://kbbi.kemdikbud.go.id>
- Badan Pusat Statistik. (2025). *Penduduk, Laju Pertumbuhan Penduduk, Distribusi Persentase Penduduk, Kepadatan Penduduk, Rasio Jenis Kelamin Penduduk Menurut Kecamatan di Kota Surabaya, 2024*. <https://surabayakota.bps.go.id/id>
- Badan Pusat Statistik. (2026). *Jumlah Penduduk Menurut Kelompok Umur dan Jenis Kelamin (ribu jiwa) di Kota Surabaya, 2025*. <https://surabayakota.bps.go.id/id>
- Badan Standarisasi Nasional. (2004). *SNI 03-1733-2004 tentang Tata Cara Perencanaan Lingkungan Perumahan di Perkotaan*.
- Barron, F. H., Barrett, B. E., Barron, F. H., & Barrett, B. E. (1996). Decision Quality Using Ranked Attribute Weights. *Management Science*, 42(11), 1515–1523.
- Basilio, P. M., Pereira, V., Costa, H. G., Santos, M., & Ghosh, A. (2022). A Systematic Review of the Applications of Multi-Criteria Decision Aid Methods ( 1977 – 2022 ). *Electronics*. <https://doi.org/10.3390/electronics11111720>
- Bawana, S. A., & Rachmawati, R. (2020). Evaluasi Lokasi Eksisting Halte Bus Rapid Transit Trans Jogja The Evaluation of Trans Jogja Bus Rapid Transit Shelter. *Jurnal Manajemen Transportasi & Logistik (JMTRANSLOG)*, 07(01), 1–12.
- Brown, C. E. (1998). Coefficient of Variation. In *Applied Multivariate Statistics in Geohydrology and Related Sciences* (hal. 155–157). Springer Berlin Heidelberg. [https://doi.org/10.1007/978-3-642-80328-4\\_13](https://doi.org/10.1007/978-3-642-80328-4_13)
- Burrough, P. A., McDonnel, R. A., & Llyod, C. D. (2015). *Principles of Geographical Information System* (3 ed.). Oxford University Press.
- Cheng, Y.-H., & Chen, S.-Y. (2015). Perceived Accessibility, Mobility, And Connectivity Of Public. *Transportation Research Part A: Policy and Practice*, 77, 386–403. <https://doi.org/10.1016/j.tra.2015.05.003>
- Chouiekh, C., Yahyaouy, A., Sabri, M. A., & Karmouni, H. (2025). An Optimized Hybrid Approach for Trajectory Prediction and Vehicle Classification at Intersections Using Dijkstra and Random Forest Enhanced by A Genetic Algorithm. *Franklin Open*, 13(September), 100445. <https://doi.org/10.1016/j.fraope.2025.100445>

- Comber, A., & Zeng, W. (2019). Spatial interpolation using areal features : A review of methods and opportunities using new forms of data with coded illustrations. *Geography Compass*, 13(10), 1–23. <https://doi.org/10.1111/gec3.12465>
- Demir, G. (2022). Sensitivity Analysis in Multi-Criteria Decision-Making Problems. (*Ankara Hacı Bayram Veli University Journal of Faculty of Economics and Administrative Sciences*, 3, 1025–1056. <https://doi.org/10.26745/ahbvuibfd.1103531>
- El-Geneidy, A., Grimsrud, M., Wasfi, R., Te'treault, P., & Surprenant-Legault, J. (2014). New Evidence on Walking Distances to Transit Stops : Identifying Redundancies and Gaps Using Variable Service Areas. *Transportation*, 41, 193–210. <https://doi.org/10.1007/s11116-013-9508-z>
- Elaine, M. (2023, Januari 25). Bus Listrik Tidak Jadi Beroperasi Akhir Januari, Sementara Diganti Trans Semanggi Suroboyo. *suarasurabaya.net*. <https://www.suarasurabaya.net/kelanakota/2023/bus-listrik-tidak-jadi-beroperasi-akhir-januari-sementara-diganti-trans-semanggi-suroboyo/>
- Eldeeb, G. M., Elminity, N. M., Darwish, G. S., & Idris, A. O. (2018). Integrated Spatial Multi-Criteria Decision-Making Approach to Bus Transit Planning. *Transportation Research Board 97th Annual Meeting*, 250, 1–16.
- Erfinanto, E. (2024, Agustus 24). Rute Feeder Wirawiri Surabaya Bakal Diperluas, 50 Armada Baru Disiapkan. *Liputan6*. <https://www.liputan6.com/surabaya/read/5661340/rute-feeder-wirawiri-surabaya-bakal-diperluas-50-armada-baru-disiapkan>
- Ervinda, M. D. (2023, Mei 10). Info Tarif dan Rute Suroboyo Bus Terbaru. *detikjatim*. <https://www.detik.com/jatim/berita/d-6714082/info-tarif-dan-rute-suroboyo-bus-terbaru>
- Fathoni, S., & Handayani, K. D. M. E. (2022). Pola Spasial Tingkat Aksesibilitas Suroboyo Bus dengan Metode PTAL ( Public Transport Accessibility Levels ) di Kota Surabaya. *Jurnal Teknik ITS*, 11(2). <https://doi.org/10.12962/j23373539.v11i2.97645>
- Foda, M. A., & Osman, A. O. (2010). Using GIS for Measuring Transit Stop Accessibility Considering Actual Pedestrian Road Network. *Journal of Public Transportation*, 13, 23–40. <https://doi.org/10.5038/2375-0901.13.4.2>
- García-álvarez, D., Teresa, M., & Olmedo, C. (2022). *Land Use Cover Datasets and Validation Tools*. Springer. <https://doi.org/10.1007/978-3-030-90998-7>
- Geurs, K. T., & Wee, B. Van. (2004). Accessibility Evaluation Of Land-Use And Transport Strategies : Review And Research Directions. *Journal of Transport Geography*, 12(2), 127–140. <https://doi.org/10.1016/j.jtrangeo.2003.10.005>
- Giuliani, G., Ray, N., & Lehmann, A. (2011). Grid-Enabled Spatial Data Infrastructure for Environmental Sciences : Challenges and Opportunities. *Future Generation Computer Systems*, 27(3), 292–303. <https://doi.org/10.1016/j.future.2010.09.011>
- Haam, S., Kim, H., Yoo, M., & Seung, W. (2025). Optimal Additional Evacuation Route Analysis in Deep Underground Station Structures Using Dijkstra' s Algorithm. *Developments in the Built Environment*, 24(April), 100784. <https://doi.org/10.1016/j.dibe.2025.100784>
- Han, E., & Chun, S. (2025). *A Long Short-Term Memory Model using Kernel Density Estimation for Forecasting Apartment Prices in Seoul City*. 283(April).
- Hatefi, M. A. (2023). An Improved Rank Order Centroid Method ( IROC ) for Criteria Weight Estimation : An Application in the Engine / Vehicle Selection Problem. *INFORMATICA*, 34(2), 249–270. <https://doi.org/10.15388/23-INFOR507>
- Horcher, D., & Tirachini, A. (2021). *A Review of Public Transport Economics*. 25(January). <https://doi.org/10.1016/j.ecotra.2021.100196>

- Hou, G., Wang, J., Fan, Y., Zhang, J., & Huang, C. (2024). A Novel Wind Power Deterministic and Interval Prediction Framework Based on The Critic Weight Method, Improved Northern Goshawk Optimization, and Kernel Density Estimation. *Renewable Energy*, 20360(226). <https://doi.org/10.1016/j.renene.2024.120360>
- Irwansyah, E. (2013). *Sistem Informasi Geografis: Prinsip Dasar dan Pengembangan Aplikasi* (1 ed.). Digibooks.
- Jankowski, P. (1995). Integrating Geographical Information Systems and Multiple Criteria Decision-Making Methods. *International Journal of Geographical Information Systems*, 9, 251–273. <https://doi.org/10.1080/02693799508902036>
- Javier, F. (2022, Desember 13). INRIX: Surabaya Kota Termacet di Indonesia pada 2021. *Tempo.co*. <https://www.tempo.co/data/data/inrix-surabaya-kota-termacet-di-indonesia-pada-2021--996228>
- Kåresdotter, E., Page, J., Mörtberg, U., Näsström, H., Kåresdotter, E., & Page, J. (2022). First Mile / Last Mile Problems in Smart and Sustainable Cities : A Case Study in Stockholm. *Urban Technology*, 29, 115–137. <https://doi.org/10.1080/10630732.2022.2033949>
- Kementerian Pekerjaan Umum. (2014). *Peraturan Menteri Pekerjaan Umum No. 03/PRT/M/2014 Tentang Pedoman Perencanaan, Penyediaan, Dan Pemanfaatan Prasarana Dan Sarana Jaringan Pejalan Kaki di Kawasan Perkotaan* (Vol. 2013).
- Keputusan Direktur Jenderal Perhubungan Darat Nomor 271/HK.105/DRJD/96 tentang Pedoman Teknis Perekayasaan Tempat Perhentian Kendaraan Penumpang Umum (1996).
- Kesuma, I. M. A. D. (2022). *Pembuatan Peta Skematik Dan Story Maps Bus Rapid Transit (Brt) Trans Semarang*.
- Lättman, K., Olsson, L. E., & Friman, M. (2018). A New Approach to Accessibility – Examining Perceived Accessibility In Contrast to Objectively Measured Accessibility in Daily Travel. *Research in Transportation Economics*, 69(June), 501–511. <https://doi.org/10.1016/j.retrec.2018.06.002>
- Li, D., Zang, H., Yu, D., He, Q., & Huang, X. (2023). *Study on the Influence Mechanism and Space Distribution Characteristics of Rail Transit Station Area Accessibility Based on MGWR*.
- Liu, L., Porr, A., & Miller, H. J. (2023). Realizable Accessibility : Evaluating The Reliability of Public Transit Accessibility Using High Resolution Real Time Data. *Journal of Geographical Systems*, 25(3), 429–451. <https://doi.org/10.1007/s10109-022-00382-w>
- Malczewski, J. (2006). GIS - Based Multicriteria Decision Analysis : A Survey Of The Literature. *International Journal of Geographical Information Science*, 20, 703–726. <https://doi.org/10.1080/13658810600661508>
- Memariani, A., & Alinezhad, A. (2009). Sensitivity Analysis of Simple Additive Weighting Method (SAW): The Results of Change in the Weight of One Attribute on the Final Ranking of Alternatives. *Journal of Industrial Engineering*, 4(August 2009), 13–18.
- Murray, A. T. (2001). *Strategic Analysis of Public Transport Coverage* (hal. 175–188). [https://doi.org/10.1016/S0038-0121\(01\)00004-0](https://doi.org/10.1016/S0038-0121(01)00004-0)
- Nayak, P., Nayak, P. P., B, J. P., & Govindan, S. (2025). Leveraging geographic information system for dengue surveillance : a scoping review. *Tropical Medicine and Health*, 53(102). <https://doi.org/10.1186/s41182-025-00783-9>
- Pamucar, D Ćirović, G. (2015). *The selection of transport and handling resources in logistics centers using Multi-Attributive Border Approximation area Comparison (MABAC)* (hal. xpert Systems with Applications 42(6), 3016-3028). <https://doi.org/10.1016/j.eswa.2014.11.057>

- Paul, B. (2016). *GIS Fundamentals : A First Text on Geographic Information Systems* (5 ed.). Eider Press.
- Pemerintah Kota Surabaya. (2024, Juni 19). Suroboyo Bus Makin Diminati! Penumpang Naik 3 Kali Lipat dalam 6 Tahun. *Pemerintah Kota Surabaya*. <https://www.surabaya.go.id/>
- Peraturan Menteri Keuangan Republik Indonesia Nomor 138/PMK.02/2022 (2022).
- Peraturan Menteri Perhubungan Nomor PM 15 Tahun 2019 tentang Penyelenggaraan Angkutan Orang dengan Kendaraan Bermotor Umum dalam Trayek (2019).
- Peraturan Menteri Perhubungan Nomor PM 9 Tahun 2020 tentang Pemberian Subsidi Angkutan Penumpang Umum Perkotaan. (2020).
- Peraturan Pemerintah Nomor 34 Tahun 2006 tentang Penyelenggaraan Jalan di Indonesia (2006).
- Petrucelli, U., & Racina, A. (2021). Feeder Trunk And Direct Link Schemes For Public Transit : A Model To Evaluate The Produced Accessibility. *Public Transport*, 13(2), 301–323. <https://doi.org/10.1007/s12469-021-00262-4>
- Prasetyo, M. (2025). *Pembuatan Peta Skematik Dan Story Map Transportasi Umum Di Kota Surabaya*. Universitas Gadjah Mada.
- Purwanto, T. H. (2019). Analisis Jaringan 3-Dimensi Untuk Penentuan Rute Evakuasi di Gedung Bertingkat. *Jurnal Nasional Teknologi Terapan (JNTT)*, 2(2), 146–162. <https://doi.org/10.22146/jntt.42956>
- Republik Indonesia. (2009). *Undang-Undang Republik Indonesia Nomor 22 Tahun 2009 Tentang Lalu Lintas Dan Angkutan Jalan*.
- Ridwan, V. F., Hasanuddin, H. A., & Avrelia, A. R. (2022). Analisis Area Layanan Koridor 2 dan Koridor 3 Bus Trans Mamminasata dengan Buffering Analysis. *Seminar Nasional Penelitian & Pengabdian Kepada Masyarakat*, 52–57.
- Rivan, T., Karlitasari, L., & Suriansyah, M. I. (2025). Rekomendasi Lokasi Bisnis UMKM Menggunakan Metode SAW Berbasis WebGIS. *Informatics for Educators And Professionals*, 10(1), 1–10. <https://doi.org/10.51211/itbi.v10i1.3353>
- Rosalina, L., Oktarina, R., Rahmiati, & Saputra, I. (2023). *Buku Ajar Statitika* (Eliza (ed.)). CV. Muharuka Rumah Ilmiah.
- Rosati, R. M. (2025). Landscape and Urban Planning Urban Sprawl and Routing : A Comparative Study on 156 European Cities. *Landscape and Urban Planning*, 253(October 2024), 105205. <https://doi.org/10.1016/j.landurbplan.2024.105205>
- Rumana, M. Z., Puspaningtyas, A., & Hariyoko, Y. (2024). Evaluasi Kebutuhan Wira Wiri Suroboyo Sebagai Transportasi Publik Kota Surabaya. *Jurnal Penelitian Administrasi Publik*, 4(04), 154–187.
- Silalahi, E. F. S., Hidayat, F., Dewi, R. S., & Purwono, N. (2020). GIS-based approaches on the accessibility of referral hospital using network analysis and the spatial distribution model of the spreading case of COVID-19 in Jakarta , Indonesia. *BMC Health Service Research*, 1–20.
- Smith, M. J., Godchild, M. F., & Longley, P. A. (2018). *Geospatial Analysis : A Comprehensive Guide to principles Techniques and Software Tools* (6 ed.).
- Stefany, J., Collazos, G., Milena, L., Ardila, C., Jaime, C., & Cardona, F. (2024). Energy Transition in Sustainable Transport : Concepts , Policies , and Methodologies. *Environmental Science and Pollution Research*, 31(49), 58669–58686. <https://doi.org/10.1007/s11356-024-34862-x>
- Supriyadi, S. A., & Pradana, G. W. (2024). Kajian Keterpaduan Antar Moda: Sebuah Analisis Aksesibilitas Transportasi Publik Pada Layanan Feeder Wira-Wiri Surabaya. *Publika*, 1, 793–802.

- Susetyo, D. B., & Purwono, N. (2021). Evaluasi Spasial Lokasi Kantor Pemerintahan Berdasarkan Model Area Layanan di Kabupaten Bogor. *Majalah Ilmiah Globe*, 93–100.
- Taherdoost, H., & Madanchian, M. (2023). Multi-Criteria Decision Making ( MCDM ) Methods and Concepts. *Encyclopedia*, 3(Mcdm), 77–87. <https://www.mdpi.com/2673-8392/3/1/6>
- Tavana, M., Soltanifar, M., & Santos-Artega, F. J. (2023). Analytical Hierarchy Process : Revolution And Evolution. *Annals of Operations Research*, 326(2), 879–907. <https://doi.org/10.1007/s10479-021-04432-2>
- Triantaphyllou, E., & Sslnchez, A. (1997). *A Sensitivity Analysis Approach for Some Deterministic Multi-Criteria Decision-Making Methods \**. I. <https://doi.org/10.1111/j.1540-5915.1997.tb01306.x>
- Vusvitasari, R., Nugroho, S., & Akbar, S. (2008). Kajian Hubungan Koefisien Korelasi Pearson (  $\rho$  ), Spearman- Rho (  $r$  ), Kendall- Tau (  $\tau$  ), Gamma (  $G$  ), dan Somers (  $d$  ). *Jurnal Ilmiah MIPA*, 4, 50–54.
- Wang, P., Zhu, Z., & Younghu, W. (2016). A Novel Hybrid MCDM Model Combining The SAW, TOPSIS And GRA Methods Based On Experimental Design. *Information Sciences*, 345, 27–45. <https://doi.org/10.1016/j.ins.2016.01.076>
- Wang, S., Zuo, Z., & Liu, Y. (2023). Study on Location of Bus Stop in Subway Service Area Based on Residents ' Travel Accessibility. *Sustainability*, 15. <https://doi.org/10.3390/su15054517>
- Wibisono, R. E., Susanti, A., Supriyatno, D., Widayanti, A., & Widya, E. (2023). Optimalisasi Jaringan Trayek Suroboyo Bus Berdasarkan Pemetaan OD ( Origin Destination ) dengan Aplikasi Web App Map Arcgis. *Publikasi Riset Orientasi Teknik Sipil (Proteksi)*, 2. <https://doi.org/10.26740/proteksi.v5n2.p108-118>
- Widiyana, E. (2025, November 23). Dishub Surabaya Bakal Tambah Rute Baru Wira Wiri di Warugunung. *detikjatim*. <https://www.detik.com/jatim/berita/d-8224925/dishub-surabaya-bakal-tambah-rute-baru-wira-wiri-di-warugunung>
- Wieczorek, W. F., & Delmerico, A. M. (2010). Geographic Information Systems. *Comput Stat*, 1(2), 167–186. <https://doi.org/10.1002/wics.21>.Geographic
- Yu, W., Chen, Y., Chen, Z., Xia, Z., & Zhou, Q. (2020). Service Area Delimitation of Fire Stations with Fire Risk Analysis : Implementation and Case Study. *Enviromental Research and Publik Healthcare*, 17(6). <https://doi.org/10.3390/ijerph17062030>
- Yudha. (2025, Februari 20). Dishub Surabaya Akui Kekurangan Armada Transportasi Umum, Kemacetan Jadi Tantangan. *KabarBaik.co*. <https://kabarbaik.co/dishub-surabaya-akui-kekurangan-armada-transportasi-umum-kemacetan-jadi-tantangan/>