

Daftar Pustaka

- Abugoch, L., Castro, E., Tapia, C., Añón, M. C., Gajardo, P. and Villarroel, A. (2009), Stability of quinoa flour proteins (*Chenopodium quinoa* Willd.) during storage. *International Journal of Food Science & Technology*, 44: 2013–2020.
- Adler, F.H., 1930, An investigation of the sugar content of the ocular fluids under normal and abnormal conditions, and the glycolytic activity of the tissues of the eye, *Trans Am Ophthalmol Soc*, 28, 307
- Amaya-Cruz, D.M., Rodriguez-Gonzalez, S., Perez-Ramirez, I.F., Loarca-Pina, G., Amaya-Llano, S., Gallegos-Corona, M.A., Reynoso-Camacho, R., 2015, Juice by-products as a source of dietary fibre and antioxidants and their effect on hepatic steatosis, *Journal of Functional Foods*, Vol 17 : 93-102
- Andriani, D., 2016, Karakteristik ubi jalar (*Ipomoea batatas* L.) dari beberapa varietas di Kuningan, Jawa Barat, *Skripsi Departemen Ilmu dan Teknologi Pangan*, Fakultas Teknologi Pertanian IPB : Bogor
- Anwar, Faisal dan Khomsa, A., 2009, *Makanan Tepat Badan Sehat*, Jakarta: Hikmah
- AOAC, 2005. Official Methods of Analysis. Association of Official Analytical Chemists. Benjamin Franklin Station, Washington.
- Asami, D.K., Hong, Yun-Jeong., Barrett, D.M., Mitchell, A.E., 2003, Processing-induced changes in total phenolics and procyanidins in clingstone peaches, *Journal of the Science of Food and Agriculture*, 83, 56-63

- Awolu, O.O., Osemeke, R.O., Ifesan, B.O.T., 2016, Antioxidant, functional and rheological properties of optimized composite flour, consisting wheat and amaranth seed, brewers' spent grain and apple pomace, *Journal Food Science Technology*, 53, 1151-1163
- Ayucitra, A., Insdraswati, N., Mulyandasari, V., Dengi, Y.K., Fransisco, G., Yudha, A., 2013, Potensi senyawa fenolik bahan alam sebagai antioksidan alami minyak goreng nabati, *Widya Teknik*, 10,1-10
- Badan Pusat Statistik Indonesia, 2015, *Statistik Produksi Hortikultura tahun 2014*, Kementerian Pertanian Direktorat Jenderal Hortikultura : Indonesia
- Banerjee, J., Singh, R., Vijayaraghavan, R., Macfarlane, D., Patti, A.F., Arora, A., 2017, Review Bioactive from fruit processing wastes :Green approaches to valuable chemicals, *Food Chemistry*, 225, 10-22
- Behsnilian, D dan Mayer-Miebach, E., 2017, Impact of blanching, freezing and frozen storage on the carotenoid profile of carrot slices (*Daucus carota* L. cv. Nutri Red), *Food Control*, 73B, 761-767
- Biesalski, Hans-Konrad., Dragsted, L.O., Elmadfa, I., Grossklaus, R., Muller, M., Schrenk, D., Walter, P., Weber, P., 2009, Bioactive compounds : Definition and assessment activity, *Nutrition*, 25, 1202-1205
- Blackwell, W., 2013, *Bioactives in Fruit: Health Benefits and Functional Foods*, John Wiley&Sons : UK
- Blackwood, A.D., Salter, J., Dettmar, P.W., Chaplin, M.F., 2000, Dietary fibre, physicochemical properties and their relationship to health, *The Journal of The Royal Society for The Promotion Health*, 120, 242-247

- Cam,M., Icyer, N.C., Erdogan, F., 2014, Pomegranate peel phenolics :
Microencapsulation, storage stability and potential ingredient for functional
food development, *LWT-Food Science and Technology*, 55, 117-123
- Cheng, An-Wei., Xie, Hong-Xia., Qi, Y., Liu, C., Guo, X., Sun, Jin-Yue., Liu, Li-
Na., 2017, Effects of storage time and temperature on polyphenolic content
and qualitative characteristics of freeze-dried and spray-dried bayberry
powder, *LWT-Food Science and Technology*, Vol 78 : 235-240
- Cho, S.S dan Dreher, M.L., 2001, *Handbook of Dietary Fiber*, Marcel Dekker Inc
: New York
- Damayanthi, E., Kustiyah, L., Khalid, M., Farizal, H., 2010, Aktivitas antioksidan
bekatul lebih tinggi daripada jus tomat dan penurunan aktivitas antioksidan
serum setelah intervensi minuman kaya antioksidan, *Jurnal Gizi dan
Pangan*, 5, 205-210
- Dasgupta, P., Chakraborty, P., Bala, N.N., 2013, *Averrhoa carambola*: An
updated review, *International Journal of Pharma Research & Review*, 2,
54-63
- Dawkins, N.L., Gager, J., Cornillon, J.P., Kim, Y., Howard,H., Phelps, O., 2001,
Comparative studies on the physicochemical properties and hydration
behavior of oat gum and oatrim in meat-based patties, *Journal of Food
Science*, 66, 1276-1282
- deMan, J.M., 1989, *Kimia Makanan*, Penerbit ITB: Bandung
- Deng, Gui-Fang, Shen, C., Xu, Xiang-Rong., Kuang, Ru-Dan., Guo, Ya-Jun.,
Zeng, Li-Shan., Gao, Li-Li., Lin, X., Xie, Jie-Feng., Xia, En-Qin., Li, S.,

- Wu, S., Chen, F., Ling, Wen-Hua., Li, Hua-Bin., 2012, Potential of fruit wastes as natural resources of bioactive compounds, *International Journal of Molecular Sciences*, 13, 8308-8323
- Duckworth, R.B., 1974, *Water Relations of Foods*, Academic Press : New York
- Dutta, D., Chaudhuri, U.R., Chakraborty, R., 2005, Review : Structure, health benefits, antioxidant property and processing and storage of carotenoids, *African Journal of Biotechnology*, 4, 1510-1520
- Erawati, C.M., 2006, Kendali stabilitas beta karoten selama proses produksi tepung Ubi Jalar (*Ipomoea batatas* L.), *Tesis Program Studi Ilmu Pangan*, Program Pascasarjana IPB : Bogor
- Faramade, O.O., 2007, Kinetic of ascorbic acid degradation in commercial orange juice produced locally in Nigeria, *African crop science conference proceeding*, 8, 1813-1816
- Fava, F., Totaro, G., Diels, L., Reis, M., Duarte, J., Carioca, O.B., Poggi-Varaldo, H.M., Ferreira, B.S., 2015, Biowaste biorefinery in Europe: opportunities and research & development needs, *New Biotechnology*, Vol 32 (1) : 100-108
- Fernández-López, J., Sendra-Nadal, E., Navarro, C., Sayas, E., Viuda-Martos, M. and Alvarez, J. A. P. (2009), Storage stability of a high dietary fibre powder from orange by-products. *International Journal of Food Science & Technology*, 44: 748–756

- Figuerola, F., Hurtado, M.L., Estevez, A.M., Chiffelle, I., Asenjo, F., 2005, Fibre concentrates from apple pomace and citrus peel as potential fibre sources for food enrichment, *Food Chemistry*, 91, 395-401
- Fu, L., Xu, Bu-Tao., Xu, Xiang-Rong., Gan, Ren-You., Zhang, Y., Xia, En-Qin., Li, Hua-Bin., 2011, Antioxidant capacities and total phenolic contents of 62 fruits, *Food Chemistry*, 129, 345-350
- Nagata, M dan Yamashita, I., 1992, Simple method for simultaneous determination of chlorophyll and carotenoids in tomato fruit, *J.Japan.Soc.Food Sci. Technology*, 39, 925-928
- Goncalves, E.M., Pinheiro, J., Abreu, M., Brandao, T.R.S., Silva, C.L.M., 2010, Carrot (*Daucus carota* L.) peroxidase inactivation, phenolic content and physical changes kinetics due to blanching, *Journal of Food Engineering*, 94, 574-581
- Gouw, V.P., Jung, J., Zhao, Y., 2017, Functional properties, bioactive compounds, and *in vitro* gastrointestinal digestion study of dried fruit pomace powders as functional food ingredients, *LWT-Food Science Technology*, 80, 136-144
- Griguelmo-Miguel, N dan Martin-Belloso, O., 1999, Comparison of dietary fibre from by-products of processing fruits and greens and from cereals, *LWT*, 32, 503-508
- Grunovaite, L., Pukalskiene, M., Pukalskas, A., Venskutonis, P.R., 2016, Fractionation of black chokeberry pomace into functional ingredients using

- high pressure extraction methods and evaluation of their antioxidant capacity and chemical composition, *Journal of Functional Foods*, 24, 85-96
- Hassimotto, N.M.A., Genovese, M.I., Lajolo, F.M., 2005, Antioxidant activity of dietary fruits, vegetables, and commercial frozen fruit pulps, *Journal of Food and Agricultural*, 53, 2928-2935
- He, F., Pan, Qiu-Hong., Shi, Y., Duan, Chang-Qing., 2008, Biosynthesis and genetic regulation of proanthocyanidins in plants, *Molecules*, 13, 2674-2703
- Helmiyesi, Hastuti, R.B., Prihastanti, E., 2008, Pengaruh lama penyimpanan terhadap kadar gula dan vitamin C pada buah Jeruk Siam (*Citrus nobilis* var. *microcarpa*), *Buletin Anatomi dan Fisiologi*, 16, 33-37
- Henry, L.K., Catignani, G.L., Schwartz, S.J., 1998, Oxidative degradation kinetics of Lycopene, Lutein, and 9-cis and all-trans- β -carotene, *JAACS*, 75, 823-829
- Herdiana, D.D., Utami, R., Anandito, R.B.K., 2014, Kinetika degradasi termal aktivitas antioksidan pada minuman tradisional wedang uwuh siap minum, *Jurnal Teknosains Pangan*, 3, 44-53
- Hidalgo, A dan Brandolini, A., 2005, Kinetics of carotenoids degradation during the storage of Einkorn (*Triticum monococcum* L. ssp. *monococcum*) and bread wheat (*Triticum aestivum* L. ssp. *aestivum*) flours, *Journal of Agriculture and Food Chemistry*, 56, 11300-11305
- Hossain, M.A dan Asada, K., 1985, Monodehydroascorbate reductase from Cucumber is a Flavin Adenine Dinucleotide Enzyme, *The Journal of Biological Chemistry*, 260, 12920-12926

Howard, L.R., Braswell, D.D., Aselage, J., 1996, Chemical composition and color of strained carrots as affected by processing, *Journal of food science*, 61, 327-330

ITIS, 2011, *Averrhoa carambola* L., Oxalidales of North America Expertise Network: USA

Julianti, E., Nurminah, M., 2006, *Teknologi Pengemasan*, Fakultas Pertanian USU : Medan

Khosim, A dan Lubis, K.M., 2006, *Geografi untuk SMA/MA Kelas X*, Grasindo : Jakarta

Kris-Etherton, P.M., Hecker, K.D., Bonanome, A., Coval, S.M., Binkoski, A.E., Hilpert, K.F., Griel, A.E., Etherton, T.D., 2002, Bioactive compounds in food : Their role in the prevention of cardiovascular disease and cancer, *The American Journal of Medicine*, 113, 72s-88s

Labuza, T.P., 1980, The effect of water activity on reaction kinetics of food deterioration, *Food Technology*, 80,36-59

Labuza, T.P., 1984, Application of chemical kinetics to deterioration of foods, *Journal of Chemical Education*, 61, 348-358

Lee, S.H., Labuza, T.P., 1975, Destruction of ascorbic acid as a function of water activity, *Journal of Food Science*, 40, 370-373

Leyva-Corral, J., Quintero-Ramos, A., Camacho-Davila, A., Zazueta-Morales, Jose de Jesus., Aguilar-Palazuelos, E., Ruiz-Gutierrez, M.G., Melendez-Pizarro, C.O., Ruiz-Anchondo, Teresita de Jesus, Polyphenolic compound

stability and antioxidant capacity of apple pomace in an extruded cereal,

LWT-Food Science and Technology, 62, 228-236

Luximon-Ramma, A., Bahorun, T., Crozier, A., 2003, Antioxidant actions and phenolic and vitamin C contents of common Mauritian exotic fruits, *Journal of the Science of Food and Agriculture*, 83, 496-502

Madhavi, D.L., Deshpande, S.S., Salunkhe, D.K., 1996, *Food Antioxidants Technological, Toxicological, and Health Perspective*, Marcel Dekker Inc: New York

Marsh, K., Bugusu, B., Food packaging-roles, materials, and environmental issues, *Journal of Food Science*, 72, 39-55

Martinez, R., Torres, P., Meneses, M.A., Figueroa, J.G., Perez-Alvarez, J.A., Viuda-Martos, M., 2012, Chemical, technological and *in vitro* antioxidant properties of mango, guava, pineapple and passion fruit dietary fibre concentrate, *Food Chemistry*, 135, 1520-1526

Mildner-Szkudlarz, S., Bajerska, J., Gornas, P., Seglina, D., Pilarska, A., Jesionowski, T., 2016, Physical and bioactive properties of muffins enriched with Raspberry and Cranberry pomace powder: A promising application of fruit by-products rich in biocompounds, *Plant Foods Human Nutrition*, 71, 165-173

Moraga, G., Igual, M., Garzia-Martinez, E., Mosquera, L.H., Martinez-Navarette, N., 2012, Effect of relative humidity and storage time on the bioactive compounds and functional properties of grapefruit powder, *Journal of Food Engineering*, 112, 191-199

- Muharam, Y., Hadiwijaya, C., Suryadi, J., 2012, Penentuan angka oktan bahan bakar komersial dengan menggunakan model kinetika oksidasi dan pembakaran hidrokarbon multikomponen, *Reaktor*, 2, 109-117
- Musdalifah, N., 2016, Penyimpanan Jeruk Siam (*Citrus nobilis* L.) Setelah Proses Degreening, *Tesis Program Studi Teknologi Pascapanen*, Sekolah Pascasarjana IPB : Bogor
- Narain, N., Bora, P.S., Holschuh, H.J., Vasocelos, M.A.Das., 2001, Physical and chemical composition of carambola fruit (*Averrhoa carambola* L.) at three stages of maturity, *ALTAGA*, 3, 144-148
- Nelson, D.L dan Cox, M.M., 2008, *Lehninger : Principles of Biochemistry*, W.H. Freeman And Company : New York
- Nielsen, S.S., 2010, *Food Analysis*, Springer : USA
- Nora, C.D., Muller, C.D., Sbardelotto de Bona, G., Rios, A., Hertz, P.F., Jablonski, A., Vogt de Jong, E., Flores, S.H., 2014, Effect of processing on the stability of bioactive compounds from red guava (*Psidium cattleianum* Sabine) and guabiju (*Myrcianthes pungens*), *Journal of Composition and Analysis*, Vol 34 : 18-25
- Nugroho, S., *Manajemen Warna dan Desain*, ANDI : Yogyakarta
- Nunes, J.C., Lago, M.G., Castelo-Branco, V.N., Oliveira, F.R., Torres, A.G., Perrone, D., Monteiro, M., 2015, Effect of drying method on volatile compounds, phenolic profile and antioxidant capacity of guava powders, *Food Chemistry*, Vol 197 Part A : 881-890

Padayatty, S.J., Katz, A., Wang, Y., Eck, P., Kwon, O., Lee, Je-Hyuk., Chen, S.,

Corpe, C., Dutta, A., Dutta, S.K., Levine, M., 2003, Vitamin C as an
antioxidant : evaluation of its role on disease prevention, *Journal of the
American College of Nutrition*, 22, 18-35

Pantaleon-Velasco, Maria del Rosario., Ruiz-Lopez, I.I., Perez-Silva, A., Bravo-
Clemente, L., Mateos, R., Ruiz-Espinosa, H., Vivar-Vera, Maria de los
Angeles., 2014, Antioxidant and functional properties of a high dietary fibre
from carambola (*Averrhoa carambola* L.) pomace, *International Journal of
Food Science & Technology*, 49, 2101-2110

Patil, A.G., Patil, D.A., Phatak, A.V., Chandra, N., 2010, Physical and chemical
characteristics of Carambola (*Averrhoa carambola* L.) fruit at three stages
of maturity, *IJABPT*, I, 624-629

Patthamakanokporn, O., Puwastien, P., Nitithamyong, A., Sirichakwal, P.P., 2008,
Changes of antioxidant activity and total phenolic compounds during
storage of selected fruits, *Journal of Food Composition and Analysis*, Vol
21: 241-248

Pendit, P.A.C.D., Zubaidah, E., Sriherfyna, F.H., 2016, Karakteristik fisik-kimia
dan aktivitas antibakteri ekstrak daun Belimbing Wuluh (*Averrhoa blimbi*
L.), *Jurnal Pangan dan Agroindustri*, 4, 400-409

Poeradisastra, F., 2011, Prospek dan perembangkakanan industri minuman
ringan di Indonesia, *Foodreview Indonesia Edisi Februari 2011*

Provesi, J.G., Dias, C.O., Amante, E.R., 2011, Changes in carotenoids during
processing and storage of pumpkin puree, *Food Chemistry*, 128, 195-202

- Quek, S.Y., Chok, N.K., Swedlund, P., 2007, The physicochemical properties of spray-dried watermelon powders, *Chemical Engineering and Processing*, 46, 386-392
- Rahmat, P., 2011, *21 Jenis Tabulampot Populer*, PT AgroMedia Pustaka : Jakarta
- Rizani, L., 2005, Pengaruh waktu pasteurisasi dan suhu penyimpanan terhadap stabilitas fisiko-kimia *puree* dan model minuman labu kuning, *Skripsi Departemen Ilmu dan Teknologi Pangan, Fakultas Teknologi Pertanian IPB : Bogor*
- Rahman, A.M., 2007, Mempelajari karakteristik kimia dan fisik tepung tapioka dan mocal (*Modified Cassava Flour*) sebagai penyalut kacang pada produk kacang salut, *Skripsi Departemen Ilmu dan Teknologi Pangan, Fakultas Teknologi Pertanian IPB : Bogor*
- Richana, N dan Sunarti, T.C., 2004, Karakterisasi sifat fisikokimia tepung umbi dan tepung pati dari Umbi Ganyong, Suweg, Ubi Kelapa, dan Gembili, *Jurnal Pascapanen*, 1, 29-37
- Richardson, T dan Finley, J.W., 1985, *Chemical Changes in Food during Processing*, Van Nostrand Reinhold Company : New York
- Rodriguez-Amaya, D.B., 2016, *Food Carotenoids Chemistry, Biology, and Technology*, John Wiley & Sons : Chicago
- Rodriguez-Ambriz, S.L., Islas-Hernandez, J.J., Agama-Acevedo, E., Tovar, J., Bello-Perez, L.A., Characterization of a fibre-rich powder prepared by liquefaction of unripe banana flour, *Food Chemistry*, 107, 1515-1521
- Robertson, G.L., 2013, *Food Packaging*, CRC Press : New York

- Saghir, S.A.M., Sadikun, A., Khaw, Kooi-Yeong., Murugaiyah, V., 2013, Star fruit (*Averrhoa carambola* L.): From traditional uses to pharmacological activities, *Boletin Latinoamericano y del Caribe de Plantas Medicinales y Aromaticas*, 12, 209-219
- Sanchez-Rangel, J.C., Benavides, J., Heredia, J.B., Cisneros-Zevallo, L., Jacobo-Velazquez, D.A., 2013, The Folin-Ciocalteu assay revisited : improvement of its specificity for total phenolic content determination, *Anal.Methods*, 5, 5990-5999
- Sari, D.A dan Hardiyanto, 2013, Review : Teknologi dan metode penyimpanan makanan sebagai upaya memperpanjang *shelf life*, *Jurnal Aplikasi Teknologi Pangan*, 2, 52-59
- Setiawan, B., Sulaeman, A., Giraud, D.W., Driskell, J.A., 2001, Carotenoid content of selected Indonesian fruits, *Journal of Food Composition and Analysis*, 14, 196-176
- Sies dan Stahl, 1995, Vitamins E and C, β -carotene, and other carotenoids as antioxidants, *The American Journal of Clinical Nutrition*, 62
- Siro, I., Kapolna, E., Kapolna, B., Lugasi, A., 2008, Functional Food. Product development, marketing and consumer acceptance- A review, *Appetite*, 51, 456-467
- Siswanto, Budisetyawati, Ernawati, F., 2013, Peran beberapa zat gizi mikro dalam sistem imunitas, *Gizi Indonesia*, 36, 57-64

- Shiau, Sy-Yu., Wu, Ming-Yin., Liu, Yao-Ling., 2015, The effect of pineapple core fibre on dough rheology and the quality of mantou, *Journal of Food and Drug Analysis*, 23, 493-500
- Shui,G., Leong, L.P., 2004, Analysis of phenolic antioxidants in star fruit using liquid chromatography and mass spectrometry, *Journal of Chromatography A*, 1022, 67-75
- Shui, G dan Leong, L.P., 2006, Residue from star fruit as valuable source for functional food ingredients and antioxidant nutraceuticals, *Food Chemistry*, 97, 277-284
- Stephen, A.M. dan Cummings, J.H., 1979, Water-holding by dietary fibre *in vitro* and its relationship to faecal output in man, *Gut*, 20, 722-729
- Sudha, M.L., Baskara, V., Leelavathi, K., 2007, Apple pomace as a source of dietary fiber and polyphenols and its effect on the rheological characteristics and cake making, *Food Chemistry*, 104, 686-692
- Sumiati, T., 2008, Pengaruh pengolahan terhadap mutu cerna protein ikan Mujair (*Tilapia mossambica*), *Skripsi Program Studi Gizi Masyarakat dan Sumberdaya Keluarga*, Fakultas Pertanian IPB : Bogor
- Szabo-Nutin, B., Juhasz, R., Barta, J., Steger-Mate, M., 2014, Apple pomace powder as natural food ingredient in bakery jams, *Acta Alimentaria*, 43, 140-147
- Tim Pengasuh APHP I,2017, *Petunjuk Praktikum Analisis Pangan dan Hasil Pertanian*, Fakultas Teknologi Pertanian UGM : Yogyakarta

- Tomas-Barberan, F.A dan Espin, J.C., 2001, Phenolic compounds and related enzymes as determinants of quality in fruits and vegetables, *Journal of The Science of Food and Agriculture*, 81, 853-876
- Triyono, A., 2010, Mempelajari pengaruh penambahan beberapa asam pada proses isolasi protein terhadap tepung protein isolat Kacang Hijau (*Phaseolus radiatus* L.), *Seminar Rekayasa Kimia dan Proses Jurusan Teknik Kimia*, Fakultas Teknik UNDIP : Semarang
- Tseng, A. dan Zhao, Y., 2013, Wine grape pomace as antioxidant dietary fiber for enhancing nutritional value and improving storability of yogurt dan salad dressing, *Food Chemistry*, 138, 356-365
- Ulfa, S.M., 2016, Identifikasi dan uji aktivitas senyawa antioksidan dalam bekatul dengan menggunakan variasi pelarut, *Skripsi Jurusan Kimia*, Fakultas Sains dan Teknologi UIN : Malang
- USDA, NRCS. 2018. The PLANTS Database (<http://plants.usda.gov>, 12 January 2018). National Plant Data Team, Greensboro, NC 27401-4901 USA.
- Valdes, A., Burgos, N., Jimenez, A., Garrigos, M.C., 2015, Review : Natural Pectin Polysaccharides as Edible Coatings, *Coatings*, 5, 865-886
- Valko, M., Rhodes, C.J., Moncol, J., Izakovic, M., Mazur, M., 2006, Free radicals, metals and antioxidants in oxidative stress-induced cancer, *Chemico-Biological Interactions*, 160, 1-40
- Van der Sluis, A.A., Dekker, M., Van Boekel, M.A.J.S., 2005, Activity and concentration of polyphenolic antioxidants in apple juice.3.Stability during storage, *Journal of Agricultural and Food Chemistry*, 53, 1073-1080

- Vermerris, W dan Nicholson, R., 2006, *Phenolic Compound Biochemistry*,
Springer : USA
- Wahyuni, D.T. dan Widjanarko, S.B., 2015, Pengaruh Jenis Pelarut dan Lama
Ekstraksi terhadap Ekstrak Karotenoid dalam Labu Kuning dengan Metode
Gelombang Ultrasonik, *Jurnal Pangan dan Agroindustro*, Vol 3 (2) : 390-
401
- Weller, A., Sims, C.A., Matthews, R.F., Bates, R.P., Brecht, J.K., 1997, Browning
susceptibility and changes in composition during storage of Carambola
slice, *Journal of Food Science*, 62, 256-260
- Winarsi, H., 2007, *Antioksidan Alami dan Radikal Bebas*, Kanisius : Yogyakarta
- Wong, K.H., Cheung, P.C.K., 2000, Nutritional evaluation of some subtropical
red and green seaweeds Part I – proximate composition, amino acid profiles
and some physico-chemical properties, *Food Chemistry*, 71, 475-482