UNIVERSITAS
GADJAH MADA
Efek Injeksi Intrakamera Moxifloxacin Tanpa Pengawet Dibandingkan dengan Injeksi Intrakamera Levofloxacin Tanpa Pengawet: Pengamatan Kadar MCP-1 Air Mata dan Kondisi Klinis Sesudah Fakoemulsifikasi pada Pasien Katarak
Fatkhati Saida Rahma, Prof. Dr. dr. Agus Supartoto, Sp.M(K); dr. Firman Setya Wardhana, M.Kes, Sp.M(K); Dr. dr. R
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Airola, C., Severino, A., Spinelli, I., Gasbarrini, A., Cammarota, G., et al. (2024). "Pleiotropic" effects of antibiotics: new modulators in human diseases. Antibiotics (Basel), 13: 1176.

Althiabi, S., Aljbreen, A. J., Alshutily, A. & Althwiny, F. A. (2022). Postoperative Endophthalmitis After Cataract Surgery: An Update. Cureus, 14: e22003.

Ang, M. J. & Afshari, N. A. (2021). Cataract and systemic disease: A review. Clin Exp Ophthalmol, 49: 118-127.

Ashraf, B., Elkhouly, S., Nematalla, E. H. & Mostafa, A. (2022). Safety of Prophylactic Intracameral Moxifloxacin Injection after Uncomplicated Phacoemulsification Surgery. Egypt J Ophthalmol, 2: 46-54.

Benítez Martínez, M., Baeza Moyano, D. & González-Lezcano, R. A. (2021). Phacoemulsification: Proposals for Improvement in Its Application. Healthcare (Basel), 9: 1603.

Bode, C., Diedrich, B., Muenster, S., Hentschel, V., Weisheit, C., et al. (2014). Antibiotics regulate the immune response in both presence and absence of lipopolysaccharide through modulation of Toll-like receptors, cytokine production and phagocytosis in vitro. Int Immunopharmacol, 18: 27-34.

Bucci Jr, F. A., Nguimfack, I. T. & Fluet, A. T. (2016). Pharmacokinetics and aqueous humor penetration of levofloxacin 1.5% and moxifloxacin 0.5% in patients undergoing cataract surgery. Clin Ophthalmol, 10: 783-789.

Buratto, L., Brint, S. & Sacchi, L. (2024). Cataract Surgery: Introduction and Preparation. CRC Press.

Carreño, E., Enríquez-De-Salamanca, A., Tesón, M., García-Vázquez, C., Stern, M. E., et al. (2010). Cytokine and chemokine levels in tears from healthy subjects. Acta Ophthalmol, 88: e250-e258.

Chang, D. F. (2021). The ESCRS intracameral cefuroxime study: the debate continues. J Cataract Refract Surg, 47: 150-152.

Chen, X., Xu, J., Chen, X. & Yao, K. (2021). Cataract: Advances in surgery and whether surgery remains the only treatment in future. Adv Ophthalmol Pract Res, 1: 100008.

Cioana, M., Patodia, Y., Tong, L., Chiu, H. H., Tam, E. S., et al. (2024). Anterior chamber cytokine production and postoperative macular edema in patients with diabetes undergoing FLACS. J Cataract Refract Surg, 50: 160-166.

Clay, K., Hartley, M., Armstrong, S., Bewley, K., Godwin, K., et al. (2021). Evaluation of the efficacy of doxycycline, ciprofloxacin, levofloxacin, and co-trimoxazole using in vitro and in vivo models of Q fever. Antimicrob Agents Chemother, 65: 10.1128/aac.00673-21.

Coco, G., Cremonesi, P., Menassa, N., Pagano, L., Gadhvi, K. A., et al. (2021). Changes in pupillometry associated with dissipated energy during phacoemulsification. Eur J Ophthalmol, 31: 2962-2968.

Cortez, A. & Muxfeldt, E. (2022). Monocyte chemoattractant protein-1 and hypertension: An overview. Hipertens Riesgo Vasc, 39: 14-23.

Cruz, F. M., Uy, H. S., Rubio, C. J. & Chan, P. S. (2022). Postoperative Safety Outcomes in Patients Undergoing Routine Phacoemulsification Cataract

UNIVERSITAS GADJAH MADA
Efek Injeksi Intrakamera Moxifloxacin Tanpa Pengawet Dibandingkan dengan Injeksi Intrakamera Levofloxacin Tanpa Pengawet: Pengamatan Kadar MCP-1 Air Mata dan Kondisi Klinis Sesudah Fakoemulsifikasi pada Pasien Katarak
Fatkhati Saida Rahma, Prof. Dr. dr. Agus Supartoto, Sp.M(K); dr. Firman Setya Wardhana, M.Kes, Sp.M(K); Dr. dr. R
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Surgery with Intraoperative Intracameral Injection of Preservative-Free Moxifloxacin versus Levofloxacin. Philipp J Ophthalmol, 47.

De Geus, S. J. R., Hopman, J., Brüggemann, R. J., Klevering, B. J. & Crama, N. (2021). Acute Endophthalmitis after Cataract Surgery: Clinical Characteristics and the Role of Intracameral Antibiotic Prophylaxis. Ophthalmol Retina, 5: 503-510.

Decroos, F. C. & Afshari, N. A. (2008). Perioperative antibiotics and anti-inflammatory agents in cataract surgery. Curr Opin Ophthalmol, 19: 22-26.

Deshmane, S. L., Kremlev, S., Amini, S. & Sawaya, B. E. (2009). Monocyte chemoattractant protein-1 (MCP-1): an overview. J Interferon Cytokine Res, 29: 313-326.

Drago, L. (2024). Topical Antibiotic Therapy in the Ocular Environment: The Benefits of Using Moxifloxacin Eyedrops. Microorganisms, 12: 649.

Dunand, M. L. D., I. U. & Hadi, I. (2024). The Analysis Study of Prevalence, Diagnosis, and Management of Cataract in Adult Eye: A Comprehensive Systematic Review. Indonesian J Gen Med, 04: 21-39.

Edwar, L., Bisara, B. B., Setiabudi, R., Susanto, E. & Badruddin, G. H. (2023). Safety of intracameral injection of levofloxacin 0.5% eye drops single dose 0.6 ml preservative free on rabbit eye. F1000Res, 12.

Engelbrecht, C., Sardinha, L. R. & Rizzo, L. V. (2020). Cytokine and chemokine concentration in the tear of patients with age-related cataract. Curr Eye Res, 45: 1101-1106.

Erichsen, J. H., Forman, J. L., Holm, L. M. & Kessel, L. (2021). Effect of anti-inflammatory regimen on early postoperative inflammation after cataract surgery. J Cataract Refract Surg, 47: 323-330.

Espiritu, C. R. G., Caparas, V. L. & Bolinao, J. G. (2007). Safety of prophylactic intracameral moxifloxacin 0.5% ophthalmic solution in cataract surgery patients. J Cataract Refract Surg, 33: 63-68.

Fang, R., Yu, Y.-F., Li, E.-J., Lv, N.-X., Liu, Z.-C., et al. (2022). Global, regional, national burden and gender disparity of cataract: findings from the global burden of disease study 2019. BMC Public Health, 22: 2068.

Ghonim, A. I., Elgharieb, M. E., Amr, A.-F. & Moawad, E. M. (2024). Effects of intracameral dexamethasone injection versus topical steroids post phacoemulsification operation. J Egypt Ophthalmol Soc, 117: 160-170.

Guo, W., Shi, Y., Wang, H., Yang, H. & Zhang, G. (2010). Sonochemical Decomposition of Levofloxacin in Aqueous Solution. Water Environ Res, 82: 696-700.

Hardgrave, A. W., Dooley, M., Maminimini, I., Faniyi, A., Christodoulidou, A., et al. (2025). Fluoroquinolones directly drive mitochondrial hyperpolarization and modulate iNOS expression in monocyte-derived macrophage populations. Discov Immunol, 4: kyaf018.

Herbert, R., Caddick, M., Somerville, T., Mclean, K., Herwitker, S., et al. (2022). Potential new fluoroquinolone treatments for suspected bacterial keratitis. BMJ Open Ophthalmol, 7: e001002.

Horn, L. M. T. N. a. a. C. R. B. C. C. B. D. C. B. D. E. E. P. (2024). Basic and Clinical Science Course: Lens and Cataract. San Francisco: American

UNIVERSITAS
GADJAH MADA
Efek Injeksi Intrakamera Moxifloxacin Tanpa Pengawet Dibandingkan dengan Injeksi Intrakamera Levofloxacin Tanpa Pengawet: Pengamatan Kadar MCP-1 Air Mata dan Kondisi Klinis Sesudah Fakoemulsifikasi pada Pasien Katarak
Fatkhati Saida Rahma, Prof. Dr. dr. Agus Supartoto, Sp.M(K); dr. Firman Setya Wardhana, M.Kes, Sp.M(K); Dr. dr. R
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Academy of Ophthalmology.

Huz, J. I., Mukkamala, K., Pagan, I. R., Ritterband, D., Shah, M., et al. (2017). Clinical outcomes and antibiotic susceptibilities of Staphylococcus aureus endophthalmitis. Graefes Arch Clin Exp Ophthalmol, 255: 651-656.

Indonesia, K. K. R. (2018). Pedoman Nasional Pelayanan Kedokteran Tata Laksana Katarak pada Dewasa. Jakarta.

Jain, S., Chauhan, A., Rajshekar, K., Vashist, P., Gupta, P., et al. (2020). Generic and vision related quality of life associated with different types of cataract surgeries and different types of intraocular lens implantation. PLoS One, 15: e0240036.

Jiang, J., Shihan, M. H., Wang, Y. & Duncan, M. K. (2018). Lens epithelial cells initiate an inflammatory response following cataract surgery. Invest Ophthalmol Vis Sci, 59: 4986-4997.

Kaur, M., Bhai, N. & Titiyal, J. S. (2020). Risk factors for complications during phacoemulsification cataract surgery. Expert Rev Ophthalmol, 15: 303-312.

Kawai, M., Inoue, T., Inatani, M., Tsuboi, N., Shobayashi, K., et al. (2012). Elevated Levels of Monocyte Chemoattractant Protein-1 in the Aqueous Humor after Phacoemulsification. Invest Ophthalmol Vis Sci, 53: 7951-7960.

Kim, A. Y., Moon, J. Y., Jun, R. M., Kim, H. J. & Han, K. E. (2023). Ocular surface and tear cytokine changes after cataract surgery in patients with type 2 diabetes. Ocul Immunol Inflamm, 31: 1615-1622.

Koenderman, L., Buurman, W. & Daha, M. R. (2014). The innate immune response. Immunol Lett, 162: 95-102.

Lane, S. S., Osher, R. H., Masket, S. & Belani, S. (2008). Evaluation of the safety of prophylactic intracameral moxifloxacin in cataract surgery. J Cataract Refract Surg, 34: 1451-1459.

Lee, C. S., Desilets, J., Fang, W. & Hinkle, D. M. (2022a). The microbiological spectrum, antimicrobial resistance pattern, and visual outcomes of endogenous endophthalmitis in West Virginia 2009–2019. Int Ophthalmol, 42: 3153-3163.

Lee, K., Lee, G., Lee, S. & Park, C. Y. (2022b). Advances in ophthalmic drug delivery technology for postoperative management after cataract surgery. Expert Opin Drug Deliv, 19: 945-964.

Lee, R. Y., Chen, R. I., Kasuga, T., Cui, Q. N., Porco, T. C., et al. (2016). The effect of cumulative dissipated energy on changes in intraocular pressure after uncomplicated cataract surgery by phacoemulsification. J Glaucoma, 25: 565-570.

Liu, J., Liu, Q., Yu, H., Xia, Y., Zhang, H., et al. (2021). Microvascular changes in macular area after phacoemulsification and its influencing factors assessed by optical coherence tomography angiography. Ther Clin Risk Manag, 405-414.

Lucas, K. & Maes, M. (2013). Role of the Toll Like Receptor (TLR) Radical Cycle in Chronic Inflammation: Possible Treatments Targeting the TLR4 Pathway. Mol Neurobiol, 48: 190-204.

Mackenbrock, L. H., Baur, I. D., Łabuz, G., Auffarth, G. U. & Khoramnia, R.

UNIVERSITAS GADJAH MADA
Efek Injeksi Intrakamera Moxifloxacin Tanpa Pengawet Dibandingkan dengan Injeksi Intrakamera Levofloxacin Tanpa Pengawet: Pengamatan Kadar MCP-1 Air Mata dan Kondisi Klinis Sesudah Fakoemulsifikasi pada Pasien Katarak
Fatkhati Saida Rahma, Prof. Dr. dr. Agus Supartoto, Sp.M(K); dr. Firman Setya Wardhana, M.Kes, Sp.M(K); Dr. dr. R
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

(2023). Impact of phacoemulsification parameters on central retinal thickness change following cataract surgery. Diagnostics (Basel), 13: 2856.

Margraf, A., Ludwig, N., Zarbock, A. & Rossaint, J. (2020). Systemic Inflammatory Response Syndrome After Surgery: Mechanisms and Protection. Anesth Analg, 131: 1693-1707.

Melega, M. V., Alves, M., Cavalcanti Lira, R. P., Cardoso Da Silva, I., Ferreira, B. G., et al. (2019). Safety and efficacy of intracameral moxifloxacin for prevention of post-cataract endophthalmitis: Randomized controlled clinical trial. J Cataract Refract Surg, 45: 343-350.

Myers, W. G., Chang, D. F., Shorstein, N. H., Mah, F. S., Mamalis, N., et al. (2023). ASCRS clinical advisory on intracameral moxifloxacin injection for infection prophylaxis. J Cataract Refract Surg, 49: 1068-1070.

Nishi, O., Nishi, K. & Ohmoto, Y. (1994). Effect of interleukin 1 receptor antagonist on the blood-aqueous barrier after intraocular lens implantation. Br J Ophthalmol, 78: 917-920.

Nizami, A. A., Gurnani, B. & Gulani, A. C. (2024). Cataract. StatPearls. Treasure Island (FL): StatPearls Publishing.

Pardasani, R. & Lohiya, S. (2021). Study of changes in corneal thickness and corneal endothelial cell density after phacoemulsification cataract surgery. J Evol Med Dent Sci, 10: 866-873.

Post, M., Okruszko, A. & Szaflik, J. P. (2021). Levofloxacin in everyday ophthalmic practice–review. Klin Oczna, 123: 122-128.

Purola, P. K. M., Nättinen, J. E., Ojamo, M. U. I., Rissanen, H. A., Gissler, M., et al. (2022). Prevalence and 11-Year Incidence of Cataract and Cataract Surgery and the Effects of Socio-Demographic and Lifestyle Factors. Clin Ophthalmol, 16: 1183-1195.

Putri, D. M. (2022). Post Cataract Surgery Complications. [Nama jurnal tidak tercantum], 4: 7.

Sen, S., Mishra, C., Rameshkumar, G., Babu Kannan, N., Shekhar, M., et al. (2024). Microbiological profile of post-cataract surgery endophthalmitis with usage of prophylactic intracameral moxifloxacin. Ocul Immunol Inflamm, 32: 796-802.

Sharma, N., Singhal, D., Nair, S. P., Sahay, P., Sreeshankar, S., et al. (2017). Corneal edema after phacoemulsification. Indian J Ophthalmol, 65: 1381-1389.

Shenoy, P., Goh, E. J. H., Kashikar, R., Kohli, G. M., Sachdeva, M., et al. (2021). Impact of prophylactic intracameral moxifloxacin on post-cataract surgery endophthalmitis: data from a tertiary eye care facility in rural India. Int Ophthalmol, 41: 2729-2736.

Simina, D. S., Larisa, I., Otilia, C., Ana Cristina, G., Liliana, M. V., et al. (2021). The ocular surface bacterial contamination and its management in the prophylaxis of post cataract surgery endophthalmitis. Rom J Ophthalmol, 65: 2-9.

Singh, S., Anshita, D. & Ravichandiran, V. (2021). MCP-1: Function, regulation, and involvement in disease. Int Immunopharmacol, 101: 107598.

Spandau, U. H. M., Toksoy, A., Verhaart, S., Gillitzer, R. & Kruse, F. E. (2003).

UNIVERSITAS
GADJAH MADA
Efek Injeksi Intrakamera Moxifloxacin Tanpa Pengawet Dibandingkan dengan Injeksi Intrakamera Levofloxacin Tanpa Pengawet: Pengamatan Kadar MCP-1 Air Mata dan Kondisi Klinis Sesudah Fakoemulsifikasi pada Pasien Katarak
Fatkhati Saida Rahma, Prof. Dr. dr. Agus Supartoto, Sp.M(K); dr. Firman Setya Wardhana, M.Kes, Sp.M(K); Dr. dr. R
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

High Expression of Chemokines Gro-α (CXCL-1), IL-8 (CXCL-8), and MCP-1 (CCL-2) in Inflamed Human Corneas In Vivo. Arch Ophthalmol, 121: 825-831.

Sun, J., Guo, Z., Li, H., Yang, B. & Wu, X. (2021). Acute Infectious Endophthalmitis After Cataract Surgery: Epidemiological Characteristics, Risk Factors and Incidence Trends, 2008–2019. Infect Drug Resist, 14: 1231-1238.

Sung, F. L., Zhu, T. Y., Au-Yeung, K. K., Siow, Y. L. & Karmin, O. (2002). Enhanced MCP-1 expression during ischemia/reperfusion injury is mediated by oxidative stress and NF-κB. Kidney Int, 62: 1160-1170.

Takeda, K. & Akira, S. (2004). Toll-like receptors in innate immunity. Int Immunol, 17: 1-14.

Taravati, P., Lam, D. L., Leveque, T. & Van Gelder, R. N. (2012). Postcataract surgical inflammation. Curr Opin Ophthalmol, 23: 12-18.

Taubenslag, K. J., Kim, S. J. & Grzybowski, A. (2021). Anti-inflammatory pharmacotherapy for the prevention of cystoid macular edema after cataract surgery. Am J Ophthalmol, 232: 1-8.

Tommaso, R., Mario, R. R., Danilo, I., Vito, R., Luca, G., et al. (2021). Cataract surgery practice patterns worldwide: a survey. BMJ Open Ophthalmol, 6: e000464.

Tosi, M., Coloretti, I., Meschiari, M., De Biasi, S., Girardis, M., et al. (2024). The Interplay between Antibiotics and the Host Immune Response in Sepsis: From Basic Mechanisms to Clinical Considerations: A Comprehensive Narrative Review. Antibiotics (Basel), 13: 406.

Tran, M. T., Tellaetxe-Isusi, M., Elner, V., Strieter, R. M., Lausch, R. N., et al. (1996). Proinflammatory cytokines induce RANTES and MCP-1 synthesis in human corneal keratocytes but not in corneal epithelial cells. Beta-chemokine synthesis in corneal cells. Invest Ophthalmol Vis Sci, 37: 987-996.

Tuaillon, N., Shen, D. F., Berger, R. B., Lu, B., Rollins, B. J., et al. (2002). MCP-1 Expression in Endotoxin-Induced Uveitis. Invest Ophthalmol Vis Sci, 43: 1493-1498.

Tumur, Z., Shimizu, H., Enomoto, A., Miyazaki, H. & Niwa, T. (2010). Indoxyl sulfate upregulates expression of ICAM-1 and MCP-1 by oxidative stress-induced NF-κB activation. Am J Nephrol, 31: 435-441.

Vasavada, V. (2020). Prinsip-prinsip Petunjuk Teknis Operasi Katarak. Singapura: Asia-Pacific Association of Cataract and Refractive Surgeons (APACRS).

Verdier, R. S. F. G. J. B. J. D. I. a. L. M. S. I. M. C. D. R. D. T. D. D. (2024). Basic and Clinical Science Course: External Disease and Cornea. San Francisco: American Academy of Ophthalmology.

Verma, M. J., Lloyd, A., Rager, H., Strieter, R. R., Kunkel, S., et al. (1997). Chemokines in acute anterior uveitis. Curr Eye Res, 16: 1202-1208.

Weiss, T., Shalit, I., Blau, H., Werber, S., Halperin, D., et al. (2004). Anti-inflammatory effects of moxifloxacin on activated human monocytic cells: inhibition of NF-kappaB and mitogen-activated protein kinase activation and of synthesis of proinflammatory cytokines. Antimicrob Agents

UNIVERSITAS
GADJAH MADA
Efek Injeksi Intrakamera Moxifloxacin Tanpa Pengawet Dibandingkan dengan Injeksi Intrakamera Levofloxacin Tanpa Pengawet: Pengamatan Kadar MCP-1 Air Mata dan Kondisi Klinis Sesudah Fakoemulsifikasi pada Pasien Katarak
Fatkhati Saida Rahma, Prof. Dr. dr. Agus Supartoto, Sp.M(K); dr. Firman Setya Wardhana, M.Kes, Sp.M(K); Dr. dr. R
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Chemother, 48: 1974-1982.

Wulandari, A., Dahlui, M., Wulandari, R. D. & Rochmah, T. N. (2020). Cost effectiveness analysis between small incision cataract surgery and phacoemulsification. J Health Transl Med, 231-237.

Yadav, A., Saini, V. & Arora, S. (2010). MCP-1: chemoattractant with a role beyond immunity: a review. Clin Chim Acta, 411: 1570-1579.

Yudhawati, R. & Wicaksono, N. F. (2024). Immunomodulatory effects of fluoroquinolones in community-acquired pneumonia-associated acute respiratory distress syndrome. Biomedicines, 12: 761.

Zhao, Y., Deng, X., Chang, P., Hu, M., Li, Z., et al. (2020). Expression profiles of inflammatory cytokines in the aqueous humor of children after congenital cataract extraction. Transl Vis Sci Technol, 9: 3-3.