UNIVERSITAS
GADJAH MADA
Evaluasi Genotipe Padi Lokal Jambi Tahan Naungan Berdasarkan Karakter Morfofisiologis
MUHAMMAD RIDO AKBAR, Dr.nat.techn. Rizky Pasthika Kirana, S.P., M.Sc. ; Andrianto Ansari, S.T.P., M.Agr., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Akbar, M. R. (2023). *Keragaman Genetik Beberapa Kultivar Padi Gogo (Oryza sativa L.) Lokal Provinsi Jambi Berdasarkan Karakter Morfologi* (Skripsi, Universitas Jambi).

Ajiansyah, R. (2023). *Pertumbuhan Dan Hasil Beberapa Varietas Padi Gogo Lokal (Oryza sativa L) Jambi di Mendalo*(Doctoral dissertation, Universitas UNJA).

Amissah, L., Mohren, G. M., Kyereh, B., & Poorter, L. (2015). The effects of drought and shade on the performance, morphology and physiology of Ghanaian tree species. *PLoS One*, *10*(4), e0121004.

Arnon, D. I. (1949). Copper enzymes in isolated chloroplasts. Polyphenoloxidase in Beta vulgaris. *Plant physiology*, *24*(1), 1.

Aguzaen, H., Syarif, I. S. A., & Rozen, N. (2018). Tingkat naungan pada tegakan tanaman karet belum menghasilkan dan potensi pengembangan tanaman sela tumpangsari. *Menara Ilmu: Jurnal Penelitian dan Kajian Ilmiah*, *12*(6).

Andarini, Y. N., & Risliawati, A. (2021). Evaluasi Plasma Nutfah Padi Gogo terhadap Cekaman Naungan. *Buletin Plasma Nutfah*, *27*(1), 43-50.

Asadi, D. M., Arsyad, M., & Zahara, H. (1997). Pemuliaan kedelai untuk toleran naungan dan tumpangsari. *Bulletin Agrobio*, *1*(2), 15-20.

Acquaah, G. (2009). *Principles of plant genetics and breeding*. John Wiley & Sons.

Badan Pangan Nasional. (2024). Gaet TP PKK, NFA Gencarkan Edukasi Konsumsi Sagu Melalui Cooking Class B2SA. https://badanpangan.go.id/blog/post/gaet-tp-pkk-nfa-gencarkan-edukasi-konsumsi-sagu-melalui-cooking-class-b2sa# diakses tanggal 11 April 2025.

Badan Pusat Statistik. (2024). Angka Deforestasi (Netto) Indonesia di Dalam dan di luar Kawasan Hutan Tahun 2013-2022 (Ha/Th) diakses tanggal 11 April 2025.

Bappenas. (2023). Proyeksi penduduk Indonesia 2020-2050 hasil sensus penduduk 2020. https://khportal.bappenas.go.id/id/knowledge/detail/390 Diakses tanggal 29 Mei 2026.

Boardman, N. T. (1977). Comparative photosynthesis of sun and shade plants. *Annual review of plant physiology*, *28*(1), 355-377.

Bouslama, M., & Schapaugh Jr, W. T. (1984). Stress tolerance in soybeans. I. Evaluation of three screening techniques for heat and drought tolerance 1. *Crop science*, *24*(5), 933-937.

Burko, Y., Willige, B. C., Seluzicki, A., Novák, O., Ljung, K., & Chory, J. (2022). PIF7 is a master regulator of thermomorphogenesis in shade. *Nature communications*, *13*(1), 4942.

UNIVERSITAS
GADJAH MADA
Evaluasi Genotipe Padi Lokal Jambi Tahan Naungan Berdasarkan Karakter Morfofisiologis
MUHAMMAD RIDO AKBAR, Dr.nat.techn. Rizky Pasthika Kirana, S.P., M.Sc. ; Andrianto Ansari, S.T.P., M.Agr., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Casal, J. J. (2013). Photoreceptor signaling networks in plant responses to shade. *Annual review of plant biology*, *64*, 403-427.

Cohen, J. (1988). Statistical power analysis for the behavioral sciences, Lawrence Erlbaum Associates. *Hillsdale, NJ*, 20-26.

Christie, J. M. (2007). Phototropin blue-light receptors. *Annu. Rev. Plant Biol.*, *58*, 21-45.

Das, S., Mohanty, S., Panda, D., Mishra, B., Choudhury, N. K., Jena, R. K., ... & Behera, L. (2025). Identification of low-light-tolerant rice (Oryza sativa L.) genotypes based on agro-morphological traits, combined stress tolerance and stability index. *INDIAN JOURNAL OF GENETICS AND PLANT BREEDING*, *85*(01), 13-25.

Dey, P., Pattanaik, D., Dash, D., Singhal, R. K., Gaikwad, D. J., Baig, M. J., ... & Rahimi, M. (2025). Mechanisms of low light stress in rice: current insights and future directions. *Plant Growth Regulation*, 1-20.

Dewey, D. R., & Lu, K. (1959). A correlation and path-coefficient analysis of components of crested wheatgrass seed production 1. *Agronomy journal*, *51*(9), 515-518.

Direktorat Jenderal Kekayaan Negara. (tahun). Tingkatkan Akuntabilitas Kekayaan Negara: Penilaian SDA Taman Nasional Bali Barat Dilaksanakan. Diakses dari https://www.djkn.kemenkeu.go.id/kpknl-singaraja/baca-berita/33914/Tingkatkan-Akuntabilitas-Kekayaan-Negara-Penilaian-SDA-Taman-Nasional-Bali-Barat-Dilaksanakan.html. Diakses tanggal 9 Oktober 2025.

Doyle, J. J., & Doyle, J. L. (1987). A rapid DNA isolation procedure for small quantities of fresh leaf tissue. *Phytochemical bulletin*.

Eberhart, S. T., & Russell, W. (1966). Stability parameters for comparing varieties 1. *Crop science*, *6*(1), 36-40.

Evans, J. R. (1989). Photosynthesis and nitrogen relationships in leaves of C3 plants. *Oecologia*, *78*(1), 9-19.

Falconer, D. S. (1996). *Introduction to quantitative genetics*. Pearson Education India.

FAO. (2002). Measures of yield stability and reliability.https://www.fao.org/4/y4391e/y4391e0a.htm. Diakses tanggal 5 mei 2026.

Farshadfar, E. (2013). Simultaneous selection of yield and yield stability in chickpea genotypes using the GGE biplot technique. *Acta Agronomica Hungarica*, *61*(3), 185-194.

Farshadfar, E., & Sutka, J. (2003). Multivariate analysis of drought tolerance in wheat substitution lines. *Cereal Research Communications*, *31*(1), 33-40.

Ferguson, J. N., Caproni, L., Walter, J., Shaw, K., Arce-Cubas, L., Baines, A., ... & Kromdijk, J. (2025). A deficient CP24 allele defines variation for dynamic nonphotochemical quenching and photosystem II efficiency in maize. *The Plant Cell*, *37*(4), koaf063.

Evaluasi Genotipe Padi Lokal Jambi Tahan Naungan Berdasarkan Karakter Morfofisiologis
MUHAMMAD RIDO AKBAR, Dr.nat.techn. Rizky Pasthika Kirana, S.P., M.Sc. ; Andrianto Ansari, S.T.P., M.Agr., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Fernandez, G. C. (1992). Effective selection criteria for assessing plant stress tolerance. *Adaptation of food crops to temperature and water stress*.

Fischer, R. A., & Maurer, R. (1978). Drought resistance in spring wheat cultivars. I. Grain yield responses. *Australian Journal of Agricultural Research*, *29*(5), 897-912.

Fukagawa, N. K., & Ziska, L. H. (2019). Rice: Importance for global nutrition. *Journal of nutritional science and vitaminology*, *65*(Supplement), S2-S3.

Fuller, D. Q., Sato, Y. I., Castillo, C., Qin, L., Weisskopf, A. R., Kingwell-Banham, E. J., ... & Van Etten, J. (2010). Consilience of genetics and archaeobotany in the entangled history of rice. *Archaeological and Anthropological Sciences*, *2*, 115-131.

Gauch Jr, H. G. (2006). Statistical analysis of yield trials by AMMI and GGE. *Crop science*, *46*(4), 1488-1500.

Gavuzzi, P., Rizza, F., Palumbo, M., Campanile, R. G., Ricciardi, G. L., & Borghi, B. (1997). Evaluation of field and laboratory predictors of drought and heat tolerance in winter cereals. *Canadian Journal of plant science*, *77*(4), 523-531.

Gommers, C. M., Visser, E. J., St Onge, K. R., Voesenek, L. A., & Pierik, R. (2013). Shade tolerance: when growing tall is not an option. *Trends in plant science*, *18*(2), 65-71.

Gumelar, R. M. R., Dewandini, S. K. R., Nabila, N., & Huda, A. N. (2023). Pendugaan Parameter Genetik dan Heritabilitas Pada Karakter Vegetatif Cabai Rawit Generasi Pertama (M1) Hasil Irradiasi Sinar Gamma. *Jurnal Pertanian Agros*, *25*(4), 3658-3664.

Hafni, T., Zakaria, S., & Kesumawati, E. (2019). Daya adaptasi beberapa varietas padi gogo (Oryza sativa L.) pada tingkat naungan yang berbeda. *Jurnal Agrista*, *23*(3), 145-158.

Hairmansis, A., Yullianida, Y., Supartopo, S., JAMIL, A., & Suwarno, S. (2017). Variability of upland rice genotypes response to low light intensity. *Biodiversitas Journal of Biological Diversity*, *18*(3), 1122-1129.

Huang, X., Kurata, N., Wei, X., Wang, Z. X., Wang, A., Zhao, Q., ... & Han, B. (2012). A map of rice genome variation reveals the origin of cultivated rice. *Nature*, *490*(7421), 497-501.

Johnson, H. W., Robinson, H. F., & Comstock, R. (1955). Estimates of genetic and environmental variability in soybeans.

Jolliffe, I. T., & Cadima, J. (2016). Principal component analysis: a review and recent developments. *Philosophical transactions of the royal society A: Mathematical, Physical and Engineering Sciences*, *374*(2065), 20150202.

Jolliffe, I. (2025). Principal Component Analysis. In *International Encyclopedia of Statistical Science* (pp. 1945-1948). Berlin, Heidelberg: Springer Berlin Heidelberg.

Karimuna, S. R., Raharjo, D., & Nugroho, C. (2020). Adaptasi Beberapa Varietas Padi Gogo Di Bawah Naungan Kelapa Dalam. *Berkala Penelitian Agronomi*, *8*(2), 42.

UNIVERSITAS
GADJAH MADA
Evaluasi Genotipe Padi Lokal Jambi Tahan Naungan Berdasarkan Karakter Morfofisiologis
MUHAMMAD RIDO AKBAR, Dr.nat.techn. Rizky Pasthika Kirana, S.P., M.Sc. ; Andrianto Ansari, S.T.P., M.Agr., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kementan. (2024). Statistik Pertanian. https://satudata.pertanian.go.id/assets/docs/publikasi/STATISTIK_PERTANIAN_2024_c.pdf. Diakses tanggal 29 Mei 2026.

Keuskamp, D. H., Sasidharan, R., & Pierik, R. (2010). Physiological regulation and functional significance of shade avoidance responses to neighbors. *Plant signaling & behavior*, *5*(6), 655-662.

Kinoshita, T., Doi, M., Suetsugu, N., Kagawa, T., Wada, M., & Shimazaki, K. I. (2001). Phot1 and phot2 mediate blue light regulation of stomatal opening. *Nature*, *414*(6864), 656-660.

Kisman, K., Khumaida, N., Trikoesoemaningtyas, T., Sobir, S., & Sopandie, D. (2007). Karakter morfo-fisiologi daun, penciri adaptasi kedelai terhadap intensitas cahaya rendah. *Indonesian Journal of Agronomy*, *35*(2), 7868.

Kobayashi, Y., & Weigel, D. (2007). Move on up, it's time for change—mobile signals controlling photoperiod-dependent flowering. *Genes & development*, *21*(19), 2371-2384.

Kovacs, L., Damkjær, J., Kereïche, S., Ilioaia, C., Ruban, A. V., Boekema, E. J., ... & Horton, P. (2006). Lack of the light-harvesting complex CP24 affects the structure and function of the grana membranes of higher plant chloroplasts. *The Plant Cell*, *18*(11), 3106-3120.

Kovach, M. J., Calingacion, M. N., Fitzgerald, M. A., & McCouch, S. R. (2009). The origin and evolution of fragrance in rice (Oryza sativa L.). *Proceedings of the National Academy of Sciences*, *106*(34), 14444-14449.

Legris, M., Ince, Y. Ç., & Fankhauser, C. (2019). Molecular mechanisms underlying phytochrome-controlled morphogenesis in plants. *Nature communications*, *10*(1), 5219.

Lenka, D., & Misra, B. (1973). Path-coefficient analysis of yield in rice varieties.

Lestari, A. P., Hairmansis, A., Mulyaningsih, E. S., & Sulistyowati, Y. (2020, November). Shading tolerance of some rice genotypes under the artificial shade net. In *IOP Conference Series: Earth and Environmental Science* (Vol. 591, No. 1, p. 012008). IOP Publishing.

Leivar, P., & Quail, P. H. (2011). PIFs: pivotal components in a cellular signaling hub. *Trends in plant science*, *16*(1), 19-28.

Liang, T., Xiang-cheng, Z., Meng-ying, C., Wei-xing, C., & Yan, Z. (2012). Relationships of rice canopy PAR interception and light use efficiency to grain yield. *Chinese Journal of Applied Ecology/Yingyong Shengtai Xuebao*, *23*(5).

Evaluasi Genotipe Padi Lokal Jambi Tahan Naungan Berdasarkan Karakter Morfofisiologis
MUHAMMAD RIDO AKBAR, Dr.nat.techn. Rizky Pasthika Kirana, S.P., M.Sc. ; Andrianto Ansari, S.T.P., M.Agr., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Li, S., Qian, Q., Fu, Z., Zeng, D., Meng, X., Kyozuka, J., ... & Wang, Y. (2009). Short panicle1 encodes a putative PTR family transporter and determines rice panicle size. *The Plant Journal*, *58*(4), 592-605.

Lyu, X., Mu, R., & Liu, B. (2023). Shade avoidance syndrome in soybean and ideotype toward shade tolerance. *Molecular Breeding*, *43*(4), 31.

Maulana, A. R., & Ir Hanief Eko Sulistyo, M. P. (2021). *Pengaruh Tingkat Naungan Dan Ketersediaan Air Terhadap Pertumbuhan, Alokasi Produk Pertumbuhan Dan Morfologi Bibit Tanaman Saga Pohon (Adenanthera pavonina L.)* (Doctoral dissertation, Universitas Brawijaya).

Makarim, A. K., & Suhartatik, E. (2009). *Morfologi dan Fisiologi Tanaman Padi.* Subang: Balai Besar Penelitian Tanaman Padi.

Mara, K. K. S., Purwoko, B. S., Sulistyono, E., & Dewi, I. S. (2015). Penampilan agronomi dan uji toleransi naungan galur dihaploid padi gogo hasil kultur antera. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, *43*(1), 1-7.

Mengistu, B., & Abu, M. (2023). Evaluation of stability parameters for the selection of stable and superior sunflower genotypes. *Cogent Food & Agriculture*, *9*(2), 2275406.

Mitra, J. (2001). Genetics and genetic improvement of drought resistance in crop plants. *Current science*, 758-763.

Mo, W., Tang, W., Du, Y., Jing, Y., Bu, Q., & Lin, R. (2020). PHYTOCHROME-INTERACTING FACTOR-LIKE14 and SLENDER RICE1 interaction controls seedling growth under salt stress. *Plant Physiology*, *184*(1), 506-517.

Muhuria, L., Tyas, K. N., Khumaida, N., Trikoesoemaningtyas, T., & Sopandie, D. (2006). Adaptasi tanaman kedelai terhadap intensitas cahaya rendah: karakter daun untuk efisiensi penangkapan cahaya. *Indonesian Journal of Agronomy*, *34*(3), 8130.

Muhamad Syukur, S. P., Sujiprihati, I. S., & Rahmi Yunianti, S. P. (2012). *Teknik Pemuliaan Tanaman*. Penebar Swadaya Grup.

Nakano, T., Suzuki, K., Fujimura, T., & Shinshi, H. (2006). Genome-wide analysis of the ERF gene family in Arabidopsis and rice. *Plant physiology*, *140*(2), 411-432.

PADI, P. K. K. D. BERDASARKAN EKSTRAKSI FITUR WARNA CITRA DIGITAL SMARTPHONE Priyombodo1Arief Ika Uktoro2Kuni Faizah3.

Pfaffl, M. W. (2001). A new mathematical model for relative quantification in real-time RT–PCR. *Nucleic acids research*, *29*(9), e45-e45.

Poorter, H., Niinemets, Ü., Poorter, L., Wright, I. J., & Villar, R. (2009). Causes and consequences of variation in leaf mass per area (LMA): a meta-analysis. *New phytologist*, *182*(3), 565-588.

Evaluasi Genotipe Padi Lokal Jambi Tahan Naungan Berdasarkan Karakter Morfofisiologis
MUHAMMAD RIDO AKBAR, Dr.nat.techn. Rizky Pasthika Kirana, S.P., M.Sc. ; Andrianto Ansari, S.T.P., M.Agr., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Pradipta, A. N. (2018). *Keragaman dan Heritabilitas Karakter Hasil dan Komponen Hasil Beberapa Genotipe Bunga Matahari (Helianthus annuus L.)* (Doctoral dissertation, Universitas Brawijaya).

Panigrahy, M., Ranga, A., Das, J., & Panigrahi, K. C. (2019). Shade tolerance in Swarnaprabha rice is associated with higher rate of panicle emergence and positively regulated by genes of ethylene and cytokinin pathway. *Scientific Reports*, *9*(1), 6817.

Plaut, Z., Butow, B. J., Blumenthal, C. S., & Wrigley, C. W. (2004). Transport of dry matter into developing wheat kernels and its contribution to grain yield under post-anthesis water deficit and elevated temperature. *Field Crops Research*, *86*(2-3), 185-198.

Pierik, R., & De Wit, M. (2014). Shade avoidance: phytochrome signalling and other aboveground neighbour detection cues. *Journal of experimental botany*, *65*(11), 2815-2824.

Porra, R. J., Thompson, W. A., & Kriedemann, P. E. (1989). Determination of accurate extinction coefficients and simultaneous equations for assaying chlorophylls a and b extracted with four different solvents: verification of the concentration of chlorophyll standards by atomic absorption spectroscopy. *Biochimica et Biophysica Acta (BBA)-Bioenergetics*, *975*(3), 384-394.

Poorter, H., Niinemets, Ü., Poorter, L., Wright, I. J., & Villar, R. (2009). Causes and consequences of variation in leaf mass per area (LMA): a meta-analysis. *New phytologist*, *182*(3), 565-588.

Priyadarsini, P., Pal, M., Pandey, R., Gopalakrishnan, S., Sehgal, V. K., Chinnusamy, V., ... & Lal, M. K. (2024). Photosynthesis and radiation use efficiency at anthesis in relation to biomass accumulation and yield in Basmati rice (Oryza sativa L.). *Plant Physiology Reports*, *29*(2), 239-248.

Purba, F. (2026). DIVERSITAS GENETIK 30 GENOTIPE PADI GOGO LOKAL (Oryza sativa L.) JAMBI ASAL KABUPATEN SAROLANGUN BERDASARKAN KARAKTER MORFO-AGRONOMI.

Rosdiana, R. (2023). *RESPONS PERTUMBUHAN DAN PRODUKSI PADI BERUMUR SANGAT GENJAH TERHADAP APLIKASI BIOSILIKA CAIR DI LAHAN SAWAH* (Doctoral dissertation, Universitas Hasanuddin).

Rosielle, A. A., & Hamblin, J. (1981). Theoretical aspects of selection for yield in stress and non-stress environment 1. *Crop science*, *21*(6), 943-946.

Riduan, A., Alia, Y., & Rainiyati, R. (2024, January). BERBAGAI VARIETAS LOKAL DAN HASIL PERSILANGAN PADI GOGO ASAL PROPINSI JAMBI TERHADAP PEMBERIAN BERBAGAI DOSIS PUPUK NPK DI POLYBAG. In *Prosiding Seminar Nasional Pertanian* (Vol. 1, pp. 1-18).

UNIVERSITAS
GADJAH MADA
Evaluasi Genotipe Padi Lokal Jambi Tahan Naungan Berdasarkan Karakter Morfofisiologis
MUHAMMAD RIDO AKBAR, Dr.nat.techn. Rizky Pasthika Kirana, S.P., M.Sc. ; Andrianto Ansari, S.T.P., M.Agr., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Song, S., Wang, G., Hu, Y., Liu, H., Bai, X., Qin, R., & Xing, Y. (2018). OsMFT1 increases spikelets per panicle and delays heading date in rice by suppressing Ehd1, FZP and SEPALLATA-like genes. *Journal of Experimental Botany*, *69*(18), 4283-4293.

Sun, Y., Li, Q., Wu, M., Wang, Q., Zhang, D., & Gao, Y. (2024). Rice PIFs: Critical regulators in rice development and stress response. *Plant Molecular Biology*, *114*(1), 1.

Syafruddin, S., Suwarti, S., & Azrai, M. (2014). Penyaringan cepat dan toleransi tanaman jagung terhadap intensitas cahaya rendah. *Jurnal Penelitian Pertanian Tanaman Pangan*, *33*(1), 125350.

Sandjojo, N. (2011). Metode analisis jalur (path analysis) dan aplikasinya. Pustaka Sinar Harapan.

Sekhar, S., Panda, D., Kumar, J., Mohanty, N., Biswal, M., Baig, M. J., ... & Behera, L. (2019). Comparative transcriptome profiling of low light tolerant and sensitive rice varieties induced by low light stress at active tillering stage. *Scientific reports*, *9*(1), 5753.

Setyowati, M., Hidayatun, N., Sutoro, S., & Kurniawan, H. (2014). Evaluasi karakter morfo-fisiologis sumber daya genetik padi berumur genjah. *Planta Tropika*, *2*(2), 66-73.

Sihaloho, O., Sinaga, F., Sinaga, B. F., Taulani, I., Anggara, D., & Gunawan, H. (2026). HUBUNGAN INDEKS LUAS DAUN TERHADAP EFEKTIVITAS FOTOSINTSIS. *Jurnal Pertanian Agros*, *28*(1), 97-102.

Singh, R. K., & Chaudhary, B. D. (1981). Biometrical methods in quantitative genetic analysis.

Sopandie, D. I. D. Y., Chozin, M. A., Sastrosumarjo, S. A. R. S. I. D. I., & Juhaeti, T. (2003). Toleransi padi gogo terhadap naungan. *Hayati*, *10*(2), 71-75.

Sopandie, D. and Trikoesoemaningtyas. (2011). Pengembangan tanaman sela di bawah tegakan tanaman tahunan. Iptek Tanaman Pangan, 6(2), pp. 168–182

Sopandie, D. (2014). Fisiologi adaptasi tanaman terhadap cekaman abiotik pada agroekosistem tropika.

Sulistyowati, Y., Sopandie, D., Ardie, S. W., & Nugroho, S. (2016). Parameter genetik dan seleksi sorgum [Sorghum bicolor (L.) Moench] populasi F4 hasil Single Seed Descent (SSD). *Indonesian Journal of Biology*, *12*(2), 75632.

Sulistyowati, D., Chozin, M. A., Syukur, M., Melati, M., & Guntoro, D. (2016). Karakter Fotosintesis Genotipe Tomat Senang Naungan pada Intensitas Cahaya Rendah (The Photosynthetic Characters of Loving-Shade Tomato Genotypes at Low Light Intensity). *Jurnal Hortikultura*, *26*(2), 181-188.

Terashima, I., Hanba, Y. T., Tazoe, Y., Vyas, P., & Yano, S. (2006). Irradiance and phenotype: comparative eco-development of sun and shade leaves in relation to photosynthetic CO2 diffusion. *Journal of Experimental Botany*, *57*(2), 343-354.

Terashima, I., Hanba, Y. T., Tholen, D., & Niinemets, Ü. (2011). Leaf functional anatomy in relation to photosynthesis. *Plant physiology*, *155*(1), 108-116.

UNIVERSITAS
GADJAH MADA
Evaluasi Genotipe Padi Lokal Jambi Tahan Naungan Berdasarkan Karakter Morfofisiologis
MUHAMMAD RIDO AKBAR, Dr.nat.techn. Rizky Pasthika Kirana, S.P., M.Sc. ; Andrianto Ansari, S.T.P., M.Agr., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Turck, F., Fornara, F., & Coupland, G. (2008). Regulation and identity of florigen: FLOWERING LOCUS T moves center stage. *Annu. Rev. Plant Biol.*, *59*, 573-594.

Taiz, L., Zeiger, E., Møller, I. M., & Murphy, A. (2015). Plant physiology and development.

Venkateswarlu, B., Vergara, B. S., & Visperas, R. M. (1987). Influence of photosynthetically active radiation on grain density of rice 1. *Crop science*, *27*(6), 1210-1214.

Wang, L., Deng, F., & Ren, W. J. (2015). Shading tolerance in rice is related to better light harvesting and use efficiency and grain filling rate during grain filling period. *Field Crops Research*, *180*, 54-62.

Wang, X., Gao, X., Liu, Y., Fan, S., & Ma, Q. (2020). Progress of research on the regulatory pathway of the plant shade-avoidance syndrome. *Frontiers in Plant Science, 11*, 439. https://doi.org/10.3389/fpls.2020.00439

Wang, X., Chen, G., Du, S., Wu, H., Fu, R., & Yu, X. (2021). Light intensity influence on growth and photosynthetic characteristics of Horsfieldia hainanensis. *Frontiers in Ecology and Evolution*, *9*, 636804.

Waruwu, A. L., Mendrofa, H. K., Tafonao, F., Gulo, N. O., Zai, M. L. F., Waruwu, P. Z. F., ... & Zebua, H. P. (2024). Pengaruh variasi intesitas cahaya terhadap efisiensi fotosintesis pada pertumbuhan tanaman. *Jurnal Ilmu Pertanian dan Perikanan*, *1*(2), 262-269.

Wei, H., Meng, T., Li, X., Dai, Q., Zhang, H., & Yin, X. (2018). Sink-source relationship during rice grain filling is associated with grain nitrogen concentration. *Field Crops Research*, *215*, 23-38.

Wray, N. R., & Visscher, P. M. (2008). *Estimating trait heritability*. *Nature Education*, 1(1), https://www.nature.com/scitable/topicpage/estimating-trait-heritability-46889/. Diakses pada tanggal 10 Oktober 2025.

Wricke, G. (1962). Uber eine methode zur erfassung der okologischen streubreite in feldversucen. *z. Pflanzenzuchtung*, *47*, 92-96.

Wu, L., Zhang, W., Ding, Y., Zhang, J., Cambula, E. D., Weng, F., ... & Li, G. (2017). Shading contributes to the reduction of stem mechanical strength by decreasing cell wall synthesis in japonica rice (Oryza sativa L.). *Frontiers in plant science*, *8*, 881.

Xie, Z., Nolan, T. M., Jiang, H., & Yin, Y. (2019). AP2/ERF transcription factor regulatory networks in hormone and abiotic stress responses in Arabidopsis. *Frontiers in plant science*, *10*, 228.

Xiu, W. U., & Jie, G. A. O. (2014). Effects of low light on agronomic and physiological characteristics of rice including grain yield and quality. *Rice science*, *21*(5), 243-251.

Yang, S., Li, L., Wang, G., Liu, Y., Kong, Y., Li, X., ... & Yao, H. (2025). Rice Responds to Different Light Conditions by Adjusting Leaf Phenotypic and Panicle Traits to Optimize Shade Tolerance Stability and Yield. *Agronomy*, *15*(12), 2855.

UNIVERSITAS
GADJAH MADA
Evaluasi Genotipe Padi Lokal Jambi Tahan Naungan Berdasarkan Karakter Morfofisiologis
MUHAMMAD RIDO AKBAR, Dr.nat.techn. Rizky Pasthika Kirana, S.P., M.Sc. ; Andrianto Ansari, S.T.P., M.Agr., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Yang JianChang, Y. J., & Zhang JianHua, Z. J. (2006). Grain filling of cereals under soil drying.

Yuan, R., Mao, Y., Zhang, D., Wang, S., Zhang, H., Wu, M., ... & Zhang, Z. (2024). The formation of rice tillers and factors influencing it. *Agronomy*, *14*(12), 2904.

YULLIANIDA, Y., HAIRMANSIS, A., SUPARTOPO, S., & SUWARNO, S. (2016, December). Genetic sources for basic population development of upland rice tolerant to shading and high altitude. In *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia* (Vol. 2, No. 2, pp. 175-181).

Yoshida, S. (1981). *Fundamentals of rice crop science*. Int. Rice Res. Inst..

Yoshida, S., & Hasegawa, S. (1982). The rice root system: its development and function. *Drought resistance in crops with emphasis on rice*, *10*, 97-134.

Yusuf, A. (2008). Pengkajian empat varietas padi gogo sebagai tanaman tumpang sari perkebunan. In *Makalah Seminar Nasional. Pekan Padi Nasional II. Balai Besar Penelitian Tanaman Padi, Sukamandi*.

Zhang, T., & Folta, K. M. (2012). Green light signaling and adaptive response. *Plant Signaling & Behavior*, *7*(1), 75-78.

Zannah, H., Evie, R., Sudarti, S., & Trapsilo, P. (2023). Peran cahaya matahari dalam proses fotosintesis tumbuhan. *CERMIN: Jurnal Penelitian*, *7*(1), 204-214.