UNIVERSITAS
GADJAH MADA
Perbandingan Teknik Ekstubasi Metode Tekanan Positif dan Metode Suctioning Terhadap Selisih P/F Ratio pada Pasien SICU RSUP Dr. Sardjito
Muhammad Syarif Nurdianto, dr. Calcarina Fitriani R. W., Sp.An-TI, Subsp.T.I.(K) ; dr. Bowo Adiyanto, M.Sc., Sp.An-
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adrish, M., Doppalapudi, S., & Lvovsky, D. (2024). Driving pressure decoded: Precision strategies in adult respiratory distress syndrome management. *World Journal of Critical Care Medicine, 13*, 41–52.

Albashir, S. M., Robert, R. C., Jairath, N. N., Raub, C. B., Alzumai, O. A., & Salem, S. S. (2025). The rapid shallow breathing index (RSBI) as a predictor for extubation success in medical and surgical ICU patients: A retrospective cohort study. *Heart & Lung, 70*, 321–328.

Andreu, M., Bertozzi, M., Bezzi, M., Borello, S., Castro, D., Di Giorgio, V., et. al. (2022). Comparison of two extubation techniques in critically ill adult subjects: The ExtubAR randomized clinical trial. *Respiratory Care, 67*, 76–86.

Andreu, M. F., Dotta, M. E., Bezzi, M. G., Borello, S., Cardoso, G. P., Dib, P. C., et. al. (2019). Safety of positive pressure extubation technique. *Respiratory Care, 64*, 899–907.

Andreu, M. F., Salvati, I. G., Donnianni, M. C., Ibañez, B., Cotignola, M., & Bezzi, M. (2014). Effect of applying positive pressure with or without endotracheal suctioning during extubation: A laboratory study. *Respiratory Care, 59*, 1905–1911.

Arcanjo, R. A., & Beccaria, L. M. (2023). Factors associated with extubation failure in an intensive care unit: A case-control study. *Revista Latino-Americana de Enfermagem, 31*, e3864.

Armstrong, J. A. M., Guleria, A., & Girling, K. (2007). Evaluation of gas exchange deficit in the critically ill. *Continuing Education in Anaesthesia Critical Care & Pain, 7*, 131–134.

Arrive, F., Le Pape, S., Bruhn, A., Pépin Lehalleur, A., Beuvon, C., Tuffet, S et. al. (2025). Physiological comparison of noninvasive ventilation and high-flow nasal oxygen on inspiratory efforts and tidal volumes after extubation: A randomized crossover trial. *Critical Care, 29*, 185.

Artime, C. A., & Hagberg, C. A. (2014). Tracheal extubation. *Respiratory Care, 59*, 991–1005.

Ata, A. R., Çetinkaya, D., & Yaman, F. (2024). Investigating the effects of pressure support ventilation and positive end-expiratory pressure during extubation on

UNIVERSITAS
GADJAH MADA
Perbandingan Teknik Ekstubasi Metode Tekanan Positif dan Metode Suctioning Terhadap Selisih P/F Ratio pada Pasien SICU RSUP Dr. Sardjito
Muhammad Syarif Nurdianto, dr. Calcarina Fitriani R. W., Sp.An-TI, Subsp.T.I.(K) ; dr. Bowo Adiyanto, M.Sc., Sp.An-
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

respiratory system complications. *Perioperative Medicine, 13*, 118.

Baptistella, A. R., Mantelli, L. M., Matte, L., Carvalho, M. E. D. R. U., Fortunatti, J. A., Costa, I. Z., et. al. (2021). Prediction of extubation outcome in mechanically ventilated patients: Development and validation of the Extubation Predictive Score (ExPreS). *PLOS ONE, 16*, e0248868.

Bellani, G., Laffey, J. G., Pham, T., Fan, E., Brochard, L., Esteban, A., et. al. (2016). Epidemiology, patterns of care, and mortality for patients with acute respiratory distress syndrome in intensive care units in 50 countries. *JAMA, 315*, 788–800.

Benoît, Z., Wicky, S., Fischer, J.-F., Frascarolo, P., Chapuis, C., Spahn, D. R., et. al. (2002). The effect of increased FiO_2 before tracheal extubation on postoperative atelectasis. *Anesthesia & Analgesia, 95*, 1777–1781.

Brochard, L., Slutsky, A., & Pesenti, A. (2017). Mechanical ventilation to minimize progression of lung injury in acute respiratory failure. *American Journal of Respiratory and Critical Care Medicine, 195*, 438–442.

Corp, A., Thomas, C., & Adlam, M. (2021). The cardiovascular effects of positive pressure ventilation. *BJA Education, 21*, 202–209.

Credland, N. (2016). How to remove an endotracheal tube. *Nursing Standard, 30*, 31-33.

d'Escrivan, T., & Guery, B. (2005). Prevention and treatment of aspiration pneumonia in intensive care units. *Treatments in Respiratory Medicine, 4*, 317–324.

Daştan, N., & Özkalkanli, M. (2023). Effects of positive airway pressure at extubation in patients undergoing upper airway-related surgery. *Forbes Journal of Medicine, 4*, 292–298.

Epstein, S. (2000). Endotracheal extubation. *Respiratory Care Clinics of North America, 6*, 321–360.

Farhadi, R., Nakhshab, M., Hojjati, A., & Khademloo, M. (2022). Positive versus negative pressure during removal of endotracheal tube on prevention of post-extubation atelectasis in ventilated neonates: A randomized controlled trial. *Annals of Medicine and Surgery, 76*, 103573.

Fernando, S. M., Tran, A., Sadeghirad, B., Burns, K. E. A., Fan, E., Brodie, D., et. al. (2022). Noninvasive respiratory support following extubation in critically ill adults: A systematic review and network meta-analysis. *Intensive Care Medicine, 48*, 137–147.

UNIVERSITAS
GADJAH MADA
Perbandingan Teknik Ekstubasi Metode Tekanan Positif dan Metode Suctioning Terhadap Selisih P/F Ratio pada Pasien SICU RSUP Dr. Sardjito
Muhammad Syarif Nurdianto, dr. Calcarina Fitriani R. W., Sp.An-TI, Subsp.T.I.(K) ; dr. Bowo Adiyanto, M.Sc., Sp.An-
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Furqan, D. A., Ali Rai, D. S., Ali, D. L., & Ahmed, D. R. A. (2019). Comparing the predicted accuracy of PO_2/FiO_2 ratio with rapid shallow breathing index for successful spontaneous breathing trial in intensive care unit. *Pakistan Journal of Medical Sciences, 35*, 1573–1578.

Gattinoni, L., Marini, J. J., Collino, F., Maiolo, G., Rapetti, F., Tonetti, T., et. al. (2017). The future of mechanical ventilation: Lessons from the present and the past. *Critical Care, 21*, 183.

Girard, T. D., Kress, J. P., Fuchs, B. D., Thomason, J. W., Schweickert, W. D., Pun, B. T., et. al. (2008). Efficacy and safety of a paired sedation and ventilator weaning protocol for mechanically ventilated patients in intensive care (Awakening and Breathing Controlled trial): A randomised controlled trial. *The Lancet, 371*, 126–134.

Heuer, A.J., Hilse, A.M., 2021. Medical Gas Therapy, in: EGAN'S Fundamentals of Respiratory Care. Elsevier, Inc, Missouri.

Heunks, L. M., & Van Der Hoeven, J. G. (2010). Clinical review: The ABC of weaning failure – A structured approach. *Critical Care, 14*, 245.

Hodd, J., Doyle, A., Carter, J., Albarran, J., & Young, P. (2010). Increasing positive end expiratory pressure at extubation reduces subglottic secretion aspiration in a bench-top model. *Nursing in Critical Care, 15*, 257–261.

Hou, L., Li, Y., Wang, J., Wang, Y., Wang, J., Hu, G., et. al. (2023). Risk factors for post-extubation dysphagia in ICU: A systematic review and meta-analysis. *Medicine, 102*, e33153.

Jesus, A. C. D., Figueiredo, A. M. D., & Cordeiro, A. L. L. (2024). Recruitment maneuvers in patients with acute respiratory distress syndrome: A systematic review and meta-analysis. *einstein (São Paulo), 22*, eRW0372.

Karthika, M., Al Enezi, F., Pillai, L., & Arabi, Y. (2016). Rapid shallow breathing index. *Annals of Thoracic Medicine, 11*, 167–172.

Khemani, R. G., Parvathaneni, K., Yehya, N., Bhalla, A. K., Thomas, N. J., & Newth, C. J. L. (2018). Positive end-expiratory pressure lower than the ARDS Network protocol is associated with higher pediatric acute respiratory distress syndrome mortality. *American Journal of Respiratory and Critical Care Medicine, 198*, 77–89.

UNIVERSITAS
GADJAH MADA
Perbandingan Teknik Ekstubasi Metode Tekanan Positif dan Metode Suctioning Terhadap Selisih P/F Ratio pada Pasien SICU RSUP Dr. Sardjito
Muhammad Syarif Nurdianto, dr. Calcarina Fitriani R. W., Sp.An-TI, Subsp.T.I.(K) ; dr. Bowo Adiyanto, M.Sc., Sp.An-
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kwack, W.-G. (2022) "Evaluation of the Daily Change in PaO2/FiO2 Ratio as a Predictor of Abnormal Chest X-rays in Intensive Care Unit Patients Post Mechanical Ventilation Weaning: A Retrospective Cohort Study," *Medicina*, 58(2), p. 303.

Lazzeri, C., & Peris, A. (2016). The Kigali modification of the Berlin definition: A new epidemiological tool for ARDS? *Journal of Thoracic Disease, 8*, E443–E445.

L'Hermite, J., Wira, O., Castelli, C., De La Coussaye, J.-E., Ripart, J., & Cuvillon, P. (2018). Tracheal extubation with suction vs. positive pressure during emergence from general anaesthesia in adults: A randomised controlled trial. *Anaesthesia Critical Care & Pain Medicine, 37*, 147–153.

Li, L. T., Gjuzi, K., He, P., & Daly Guris, R. J. (2024). Airway extubation: A narrative review. *Journal of Oral and Maxillofacial Anesthesia, 3*, 10–10.

Liu, J., Li, F., Qi, X., Zhuang, X., & Cui, Z. (2023). Positive- vs. negative-pressure extubation technique: A scoping review. *Frontiers in Medicine, 10*, 1169879.

Marini, J. J., & Gattinoni, L. (2020). Management of COVID-19 respiratory distress. *JAMA, 323*, 2329–2330.

Popat, M., Mitchell, V., Dravid, R., Patel, A., Swampillai, C., & Higgs, A. (2012). Difficult Airway Society guidelines for the management of tracheal extubation. *Anaesthesia, 67*, 318–340.

Mitchell, V., Dravid, R., Patel, A., Swampillai, C., & Higgs, A. (2012). Difficult Airway Society guidelines for the management of tracheal extubation. *Anaesthesia, 67*, 318–340.

Peter, J. V. (2016). Acute respiratory failure. In S. S. David (Ed.), *Clinical pathways in emergency medicine* (pp. 167–178). Springer.

Prabhakaran, A. T., Vanalal, D., Soni, K. D., Baidya, D. K., Aggarwal, R., Binu, H., et. al. (2023). Comparison of positive pressure extubation with traditional extubation in critically ill patients: A randomised control study. *Anaesthesiology Intensive Therapy, 55*, 38–45.

Ranieri, V. M., Rubenfeld, G. D., Thompson, B. T., Ferguson, N. D., Caldwell, E., Fan, E., et. al. (2012). Acute respiratory distress syndrome: The Berlin Definition. *JAMA, 307*, 2526–2533.

UNIVERSITAS
GADJAH MADA
Perbandingan Teknik Ekstubasi Metode Tekanan Positif dan Metode Suctioning Terhadap Selisih P/F Ratio pada Pasien SICU RSUP Dr. Sardjito
Muhammad Syarif Nurdianto, dr. Calcarina Fitriani R. W., Sp.An-TI, Subsp.T.I.(K) ; dr. Bowo Adiyanto, M.Sc., Sp.An-
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Rice, T. W., Wheeler, A. P., Bernard, G. R., Hayden, D. L., Schoenfeld, D. A., & Ware, L. B. (2007). Comparison of the SpO_2/FiO_2 ratio and the PaO_2/FiO_2 ratio in patients with acute lung injury or ARDS. *Chest, 132*, 410–417.

Riviello, E. D., Kiviri, W., Twagirumugabe, T., Mueller, A., Banner-Goodspeed, V. M., Officer, L., et. al. (2016). Hospital incidence and outcomes of the acute respiratory distress syndrome using the Kigali modification of the Berlin definition. *American Journal of Respiratory and Critical Care Medicine, 193*, 52–59.

Secco, G., Salinaro, F., Bellazzi, C., La Salvia, M., Delorenzo, M., Zattera, C., et. al. (2021). Can alveolar-arterial difference and lung ultrasound help the clinical decision making in patients with COVID-19? *Diagnostics, 11*, 761.

Sedillot, N., Kallel, H., Robine, A., Pineda, J. A., Quenot, J.-P., Servant, M., et. al. (2025). Applying positive end-expiratory pressure before and during endotracheal tube removal versus extubation with concomitant aspiration: Protocol for the randomised controlled multicentre EXSUPEEP trial. *BMJ Open, 15*, e092354.

Shimada, K., Gosho, M., Ohigashi, T., Kume, K., Yano, T., Ishii, R., et. al. (2024). Risk of postoperative pneumonia after extubation with the positive pressure versus normal pressure technique: A single-center retrospective observational study. *Journal of Anesthesia, 39*, 5–14.

Shimada, K., Inokuchi, R., Iwagami, M., Tanaka, M., & Tamiya, N. (2023). Comparison of postextubation complications between positive-pressure and suctioning techniques: A systematic review. *Respiratory Care, 68*, 429–436.

Sibert, K. S., Long, J. L., & Haddy, S. M. (2020). Extubation and the risks of coughing and laryngospasm in the era of coronavirus disease-19 (COVID-19). *Cureus, 12*, e8196.

Soummer, A., Perbet, S., Brisson, H., Arbelot, C., Constantin, J.-M., Lu, Q., et. al. (2012). Ultrasound assessment of lung aeration loss during a successful weaning trial predicts postextubation distress. *Critical Care Medicine, 40*, 2064–2072.

Thille, A. W., Boissier, F., Coudroy, R., Le Pape, S., Arrivé, F., Marchasson, L., et. al. (2023). Sex difference in the risk of extubation failure in ICUs. *Annals of Intensive Care, 13*, 130.

Thille, A. W., Richard, J.-C. M., & Brochard, L. (2013). The decision to extubate in the intensive care unit. *American Journal of Respiratory and Critical Care*

UNIVERSITAS
GADJAH MADA
Perbandingan Teknik Ekstubasi Metode Tekanan Positif dan Metode Suctioning Terhadap Selisih P/F Ratio pada Pasien SICU RSUP Dr. Sardjito
Muhammad Syarif Nurdianto, dr. Calcarina Fitriani R. W., Sp.An-TI, Subsp.T.I.(K) ; dr. Bowo Adiyanto, M.Sc., Sp.An-
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Medicine, 187, 1294–1302.

Torrini, F., Gendreau, S., Morel, J., Carteaux, G., Thille, A. W., Antonelli, M., et. al. (2021). Prediction of extubation outcome in critically ill patients: A systematic review and meta-analysis. *Critical Care, 25*, 391.

Visvanathan, T., Kluger, M. T., Webb, R. K., & Westhorpe, R. N. (2005). Crisis management during anaesthesia: Laryngospasm. *Quality and Safety in Health Care, 14*, e3.

Wang, T.-P., Li, H.-H., & Lin, H.-L. (2022). Positive airway pressure at extubation minimizes subglottic secretion leak in vitro. *Journal of Clinical Medicine, 11*, 307.

West, J. B., & Luks, A. M. (2016). *West's respiratory physiology: The essentials* (10th ed.). Wolters Kluwer.

Yasuda, H., Okano, H., Mayumi, T., Narita, C., Onodera, Y., Nakane, M., et. al. (2021). Post-extubation oxygenation strategies in acute respiratory failure: A systematic review and network meta-analysis. *Critical Care, 25*, 135.

Zhang, J., Yan, W., Dong, Y., Luo, X., Miao, H., Maimaijuma, T., et. al. (2024). Early identification and diagnosis, pathophysiology, and treatment of sepsis-related acute lung injury: A narrative review. *Journal of Thoracic Disease, 16*(9), 5457–5476.

Zhong, B. (2009). How to calculate sample size in randomized controlled trial? *Journal of Thoracic Disease, 1*, 51–59.