UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

# DAFTAR PUSTAKA

Abd El-Hack, M.E., El-Saadony, M.T., Salem, H.M., El-Tahan, A.M., Soliman, M.M., Youssef, G.B.A., Taha, A.E., Soliman, S.M., Ahmed, A.E., El-kott, A.F., Al Syaad, K.M., and A.A Swelum. 2022. Alternatives to antibiotics for organic poultry production: types, modes of action and impacts on bird's health and production. Poult. Sci. 101(4). https://doi.org/10.1016/j.psj.2022.101696

Abdel-Ghaney, D.M., A.H. El-Far, K.M. Sadek, Y.S. El-Sayed, and M.A. Abdel-Latif. 2017. Impact of dietary thyme (*Thymus vulgaris*) on broiler chickens concerning immunity, antioxidant status, and performance. Alex. J. Vet. Sci. 55(1):169–179. https://doi.org/10.5455/ajvs.275352.

Abdel-Wareth, A.A.A. 2016. Effect of dietary supplementation of thymol, synbiotic and their combination on performance, egg quality and serum metabolic profile of Hy-Line Brown hens. Br. Poult. Sci. 57(1). https://doi.org/10.1080/00071668.2015.1123219

Abo Ghanima, M.M., Elsadek, M.F., Taha, A.E., Abd El-Hack, M.E., Alagawany, M., Ahmed, B.M., Elshafie, M.M., and K. El-Sabrout. 2020. Effect of housing system and rosemary and cinnamon essential oils on layers performance, egg quality, haematological traits, blood chemistry, immunity, and antioxidant. Animals 10(2). https://doi.org/10.3390/ani10020245

Adhikari, R., S.J. Rochell, R. Kriseldi, M. Silva, L. Greiner, C. Williams, B. Matton, A. Anderson, G.F. Erf, E. Park, K. Haydon, and J. Lee. 2025. Recent advances in protein and amino acid nutritional dynamics in relation to performance, health, welfare, and cost of production. Poult. Sci. 104(3):104852. https://doi.org/10.1016/j.psj.2025.104852.

Adil, S., T. Banday, G.A. Bhat, M.S. Mir, and M. Rehman. 2010. Effect of dietary supplementation of organic acids on performance, intestinal histomorphology, and serum biochemistry of broiler chicken. Vet. Med. Int. 2010:479485. https://doi.org/10.4061/2010/479485.

Ahsan, U., O. Cengiz, I. Raza, E. Kuter, M.F.A. Chacher, Z. Iqbal, S. Umar, and S. Cakir. 2016. Sodium butyrate in chicken nutrition: the dynamics of performance, gut microbiota, gut morphology, and immunity. Worlds Poult. Sci. J. 72(2):265-275. https://doi.org/10.1017/S0043933916000210

Akbari Moghaddam Kakhki, R., A. Golian, and H. Zarghi. 2016. Effect of digestible methionine + cystine concentration on performance, egg quality and blood metabolites in laying hens. Br. Poult. Sci. 57:403–414. https://doi.org/10.1080/00071668.2016.1173199.

Al-Sagheer, A.A., H.K. Mahmoud, F.M. Reda, S.A. Mahgoub, and M.S. Ayyat. 2018. Supplementation of diets for *Oreochromis niloticus* with essential oil extracts from lemongrass (*Cymbopogon citratus*) and geranium (*Pelargonium graveolens*) and effects on growth, intestinal microbiota, antioxidant and immune activities. Aquac. Nutr. 24(3):1006–1014. https://doi.org/10.1111/anu.12637.

Alabi, T., and S. Adedokun. 2025. Amino acid nutrition in poultry: a review. Animals 15:3323. https://doi.org/10.3390/ani15223323.

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Alagawany, M., M.M. El-Hindawy, M.E. Abd El-Hack, M. Arif, and S.A. El-Sayed. 2020. Influence of low-protein diet with different levels of amino acids on laying hen performance, quality and egg composition. An. Acad. Bras. Cienc. 92(1). https://doi.org/10.1590/0001-3765202020180230.

Alfonso-Avila, A.R., O. Cirot, W. Lambert, and M.P. Letourneau-Montminy. 2022. Effect of low-protein corn and soybean meal-based diets on nitrogen utilization, litter quality, and water consumption in broiler chicken production: insight from meta-analysis. Animal 16(3):100458. https://doi.org/10.1016/j.animal.2022.100458

Anas, M. Al, Aprianto, M.A., Akit, H., Muhlisin, Kurniawati, A., and Hanim, C. 2024. Black soldier fly larvae oil (Hermetia illucens L.) calcium salt enhances intestinal morphology and barrier function in laying hens. Poult. Sci. 103(7). https://doi.org/10.1016/j.psj.2024.103777

Anas, M. Al, Aprianto, M.A., Hidayaturrohman, N., Sapan, Y., Almira, F.N., Aldis, R.E., Hanim, C., Kurniawati, A., and Muhlisin, M. 2026. Research Note: Black soldier fly larvae oil restores intestinal barrier integrity and attenuates inflammation in broiler chickens fed low crude protein diets. Poult. Sci. 105(6). https://doi.org/10.1016/j.psj.2026.106676

Antongiovanni, M., A. Buccioni, F. Petacchi, S. Leeson, S. Minieri, A. Martini, and R. Cecchi. 2007. Butyric acid glycerides in the diet of broiler chickens: effects on gut histology and carcass composition. Ital. J. Anim. Sci. 6:19–25. https://doi.org/10.4081/ijas.2007.19.

AOAC International. 2005. Official Methods of Analysis of AOAC International. 18th ed. AOAC International, Gaithersburg, Maryland, USA.

Attia, Y.A., M.A. Al-Harthi, and M.I. El-Kelawy. 2024. Utilisation of essential oils as a natural growth promoter for broiler chickens. Ital. J. Anim. Sci. 18:1005-1012. https://doi.org/10.1080/1828051X.2019.1607574

Avoseh, O., O. Oyedeji, P. Rungqu, B. Nkeh-Chungag, and A. Oyedeji. 2015. Cymbopogon species; ethnopharmacology, phytochemistry and the pharmacological importance. Molecules 20(5):7438–7453. https://doi.org/10.3390/molecules20057438.

Azzam, M.M.M., X.T. Zou, X.Y. Dong, and P. Xie. 2011. Effect of supplemental L-threonine on mucin 2 gene expression and intestine mucosal immune and digestive enzymes activities of laying hens in environments with high temperature and humidity. Poult. Sci. 90(10):2251-2256. https://doi.org/10.3382/ps.2011-01574.

Azzam, M.M.M., X.Y. Dong, L. Dai, and X.T. Zou. 2015. Effect of excess dietary L-valine on laying hen performance, egg quality, serum free amino acids, immune function and antioxidant enzyme activity. Br. Poult. Sci. 56:72–78. https://doi.org/10.1080/00071668.2014.989487.

Bachiega, T.F., and J.M. Sforcin. 2011. Lemongrass and citral effect on cytokines production by murine macrophages. J. Ethnopharmacol. 137(1):909–913. https://doi.org/10.1016/j.jep.2011.07.021.

Badan Pusat Statistik. 2025. Statistik Indonesia 2025. Badan Pusat Statistik, Jakarta.

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Banerjee, K., H. Madhyastha, R.V. Sandur, N.T. Manikandanath, N. Thiagarajan, and P. Thiagarajan. 2020. Anti-inflammatory and wound healing potential of a clove oil emulsion. Colloids Surf. B Biointerfaces 193:111102. https://doi.org/10.1016/j.colsurfb.2020.111102.

Barekatain, R., Chrystal, P.V., Nowland, T., Moss, A.F., Howarth, G.S., Hao Van, T.T., and R.J Moore. 2023. Negative consequences of reduced protein diets supplemented with synthetic amino acids for performance, intestinal barrier function, and caecal microbiota composition of broiler chickens. Anim. Nutr. 13:216-228. https://doi.org/10.1016/j.aninu.2023.01.011

Basera, P., M. Lavania, A. Agnihotri, and B. Lal. 2019. Analytical investigation of *Cymbopogon citratus* and exploiting the potential of developed silver nanoparticle against the dominating species of pathogenic bacteria. Front. Microbiol. 10:282. https://doi.org/10.3389/fmicb.2019.00282.

Beaumont, M., and F. Blachier. 2020. Amino acids in intestinal physiology and health. In G. Wu (Ed.), Amino Acids in Nutrition and Health. Adv. Exp. Med. Biol., Vol. 1265. Springer, Cham. https://doi.org/10.1007/978-3-030-45328-2_1.

Behbahani, B.A., M. Noshad, and F. Falah. 2019. Study of chemical structure, antimicrobial, cytotoxic and mechanism of action of *Syzygium aromaticum* essential oil on foodborne pathogens. Potravinarstvo Slovak J. Food Sci. 13:875–883. https://doi.org/10.5219/1226.

Belloir, P., B. Meda, W. Lambert, E. Corrent, H. Juin, M. Lessire, and S. Tesseraud. 2017. Reducing the CP content in broiler feeds: impact on animal performance, meat quality and nitrogen utilization. Animal 11(11):1881-1889. https://doi.org/10.1017/S1751731117000660

Bezerra, R.M., F.G.P. Costa, P.E.N. Givisiez, C.C. Goulart, R.A. dos Santos, and M.R. Lima. 2015. Glutamic acid supplementation on low protein diets for laying hens. Acta Sci. Anim. Sci. 37(2):129–134. https://doi.org/10.4025/actascianimsci.v37i2.25911.

Bhatti, J.S., and M.L. Sharma. 1989. Efficiency of egg production in White Leghorn hens during post-moult laying period. Indian J. Poult. Sci. 24(1):56–61.

Bist, R.B., S. Subedi, L. Chai, and X. Yang. 2023. Ammonia emissions, impacts, and mitigation strategies for poultry production: A critical review. J. Environ. Manage.. 328:116919. https://doi.org/10.1016/j.jenvman.2022.116919

Brenes, A., and E. Roura. 2010. Essential oils in poultry nutrition: Main effects and modes of action. Anim. Feed Sci. Technol. 158(1-2). https://doi.org/10.1016/j.anifeedsci.2010.03.007

Brink, M., Janssens, G.P.J., Demeyer, P., Bağci, Ö., and E. Delezie. 2022. Reduction of dietary crude protein and feed form: Impact on broiler litter quality, ammonia concentrations, excreta composition, performance, welfare, and meat quality. Anim. Nutr. 9. https://doi.org/10.1016/j.aninu.2021.12.009

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Brzóska, F., B. Śliwiński, and O. Michalik-Rutkowska. 2013. Effect of dietary acidifier on growth, mortality, post-slaughter parameters and meat composition of broiler chickens. Ann. Anim. Sci. 13(1):85–96. https://doi.org/10.2478/v10220-012-0061-z.

Bunchasak, C. 2009. Role of dietary methionine in poultry production. J. Poult. Sci. 46:169–179.

Burt, S. 2004. Essential oils: their antibacterial properties and potential applications in foods—a review. Int. J. Food Microbiol. 94:223–253. https://doi.org/10.1016/j.ijfoodmicro.2004.03.022.

Carvalho, T., L. Sousa, F. Nogueira, D. Vaz, M. Saldanha, M. Triginelli, M. Pinto, N. Baião, and L. Lara. 2018. Digestible methionine + cysteine in the diet of commercial layers and its influence on performance, quality, amino acid profile of eggs and economic evaluation. Poult. Sci. 97:2044–2052.

Castro, F.L.S., Y. Kim, H. Xu, and W.K. Kim. 2020. The effect of total sulfur amino acid levels on growth performance and bone metabolism in pullets under heat stress. Poult. Sci. 99:5783–5791.

Chamba, F., M. Puyalto, A. Ortiz, H. Torrealba, J.J. Mallo, and R. Riboty. 2014. Effect of partially protected sodium butyrate on performance, digestive organs, intestinal villi and *E. coli* development in broiler chickens. Int. J. Poult. Sci. 13:390–396.

Chang, X.Y., U.E. Obianwuna, J. Wang, H.J. Zhang, J.M. Zhou, K. Qiu, and S.G. Wu. 2024. Histological and molecular difference in albumen quality between post-adolescent hens and aged hens. Poult. Sci. 103(6):103618. https://doi.org/10.1016/j.psj.2024.103618.

Chen, J., J. Xu, J. Xu, F. Xu, F. Gong, P. Xiao, H. Ma, Q. Zhang, J. Feng, and Y. Min. 2026. Gut microbiota-derived propionic acid mitigates age-related albumen quality deterioration by modulating magnum functions. Poult. Sci. 105(3):106357. https://doi.org/10.1016/j.psj.2025.106357.

Chen, X., K. Naehrer, and T.J. Applegate. 2016. Interactive effects of dietary protein concentration and aflatoxin B1 on performance, nutrient digestibility, and gut health in broiler chicks. Poult. Sci. 95(6):1312–1325. https://doi.org/10.3382/ps/pew022.

Chen, Y.P., Y.F. Cheng, X.H. Li, W.L. Yang, C. Wen, S. Zhuang, and Y.M. Zhou. 2017. Effects of threonine supplementation on growth performance, immunity, oxidative status, intestinal integrity, and barrier function of broilers at early age. Poult. Sci. 96:405–413. https://doi.org/10.3382/ps/pew240.

Cheng, H., J.F. Chen, S.G. Tang, S.C. Guo, C.Q. He, and X.Y. Qu. 2022. Effects of essential oil/palygorskite composite on performance, egg quality, plasma biochemistry, oxidation status, immune response and intestinal morphology of laying hens. Poult. Sci. 101(4):101632. https://doi.org/10.1016/j.psj.2021.101632

Chueh, C.C., Lin, L.J., Lin, W.C., Huang, S.H., Jan, M.S., Chang, S.C., Chung, W.S., and T.T. Lee. 2019. Antioxidant capacity of banana peel and its modulation of Nrf2-ARE associated gene expression in broiler chickens. Ital.

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

J. Anim. Sci. 18(1):1394-1403. https://doi.org/10.1080/1828051X.2019.1667884

Corl, B.A., J. Odle, X.M. Niu, A.J. Moeser, L.A. Gatlin, O.T. Phillips, A.T. Blikslager, and J.M. Rhoads. 2008. Arginine activates intestinal p70S6K and protein synthesis in piglet rotavirus enteritis. J. Nutr. 138(1):24–29. https://doi.org/10.1093/jn/138.1.24.

Cross, D.E., R.M. McDevitt, K. Hillman, and T. Acamovic. 2007. The effect of herbs and their associated essential oils on performance, dietary digestibility and gut microflora in chickens from 7 to 28 days of age. Br. Poult. Sci. 48(4):496-506. https://doi.org/10.1080/00071660701463221

Czerwinski, J., O. Højberg, R.M. Engberg, A. Mieczkowska, J. Jankowiak, and S. Smulikowska. 2012. Effects of sodium butyrate and salinomycin upon intestinal microbiota, mucosal morphology and performance of broiler chickens. Arch. Anim. Nutr. 66(2):102-116. https://doi.org/10.1080/1745039X.2012.663668

de Mendonça Jr., C.X., and F.R. de Lima. 1999. Effect of dietary protein and methionine levels on forced molt performance of laying hens. Braz. J. Vet. Res. Anim. Sci. 36:332–338.

de-Cara, A., B. Saldaña, P. Vázquez, and A.I. Rey. 2023. Dietary protected sodium butyrate and/or olive leaf and grape-based by-product supplementation modifies productive performance, antioxidant status and meat quality in broilers. Antioxidants 12:201.

Deeb, S.E., E.A. Ashour, M.E. Abd El-Hack, M. Abou El-Maaty, I.M. Youssef, S. Adil, A.A. Elolimy, and A.A. Swelum. 2024. Impacts of dietary different levels of thyme leave powder as a natural growth promoter on growth performance, carcass characteristics, and blood indices of broilers. Poult. Sci. 103(12):104396. https://doi.org/10.1016/j.psj.2024.104396.

Deng, D., Wang, G., Chen, W., and Ma, X. 2019. Research Progress on the Application of Low Protein Diets in Pigs at Different Growth Stages. Guangdong Agricultural Sciences 46(4). https://doi.org/10.16768/j.issn.1004-874X.2019.04.015

Deplancke, B., and H.R. Gaskins. 2001. Microbial modulation of innate defense: goblet cells and the intestinal mucus layer. Am. J. Clin. Nutr. 73(Suppl.):1131S–1141S.

Ding, J., J. Liu, J. Chen, X. Cheng, H. Cao, X. Guo, G. Hu, and Y. Zhuang. 2024. Sodium butyrate alleviates free fatty acid-induced steatosis in primary chicken hepatocytes via the AMPK/PPARα pathway. Poult. Sci. 103(4):103482. https://doi.org/10.1016/j.psj.2024.103482.

Ding, X., C.W. Yang, and Z.B. Yang. 2022. Effects of star anise (Illicium verum Hook.f.), essential oil, and leavings on growth performance, serum, and liver antioxidant status of broiler chickens. J. Appl. Poult. Res. 26:459-466. https://doi.org/10.3382/japr/pfx014

Ding, Y., Y. Hu, X. Yao, Y. He, J. Chen, J. Wu, S. Wu, H. Zhang, X. He, and Z. Song. 2022. Dietary essential oils improves the growth performance, antioxidant properties and intestinal permeability by inhibiting bacterial

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

proliferation and altering the gut microbiota of yellow-feather broilers. Poult. Sci. 101(11):102087. https://doi.org/10.1016/j.psj.2022.102087

Dong, X.Y., M.M.M. Azzam, and X.T. Zou. 2016. Effects of dietary L-isoleucine on laying performance and immunomodulation of laying hens. Poult. Sci. 95:2297–2305.

Dong, X.Y., M.M.M. Azzam, and X.T. Zou. 2017. Effects of dietary threonine supplementation on intestinal barrier function and gut microbiota of laying hens. Poult. Sci. 96:3654–3663.

Du, E., W. Wang, L. Gan, Z. Li, S. Guo, and Y. Guo. 2016. Effects of thymol and carvacrol supplementation on intestinal integrity and immune responses of broiler chickens challenged with Clostridium perfringens. J. Anim. Sci. Biotechnol. 7:19. https://doi.org/10.1186/s40104-016-0079-7

Du, X., Wang, Y., Amevor, F.K., Ning, Z., Deng, X., Wu, Y., Wei, S., Cao, X., Xu, D., Tian, Y., Ye, L., Shu, G., and X. Zhao. 2024. Effect of High Energy Low Protein Diet on Lipid Metabolism and Inflammation in the Liver and Abdominal Adipose Tissue of Laying Hens. Animals 14(8). https://doi.org/10.3390/ani14081199

Duangnumsawang, Y., J. Zentek, W. Vahjen, J. Tarradas, and F.G. Boroojeni. 2022. Alterations in bacterial metabolites, cytokines, and mucosal integrity in the caecum of broilers caused by feed additives and host-related factors. Front. Physiol. 13:935870. https://doi.org/10.3389/fphys.2022.935870

Ekpenyong, C.E., E.E. Akpan, and A. Nyoh. 2015. Ethnopharmacology, phytochemistry, and biological activities of *Cymbopogon citratus* (DC.) Stapf extracts. Chin. J. Nat. Med. 13(5):321–337. https://doi.org/10.1016/S1875-5364(15)30023-6.

El-Darier, S.M., A.M.D. El-Ahwany, E.T. Elkenany, and A.A. Abdeldaim. 2018. An in vitro study on antimicrobial and anticancer potentiality of thyme and clove oils. Rend. Lincei Sci. Fis. Nat. 29:131–139. https://doi.org/10.1007/s12210-018-0672-0.

El-Far, A.S., Kamiya, M., Saneyasu, T., and K. Honda. 2024. Effects of Amino Acid Supplementation to a Low-Protein Diet on the Growth Performance and Protein Metabolism-related Factors in Broiler Chicks. J. Poult. Sci. 61. https://doi.org/10.2141/jpsa.2024014

El-Saadony, M.T., M.U. Yaqoob, F.U. Hassan, M. Alagawany, M. Arif, A.E. Taha, S.S. Elnesr, K.A. El-Tarabily, and M.E. Abd El-Hack. 2022. Applications of butyric acid in poultry production: the dynamics of gut health, performance, nutrient utilization, egg quality, and osteoporosis. Anim. Health Res. Rev. 23(2):136-146. https://doi.org/10.1017/S1466252321000220

El-Sahn, A.A., E.A. Manaa, A.M. El-Barbary, A.M. Khalifah, S. Fayez, A.S.A. Abdel-Daim, G.M. Albadrani, M.M. Abdel-Daim, and M.A. Abdel-Latif. 2024. Lemongrass extract enhances productive performance, blood biomarkers, immunity, and gut health of broilers. Heliyon 10(18):e37783. https://doi.org/10.1016/j.heliyon.2024.e37783.

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Elnesr, S.S., M. Alagawany, H.A.M. Elwan, M.A. Fathi, and M.R. Farag. 2020. Effect of sodium butyrate on intestinal health of poultry - A review. Ann. Anim. Sci. 20(1):29-41. https://doi.org/10.2478/aoas-2019-0077

Fachini-Queiroz, F.C., R. Kummer, C.F. Estevão-Silva, M.D. de Barros Carvalho, J.M. Cunha, R. Grespan, C.A. Bersani-Amado, and R.K.N. Cuman. 2012. Effects of thymol and carvacrol, constituents of *Thymus vulgaris L.* essential oil, on the inflammatory response. Evid. Based Complement. Alternat. Med. 2012:657026.

Fasina, Y.O., and H.S. Lillehoj. 2019. Characterization of intestinal immune response to Clostridium perfringens infection in broiler chickens. Poult. Sci. 98:188-198. https://doi.org/10.3382/ps/pey390

Faulkner, W.B., and B.W. Shaw. 2008. Review of ammonia emission factors for United States animal agriculture. Atmos. Environ. 42(27):6567-6574.

Feng, J., Lu, M., Wang, J., Zhang, H., Qiu, K., Qi, G., and S. Wu. 2021. Dietary oregano essential oil supplementation improves intestinal functions and alters gut microbiota in late-phase laying hens. J. Anim. Sci. Biotechnol. 12(1). https://doi.org/10.1186/s40104-021-00600-3

Ferket, P.R., C.W. Parks, and J.L. Grimes. 2002. Benefits of dietary antibiotic and mannan oligosaccharide supplementation for poultry. Pages 1–22 in Proc. Multi-State Poult. Meet., Indianapolis, Indiana, USA.

Fernández-Rubio, C., C. Ordóñez, J. Abad-González, A. Garcia-Gallego, M.P. Honrubia, J.J. Mallo, and R. Balaña-Fouce. 2009. Butyric acid-based feed additives help protect broiler chickens from *Salmonella Enteritidis* infection. Poult. Sci. 88:943–948.

Fouad, A.M., H.X. Zhang, W. Chen, W.G. Xia, D. Ruan, S. Wang, and C.T. Zheng. 2017. Estimation of L-threonine requirements for Longyan laying ducks. Asian-Australas. J. Anim. Sci. 30:206–210.

Galfi, P., and S. Neogrady. 2001. The pH-dependent inhibitory action of n-butyrate on gastrointestinal epithelial cell division. Food Res. Int. 34(7):581-586. https://doi.org/10.1016/S0963-9969(01)00066-1

Gantois, I., R. Ducatelle, F. Pasmans, F. Haesebrouck, I. Hautefort, A. Thompson, J.C.D. Hinton, and F. Van Immerseel. 2006. Butyrate specifically down-regulates Salmonella pathogenicity island 1 gene expression. Appl. Environ. Microbiol. 72(1):946–949. https://doi.org/10.1128/AEM.72.1.946-949.2006.

Golmakani, M.-T., M. Zare, and S. Razzaghi. 2017. Eugenol enrichment of clove bud essential oil using different microwave-assisted distillation methods. Food Sci. Technol. Res. 23:385–394. https://doi.org/10.3136/fstr.23.385.

Gomez, S., and M. Angeles. 2009. Effect of threonine and methionine levels in the diet of laying hens in the second cycle of production. J. Appl. Poult. Res. 18:452–457.

Gong, L., T. Mahmood, Y. Mercier, H. Xu, X. Zhang, Y. Zhao, Y. Luo, and Y. Guo. 2023. Dietary methionine sources and levels modulate the intestinal health status of broiler chickens. Anim. Nutr. 15:242-255. https://doi.org/10.1016/j.aninu.2023.07.004.

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Grigore, A., I. Paraschiv, S. Colceru-Mihul, C. Bubueanu, E. Draghici, and M. Ichim. 2010. Chemical composition and antioxidant activity of *Thymus vulgaris L.* volatile oil obtained by two different methods. Rom. Biotechnol. Lett. 15(4):5436–5443.

Groot Koerkamp, P.W.G. 1994. Review of emissions of ammonia from housing systems for laying hens in relation to sources, processes, building design and manure handling. J. Agric. Eng. Res. 59:73-87.

Guan, W., S. Li, R. Yan, S. Tang, and C. Quan. 2007. Comparison of essential oils of clove buds extracted with supercritical carbon dioxide and other three traditional extraction methods. Food Chem. 101:1558–1564. https://doi.org/10.1016/j.foodchem.2006.04.009.

Guilloteau, P., L. Martin, V. Eeckhaut, R. Ducatelle, R. Zabielski, and F. Van Immerseel. 2010. From the gut to the peripheral tissues: The multiple effects of butyrate. Nutr. Res. Rev. 23(2):366-384.

Hamer, H.M., D. Jonkers, K. Venema, S. Vanhoutvin, F.J. Troost, and R.J. Brummer. 2008. Review article: the role of butyrate on colonic function. Aliment. Pharmacol. Ther. 27(2):104-119. https://doi.org/10.1111/j.1365-2036.2007.03562.x

Hanim, C., Dono, N.D., Ariyadi, B., Habibi, M.F., Al Anas, M., and M.F. Hanif. 2023. Effect of protected sodium butyrate on growth performance, carcass traits, relative weight of digestive organs and intestinal histomorphology of broilers. J. Anim. Feed Sci. 32(4). https://doi.org/10.22358/jafs/166080/2023

Haro-González, J.N., G.A. Castillo-Herrera, M. Martínez-Velázquez, and H. Espinosa-Andrews. 2021. Clove essential oil (*Syzygium aromaticum* L. Myrtaceae): extraction, chemical composition, food applications and essential bioactivities for human health. Molecules 26:6387. https://doi.org/10.3390/molecules26216387.

Hasan-Al-Sharif, M., M.M. Hossain, A.S. Asha, and M. Al-Mamun. 2023. Lemongrass (*Cymbopogon citratus*) essential oil improves gut health and production performance in broiler: a review. Int. J. Curr. Sci. 13(3):788–801.

Hassan, F.A.M., and A. Awad. 2017. Impact of thyme powder (*Thymus vulgaris L.*) supplementation on gene expression profiles of cytokines and economic efficiency of broiler diets. Environ. Sci. Pollut. Res. 24:15816–15826. https://doi.org/10.1007/s11356-017-9251-7.

Hatami, T., J.C.F. Johner, G.L. Zabot, and M.A.A. Meireles. 2019. Supercritical fluid extraction assisted by cold pressing from clove buds: extraction performance, volatile oil composition, and economic evaluation. J. Supercrit. Fluids 144:39–47. https://doi.org/10.1016/j.supflu.2018.10.003.

Hazzit, M., A. Baaliouamer, M.L. Faleiro, and M.G. Miguel. 2006. Composition of the essential oils of *Thymus* and *Origanum* species from Algeria and their antioxidant and antimicrobial activities. J. Agric. Food Chem. 54(17):6314–6321. https://doi.org/10.1021/jf0606104.

He, F., S. Wu, S. Chen, D. Zhang, W. Guo, and W. Sun. 2018. Functions and signaling pathways of amino acids in intestinal inflammation. Mediators Inflamm. 2018:9171905. https://doi.org/10.1155/2018/9171905

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Heo, Y.J., J. Park, Y.B. Kim, B.Y. Kwon, D.H. Kim, J.Y. Song, and K.W. Lee. 2023. Effects of dietary protein levels on performance, nitrogen excretion, and odor emission of growing pullets and laying hens. Poult. Sci. 102:102798.

Hermier, D. 1997. Lipoprotein metabolism and fattening in poultry. J. Nutr. 127(5 Suppl.):805S-808S. https://doi.org/10.1093/jn/127.5.805S.

Herrera, J., B. Saldaña, P. Guzmán, L. Cámara, and G.G. Mateos. 2017. Influence of particle size of the main cereal of the diet on egg production, gastrointestinal tract traits, and body measurements of brown laying hens. Poult. Sci. 96(2):440-448. https://doi.org/10.3382/ps/pew256.

Hiramoto, K., T. Muramatsu, and J. Okumura. 1990a. Protein synthesis in tissues and in the whole body of laying hens during egg formation. Poult. Sci. 69(2):264-269. https://doi.org/10.3382/ps.0690264.

Hiramoto, K., T. Muramatsu, and J. Okumura. 1990b. Effect of methionine and lysine deficiencies on protein synthesis in the liver and oviduct and in the whole body of laying hens. Poult. Sci. 69(1):84-89. https://doi.org/10.3382/ps.0690084.

Hörmann, N., I. Brandão, S. Jäckel, N. Ens, M. Lillich, U. Walter, and C. Reinhardt. 2014. Gut microbial colonization orchestrates TLR2 expression, signaling and epithelial proliferation in the small intestinal mucosa. PLoS ONE 9(11):e113080. https://doi.org/10.1371/journal.pone.0113080.

Hosseini, S.A., A. Meimandipour, F. Alami, A. Mahdavi, M. Mohiti-Asli, H. Lotfollahian, and D. Cross. 2016. Effects of ground thyme and probiotic supplements in diets on broiler performance, blood biochemistry and immunological response to sheep red blood cells. Ital. J. Anim. Sci. 12:116-120. https://doi.org/10.4081/ijas.2013.e19

Hou, Y., L. Wang, B. Ding, Y. Liu, H. Zhu, J. Liu, Y. Li, X. Wu, Y. Yin, and G. Wu. 2010. Dietary α-ketoglutarate supplementation ameliorates intestinal injury in lipopolysaccharide-challenged piglets. Amino Acids 39(2):555–564. https://doi.org/10.1007/s00726-010-0473-y.

Hu, H., Y. Huang, A. Li, Q. Mi, K. Wang, L. Chen, Z. Zhao, Q. Zhang, X. Bai, and H. Pan. 2024. Effects of different energy levels in low-protein diet on liver lipid metabolism in the late-phase laying hens through the gut-liver axis. J. Anim. Sci. Biotechnol. 15:98. https://doi.org/10.1186/s40104-024-01055-y

Hu, Z., and Y. Guo. 2007. Effects of dietary sodium butyrate supplementation on the intestinal morphological structure, absorptive function and gut flora in chickens. Anim. Feed Sci. Technol. 132(3-4):240-249. https://doi.org/10.1016/j.anifeedsci.2006.03.017

Hu, Z., Liu, L., Guo, F., Huang, J., Qiao, J., Bi, R., Huang, J., Zhang, K., Guo, Y., and Z. Wang. 2023. Dietary supplemental coated essential oils and organic acids mixture improves growth performance and gut health along with reduces Salmonella load of broiler chickens infected with Salmonella Enteritidis. J. Anim. Sci. Biotechnol. 14(1). https://doi.org/10.1186/s40104-023-00889-2

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Huang, C.M., and T.T. Lee. 2018. Immunomodulatory effects of phytogenics in chickens and pigs - A review. Asian-Australas. J. Anim. Sci. 31(5):617-627. https://doi.org/10.5713/ajas.17.0657

Iftikhar, T., H. Majeed, S.S. Zahra, M. Waheed, M. Niaz, and N. Ban. 2023. Thyme. In: Essentials of Medicinal and Aromatic Crops, pp. 399–429. Springer. https://doi.org/10.1007/978-3-031-35403-8_16.

Iqbal, W., S. Li, H. Ayalew, Q. Liu, A. Ali, C. Xu, X. Wang, M.U. Yaqoob, and H. Zhang. 2026. Maintaining albumen quality and reducing feed costs in laying hens through glycine and serine supplementation in low-protein diets. Poult. Sci. 105(1):106100. https://doi.org/10.1016/j.psj.2025.106100.

Jang, I.S., Y.H. Ko, S.Y. Kang, and C.Y. Lee. 2007. Effect of a commercial essential oil on growth performance, digestive enzyme activity and intestinal microflora population in broiler chickens. Anim. Feed Sci. Technol. 134(3-4):304-315. https://doi.org/10.1016/j.anifeedsci.2006.06.009

Ji, F., S.Y. Fu, B. Ren, S.G. Wu, H.J. Zhang, H.Y. Yue, J. Gao, A. Helmbrecht, and G.H. Qi. 2014. Evaluation of amino-acid supplemented diets varying in protein levels for laying hens. J. Appl. Poult. Res. 23(3):384-392. https://doi.org/10.3382/japr.2013-00831

Jiang, Y., W. Zhang, F. Gao, and G. Zhou. 2015. Effect of sodium butyrateon intestinal inflammatory response to lipopolysaccharide in broiler chickens. Can. J. Anim. Sci. 95:389-395. https://doi.org/10.4141/cjas-2014-183

Kaczmarek, S.A., A. Barri, M. Hejdysz, and A. Rutkowski. 2016. Effect of different doses of coated butyric acid on growth performance and energy utilization in broilers. Poult. Sci. 95:851–859.

Kareem, D.U., Adegoke, A.V., Amos, A.T., Adeyeye, E.A., Idowu, O.P.A., Akande, L.M., Abdulgafar, Q.O., Orbugh, A.T., Aboderin, A.T., Oso, A.O., and O.M.O. Idowu. 2025. Implementing reduced-protein diets for broiler chickens in emerging economies: supplementation with only the first three limiting amino acids. Trop. Anim. Health Prod. 57(3). https://doi.org/10.1007/s11250-025-04396-6

Kawamata, K., H. Hayashi, and Y. Suzuki. 2007. Propionate absorption associated with bicarbonate secretion in vitro in the mouse cecum. Pflügers Arch. 454:253–262. https://doi.org/10.1007/s00424-006-0200-4.

Keshavarz, K., and M.E. Jackson. 1992. Performance of growing pullets and laying hens fed low-protein, amino acid-supplemented diets. Poult. Sci. 71(5):905–918. https://doi.org/10.3382/ps.0710905.

Keshavarz, K., and R.E. Austic. 2004. The use of low-protein, low-phosphorus, amino acid- and phytase-supplemented diets on laying hen performance and nitrogen and phosphorus excretion. Poult. Sci. 83(1):75–83. https://doi.org/10.1093/ps/83.1.75.

Khan, R.U., S. Naz, Z. Nikousefat, V. Tufarelli, and V. Laudadio. 2012. *Thymus vulgaris*: alternative to antibiotics in poultry feed. World's Poult. Sci. J. 68(3):401–408. https://doi.org/10.1017/S0043933912000517.

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Khan, S.H., and J. Iqbal. 2016. Recent advances in the role of organic acids in poultry nutrition. J. Appl. Anim. Res. 44:359–369. https://doi.org/10.1080/09712119.2015.1079527.

Khattak, F., A. Ronchi, P. Castelli, and N. Sparks. 2014. Effects of natural blend of essential oil on growth performance, blood biochemistry, cecal morphology, and carcass quality of broiler chickens. Poult. Sci. 93:132–137.

Kidd, M.T., Maynard, C.W., and Mullenix, G.J. 2021. Progress of amino acid nutrition for diet protein reduction in poultry. J. Anim. Sci. Biotechnol. 12(1). https://doi.org/10.1186/s40104-021-00568-0

Kilberg, M.S., Y.X. Pan, H. Chen, and V. Leung-Pineda. 2005. Nutritional control of gene expression: how mammalian cells respond to amino acid limitation. Annu. Rev. Nutr. 25:59-85. https://doi.org/10.1146/annurev.nutr.24.012003.132145

Kim, D.H., S.K. Lee, S.D. Lee, and K.W. Lee. 2017. Haugh unit and egg quality measurements in laying hens. Korean J. Poult. Sci. 44:123-130.

Kim, H.W., Lee, S.Y., Hur, S.J., Kil, D.Y., and J.H. Kim. 2023. Effects of functional nutrients on chicken intestinal epithelial cells induced with oxidative stress. J. Anim. Sci. Technol. 65(5). https://doi.org/10.5187/jast.2023.e22

Koh, A., F. De Vadder, P. Kovatcheva-Datchary, and F. Bäckhed. 2016. From dietary fiber to host physiology: short-chain fatty acids as key bacterial metabolites. Cell 165:1332–1345. https://doi.org/10.1016/j.cell.2016.05.041.

Kulshreshtha, G., B. Rathgeber, G. Stratton, N. Thomas, F. Evans, A. Critchley, J. Hafting, and B. Prithiviraj. 2014. Feed supplementation with red seaweeds, *Chondrus crispus* and *Sarcodiotheca gaudichaudii*, affects performance, egg quality, and gut microbiota of layer hens. Poult. Sci. 93(12):2991–3001. https://doi.org/10.3382/ps.2014-04200.

Lee, J., Oh, S., Oketch, E.O., Nawarathne, S.R., Kim, Y. Bin, Chathuranga, N.C., Maniraguha, V., Cruz, B.G.S., Seo, E., Park, H., Choi, H., Kim, J.K., Lee, D.J., Yu, M., and J.M. Heo. 2025. Dietary protein level in response to nitrogen balance along with production performance of laying hens. J. Anim. Sci. Technol. 67(6):1313-1327. https://doi.org/10.5187/jast.2500223

Leeson, S., H. Namkung, M. Antongiovanni, and E.H. Lee. 2005. Effect of butyric acid on the performance and carcass yield of broiler chickens. Poult. Sci. 84:1418–1422.

Lertsatitthanakorn, P., S. Taweechaisupapong, C. Aromdee, and W. Khunkitti. 2006. In vitro bioactivities of essential oils used for acne control. Int. J. Aromather. 16(1):43–49. https://doi.org/10.1016/j.ijat.2006.01.006.

Leu, R.K.L., Y. Hu, I.L. Brown, and G.P. Young. 2009. Effect of high-amylose maize starches on colonic fermentation and apoptotic response to DNA-damage in the colon of rats. Nutr. Metab. 6:11.

Levy, A.W., J.W. Kessler, L. Fuller, S. Williams, G.F. Mathis, B. Lumpkins, and F. Valdez. 2015. Effect of feeding an encapsulated source of butyric acid (ButiPEARL) on performance of male Cobb broilers reared to 42 d. Poult. Sci. 94:1864–1870.

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Li, J., D. Zhou, H. Li, Q. Luo, X. Wang, J. Qin, Y. Xu, Q. Lu, and X. Tian. 2022. Effect of purple corn extract on performance, antioxidant activity, egg quality, egg amino acid, and fatty acid profiles of laying hen. Front. Vet. Sci. 9:1083842.

Lien, K.A., W.C. Sauer, and J.M. He. 2001. Dietary influences on the secretion into and degradation of mucin in the digestive tract of monogastric animals and humans. J. Anim. Feed Sci. 10(2):223–245. https://doi.org/10.22358/jafs/67980/2001.

Lio, W., R. Shimada, I. Nonaka, and A. Ogino. 2023. Effects of a low-protein diet supplemented with essential amino acids on egg production performance and environmental gas emissions from layer-manure composting in laying hens in the later laying period. Anim. Sci. J. 94(1):e13853. https://doi.org/10.1111/asj.13853.

Liu, H., Xu, K., Wang, H., Lin, H., Yang, X., Wang, X., Zhao, J., Ma, B., Shu, Q., Lu, Y., and H. Jiao. 2024. Effects of different forms of amino acid supplementation on the performance and intestinal barrier function of laying hens fed a low-protein diet. Poult. Sci. 103(12). https://doi.org/10.1016/j.psj.2024.104375

Liu, J.D., H.O. Bayir, D.E. Cosby, N.A. Cox, S.M. Williams, and J. Fowler. 2017. Evaluation of encapsulated sodium butyrate on growth performance, energy digestibility, gut development, and *Salmonella* colonization in broilers. Poult. Sci. 96(10):3638–3644. https://doi.org/10.3382/ps/pex174.

Liu, W., X. Wan, Z. Wang, and H. Yang. 2025. Effects of low-protein amino acid-balanced diets and Astragalus polysaccharides on production performance, antioxidants, immunity, and lipid metabolism in heat-stressed laying hens. Animals 15:2385. https://doi.org/10.3390/ani15162385

Liu, X.F., Shao, J.H., Liao, Y.T., Wang, L.N., Jia, Y., Dong, P.J., Liu, Z.Z., He, D.D., Li, C., and X. Zhang. 2023. Regulation of short-chain fatty acids in the immune system. Front. Immunol. 14. https://doi.org/10.3389/fimmu.2023.1186892

Liu, Y., Chen, Z., Dai, J., Yang, P., Xu, W., Ai, Q., Zhang, W., Zhang, Y., Zhang, Y., and K. Mai. 2019. Sodium butyrate supplementation in high-soybean meal diets for turbot (*Scophthalmus maximus L.*): Effects on inflammatory status, mucosal barriers and microbiota in the intestine. Fish Shellfish Immunol. 88. https://doi.org/10.1016/j.fsi.2019.02.064

Livak, K.J., and T.D. Schmittgen. 2001. Analysis of relative gene expression data using real-time quantitative PCR and the 2(-Delta Delta C(T)) method. Methods 25:402-408.

Ma, M., Geng, S., Liu, M., Zhao, L., Zhang, J., Huang, S., and Q. Ma. 2021. Effects of Different Methionine Levels in Low Protein Diets on Production Performance, Reproductive System, Metabolism, and Gut Microbiota in Laying Hens. Front. Nutr. 8. https://doi.org/10.3389/fnut.2021.739676

Ma, T.Y., M.A. Boivin, D. Ye, A. Pedram, and H.M. Said. 2012. Mechanism of TNF-alpha modulation of Caco-2 intestinal epithelial *tight junction* barrier: role of myosin light-chain kinase protein expression. Am. J. Physiol. Gastrointest. Liver Physiol. 288:G422-G430.

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Macelline, S.P., M. Toghyani, P.V. Chrystal, P.H. Selle, and S.Y. Liu. 2021. Amino acid requirements for laying hens: a comprehensive review. Poult. Sci. 100:101036. https://doi.org/10.1016/j.psj.2021.101036.

Maesaroh, U., N.D. Dono, and Zuprizal. 2022. Performance, microbial populations, and jejunal morphology of broilers supplemented with nano-encapsulated graviola leaf extract. Trop. Anim. Sci. J. 45(1):64–72. https://doi.org/10.5398/tasj.2022.45.1.64.

Mahdavi, R., and M. Torki. 2009. Study on usage period of dietary protected butyric acid on performance, carcass characteristics, serum metabolite levels and humoral immune response of broiler chickens. J. Anim. Vet. Adv. 8:1702–1709.

Maia, R.C., L.F.T. Albino, H.S. Rostagno, M.L. Xavier Junior, B.S. Kreuz, R.L. Silva, B.D. Faria, and A.A. Calderano. 2021. Low crude protein diets for broiler chickens aged 8 to 21 days should have a 50% essential-to-total nitrogen ratio. Anim. Feed Sci. Technol. 271:114709.

Makowski, Z., K. Lipiński, and M. Mazur-Kuśnirek. 2022. The effects of sodium butyrate, coated sodium butyrate, and butyric acid glycerides on nutrient digestibility, gastrointestinal function, and fecal microbiota in turkeys. Animals 12:1836. https://doi.org/10.3390/ani12141836

Mallo, J.J., M. Puyalto, and S.V. Rama Rao. 2012. Evaluation of the effect of sodium butyrate addition to broiler diet on energy and protein digestibility, productive parameters and size of intestinal villi of animals. Feed Livest. 8:26–30.

Mao, X., M. Liu, J. Tang, H. Chen, D. Chen, B. Yu, J. He, J. Yu, and P. Zheng. 2015. Dietary leucine supplementation improves the mucin production in the jejunal mucosa of weaned pigs challenged by porcine rotavirus. PLoS ONE 10(9):e0137380. https://doi.org/10.1371/journal.pone.0137380.

Mao, X., X. Zeng, S. Qiao, G. Wu, and D. Li. 2011. Specific roles of threonine in intestinal mucosal integrity and barrier function. Front. Biosci. 3:1192–1200.

Marmouzi, I., E.M. Karym, R. Alami, M. El Jemli, M. Kharbach, F. Mamouch, A. Attar, B. Faridi, Y. Cherrah, and M.E.A. Faouzi. 2019. Modulatory effect of *Syzygium aromaticum* and *Pelargonium graveolens* on oxidative and sodium nitroprusside stress and inflammation. Orient. Pharm. Exp. Med. 19:201–210. https://doi.org/10.1007/s13596-018-0335-9.

Mátis, G., M. Mackei, B. Boomsma, H. Fébel, K. Nadolna, Ł. Szymański, J.E. Edwards, Z. Neogrády, and K. Kozłowski. 2022. Dietary protected butyrate supplementation of broilers modulates intestinal *tight junction* proteins and stimulates endogenous production of short-chain fatty acids in the caecum. Animals 12:1940. https://doi.org/10.3390/ani12151940.

Matton, B., Verhelle, A., Vlerick, L., Keirsschieter, K., and B. Saremi. 2025. Feeding Broilers with Reduced Dietary Crude Protein or Reduced Soybean Meal Diets Has No Negative Impact on the Performance and Carcass Traits While Reducing the Feed Global Warming Potential †. Animals 15(12). https://doi.org/10.3390/ani15121753

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Matty, H.N., and A.A. Hassan. 2020. Effect of supplementation of encapsulated organic acid and essential oil Gallant+® on some physiological parameters of Japanese quails. Iraqi J. Vet. Sci. 34(1):181–188. https://doi.org/10.33899/ijvs.2019.125732.1142.

McNeil, N.I., J.H. Cummings, and W.P. James. 1979. Rectal absorption of short chain fatty acids in the absence of chloride. Gut 20:400–403.

Melaku, M., R. Zhong, H. Han, F. Wan, B. Yi, and H. Zhang. 2024. The new buffer salt-protected sodium butyrate promotes growth performance, intestinal barrier, and microbiota in broiler chickens. Biology 13(5):317. https://doi.org/10.3390/biology13050317

Miao, S., Hong, Z., Jian, H., Xu, Q., Liu, Y., Wang, X., Li, Y., Dong, X., and X. Zou. 2022. Alterations in Intestinal Antioxidant and Immune Function and Cecal Microbiota of Laying Hens Fed on Coated Sodium Butyrate Supplemented Diets. Animals 12(5). https://doi.org/10.3390/ani12050545

Miao, S., Li, J., Chen, Y., Zhao, W., Xu, M., Liu, F., Zou, X., and X. Dong. 2024. Targeting gut microbiota and metabolism profiles with coated sodium butyrate to ameliorate high-energy and low-protein diet-induced intestinal barrier dysfunction in laying hens. Anim. Nutr. 19:104-116. https://doi.org/10.1016/j.aninu.2024.06.006

Miao, S., Y. Li, T. Mu, X. Wang, W. Zhao, R. Li, X. Dong, and X. Zou. 2023. Dietary coated sodium butyrate ameliorates hepatic lipid accumulation and inflammation via enhancing antioxidative function in post-peaking laying hens. Metabolites 13(5):650. https://doi.org/10.3390/metabo13050650.

Miao, S., Zhou, W., Li, H., Zhu, M., Dong, X., and X. Zou. 2021. Effects of coated sodium butyrate on production performance, egg quality, serum biochemistry, digestive enzyme activity, and intestinal health of laying hens. Ital. J. Anim. Sci. 20(1):1452-1461. https://doi.org/10.1080/1828051X.2021.1960209

Miles, R.D., G.D. Butcher, P.R. Henry, and R.C. Littell. 2006. Effect of antibiotic growth promoters on broiler performance, intestinal growth parameters, and quantitative morphology. Poult. Sci. 85:476–485. https://doi.org/10.1093/ps/85.3.476.

Mirza, M.W., Z.U. Rehman, and N. Mukhtar. 2016. Use of organic acids as potential feed additives in poultry production. J. World's Poult. Res. 6(3):105–116.

Mohammadi, Z., S. Ghazanfari, and M. Adib Moradi. 2014. Effect of supplementing clove essential oil to the diet on microflora population, intestinal morphology, blood parameters and performance of broilers. Eur. Poult. Sci. 78:1–11.

Moquet, P.C.A., S.A. Salami, L. Onrust, W.H. Hendriks, and R.P. Kwakkel. 2018. Butyrate presence in distinct gastrointestinal tract segments modifies differentially digestive processes and amino acid bioavailability in young broiler chickens. Poult. Sci. 97:167–176.

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Moss, A.F., C.J. Sydenham, A. Khoddami, V.D. Naranjo, S.Y. Liu, and P.H. Selle. 2018. Dietary starch influences growth performance, nutrient utilisation and digestive dynamics of protein and amino acids in broiler chickens offered low-protein diets. Anim. Feed Sci. Technol. 237:55–67. https://doi.org/10.1016/j.anifeedsci.2018.01.001.

Moum, S.G., W. Seltzer, and T.M. Goldhaft. 1969. A simple method of determining concentrations of ammonia in animal quarters. Poult. Sci. 48:347-348.

Movahedi, F., Nirmal, N., Wang, P., Jin, H., Grøndahl, L., and Li, L. 2024. Recent advances in essential oils and their nanoformulations for poultry feed. J. Anim. Sci. Biotechnol. 15(1). https://doi.org/10.1186/s40104-024-01067-8

Mueller, N.D., and L. Lassaletta. 2020. Nitrogen challenges in global livestock systems. Nature Food 1(7). https://doi.org/10.1038/s43016-020-0117-7

Mukarram, M., S. Choudhary, M.A. Khan, P. Poltronieri, M.M.A. Khan, J. Ali, D. Kurjak, and M. Shahid. 2022. Lemongrass essential oil components with antimicrobial and anticancer activities. Antioxidants 11(1):20. https://doi.org/10.3390/antiox11010020.

Mullenix, G.J., E.S. Greene, N.K. Emami, G. Tellez-Isaias, W.G. Bottje, G.F. Erf, M.T. Kidd, and S. Dridi. 2022. Spirulina platensis inclusion reverses circulating pro-inflammatory (chemo)cytokine profiles in broilers fed low-protein diets. Front. Vet. Sci. 8:640968. https://doi.org/10.3389/fvets.2021.640968

Nakanishi, N., K. Tashiro, S. Kuhara, T. Hayashi, N. Sugimoto, and T. Tobe. 2009. Regulation of virulence by butyrate sensing in enterohaemorrhagic Escherichia coli. Microbiology 155:521-530. https://doi.org/10.1099/mic.0.023499-0

Nevas, M., A.R. Korhonen, M. Lindström, P. Turkki, and H. Korkeala. 2004. Antibacterial efficiency of Finnish spice essential oils against pathogenic and spoilage bacteria. J. Food Prot. 67:199–202.

Ni, J.Q. 2015. Research and demonstration to improve air quality for the U.S. animal feeding operations in the 21st century: A critical review. Environ. Pollut. 200:105-119.

Obianwuna, U.E., X. Chang, V.U. Oleforuh-Okoleh, P.N. Onu, H. Zhang, K. Qiu, and S. Wu. 2024. Phytobiotics in poultry: revolutionizing broiler chicken nutrition with plant-derived gut health enhancers. J. Anim. Sci. Biotechnol. 15:169. https://doi.org/10.1186/s40104-024-01101-9.

Ognik, K., P. Konieczka, D. Mikulski, and J. Jankowski. 2020. The effect of different dietary ratios of lysine and arginine in diets with high or low methionine levels on oxidative and epigenetic DNA damage, the gene expression of *tight junction* proteins and selected metabolic parameters in *Clostridium perfringens*-challenged turkeys. Vet. Res. 51:50. https://doi.org/10.1186/s13567-020-00776-y.

Oketch, elijah O., Yu, M., Nawarathne, S.R., Chathuranga, N.C., Lee, J., Park, H., Lee, B.K., Kim, K.E., and J.M. Heo. 2026. Laying hen responses to balanced protein reduction on performance, egg quality, nitrogen balance, and fat and mineral utilization. J. Anim. Sci.. https://doi.org/10.1093/jas/skaf465

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Oluwabiyi, C.T., and Z. Song. 2024. Branched-chain amino acids supplementation in low-protein broiler diets: A review. Anim. Feed Sci. Technol. 318. https://doi.org/10.1016/j.anifeedsci.2024.116114

Orzuna-Orzuna, J.F., and Lara-Bueno, A. 2023. Essential Oils as a Dietary Additive for Laying Hens: Performance, Egg Quality, Antioxidant Status, and Intestinal Morphology: A Meta-Analysis. Agriculture 13(7). https://doi.org/10.3390/agriculture13071294

Oskuee, R.K., J. Behravan, and M. Ramezani. 2011. Chemical composition, antimicrobial activity and antiviral activity of essential oil of *Carum copticum* from Iran. Avicenna J. Phytomed. 1:83–90.

Osmanyan, A.K., S. Ghazi Harsini, R. Mahdavi, V.I. Fisinin, A.L. Arkhipova, T.T. Glazko, S.N. Kovalchuk, and G.Y. Kosovsky. 2018. Intestinal amino acid and peptide transporters in broiler are modulated by dietary amino acids and protein. Amino Acids 50(2):353–357. https://doi.org/10.1007/s00726-017-2510-6.

Owings, W.J. 1964. The Effects of Lowering Dietary Protein Level of Laying Hens During the Production Period. Poult. Sci. 43(4). https://doi.org/10.3382/ps.0430831

Özek, K., Wellmann, K.T., Ertekin, B., and B. Tarım. 2011. Effects of dietary herbal essential oil mixture and organic acid preparation on laying traits, gastrointestinal tract characteristics, blood parameters and immune response of laying hens in a hot summer season. J. Anim. Feed Sci. 20.

Panda, A.K., S.V.R. Rao, M.V.L.N. Raju, and G.S. Sunder. 2009. Effect of butyric acid on performance, gastrointestinal tract health and carcass characteristics in broiler chickens. Asian-Australas. J. Anim. Sci. 22:1026–1031.

Peng, J., Li, H., Olaolu, O.A., Ibrahim, S., Ibrahim, S., and S. Wang. 2023. Natural Products: A Dependable Source of Therapeutic Alternatives for Inflammatory Bowel Disease through Regulation of Tight Junctions. Molecules 28(17). https://doi.org/10.3390/molecules28176293

Peng, L., Z. He, W. Chen, I.R. Holzman, and J. Lin. 2007. Effects of butyrate on intestinal barrier function in a Caco-2 cell monolayer model of intestinal barrier. Pediatr. Res. 61:37-41. https://doi.org/10.1203/01.pdr.0000250014.92242.f3

Peng, L., Z.R. Li, R.S. Green, I.R. Holzman, and J. Lin. 2009. Butyrate enhances the intestinal barrier by facilitating *tight junction* assembly via activation of AMP-activated protein kinase in Caco-2 cell monolayers. J. Nutr. 139(9):1619-1625. https://doi.org/10.3945/jn.109.104638

Penz, A.M. Jr., and L.S. Jensen. 1991. Influence of protein concentration, amino acid supplementation, and daily time of access to high- or low-protein diets on egg weight and components in laying hens. Poult. Sci. 70(12):2460-2466. https://doi.org/10.3382/ps.0702460.

Pham, V.H., Kan, L., Huang, J., Geng, Y., Zhen, W., Guo, Y., Abbas, W., and Z. Wang. 2020. Dietary encapsulated essential oils and organic acids mixture improves gut health in broiler chickens challenged with necrotic enteritis. J. Anim. Sci. Biotechnol. 11(1). https://doi.org/10.1186/s40104-019-0421-y

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Pires, M.F., N.S.M. Leandro, D.V. Jacob, F.B. Carvalho, H.F. Oliveira, J.H. Stringhini, S.F. Pires, H.H.C. Mello, and D.P. Carvalho. 2020. Performance and egg quality of commercial laying hens fed with various levels of protected sodium butyrate. S. Afr. J. Anim. Sci. 50:758-765. https://doi.org/10.4314/SAJAS.V50I5.14

Pirgozliev, V., Mansbridge, S.C., Rose, S.P., Mackenzie, A.M., Beccaccia, A., Karadas, F., Ivanova, S.G., Staykova, G.P., Oluwatosin, O.O., and D. Bravo. 2019. Dietary essential oils improve feed efficiency and hepatic antioxidant content of broiler chickens. Animal 13(3). https://doi.org/10.1017/S1751731118001520

Placha, I., K. Takacova, M. Ryzner, and K. Cobanova. 2010. Effect of thyme essential oil and selenium on intestinal integrity and antioxidant status of broilers. Br. Poult. Sci. 51:103-110.

Poprac, P., K. Jomova, M. Simunkova, V. Kollar, C.J. Rhodes, and M. Valko. 2017. Targeting free radicals in oxidative stress-related human diseases. Trends Pharmacol. Sci. 38:592-607.

Proszkowiec-Weglarz, M., Schreier, L.L., Kahl, S., Miska, K.B., Russell, B., and T.H. Elsasser. 2020. Effect of delayed feeding post-hatch on expression of tight junction- and gut barrier-related genes in the small intestine of broiler chickens during neonatal development. Poult. Sci. 99(10). https://doi.org/10.1016/j.psj.2020.06.023

Qaisrani, S.N., M.M. Van Krimpen, R.P. Kwakkel, M.W.A. Verstegen, and W.H. Hendriks. 2015. Diet structure, butyric acid, and fermentable carbohydrates influence growth performance, gut morphology, and cecal fermentation characteristics in broilers. Poult. Sci. 94:2152–2164.

Qin, Q., X. Xu, X. Wang, H. Wu, H. Zhu, Y. Hou, B. Dai, X. Liu, and Y. Liu. 2018. Glutamate alleviates intestinal injury, maintains mTOR and suppresses TLR4 and NOD signaling pathways in weanling pigs challenged with lipopolysaccharide. Sci. Rep. 8:15124. https://doi.org/10.1038/s41598-018-33345-7.

Rajkowska, K., A. Nowak, A. Kunicka-Styczyńska, and A. Siadura. 2016. Biological effects of various chemically characterized essential oils: investigation of the mode of action against *Candida albicans* and HeLa cells. RSC Adv. 6:97199–97207. https://doi.org/10.1039/C6RA21108A.

Ramirez, S.Y., C. Peñuela-Sierra, and L.M. Ospina. 2021. Effects of oregano (Lippia origanoides) essential oil supplementation on production performance and intestinal morphometry of laying hens. Vet. World 14(3):595-602. https://doi.org/10.14202/vetworld.2021.595-602

Raqib, R., P. Sarker, P. Bergman, G. Ara, M. Lindh, and D.A. Sack. 2006. Improved outcome in shigellosis associated with butyrate induction of an endogenous peptide antibiotic. Proc. Natl. Acad. Sci. USA 103(24):9178-9183. https://doi.org/10.1073/pnas.0602888103

Rhimi, W., I. Ben Salem, D. Immediato, M. Saidi, A. Boulila, and C. Cafarchia. 2022. Antifungal, antioxidant and antibiofilm activities of essential oils of *Cymbopogon spp.* Antibiotics 11(6):829. https://doi.org/10.3390/antibiotics11060829.

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Ricke, S.C. 2003. Perspectives on the use of organic acids and short-chain fatty acids as antimicrobials. Poult. Sci. 82:632–639.

Ritz, C.W., B.D. Fairchild, and M.P. Lacy. 2004. Implications of ammonia production and emissions from commercial poultry facilities: A review. J. Appl. Poult. Res. 13:684-692.

Rodrigues, H.L. de S., Benevides, V.P., Kolososki, I.M.M., Saraiva, M.M.S., Souki, N.P.D.B.G., Barros, T.A., Rabelo, A.L.C., Ferreira, V.A., Dix, M.F.F., Almeida, A.M., Roque-Borda, C.A., and A. Berchieri Junior. 2025. Effective Control of Salmonella Enteritidis in Poultry by Dietary Supplementation with Microencapsulated Essential Oils. Antibiotics 14(6). https://doi.org/10.3390/antibiotics14060552

Rodríguez-García, I., B.A. Silva-Espinoza, L.A. Ortega-Ramírez, J.M. Leyva, M.W. Siddiqui, M.R. Cruz-Valenzuela, G.A. González-Aguilar, and J.F. Ayala-Zavala. 2016. Oregano essential oil as an antimicrobial and antioxidant additive in food products. Crit. Rev. Food Sci. Nutr. 56(10):1717–1727. https://doi.org/10.1080/10408398.2013.800832.

Roediger, W.E.W. 1982. Utilization of nutrients by isolated epithelial cells of the rat colon. Gastroenterology 83(2):424-429.

Röhe, I., I. Ruhnke, F. Knorr, A. Mader, F. Goodarzi Boroojeni, R. Löwe, and J. Zentek. 2014. Effects of grinding method, particle size, and physical form of the diet on gastrointestinal morphology and jejunal glucose transport in laying hens. Poult. Sci. 93(8):2060-2068. https://doi.org/10.3382/ps.2013-03783.

Rostagno, H.S., L.F.T. Albino, A.A. Calderano, M.I. Hannas, N.K. Sakomura, F.G. Perazzo, G.C. Rocha, A. Saraiva, M.L.T. Abreu, J.L. Genova, and F.C. Tavernari. 2024. *Brazilian Tables for Poultry and Swine: Composition of Feedstuffs and Nutritional Requirements*. 5th ed. Universidade Federal de Viçosa, Viçosa, Minas Gerais, Brazil. 529 pp. https://doi.org/10.26626/978-85-8179-212-5.2024.B001.

Sah, N., D.L. Kuehu, V.S. Khadka, Y. Deng, R. Jha, S. Wasti, and B. Mishra. 2021. RNA sequencing-based analysis of the magnum tissues revealed the novel genes and biological pathways involved in the egg-white formation in the laying hen. BMC Genomics 22:318. https://doi.org/10.1186/s12864-021-07634-x.

Salahi, A., Shahir, M.H., Attia, Y.A., Fahmy, K.N.E. din, Bovera, F., and V. Tufarelli. 2025. Impact of low-protein diets on broiler nutrition, production sustainability, gene expression, meat quality and greenhouse gas emissions. J. Appl. Anim. Res. 53(1). https://doi.org/10.1080/09712119.2025.2473419

Sánchez, M.E., A.V. Turina, D.A. García, M.V. Nolan, and M.A. Perillo. 2004. Surface activity of thymol: implications for an eventual pharmacological activity. Colloids Surf. B Biointerfaces 34:77–88.

Sarker, M.T., Wang, S., Wang, S., Xia, W., Zhang, Y., Jin, C., Huang, X., Li, K., Elokil, A., Lv, Y., Zheng, C., and W. Chen. 2025. Sodium butyrate alleviates high ambient temperature-induced oxidative stress, intestinal structural disruption, and barrier integrity for growth and production in growing layer chickens. BMC Vet. Res. 21(1). https://doi.org/10.1186/s12917-025-04583-5

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Sayrafi, R., F. Soltanalinejad, R. Shahrooz, and S. Rahimi. 2011. Effects of butyric acid glycerides and antibiotic growth promoter on the performance and intestinal histomorphometry of broiler chickens. J. Food Agric. Environ. 9:285–288.

Schefferle, H.E. 1965. The decomposition of uric acid in built-up poultry litter. J. Appl. Bacteriol. 28:412-420.

Schenk, M., and C. Mueller. 2008. The mucosal immune system at the gastrointestinal barrier. Best Pract. Res. Clin. Gastroenterol. 22:391-409.

Schneeberger, E.E., and R.D. Lynch. 2004. The tight junction: A multifunctional complex. Am. J. Physiol. Cell Physiol. 286:C1213-C1228.

Şehitoğlu, M., and H. Kaya. 2021. The effect of clove oil supplementation in laying hen diets on performance, egg quality, some blood parameters, and yolk TBARS. Turk. J. Agric. Food Sci. Technol. 9(12):2213–2218. https://doi.org/10.24925/turjaf.v9i12.2213-2218.4482.

Selle, P.H., S.Y. Liu, J. Cai, and A.J. Cowieson. 2013. Steam-pelleting temperatures, grain variety, feed form and protease supplementation of mediumly ground, sorghum-based broiler diets: influences on growth performance, relative gizzard weights, nutrient utilisation, starch and nitrogen digestibility. Anim. Prod. Sci. 53(5):378–387. https://doi.org/10.1071/AN12363.

Shahbazi, Y. 2019. Antioxidant, antibacterial, and antifungal properties of nanoemulsion of clove essential oil. Nanomed. Res. J. 4:204–208. https://doi.org/10.22034/nmrj.2019.04.001.

Silva, T.M., E.L. Milbradt, J.C.R. Zame, C.R. Padovani, I.C. de Lima Almeida Paz, A. Hataka, A.S. Okamoto, L. Gross, and R.L. Andreatti Filho. 2020. Effects of organic acid and probiotics on cecal colonization and immune responses in broiler chickens challenged with *Salmonella Enteritidis*. Int. J. Poult. Sci. 19(1):29–36. https://doi.org/10.3923/ijps.2020.29.36.

Smulikowska, S., J. Czerwiński, A. Mieczkowska, and J. Jankowiak. 2009. The effect of fat-coated organic acid salts and a feed enzyme on growth performance, nutrient utilization, microflora activity, and morphology of the small intestine in broiler chickens. J. Anim. Feed Sci. 18:478–489. https://doi.org/10.22358/jafs/66422/2009.

Soltan, M.A. 2008. Effect of dietary organic acid supplementation on egg production, egg quality and some blood serum parameters in laying hens. Int. J. Poult. Sci. 7:613–621.

Song, B., H. Li, Y. Wu, W. Zhen, Z. Wang, Z. Xia, and Y. Guo. 2017. Effect of microencapsulated sodium butyrate dietary supplementation on growth performance and intestinal barrier function of broiler chickens infected with necrotic enteritis. Anim. Feed Sci. Technol. 232:6-15. https://doi.org/10.1016/j.anifeedsci.2017.07.009

Song, J.Y., Heo, Y.J., Park, J., Lee, H.K., Kim, Y.B., Kwon, B.Y., Kim, D.H., and K.W. Lee. 2025. Effects of Dietary Additives on Nitrogen Balance, Odor Emissions, and Yolk Corticosterone in Laying Hens Fed Low-Protein Diets. Animals 15(14). https://doi.org/10.3390/ani15142021

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Su, G., L. Wang, X. Zhou, X. Wu, D. Chen, B. Yu, Z. Huang, Y. Luo, X. Mao, P. Zheng, J. Yu, J. Luo, and J. He. 2021. Effects of essential oil on growth performance, digestibility, immunity, and intestinal health in broilers. Poult. Sci. 100(8):101242. https://doi.org/10.1016/j.psj.2021.101242.

Sugihartini, N., R. Prabandari, T. Yuwono, and D.R. Rahmawati. 2019. The anti-inflammatory activity of essential oil of clove (*Syzygium aromaticum*) in absorption base ointment with addition of oleic acid and propylene glycol as enhancer. Int. J. Appl. Pharm. 11(Special Issue 5):106–109. https://doi.org/10.22159/ijap.2019.v11s5.T0081.

Summers, J.D. 1993. Reducing nitrogen excretion of the laying hen by feeding lower crude protein diets. Poult. Sci. 72(8). https://doi.org/10.3382/ps.0721473

Sun, M., Ma, N., Liu, H., Liu, Y., Zhou, Y., Zhao, J., Wang, X., Li, H., Ma, B., Jiao, H., and Lin, H. 2022. The optimal dietary arginine level of laying hens fed with low-protein diets. J. Anim. Sci. Biotechnol. 13(1). https://doi.org/10.1186/s40104-022-00719-x

Sunkara, L.T., M. Achanta, N.B. Schreiber, Y.R. Bommineni, G. Dai, W. Jiang, S. Lamont, H.S. Lillehoj, A. Beker, R.G. Teeter, and G. Zhang. 2011. Butyrate enhances disease resistance of chickens by inducing antimicrobial host defense peptide gene expression. PLoS ONE 6:e27225. https://doi.org/10.1371/journal.pone.0027225.

Swelum, A.A., El-Saadony, M.T., Abd El-Hack, M.E., Abo Ghanima, M.M., Shukry, M., Alhotan, R.A., Hussein, E.O.S., Suliman, G.M., Ba-Awadh, H., Ammari, A.A., Taha, A.E., and K.A. El-Tarabily. 2021. Ammonia emissions in poultry houses and microbial nitrification as a promising reduction strategy. Sci. Total Environ. 781. https://doi.org/10.1016/j.scitotenv.2021.146978

Tan, J., S. Liu, Y. Guo, T.J. Applegate, and S.D. Eicher. 2014. Dietary L-arginine supplementation attenuates lipopolysaccharide-induced inflammatory response in broiler chickens. Br. J. Nutr. 111:1394–1404. https://doi.org/10.1017/S0007114513003863.

Tenesa, M., Loh, T.C., Foo, H.L., Samsudin, A.A., Mohamad, R., and A.R. Raha. 2016. Effects of feeding different levels of low crude protein diets with different levels of amino acids supplementation on layer hen performance. Pertanika J. Trop. Agric. Sci. 39(4).

Teng, P.Y., Choi, J., Yadav, S., Tompkins, Y.H., and W.K. Kim. 2021. Effects of low-crude protein diets supplemented with arginine, glutamine, threonine, and methionine on regulating nutrient absorption, intestinal health, and growth performance of Eimeria-infected chickens. Poult. Sci. 100(11). https://doi.org/10.1016/j.psj.2021.101427

Torki, M., A. Mohebbifar, H.A. Ghasemi, and A. Zardast. 2015. Response of laying hens to feeding low-protein amino acid-supplemented diets under high ambient temperature: performance, egg quality, leukocyte profile, blood lipids, and excreta pH. Int. J. Biometeorol. 59(5):575–584. https://doi.org/10.1007/s00484-014-0870-0.

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Tunç, M.T., and İ. Koca. 2019. Ohmic heating-assisted hydrodistillation of clove essential oil. Ind. Crops Prod. 141:111763. https://doi.org/10.1016/j.indcrop.2019.111763.

USDA Foreign Agricultural Service. 2025. Oilseeds and Products Update: Indonesia. GAIN Report ID2025-0045. Jakarta, 4 December 2025.

Van Immerseel, F., F. Boyen, I. Gantois, L. Timbermont, L. Bohez, F. Pasmans, F. Haesebrouck, and R. Ducatelle. 2005. Supplementation of coated butyric acid in the feed reduces colonization and shedding of Salmonella in poultry. Poult. Sci. 84:1851–1856.

Van Immerseel, F., J. De Buck, F. Pasmans, P. Velge, E. Bottreau, V. Fievez, F. Haesebrouck, and R. Ducatelle. 2003. Invasion of *Salmonella Enteritidis* in avian intestinal epithelial cells in vitro is influenced by short-chain fatty acids. Int. J. Food Microbiol. 85:237–248.

Velazquez, O.C., H.M. Lederer, and J.L. Rombeau. 1997. Butyrate and the colonocyte: production, absorption, metabolism, and therapeutic implications. Adv. Exp. Med. Biol. 427:123–134.

Vilela, M.O., R.S. Gates, C.F. Souza, C.G.S.T. Junior, and F.C. Sousa. 2020. Nitrogen transformation stages into ammonia in broiler production: Sources, deposition, transformation, and emission to the environment. DYNA 87:221-228.

Wan, F., F.L. Deng, L. Chen, R.Q. Zhong, M.Y. Wang, B. Yi, L. Liu, H.B. Zhao, and H.F. Zhang. 2022. Long-term chemically protected sodium butyrate supplementation in broilers as an antibiotic alternative to dynamically modulate gut microbiota. Poult. Sci. 101(12):102221. https://doi.org/10.1016/j.psj.2022.102221.

Wan, J., Xu, X., Shao, J., Jiang, Q., Gu, X., Xia, A., and Li, J. 2025. Integrative unveiling of the effects of low dietary protein levels on grass carp (Ctenopharyngodon idella) fingerlings: Growth performance, antioxidant capacity, hepatic and intestinal function, and gut microbiota. Aquaculture Reports 44. https://doi.org/10.1016/j.aqrep.2025.103044

Wang, H., Liang, S., Li, X., Yang, X., Long, F., and X. Yang. 2019. Effects of encapsulated essential oils and organic acids on laying performance, egg quality, intestinal morphology, barrier function, and microflora count of hens during the early laying period. Poult. Sci. 98(12):6751-6760. https://doi.org/10.3382/ps/pez391

Wang, J., H. Yue, S. Wu, H. Zhang, and G. Qi. 2022. Nutritional modulation of health, egg quality and environmental pollution of the layers. Anim. Nutr. 3:91-96. https://doi.org/10.1016/j.aninu.2017.03.001

Wang, X.C., X.H. Wang, J. Wang, H. Wang, H.J. Zhang, S.G. Wu, and G.H. Qi. 2018. Dietary tea polyphenol supplementation improved egg production performance, albumen quality, and magnum morphology of Hy-Line Brown hens during the late laying period. J. Anim. Sci. 96(1):225-235. https://doi.org/10.1093/jas/skx007

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Wei, M.-C., J. Xiao, and Y.C. Yang. 2016. Extraction of α-humulene-enriched oil from clove using ultrasound-assisted supercritical carbon dioxide extraction and studies of its fictitious solubility. Food Chem. 210:172–181. https://doi.org/10.1016/j.foodchem.2016.04.076.

Wen, J., A. Helmbrecht, M. Elliot, J. Thomson, and M.E. Persia. 2019. Evaluation of the tryptophan requirement of small-framed first cycle laying hens. Poult. Sci. 98:1263–1271.

Windisch, W., K. Schedle, C. Plitzner, and A. Kroismayr. 2008. Use of phytogenic products as feed additives for swine and poultry. J. Anim. Sci. 86(E-Suppl.):E140–E148. https://doi.org/10.2527/jas.2007-0459.

Woyengo, T.A., K.E. Bach Knudsen, and C.F. Børsting. 2023. Low-protein diets for broilers: current knowledge and potential strategies to improve performance and health, and to reduce environmental impact. Anim. Feed Sci. Technol. 297:115574. https://doi.org/10.1016/j.anifeedsci.2023.115574.

Woyengo, T.A., K.E.B. Knudsen, and C.F. Børsting. 2023. Low-protein diets for broilers: current knowledge and potential strategies to improve performance and health, and to reduce environmental impact. Anim. Feed Sci. Technol. 297:115574.

Wu, W., Z. Xiao, W. An, Y. Dong, and B. Zhang. 2018. Dietary sodium butyrate improves intestinal development and function by modulating the microbial community in broilers. PLoS One 13(5):e0197762. https://doi.org/10.1371/journal.pone.0197762

Xiao, Y., Ai, M., Miao, J., Yan, S., Du, Y., Zhang, J., Tang, C., and K. Zhang. 2025. Effects of chili meal supplementation on productive performance, intestinal health, and liver lipid metabolism of laying hens fed low-protein diets. Poult. Sci. 104(5). https://doi.org/10.1016/j.psj.2025.105001

Xie, Z., Shen, G., Wang, Y., and C. Wu. 2019. Curcumin supplementation regulates lipid metabolism in broiler chickens. Poult. Sci. 98(1). https://doi.org/10.3382/ps/pey315

Xing, R., Du, P., Wang, Z., Fan, Z., Wang, L., Huang, Y., Chen, W., and X. Si. 2025. Porcine Bile Acids Improve Antioxidant Status and Immune Function by Increasing Hungatella Abundance with Different Protein Level Diets in Late-Laying Hens. Animals 15(4). https://doi.org/10.3390/ani15040500

Xu, F., J. Wang, E. Zhu, Y. Feng, T. Xu, X. Ru, S. Gu, and X. Liu. 2024. Research Note: Effects of the intermittent feeding of microencapsulation essential oil on laying performance, egg quality, immune response, intestinal morphology, and oxidation status of laying hens. Poult. Sci. 103(5):103600. https://doi.org/10.1016/j.psj.2024.103600.

Yadav, S., and R. Jha. 2019. Strategies to modulate the intestinal microbiota and their effects on nutrient utilization, performance and health of poultry. J. Anim. Sci. Biotechnol. 10:2.

Yan, H., and K.M. Ajuwon. 2017. Butyrate modifies intestinal barrier function in IPEC-J2 cells through a selective upregulation of *tight junction* proteins and activation of the Akt signaling pathway. PLoS One 12:e0179586. https://doi.org/10.1371/journal.pone.0179586

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Yang, T., Y. Sun, Z. Dai, J. Liu, S. Xiao, Y. Liu, X. Wang, S. Yang, R. Zhang, C. Yang, and B. Dai. 2023. Microencapsulated sodium butyrate alleviates immune injury and intestinal problems caused by *Clostridium perfringens* through gut microbiota. Animals 13(24):3784. https://doi.org/10.3390/ani13243784.

Yang, Z., and S.F. Liao. 2019. Physiological effects of dietary amino acids on gut health and functions of swine. Front. Vet. Sci. 6(JUN). https://doi.org/10.3389/fvets.2019.00169

Zaefarian, F., M.R. Abdollahi, A. Cowieson, and V. Ravindran. 2019. Avian liver: the forgotten organ. Animals 9(2):63. https://doi.org/10.3390/ani9020063.

Zambonelli, A., A. Zechini D'Aulerio, A. Severi, S. Benvenuti, L. Maggi, and A. Bianchi. 2004. Chemical composition and fungicidal activity of commercial essential oils of *Thymus vulgaris L.* J. Essent. Oil Res. 16:69–74. https://doi.org/10.1080/10412905.2004.9698653.

Zeng, T., Sun, H., Huang, M., Guo, R., Gu, T., Cao, Y., Li, C., Tian, Y., Chen, L., Li, G., and L. Lu. 2023. Dietary supplementation of coated sodium butyrate improves growth performance of laying ducks by regulating intestinal health and immunological performance. Front. Immunol. 14. https://doi.org/10.3389/fimmu.2023.1142915

Zeng, Z., Zhang, S., Wang, H., and X. Piao. 2015. Essential oil and aromatic plants as feed additives in non-ruminant nutrition: A review. J. Anim. Sci. Biotechnol. 6(1). https://doi.org/10.1186/s40104-015-0004-5

Zhang, H., Xuan, Y., Guo, D., Zeng, Q., Bai, S., Liu, Y., Ding, X., Zhang, K., and J. Wang. 2025. Effects of dietary low protein levels and amino acid patterns on production performance, egg quality and intestinal function in laying hens. Poult. Sci. 104(10). https://doi.org/10.1016/j.psj.2025.105578

Zhang, L., Wang, X., Huang, S., Huang, Y., Shi, H., and X. Bai. 2023. Effects of dietary essential oil supplementation on growth performance, carcass yield, meat quality, and intestinal tight junctions of broilers with or without Eimeria challenge. Poult. Sci. 102(9). https://doi.org/10.1016/j.psj.2023.102874

Zhang, Q., Zhang, K., Bai, S., Wang, J., Zeng, Q., Peng, H., Xuan, Y., Zhang, B., and X. Ding. 2022. Effects of Coated Sodium Butyrate on Performance and Intestinal Health of Laying Hens. Chinese Journal of Animal Nutrition 34(10). https://doi.org/10.3969/j.issn.1006-267x.2022.10.0045

Zhang, W.H., F. Gao, Q.F. Zhu, C. Li, Y. Jiang, S.F. Dai, and G.H. Zhou. 2011. Dietary sodium butyrate alleviates the oxidative stress induced by corticosterone exposure and improves meat quality in broiler chickens. Poult. Sci. 90(11):2592-2599. https://doi.org/10.3382/ps.2011-01446.

Zhao, H., B. Bai, X. Sun, Y. Zhang, X. Su, Y. Li, and X. Cao. 2022. Chemically protected sodium butyrate improves growth performance and early development and function of small intestinal mucosa in broiler chickens as one effective substitute for antibiotics. Antibiotics 11(2):132. https://doi.org/10.3390/antibiotics11020132

Zhou, J.M., K. Qiu, J. Wang, H.J. Zhang, G.H. Qi, and S.G. Wu. 2021. Effect of dietary serine supplementation on performance, egg quality, serum indices,

UNIVERSITAS
GADJAH MADA
**Optimasi Pakan Rendah Protein dengan Penambahan Essentials Oils dan Sodium Butirat untuk Mempertahankan Produktivitas dan Integritas Usus Ayam Petelur**
Irvan, Dr. Ir. Muhsin Al Anas, S.Pt., IPM, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

and ileal mucosal immunity in laying hens fed a low crude protein diet. Poult. Sci. 100:101465.

Zhou, M., Y. Luo, J. Qiu, and H. Wang. 2025. Effects of dietary supplementation with butyrate glycerides on lipid metabolism, intestinal morphology, and microbiota population in laying hens. Poult. Sci. 104(2):104755. https://doi.org/10.1016/j.psj.2024.104755.

Zorov, D.B., M. Juhaszova, and S.J. Sollott. 2014. Mitochondrial reactive oxygen species (ROS) and ROS-induced ROS release. Physiol. Rev. 94:909-950.

Zou, X., J. Ji, H. Qu, J. Wang, D.M. Shu, Y. Wang, T.F. Liu, Y. Li, and C.L. Luo. 2019. Effects of sodium butyrate on intestinal health and gut microbiota composition during intestinal inflammation progression in broilers. Poult. Sci. 98:4449–4456. https://doi.org/10.3382/ps/pez279.