

REFERENCES

- Al-Makki, A., DiPette, D., Whelton, P. K., Murad, M. H., Mustafa, R. A., Acharya, S., Beheiry, H. M., Champagne, B., Connell, K., Cooney, M. T., Ezeigwe, N., Gaziano, T. A., Gidio, A., Lopez-Jaramillo, P., Khan, U. I., Kumarapeli, V., Moran, A. E., Silwimba, M. M., Rayner, B., . . . Khan, T. (2021). Hypertension Pharmacological Treatment in Adults: A World Health Organization Guideline Executive Summary. *Hypertension*, 79(1), 293–301. <https://doi.org/10.1161/hypertensionaha.121.18192>
- Alkandahri Y.M., Shafirany Z.M., Rusdin A., Agustina S.L., Pangaribuan F., Fitrianti F., Farhamzah, Kusumawati H.A., Sugiharta S., Arfania M., Mardiana A.L. (2021). Amomum compactum: A REVIEW OF PHARMACOLOGICAL STUDIES. *Plant Cell Biotechnology and Molecular Biology*, 33–34(22), 61–69.
- Alves-Bezerra, M., & Cohen, D. E. (2017). Triglyceride metabolism in the liver. *Comprehensive Physiology*, 8(1), 1–22. <https://doi.org/10.1002/cphy.c170012>
- Ames RP. (1986) The effects of antihypertensive drugs on serum lipids and lipoproteins. II. Non-diuretic drugs. *Drugs*. 32(4):335-57. doi: 10.2165/00003495-198632040-00003. PMID: 2877846.
- Batiha, G. E., Beshbishy, A. M., Wasef, L. G., Elewa, Y. H. A., Al-Sagan, A. A., El-Hack, M. E. A., Taha, A. E., Abd-Elhakim, Y. M., & Devkota, H. P. (2020). Chemical Constituents and Pharmacological Activities of Garlic (*Allium sativum* L.): A Review. *Nutrients*, 12(3), 872. <https://doi.org/10.3390/nu12030872>
- Bulqiah, A., Suprapti, B., Ardiana, S. M., Alsagaff, M. Y., & Suharjono, N. (2023). Penggunaan obat pada pasien hipertensi rawat jalan. *Window of Health Jurnal Kesehatan*, 119–130. <https://doi.org/10.33096/woh.vi.66>
- Barter, P. J., Nicholls, S., Rye, K., Anantharamaiah, G., Navab, M., & Fogelman, A. M. (2004). Antiinflammatory properties of HDL. *Circulation Research*, 95(8), 764–772. <https://doi.org/10.1161/01.res.0000146094.59640.13>
- Berg, J. M., Tymoczko, J. L., Gatto, G. J., Jr., & Stryer, L. (2019). *Biochemistry* (9th ed.). W. H. Freeman.
- Bonetti, P. O., Lerman, L. O., & Lerman, A. (2003). Endothelial dysfunction. *Arteriosclerosis Thrombosis and Vascular Biology*, 23(2), 168–175. <https://doi.org/10.1161/01.atv.0000051384.43104.fc>
- Chruściel, P., Stemplewska, P., Stemplewski, A., Wattad, M., Bielecka-Dąbrowa, A., Maciejewski, M., Penson, P., Bartłomiejczyk, M. A., & Banach, M. (2019). Associations between the lipid profile and

- the development of hypertension in young individuals – the preliminary study. *Archives of Medical Science*. <https://doi.org/10.5114/aoms.2019.86197>
- Chait, A., Brazg, R. L., Tribble, D. L., & Krauss, R. M. (1993). Susceptibility of small, dense, low-density lipoproteins to oxidative modification in subjects with the atherogenic lipoprotein phenotype, pattern B. *The American Journal of Medicine*, 94(4), 350–356. [https://doi.org/10.1016/0002-9343\(93\)90144-e](https://doi.org/10.1016/0002-9343(93)90144-e)
- Choi, H., Lee, Y., Park, S., Park, J., Park, K. H., Baek, K., Kim, J., Jung, H., Kim, J., & Jun, W. (2026). Terminalia bellirica Extract Attenuates Fat Accumulation Through Modulation of Obesity-Related Dysmetabolism in 3T3-L1 Adipocytes and High-Fat Diet-Induced Obese Mice. *International Journal of Molecular Sciences*, 27(4), 2014. <https://doi.org/10.3390/ijms27042014>
- Cerqueira, N. M. F. S. A., Oliveira, E. F., Gesto, D. S., Santos-Martins, D., Moreira, C., Moorthy, H. N., Ramos, M. J., & Fernandes, P. A. (2020). Cholesterol review: A metabolically important molecule. *Endocrine Practice*, 26(12), 1514–1523. <https://doi.org/10.4158/EP-2020-0347>
- Das, G., Kim, D., Fan, C., Gutiérrez-Grijalva, E. P., Heredia, J. B., Nissapatorn, V., Mitsuwan, W., Pereira, M. L., Nawaz, M., Siyadatpanah, A., Norouzi, R., Sawicka, B., Shin, H., & Patra, J. K. (2020). Plants of the genus Terminalia: An insight on its biological potentials, Pre-Clinical and Clinical studies. *Frontiers in Pharmacology*, 11. <https://doi.org/10.3389/fphar.2020.561248>
- De Kreutzenberg, S. V., Puato, M., Kiwanuka, E., Del Prato, S., Pauletto, P., Pasini, L., Tiengo, A., & Avogaro, A. (2003). Elevated non-esterified fatty acids impair nitric oxide independent vasodilation, in humans: evidence for a role of inwardly rectifying potassium channels. *Atherosclerosis*, 169(1), 147–153. [https://doi.org/10.1016/s0021-9150\(03\)00153-9](https://doi.org/10.1016/s0021-9150(03)00153-9)
- Dinata, D. I., Maharani, R., Muttaqin, F. Z., & Supratman, U. (2024). Phytochemistry and Biological Activities of *Amomum* Species. *Indonesian Journal of Chemistry*, 24(6), 1883. <https://doi.org/10.22146/ijc.95402>
- Feryadi, R., Sulastri, D., & Kadri, H. (2014). Hubungan Kadar Profil Lipid dengan Kejadian Hipertensi pada Masyarakat Etnik Minangkabau di Kota Padang Tahun 2012. *Jurnal Kesehatan Andalas*, 3(2). <https://doi.org/10.25077/jka.v3i2.89>
- Febriyansi, I. L. R., Carolin, B. T., & Silawati, V. (2023). The Effect of Consuming Garlic (*Allium sativum* L) on Cholesterol Levels of Young Girls. *Nursing and Health Sciences Journal (NHSJ)*, 3(4), 426–429. <https://doi.org/10.53713/nhsj.v3i4.292>
- Fan, C., Dong, Y., Xie, Y., Su, Y., Zhang, X., Leavesley, D., & Upton, Z. (2015). Shikonin reduces TGF- β 1-induced collagen production and contraction in hypertrophic scar- derived human skin

- fibroblasts. *International Journal of Molecular Medicine*, 36(4), 985–991. <https://doi.org/10.3892/ijmm.2015.2299>
- Fayed, R. H., Ali, S. E., Yassin, A. M., Madian, K., & Bawish, B. M. (2024). Terminalia bellirica and Andrographis paniculata dietary supplementation in mitigating heat stress-induced behavioral, metabolic and genetic alterations in broiler chickens. *BMC Veterinary Research*, 20(1). <https://doi.org/10.1186/s12917-024-04233-2>
- Fox, J., & Weisberg, S. (2019). An R companion to applied regression (3rd ed.). SAGE Publications. <https://www.john-fox.ca/Companion/index.html>
- Gupta, A., Kumar, R., Bhattacharyya, P., Bishayee, A., & Pandey, A. K. (2020). Terminalia bellirica (Gaertn.) roxb. (Bahera) in health and disease: A systematic and comprehensive review. *Phytomedicine*, 77, 153278. <https://doi.org/10.1016/j.phymed.2020.153278>
- Grundy, S. M., Stone, N. J., Bailey, A. L., Beam, C., Birtcher, K. K., Blumenthal, R. S., Braun, L. T., de Ferranti, S., Forman, D. E., Goldberg, R., Heidenreich, P. A., Hlatky, M. A., Jones, D. W., Lloyd-Jones, D., Lopez-Pajares, N., Ndumele, C. E., Orringer, C. E., Peralta, C. A., ... Yeboah, J. (2019). 2018 AHA/ACC guideline on the management of blood cholesterol: Executive summary. *Journal of the American College of Cardiology*, 73(24), 3168–3209. <https://doi.org/10.1016/j.jacc.2018.11.002>
- Goto, K., Ohtsubo, T., & Kitazono, T. (2018). Endothelium-Dependent hyperpolarization (EDH) in hypertension: The role of endothelial ion channels. *International Journal of Molecular Sciences*, 19(1), 315. <https://doi.org/10.3390/ijms19010315>
- Goto, K., Kansui, Y., Oniki, H., Ohtsubo, T., Matsumura, K., & Kitazono, T. (2012). Upregulation of endothelium-derived hyperpolarizing factor compensates for the loss of nitric oxide in mesenteric arteries of dahl salt-sensitive hypertensive rats. *Hypertension Research*, 35(8), 849–854. <https://doi.org/10.1038/hr.2012.36>
- Hermanto, F., Choirunissa, A., Sutarna, T. H., Amelia, R., & Rizwan, A. (2024). Evaluation of the rationality of hypertension medication use in Puskesmas Central Cimahi. *Jurnal Penelitian Pendidikan IPA*, 10(9), 6977–6983. <https://doi.org/10.29303/jppipa.v10i9.8673>
- Heydarpour, F. (2006). *The effect of garlic odor on appetite center*. ECE2006 | 8th European Congress of Endocrinology Incorporating the British Endocrine Societies | Endocrine Abstracts. <https://www.endocrine-abstracts.org/ea/0011/ea0011p588>
- Hestianah P.E., Kusumawati I., Suwanti T.L., Subekti S. (2014). Toxic compounds of curcuma aeruginosa causes necrosis of mice hepatocytes. *UNIVERSA MEDICINA*, 33(2), 118–125.
- Hevonoja T, Pentikäinen MO, Hyvönen MT, Kovanen PT, Ala-Korpela M. (2000) Structure of low density lipoprotein (LDL) particles: basis for understanding molecular changes in modified LDL.

- Biochim Biophys Acta. 15;1488(3):189-210
- Hirano, T., Oi, K., Sakai, S., Kashiwazaki, K., Adachi, M., & Yoshino, G. (1998). High prevalence of small dense LDL in diabetic nephropathy is not directly associated with kidney damage: a possible role of postprandial lipemia. *Atherosclerosis*, 141(1), 77–85. [https://doi.org/10.1016/s0021-9150\(98\)00150-6](https://doi.org/10.1016/s0021-9150(98)00150-6)
- Higashi, Y. (2023). Endothelial function in dyslipidemia: roles of LDL-Cholesterol, HDL-Cholesterol and triglycerides. *Cells*, 12(9), 1293. <https://doi.org/10.3390/cells12091293>
- Jantan, I., Saputri, F. C., Qaisar, M. N., & Buang, F. (2012). Correlation between Chemical Composition of *Curcuma domestica* and *Curcuma xanthorrhiza* and Their Antioxidant Effect on Human Low-Density Lipoprotein Oxidation. *Evidence-based Complementary and Alternative Medicine*, 2012, 1–10. <https://doi.org/10.1155/2012/438356>
- Johnston, M. P. (2017). Secondary data analysis: A method of which the time has come. *Qualitative and Quantitative Methods in Libraries*, 3(3), 619-626.
- Kamyab, R., Namdar, H., Torbati, M., Ghojzadeh, M., Araj-Khodaei, M., & Fazljou, S. M. B. (2020). Medicinal plants in the Treatment of Hypertension: A review. *Advanced Pharmaceutical Bulletin*, 11(4), 601–617. <https://doi.org/10.34172/apb.2021.090>
- Kanta Rath, S., Mishra, S., Kumar Mishra, A., Kumar, S., & Anita Sureshrao, G. (2024). *Terminalia bellirica* (Gaertn.) Roxb. (Combretaceae): a medicinal tree of India. *Medicinal Combretaceae of India*, 1, 36–45. <https://doi.org/10.5281/zenodo.13334960>
- Kassambara, A. (2025). rstatix: Pipe-Friendly Framework for Basic Statistical Tests. R package version 0.7.3. <https://CRAN.R-project.org/package=rstatix>
- Kontush, A., & Chapman, M. J. (2010). Antiatherogenic function of HDL particle subpopulations: focus on antioxidative activities. *Current Opinion in Lipidology*, 21(4), 312–318. <https://doi.org/10.1097/mol.0b013e32833bcd1>
- Kumari, S., Krishna J, M., B Joshi, A., Gurav, S., V Bhandarkar, A., Agarwal, A., M, D., & GM, G. (2017). A Pharmacognostic, phytochemical and Pharmacological review of *Terminalia Bellerica*. *Journal of Pharmacognosy and Phytochemistry*, 6(5), 368–376.
- Langsrud, Ø. (2021). Factorial ANOVA with unbalanced data: A fresh look at the types of sums of squares. *Journal of Data Science*, 12(3), 385-404.
- Linton MRF, Yancey PG, Davies SS, et al. The Role of Lipids and Lipoproteins in Atherosclerosis. (2019). In: Feingold KR, Anawalt

- B, Blackman MR, et al., editors. Endotext [Internet]. South Dartmouth (MA): MDText.com, Inc.; 2000-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK343489/>
- Li, N., Fu, J., Koonen, D. P., Kuivenhoven, J. A., Snieder, H., & Hofker, M. H. (2014). Are hypertriglyceridemia and low HDL causal factors in the development of insulin resistance? *Atherosclerosis*, 233(1), 130–138. <https://doi.org/10.1016/j.atherosclerosis.2013.12.013>
- Libby, P., Buring, J. E., Badimon, L., Hansson, G. K., Deanfield, J., Bittencourt, M. S., Tokgözoğlu, L., & Lewis, E. F. (2019). Atherosclerosis. *Nature Reviews Disease Primers*, 5(1), Article 56. <https://doi.org/10.1038/s41572-019-0106-z>
- Luo, J., Yang, H., & Song, B.-L. (2020). Mechanisms and regulation of cholesterol homeostasis. *Nature Reviews Molecular Cell Biology*, 21(4), 225–245. <https://doi.org/10.1038/s41580-019-0190-7>
- Liu, Y., Roy, S. S., Nebie, R. H. C., Zhang, Y., & Nair, M. G. (2013). Functional Food Quality of *Curcuma caesia*, *Curcuma zedoaria* and *Curcuma aeruginosa* Endemic to Northeastern India. *Plant Foods for Human Nutrition*, 68(1), 72–77. <https://doi.org/10.1007/s11130-013-0333-5>
- Lee, J., Lee, M., Shin, I., Seo, C., Ha, H., & Shin, H. K. (2012). Anti-inflammatory Effects of *Amomum compactum* on RAW 264.7 cells via induction of heme oxygenase-1. *Archives of Pharmacal Research*, 35(4), 739–746. <https://doi.org/10.1007/s12272-012-0419-x>
- Makihara, H., Shimada, T., Machida, E., Oota, M., Nagamine, R., Tsubata, M., Kinoshita, K., Takahashi, K., & Aburada, M. (2011). Preventive effect of *Terminalia bellirica* on obesity and metabolic disorders in spontaneously obese type 2 diabetic model mice. *Journal of Natural Medicines*, 66(3), 459–467. <https://doi.org/10.1007/s11418-011-0606-y>
- Management-Screening, Diagnosis and Treatment (MND). (2013). *A global brief on hypertension: silent killer, global public health crisis: World Health Day 2013*. <https://www.who.int/publications/i/item/a-global-brief-on-hypertension-silent-killer-global-public-health-crisis-world-health-day-2013>
- McNamara, J. R., Jenner, J. L., Li, Z., Wilson, P. W., & Schaefer, E. J. (1992). Change in LDL particle size is associated with change in plasma triglyceride concentration. *Arteriosclerosis and Thrombosis a Journal of Vascular Biology*, 12(11), 1284–1290. <https://doi.org/10.1161/01.atv.12.11.1284>
- Li, M., Yun, W., Wang, G., Li, A., Gao, J., & He, Q. (2022). Roles and mechanisms of garlic and its extracts on atherosclerosis: A review. *Frontiers in Pharmacology*, 13, 954938. <https://doi.org/10.3389/fphar.2022.954938>

- Mineo, C., Deguchi, H., Griffin, J. H., & Shaul, P. W. (2006). Endothelial and antithrombotic actions of HDL. *Circulation Research*, 98(11), 1352–1364. <https://doi.org/10.1161/01.res.0000225982.01988.93>
- Muntzel, M. S., Anderson, E. A., Johnson, A. K., & Mark, A. L. (1995). Mechanisms of insulin action on sympathetic nerve activity. *Clinical and Experimental Hypertension*, 17(1–2), 39–50. <https://doi.org/10.3109/10641969509087053>
- Mv, S., & Lekha, D. (2023). Curcumin in diet modulates fatty acid levels and mRNA expression of appetite-regulating neuropeptides in brain and enhances growth via the GH-GHR-IGF axis in tilapia, *Oreochromis mossambicus*. *Journal of Fish Biology*, 103(1), 22–31. <https://doi.org/10.1111/jfb.15390>
- Nampoothiri, S. V., Prathapan, A., Cherian, O. L., Raghu, K., Venugopalan, V., & Sundaresan, A. (2010). In vitro antioxidant and inhibitory potential of Terminalia bellerica and Emblica officinalis fruits against LDL oxidation and key enzymes linked to type 2 diabetes. *Food and Chemical Toxicology*, 49(1), 125–131. <https://doi.org/10.1016/j.fct.2010.10.006>
- Nguyen, N. P. K., Tran, K. N., Nguyen, L. T. H., Shin, H. M., & Yang, I. J. (2023). Effects of Essential Oils and Fragrant Compounds on Appetite: A Systematic Review. In *International Journal of Molecular Sciences* (Vol. 24, Issue 9). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/ijms24097962>
- Nelson, D. L., & Cox, M. M. (2021). *Lehninger principles of biochemistry* (8th ed.). W. H. Freeman.
- Pappan N, Awosika AO, Rehman A. Dyslipidemia. (2024). In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2025 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK560891/>
- Park, J., Ahn, E., Hwang, M. H., Park, Y. J., Cho, Y., Ko, H., Jeong, W., Yang, S. H., Seo, D., & Oh, J. S. (2021). Improvement of Obesity and Dyslipidemic Activity of Amomum tsao-ko in C57BL/6 Mice Fed a High-Carbohydrate Diet. *Molecules*, 26(6), 1638. <https://doi.org/10.3390/molecules26061638>
- Page, M. J., McKenzie, J. E., Bossuyt, P. M., Boutron, I., Hoffmann, T. C., Mulrow, C. D., ... & Moher, D. (2021). The PRISMA 2020 statement: An updated guideline for reporting systematic reviews. *BMJ*, 372, n71. <https://doi.org/10.1136/bmj.n71>
- Panahi, Y., Ahmadi, Y., Teymouri, M., Johnston, T. P., & Sahebkar, A. (2016). Curcumin as a potential candidate for treating hyperlipidemia: A review of cellular and metabolic mechanisms. *Journal of Cellular Physiology*, 233(1), 141–152. <https://doi.org/10.1002/jcp.25756>
- Pourjabali, M., Mohammadrezaei-Khorramabadi, R., Abbaszadeh, S., Naghdi, N., Naji- Haddadi, S., & Bahmani, F. (2017). Medicinal Plants Used For Hypertension

- Posit team (2025). RStudio: Integrated Development Environment for R. Posit Software, PBC, Boston, MA. URL <http://www.posit.co/>.
- Permata Sari, A., & Supratman, U. (2020). Mini-Review:Phytochemistry and biological activities of curcuma aeruginosa (RoxB.). *Indones. J. Chem*, 22, 576–598. <https://doi.org/10.22146/ijc.70101>
- Pratiwi, W. R., Sholikhah, E. N., Nugrahaningsih, D. a. A., Yuniyanti, M. M., Mustofa, M., & Purwono, S. (2020). Effects of polyherbal tablet for hypertensive patients. *Majalah Obat Tradisional*, 25(3). <https://doi.org/10.22146/mot.62363>
- Pratiwi, W. R., Sholikhah, E. N., Nugrahaningsih, D. a. A., Yuniyanti, M. M., Mustofa, M., & Ngatidjan, N. (2019). Effects of poly-herbal tablet as herbal medicine on lipid level. *Majalah Obat Tradisional*, 24(1), 47. <https://doi.org/10.22146/mot.43108>
- P Segrest, J., K Jones, M., De Loof, H., & Dashti, N. (2000). Structure of apolipoprotein B- 100 in low density lipoproteins. *Journal of Lipid Research*, 42, 1346–1367.
- Rafsanjani, M. S., Asriati, A., Kholidha, A. N., & Alifariki, L. O. (2019). Hubungan kadar high density lipoprotein (HDL) dengan kejadian hipertensi. *Jurnal Profesi Medika Jurnal Kedokteran Dan Kesehatan*, 13(2). <https://doi.org/10.33533/jpm.v13i2.1274>
- Rastogi, S., Pandey, M. M., & Rawat, A. (2015). Traditional herbs: a remedy for cardiovascular disorders. *Phytomedicine*, 23(11), 1082–1089. <https://doi.org/10.1016/j.phymed.2015.10.012>
- R Core Team (2024). R: A Language and Environment for Statistical Computing. R Foundation for Statistical Computing, Vienna, Austria. <https://www.R-project.org/>
- Rokom. (2023). *Hipertensi Disebut sebagai Silent Killer, Menkes Budi Imbau Rutin Cek Tekanan Darah*. Sehat Negeriku. <https://sehatnegeriku.kemkes.go.id/baca/rilis-media/20230607/0843182/hipertensi-disebut-sebagai-silent-killer-menkes-budi-imbau-rutin-cek-tekanan-darah/>
- Ried, K., & Fakler, P. (2014). Potential of garlic (*Allium sativum*) in lowering high blood pressure: mechanisms of action and clinical relevance. *Integrated Blood Pressure Control*, 7, 71. <https://doi.org/10.2147/ibpc.s51434>
- Ried, K., Toben, C., & Fakler, P. (2013). Effect of garlic on serum lipids: an updated meta-analysis. *Nutrition Reviews*, 71(5), 282–299. <https://doi.org/10.1111/nure.12012>
- Sugiyono. (2020). *Metode Penelitian Kuantitatif, Kualitatif, Dan R&D*. Alfabeta.
- Sugano, M., Tsuchida, K., & Makino, N. (2000). High-Density Lipoproteins Protect Endothelial Cells from Tumor Necrosis Factor- α -Induced Apoptosis. *Biochemical and Biophysical Research Communications*, 272(3), 872–876. <https://doi.org/10.1006/bbrc.2000.2877>
- Skrzypkowska, M. W., Ryba-Stanisławowska, M. E., Słomiński, B.,

- Gutknecht, P. G., Siebert, J., & Myśliwska, J. M. (2017). Association of circulating progenitor cells with angiotensin II in newly diagnosed hypertensive patients. *Journal of Human Hypertension*, 32(1), 46–53. <https://doi.org/10.1038/s41371-017-0020-3>
- Shaila, H., Udupa, A., & Udupa, S. (1995). Preventive actions of Terminalia belerica in experimentally induced atherosclerosis. *International Journal of Cardiology*, 49(2), 101–106. [https://doi.org/10.1016/0167-5273\(95\)02285-5](https://doi.org/10.1016/0167-5273(95)02285-5)
- Sun, Y., Wang, W., & Qin, J. (2018). Anti-hyperlipidemia of garlic by reducing the level of total cholesterol and low-density lipoprotein. *Medicine*, 97(18), e0255. <https://doi.org/10.1097/md.00000000000010255>
- Suo, S., Lai, Y., Li, M., Song, Q., Cai, J., Zhao, J., Yang, Q., Ung, C. O. L., & Hu, H. (2018). Phytochemicals, pharmacology, clinical application, patents, and products of Amomi fructus. *Food and Chemical Toxicology*, 119, 31–36. <https://doi.org/10.1016/j.fct.2018.05.051>
- Tailleux A, Fruchart JC. HDL heterogeneity and atherosclerosis. *Crit Rev Clin Lab Sci*. 1996;33(3):163–201.<http://dx.doi.org/10.3109/10408369609083060>
- Toth, P. P. (2003). Reverse cholesterol transport: High-density lipoprotein's magnificent mile. *Current Atherosclerosis Reports*, 5(5), 386–393. <https://doi.org/10.1007/s11883-003-0010-5>
- Thomson, M., Al-Qattan, K. K., Bordia, T., & Ali, M. (2006). Including garlic in the diet may help lower blood glucose, cholesterol, and triglycerides. *Journal of Nutrition*, 136(3), 800S-802S. <https://doi.org/10.1093/jn/136.3.800s>
- Van Oort, S., Beulens, J. W., Van Ballegooijen, A. J., Grobbee, D. E., & Larsson, S. C. (2020). Association of cardiovascular risk factors and lifestyle behaviors with hypertension. *Hypertension*, 76(6), 1971–1979. <https://doi.org/10.1161/hypertensionaha.120.15761>
- Van Oort, S., W.J Beulens, J., J. van Ballegooijen, A., E. Grobbee, D., & C. Larsson, S. (2020). Association of cardiovascular risk factors and lifestyle behaviors with hypertension a Mendelian randomization study. *American Heart Association*, 76(6), 1971–1979. <https://doi.org/10.1161/HYPERTENSIONAHA.120.15761>
- Varshney, R., & Budoff, M. J. (2016). Garlic and heart disease. *Journal of Nutrition*, 146(2), 416S-421S. <https://doi.org/10.3945/jn.114.202333>
- Wickham, H. (2016). *ggplot2: Elegant Graphics for Data Analysis*. Springer-Verlag New York, 2016.
- Winer N, Weber MA, Sowers JR. The effect of antihypertensive drugs on vascular compliance. *Curr Hypertens Rep*. (2001) 3(4):297-304. doi: 10.1007/s11906-001-0092-9. PMID: 11470012.

Yvan-Charvet, L., Pagler, T., Gautier, E. L., Avagyan, S., Siry, R. L., Han, S., Welch, C. L., Wang, N., Randolph, G. J., Snoeck, H. W., & Tall, A. R. (2010). ATP-Binding cassette transporters and HDL suppress hematopoietic stem cell proliferation. *Science*, 328(5986), 1689–1693. <https://doi.org/10.1126/science.11897>

