

DAFTAR PUSTAKA

- ADB. (2020). *Nature-Based Solutions for Flood Risk Management Revitalizing Philippine Rivers to Boost Climate Resilience and Enhance Environmental Sustainability Availability of Guidelines* (pp. 1–13). ADB. <https://www.adb.org/sites/default/files/publication/774721/revitalizing-philippine-rivers-climate-resilience.pdf>
- Aldrees, A., Dan, S., & Abba, S. I. (2025). Optimization of detention ponds for urban stormwater runoff and pollution control in multiple catchments system with analytical probabilistic models and particle swarm. *Water Science & Technology*, 91(5), 592–608. <https://doi.org/10.2166/wst.2025.024>
- BMKG. (2026). *Proyeksi Perubahan Curah Hujan*. https://www.bmkg.go.id/iklim/proyeksi-perubahan-curah-hujan?utm_source=chatgpt.com
- Bregje van Wesenbeeck, Schasfoort, F., & Castillo, G. (2020). *Nature-base Solutions in Philippine river basins*.
- Brunner, G. W., & Goodell, C. R. (2024). *HEC-RAS Hydraulic Reference Manual* (Version 6., Issue September). U.S. Army Corps of Engineers.
- Chow, V. T. (1959). *Open Channel Hydraulics*. McGraw-Hill.
- Cohen-Shacham, E., Walters, G., Janzen, C., & Maginnis, S. (2016). *Nature-based Solutions to address global societal challenges* (Jennifer Rietbergen-McCracken (ed.)). IUCN. <https://doi.org/http://dx.doi.org/10.2305/IUCN.CH.2016.13.en> Cover
- Dahlia, S., Suprayogi, S., Hery, T., Dyah, P., & Hizbaron, R. (2025). Integrated rainfall-runoff, HEC-RAS 2D, and Lidar DEM model for flood simulation in urban ungauged catchment area: case study of Cipinang catchment, Jakarta City, Indonesia. *Modeling Earth Systems and Environment*, 11(5), 1–18. <https://doi.org/10.1007/s40808-025-02483-z>
- Direktorat Jenderal Sumber Daya Air. (2017). *Petunjuk Teknis Perhitungan Debit Banjir pada Bendungan*.
- Duncan, J., Dash, J., & Tompkins, E. (2014). Mangrove forests enhance rice cropland resilience to tropical cyclones: evidence from the Bhitarkanika Conservation Area. In R. Murti & C. Buyck (Eds.), *Safe Havens: Protected Areas for Disaster Risk Reduction and Climate Change Adaptation* (p. 49). IUCN.
- Enu, K. B., Merk, F., Su, H., Rauch, M., Zingraff-hamed, A., Pauleit, S., Disse, M., Broich, K., & Kristian, F. (2025). A scenario-based analysis of wetlands as nature-based solutions for flood risk mitigation using the TELEMAC-2D model. *Nature-Based Solutions*, 7(May). <https://doi.org/https://doi.org/10.1016/j.nbsj.2025.100236>
- Faradiba. (2021). Analysis of Intensity, Duration, and Frequency Rain Daily of Java Island Using Mononobe Method. *Journal of Physics: Conference Series*. <https://doi.org/10.1088/1742-6596/1783/1/012107>
- Farid, M., Pratama, M. I., & Kuntoro, A. A. (2022). Flood Prediction due to Land Cover Change in the Ciliwung River Basin. *International Journal of Technology*, 13(January), 356–366. <https://doi.org/10.14716/ijtech.v13i2.4662>
- García, C. L. C., Domínguez, Y. A., González, V. M. C., Jorge Jimenez, & González-rodríguez, L. (2025). Design and assessment of sustainable retention ponds for flood



- reduction in an urban drainage system in Cuba. *Journal of Hydrology and Hydromechanics*, 73(3), 273–283. <https://doi.org/https://doi.org/10.2478/johh-2025-0021>
- Harmel, R. D., Smith, P. K., & Migliaccio, K. W. (2010). Modifying Goodness of Fit Indicators to Incorporate Both Measurement and Model Uncertainty in Model Calibration and Validation. *ASABE*, 53(1), 55–63.
- Hartig, T., Mitchell, R., Vries, S. De, & Frumkin, H. (2014). Nature and Health. *Annual Review of Public Health*, 25(28), 207. <https://doi.org/10.1146/annurev-publhealth-032013-182443>
- Hoxha, X., Alobaidy, Z. S. A., & Leal, J. D. M. (2024). *Nature-based Solutions Booklet - Secondary and tertiary cities in Southeast Asia (SEA)*.
- IUCN. (2012). *The IUCN Programme 2013–2016*. International Union for the Conservation of Nature.
- Jamaludin, F. (2026). Normalisasi Kali Ciliwung Tekan Risiko Banjir Jakarta 40 Persen. *Merdeka.Com*. <https://www.merdeka.com/peristiwa/normalisasi-kali-ciliwung-tekan-risiko-banjir-jakarta-40-persen-527901-mvk.html>
- JICA. (2006). *The Comprehensive Study on Water Resources Development and Management in Bali Province*. https://openjicareport.jica.go.jp/pdf/11842390_10.pdf
- Kementerian Pekerjaan Umum. (2025). *Normalisasi Sungai Ciliwung Dilanjutkan, Menteri PU Targetkan Selesai 2026*. Sahabat PU. <https://sahabat.pu.go.id/eppid/berita/detail/normalisasi-sungai-ciliwung-dilanjutkan-menteri-pu-targetkan-selesai-2026?>
- Kershner, J., & Gregg, R. M. (2016). *Napa River Flood Control Channel Design: Obstacles and Successes* (Issue November). <http://cakex.org/case-studies/napa-river-watershed-flood-protection-and-enhancement-project>
- Khrisrachmansyah, R., Brindley, P., Dempsey, N., & Wild, T. (2025). Tracking Land-Use and Land-Cover Change Through Fragmentation Dynamics in the Ciliwung River Watershed , Indonesia : A Remote-Sensing and GIS Approach. *Land*, 1–29. <https://doi.org/doi.org/10.3390/land14112127>
- Krause, P., Boyle, D. P., & Base, F. (2005). Comparison of Different Efficiency Criteria for Hydrological Model Assessment. *Advances in Geosciences*, 89–97.
- Krisnayanti, D. S., Bunganaen, W., Frans, J. H., Seran, Y. A., & Legono, D. (2021). Curve Number Estimation for Ungauged Watershed in Semi- Arid Region. *Civil Engineering Journal*, 7(06), 1070–1083. <https://doi.org/http://dx.doi.org/10.28991/cej-2021-03091711>
- Lin, E., Shaad, K., & Girot, C. (2016). Developing river rehabilitation scenarios by integrating landscape and hydrodynamic modeling for the Ciliwung River in Jakarta, Indonesia. *Sustainable Cities and Society*, 20, 180–198. <https://doi.org/10.1016/j.scs.2015.09.011>
- Martaon, A. T. (2026). Luapan Kali Ciliwung Rendam 38 RT di Jaktim hingga 3 Meter. *Metrotvnews*. <https://www.metrotvnews.com/read/kj2CDG8q-luapan-kali-ciliwung-rendam-38-rt-di-jaktim-hingga-3-meter>
- Moriassi, D. N., Gitau, M. W., Pai, N., & Daggupati, P. (2015). Hydrologic and Water Quality Models: Performance Measures and Evaluation Criteria. *ASABE*, 58(6), 1763–1785.



<https://doi.org/10.13031/trans.58.10715>

- Mueller, L., & Bresch, D. (2014). Economics of climate adaption in Barbados - facts for decision making. In R. Murti & C. Buyck (Eds.), *Safe Havens: Protected Areas for Disaster Risk Reduction and Climate Change Adaptation* (p. 15). IUCN.
- Nurlatifah, A., Hatmaja, R. B., Rakhman, A., Iklim, R., Riset, B., & Cistitu, J. S. (2023). Analisis Potensi Kejadian Curah Hujan Ekstrem di Masa Mendatang Sebagai Dampak dari Perubahan Iklim di Pulau Jawa Berbasis Model Iklim Regional Conformal Cubic Atmospheric Model. *Jurnal Ilmu Lingkungan*, 21(4), 980–986. <https://doi.org/10.14710/jil.21.4.980-986>
- Odey, G., & Cho, Y. (2025). Event-Based vs . Continuous Hydrological Modeling with HEC-HMS : A Review of Use Cases , Methodologies , and Performance Metrics. *Hydrology* 2025, 12(39).
- Olsson, J., Gidhagen, L., Gamerith, V., Gruber, G., Hoppe, H., & Kutschera, P. (2012). Downscaling of Short-Term Precipitation from Regional Climate Models for Sustainable Urban Planning. *Sustainability*, 866–887. <https://doi.org/10.3390/su4050866>
- Ozment, S., Difrancesco, K., & Gartner, T. (2015). The role of natural infrastructure in the water, energy and food nexus. In *Nexus Dialogue Synthesis Papers*. IUCN. <https://doi.org/10.2305/IUCN.CH.2015.NEX.4.en>
- Pratama, M. I., Rohmat, F. I. W., Farid, M., Adityawan, M. B., Kuntoro, A. A., & Moe, I. R. (2021). Flood hydrograph simulation to estimate peak discharge in Ciliwung river basin. *IOP Conference Series: Earth and Environmental Science*. <https://doi.org/10.1088/1755-1315/708/1/012028>
- Pratiwi, A. P. (2023). *Kajian Komparasi Analisis Risiko Banjir Berdasarkan Metode Geomorphic Flood Index dan Hidraulika HEC-RAS untuk Studi Kasus Area Normalisasi Sungai Ciliwung*. Institut Teknologi Bandung.
- Pratiwi, A. P., Rohmat, F. I. W., Nugroho, E. O., Farid, M., & Kusuma, M. S. B. (2024). Flood hazard comparison based on geomorphic flood index and hydraulic HEC-RAS (Case study in Ciliwung Watershed , Jakarta). *IOP Conference Science: Earth and Environmental Science*. <https://doi.org/10.1088/1755-1315/1314/1/012084>
- Priambodo, S., Montarchi, L., & Suhartanto, E. (2019). Hourly rainfall distribution patterns in Java island. *MATEC Web of Conferences*, 4012, 1–8. <https://doi.org/https://doi.org/10.1051/mateconf/201927604012>
- PT. Higertech Karya Sinergi. (2026). *Realtime Monitoring Telemetry*. BBWS Ciliwung Cisadane. <https://hkabbwscc.higertech.com/>
- Sen, Z. (2008). *Wadi Hydrology* (1st ed.). CRC Press Taylor & Francis Group.
- Silalahi, I. F. R., Soekarno, I., Nugroho, J., Nugroho, E. O., & Heri, B. (2022). Potential Sedimentation in the Operation Ciliwung Diversion. *The Fourth International Conference on Sustainable Infrastructure and Built Environment*, Figure 1, 277–291.
- Singh, J., Knapp, H. V., & Demissie, M. (2004). *Hydrologic Modeling of the Iroquois River Watershed Using HSPF and SWAT*.
- Soewarno. (1995). *Hidrologi Aplikasi Metode Statistik untuk Analisa Data Jilid 2* (Jilid 2). Penerbit Nova.
- Spray, C., Black, A., Bradley, D., Bromley, C., Caithness, F., Dodd, J., Hunt, J., Macdonald,



- A., Romero, R. M., Mcdermott, T., Moir, H., Quinn, L., Reid, H., & Robertson, H. (2022). Strategic Design and Delivery of Integrated Catchment Restoration Monitoring : Emerging Lessons from a 12-Year Study in the UK. *MDPI*, 1–26.
- Sri Harto, B. (1981). *Analisis Hidrologi*. Gramedia Pustaka Utama.
- The New Climate Economy Report. (2014). *Better Growth Better Climate*.
- Tikno, S., Hariyanto, T., Anwar, N., Karsidi, A., & Aldrian, E. (2012). APLIKASI METODE CURVE NUMBER UNTUK HUJAN DAN ALIRAN PERMUKAAN DI DAS CILIWUNG HULU – JAWA BARAT. *Jurnal Teknik Lingkungan BPPT*, 13(1), 25–36. <https://doi.org/https://doi.org/10.29122/jtl.v13i1.1402>
- Triatmodjo, B. (2018). *Hidraulika I* (17th ed.). Beta Offset.
- Triatmodjo, B. (2019). *Hidrologi Terapan* (7th ed.). Beta Offset.
- USACE. (2025). *HEC-RAS Hydraulic Reference Manual - Energy Loss Coefficients*. USACE. <https://www.hec.usace.army.mil/confluence/rasdocs/ras1dtechref/6.6/basic-data-requirements/geometric-data/energy-loss-coefficients>
- Yunita, R., Sholichin, M., & Prayogo, T. B. (2017). Kajian Aliran Inlet Sudetan Sungai Ciliwung ke Kanal Banjir Timur untuk Pengendalian Banjir Jakarta. *Jurnal Teknik Pengairan: Journal of Water Resources Engineering*, 8(2), 158–158. <https://jurnalpengairan.ub.ac.id/index.php/jtp/article/view/325/296%0A>