UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdallah, E. M., Alhatlani, B. Y., de Paula Menezes, R., & Martins, C. H. G. (2023). Back to nature: Medicinal plants as promising sources for antibacterial drugs in the post-antibiotic era. *Plants*, *12*, 3077. https://doi.org/10.3390/plants12173077.

Abdullahi, A., Khairulmazmi, A., Yasmeen, S., Ismail, I. S., Norhayu, A., Sulaiman, M. R., Ahmed, O. H., & Ismail, M. R. (2020). Phytochemical profiling and antimicrobial activity of ginger (*Zingiber officinale*) essential oils against important phytopathogens. *Arabian Journal of Chemistry*, *13*, 8012-8025. https://doi.org/10.1016/j.arabjc.2020.09.031

Abubakar, A., R. & Haque, M. (2020). Preparation of medicinal plants: Basic extraction and fractionation procedures for experimental purposes. *Journal of Pharmacy and Bioallied Sciences*, *12*(1), 1-10.

Admojo, L., & Prasetyo, N. E. (2018). Optimasi perlakuan eksplan pada kultur organ vegetatif tanaman karet (*Hevea brasiliensis* Muell. Arg.) klon PB 330. *Warta Perkaretan*, *37*(2), 61-74.

Ahmad, M. U., Sharif, S., Ali, S., Ahmad, I., Khan, Q. F., Liaqad, I., William, K., Shah, T. A., Alamri, A. S., Galanakis, C. M., & Alhomrani, M. (2025). Exploring *in vitro* and *in silico* potential inhibitory effects of eugenol and its analogues for broad range development of antibacterial drugs. *Discover Life*, *55*(5), 1-22. https://doi.org/10.1007/s11084-025-09679-4

Alam, Md. N., Bristi, N. J., & Rafiquzzaman, Md. (2013). Review on *in vivo* and *in vitro* methods evaluation of antioxidant activity. *Saudi Pharmaceutical Journal*, *21*, 143-152. http://dx.doi.org/10.1016/j.jsps.2012.05.002.

Ali, A. M. A., El-Nour, M. E. A. M., & Yagi, S. M. (2018). Total phenolic and flavonoid contents and antioxidant activity of ginger (*Zingiber officinale* Rosc.) rhizome, callus and callus treated with some elicitors. *Journal of Genetic Engineering and Biotechnology*, *16*(2), 677–682. https://doi.org/10.1016/j.jgeb.2018.03.003

Ali, A. M. A., El-nour, M. E. M., Mohammad, O., & Yagi, S. M. (2019). *In vitro* anti-inflammatory activity of ginger (*Zingiber officinale* Rosc.) rhizome, callus and callus treated with some elicitors. *Journal of Medicinal Plants Research*, *13*(10), 227–235. https://doi.org/10.5897/JMPR2019.6758

Al Jumayi, H. A., Allam, A. Y., El-Beltagy, A. E., Algarni, E. H., Mahmoud, S. F., & Kandil, A. E. H. (2022). Bioactive compound, antioxidant, and radical scavenging activity of some plant aqueous extracts for enhancing shelf life of cold-stored rabbit meat. *Antioxidants*, *11*, 1056. https://doi.org/10.3390/antiox11061056

Al-Khayri, J. M. & Naik, P., M. (2020). Elicitor-induced production of biomass and pharmaceutical phenolic compounds in cell suspension culture of date palm (*Phoenix dactylifera* L.). *Molecules*, *25*, 4669. https://doi.org/10.3390/molecules25204669

Alsahli, M. A., Almatroodi, S. A., Almatroudi, A., Khan, A. A., Anwar, S., Almutary, A. G., Alrumaihi, F., & Rahmani, A. H. (2021). 6-Gingerol, a major ingredient of ginger attenuates diethylnitrosamine -induced liver injury in rats through the modulation of

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

oxidative stress and anti-inflammatory activity. *Mediators of Inflammation*, *2021*. https://doi.org/10.1155/2021/6661937

Amente, G. &Chimdessa, E. (2021). Control of browning in plant tissue culture: A review. Journal of Scientific Agriculture, 5, 67-71. https://doi.org/10.25081/jsa.2021.v5.7266

Ammar, M. A. A., Mawahib, E. M. E.-N., & Sakina, M. Y. (2016). Callus induction, direct and indirect organogenesis of ginger (*Zingiber officinale* Rosc). *African Journal of Biotechnology*, *15*(38), 2106–2114. https://doi.org/10.5897/ajb2016.15540

An, X. L., Yu, Y., Fan, M. Z., Wu, X. H., Li, X. F., Piao, X. C., & Lian, M. L. (2022). A fungal mycelium elicitor efficiently improved ginsenoside synthesis during adventitious root culture of *Panax ginseng*. *Journal of Plant Biochemistry and Biotechnology*, *31*(3), 657–664. https://doi.org/10.1007/s13562-021-00759-w

Andriani, D. & Murtisiwi, L. (2020). Uji aktivitas antioksidan ekstrak etanol 70% bunga telang (*Clitoria ternatea* L.) dari daerah Sleman dengan metode DPPH. *Pharmacon: Jurnal Farmasi Indonesia*, *17*(1), 70-76

Anggraeni, A. S., Windarsih, A., Warmiko, H. D., Rohman, A., Suratno, Styawan, A. A., & Widarti, A. (2026). Non-targeted metabolomics analysis of *Curcuma* rhizomes species from different origins using LC-orbitrap HRMS combined with chemometrics. *Biochemical Systematics and Ecology*, *124*, 105140. https://doi.org/10.1016/j.bse.2025.105140

Arano-Varela, H., Cruz-Sosa, F., Estrada-Zúniga, M., E., & Fernández, F. J. (2020). Effects of phenylalanine and methyl jasmonate on verbascoside production in *Buddleja cordata* Kunth cell suspension cultures. *South African Journal of Botany*, *135*, 41-49. https://doi.org/10.1016/j.sajb.2020.08.005

Arianti, A. & Putri, S. D. (2023). Optimasi pertumbuhan jahe merah (*Zingiber officinale*) dengan pemberian pupuk kandang variatif. Jurnal Liefdeagro, *1*(1), 13-20. https://doi.org/10.24036/liefde.v1i1.9

Assegaf, S., Kawilarang, A P., & Handajani, R. (2020) Antibacterial activity test of red ginger extract (*Zingiber officinale* var. *rubrum*) against *Streptococcus pyogenes in vitro*. *Biomolecular and Health Science Journal*, *3*(1), 24-27.

Atanasov, A. G., Zotchev, S. B., & Dirsch, V. M. (2021). Natural product in drug discovery: advances and opportunities. *Nature Reviews*, 20, 200-216.

Ayustaningwarno, F., Anjani, G., Ayu, A. M., & Fogliano, V. (2024). A critical review of ginger's (*Zingiber officinale*) antioxidant, anti-inflammatory, and immunomodulatory activities. *Frontiers in Nutrition*, *11*, 1364836. https://doi.org/103389/fnut.2024.1364836

Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., Mohamed, A., Sahena, F., Jahurul, M. H. A., Ghafoor, K., Norulaini, N. A. N., & Omar, A. K. M. (2013). Techniques for extraction of bioactive compounds from plant materials: A review. *Journal of Food Engineering*, *117*, 426-436. http://dx.doi.org/10.1016/j.jfoodeng.2013.01.014

Babenko, L. M., Smirnov, O. E., & Romanenko, K. O. (2019). Phenolic compounds in plants: Biogenesis and functions. *The Ukrainian Biochemical Journal*, 91(3), 5-18.

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Babich, O., Sukhikh, S., Pungin, A., Ivanova, S., Asyakina, L., & Prosekov, A. (2020). Modern trends in the *in vitro* production and use of callus, suspension cells and root cultures of medicinal plants. *Molecules*, *25*, 5805. https://doi.org/10.3390/molecules25245805

Babu, N. G. R., Suresh, M., Zavith, M., Boopathi, R., & Parvathy, S. (2020). Standardization of ginger callus culture and its comparison with ginger rhizome and callus treated with extrinsic molecule on their antioxidant activity. *International Journal of Herbal Medicine*, *8*(4), 49–54.

Badarinath, A. V., Rao, K. M., Chetty, C. M. S., Ramkanth, S., Rajan, T. V. S., & Gnanaprakash, K. (2010). A review on *in-vitro* antioxidant methods: Comparisions, Correlations and Considerations. *International Journal of PharmTech Research*, *2*(2), 1276-1285.

Baldi, A., Srivastava, A. K., & Bisaria, V. S. (2009). Chapter 23: Fungal elicitors for enhanced production of secondary metabolites in plant cell suspension cultures. *Springer-Verlag Berlin Heidelberg*, *16*, 373–380. https://doi.org/10.1007/978

Belhaoues, S., Amri, S., & Bensouilah, M. (2020). Major phenolic compounds, antioxidant and antibacterial activities of *Anthemis praecox* Link aerial parts. *South Africal Journal of Botany*, *131*, 200-205. https://doi.org/10.1016/j.sajb.2020.02.018

Beristain-Bauza, S. D. C., Hernández-Carranza, P., Cid-Pérez, T. S., Ávila-Sosa, R., Ruiz-López, I. I., & Ochoa-Velasco, C. E. (2019). Antimicrobial activity of ginger (*Zingiber officinale*) and its application in food products. *Food Reviews International, 35*(5), 407–426. Taylor and Francis Inc. https://doi.org/10.1080/87559129.2019.1573829

Bhaskar, R., Xavier, L. S. E., Udayakumaran, G., Kumas, D. S., Venkatesh, R., & Nagella, P. (2022). Biotic elicitor: a boon for the in-vitro production of plant secondary metabolites. *Plant Cell, Tissue and Organ Culture*, *149*, 7-24. https://doi.org/10.1007/s11240-021-02131-1

Bhoite, H. A. & Palshikar, G. S. Plant tissue culture: A review. *World Journal of Pharmaceutical Sciences*, *2*(6), 565-572

Bleackley, M. R., Samuel, M., Garcia-Ceron, D., McKenna, J. A., Lowe, R. G. T., Pathan, M., Zhao, K., Ang, C., Mathivanan, S., & Anderson, A. (2020). Extracellular vesicles from the cotton pathogen *Fusarium oxysporum* f. sp. *vasinfectum* induce a phytotoxic response in plants. *Frontiers in Plant Science*, 10, 1610. https://doi.org/10.3389/fpls.2019.01610

Bohni, N., Hofstetter, V., Gindro, K., Buyck, B., Schumpp, O., Bertrand, S., Monod, M., & Wolfender, J. (2016). Production of fusaric acid by *Fusarium* spp. in pure culture and in solid medium co-cultures. *Molecules*, *21*, 370. https://doi.org/10.3390/molecules21030370

Bozza, D., Barboni, D., Spadafora, N. D., Felletti, S., De Luca, C., Nosengo, C., Compagnin, G., Cavazzini, A., & Catani, M. (2024). Untargeted metabolomics approaches for the characterization of cereals and their derived products by means of liquid chromatography coupled to high resolution mass spectrometry. *Journal of Chromatography Open*, *6*, 100168. https://doi.org/10.1016/j.jcoa.2024.100168

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Badan Pusat Statistik. (2026). Produksi tanaman biofarmaka menurut provinsi dan jenis tanaman. Diakses online melalui https://www.bps.go.id/id/statistics-table/3/VVZNelkycEdWM2t5V2poTFltOVVURWR0WWs1Mlp6MDkjMw==/produksi-tanaman-biofarmaka-menurut-provinsi-dan-jenis-tanaman--2023.html. Pada 24 Juli 2026.

Broeckling, C. D., Beger, R. D., Cheng, L. L., Cumeras, R., Cuthbertson, D. J., Dasari, S., Davis, W. C., Dunn, W. B., Evans, A. M., Fernández-Ochoa, A., Gika, H., Goodacre, R., Goodman, K. D., Gouveia, G. J., Hsu, P., Kirwan, J. A., Kodra, D., Kuligowski, J., Lan, R. S., Monge, M. E., Moussa, L. W., Nair, S. G., Reisdorph, N., Sherrod, S. D., Holland, C. U., Vuckovic, D., Yu, L., Zhang, B., Theodoridis, G., & Mosley, J. D. (2023). Current practices in LC-MS untargeted metabolomics: A scoping review on the use of pooled quality control samples. *Analytical Chemistry*, *95*, 18645-18654. https://doi.org/10.1021/acs.analchem.3c02924

Budiastra, I. W., Damanik, A. P., & Akbar, M. T. F. (2019). Effect of particle size of white pepper to yield and quality of oleoresin produced by using an ultrasonic-assisted extraction method. *IOP Conference Series: Earth and Environmental Science*, *542*, 012023. https://10.1088/1755-1315/542/1/012024

Cahoon, E. B., Kim, P., Xie, T., Solis, A. G., Han, G., Gong, X., & Dunn, T. M. (2024). Sphingolipid homeostasis: How do cells know when enough is enough? Implications for plant pathogen responses. *Plant Physiology*, *197*(1). https://doi.org/10.1093/plphys/kiae460

Carbajal, E. M. & Milla-Lewis. (2026). Influence of auxin and cytokinin concentrations on callus induction, subculture growth, and somatic embryogenesis for plant regeneration in zoysiagrass (*Zoysia* spp.). Grass Research, 6, e001. https://doi.org/10.48130/grares-0025-0034

Cetin-Karaca, H. & Newman, M. C. (2015). Antimicrobial efficacy of plant phenolic compounds against *Salmonella* and *Escherichia coli*. *Food Bioscience*, *11*(2015), 8-16. http://dx.doi.org/10.1016/j.fbio.2025.03.002

Chandra, H. M., Shanmugaraj, B., Sharma, A., & Ramalingam, S. (2024). Elicitation and precursor induced approaches for the enhancement of α-tocopherol production using suspension cultures of *Solanum lycopersicum*. *Current Plant Biology*, *39*, 100377. https://doi.org/10.1016/j.cpb.2024.100377

Chandran, H., Meena, M., Barupal, T., & Sharma, K. (2020). Plant tissue culture as a perpetual source for production of industrially important bioactive compounds. *Biotechnology Reports*, e00450. https://doi.org/10.1016/j.btre.2020.e00450

Chang, C., Yang, M., Wen, H., & Chern, J. (2002). Estimation of total flavonoid content in propolis by two complementary colorimetric methods. *Journal of Food and Drug Analysis*, *10*(3), 178-182

Chattopadhyay, S., Farkya, S., Srivastava, A. K., & Bisaria, V. S. (2002). Bioprocess considerations for production of secondary metabolites by plant cell suspension cultures. *Biotechnology and Bioprocess Engineering*, *7*, 138-149

Chen, B., Zheng, S., Wang, H., Yang, R., Xiang, Y., Huang, Y., Pei, J., Zhang, Y., & Fu, R. (2025). Identification of key enzymes participated in the biosynthesis of a rare flavonol patuletin in the medicinal plant Echinacea angustifolia. International Journal

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

of Biological Macromolecules, 311(2), 143924. https://www.sciencedirect.com/science/article/abs/pii/S0141813025044769

Chen, J., Li, L., Tian, P., Xiang, W., Lu, X., Huang, R., & Li, L. (2021). Fungal endophytes from medicinal plant *Bletilla striata* (Thunb.) Reichb. F. promote the host plant growth and phenolic accumulation. *South African Journal of Botany*, *143*, 25–32. https://doi.org/10.1016/j.sajb.2021.07.041

Chen, X., Wang, D., Fang, X., Chen, X., & Mao, Y. (2019). Plant specialized metabolism regulated by jasmonate signaling. *Plant & Cell Physiology*, *60*(12), 2638-2647. https://doi.org/10.1093/pcp/pcz161

Cheng, R., Yang, S., Wang, D., Qin, F., Wang, S., & Meng, S. (2025). Advances in the biosynthesis of plant terpenoids: Models, mechanisms, and applications. *Plants*, *14*, 1428. https://doi.org/10.3390/plants14101428

Cronquist, A. (1981). An integrated system of classification of flowering plants. Columbia University Press, New York, 248-250.

Cui, X., Zhang, X., Sun, H., Zheng, Y., & Su, C. (2024). Effects of elicitors from culture filtrate of *Fusarium solani* CL105 on flavonoid production of *Scutellaria baicalensis* calli. *Frontiers in Plant Science (Plant Pathogen Interactions)*, *15*, 1383918. https://doi.org/10.3389/fpls.2024.1383918

Dai, J. & Mumper, R. J. (2010). Plant phenolics: Extraction, analysis and their antioxidant and anticancer properties. *Molecules*, *15*, 7313-7352. https://doi.org/10.3390/molecules15107313

Das, A. & Ruhal, R. (2025). Potential of plants-based alkaloids, terpenoids and flavonoids as antibacterial agents: An update. *Process Biochemistry*, *150*, 94-120. https://doi.org/10.1016/j.procbio.2025.01.003

De Palma, M., Ambrosone, A., Leone, A., Del Gaudio, P., Ruocco, M., Turiák, L., Bokka, R., Fiume, I., Tucci, M., & Pocsfalvi, G. (2020). Plant roots release small extracellular vesicles with antifungal activity. *Plants*, *9*, 1777. https://doi.org/10.3390/plants9121777

Dianasari, D., Puspitasari, E., Ningsih, I. Y., Triatmoko, B., & Nasititi, F. K. (2020). Potensi ekstrak etanol dan fraksi-fraksinya dari tiga varietas jahe sebagai agen antibakteri terhadap *Staphylococcus aureus*. *Pharmacon: Jurnal Farmasi Indonesia*, *17*(1), 9–16. https://doi.org/10.23917/pharmacon.v17i1.9226

Doğan, B., Yıldız, Z., Aksöz, N., Eninanç, A. B., Kahveci, B. G. K., & Yamaç, M. (2023). Optimization and reactor-scale production of plant growth regulators by *Pleurotus eryngii*. *3 Biotech*, 13, 314. https://doi.org/10.1007/s13205-023-03744-3

Dugasani, S., Pichika, M. R., Nadarajah, V. D., Balijepalli, M. K., Tandra, S., & Korlakunta, J. N. (2010). Comparative antioxidant and anti-inflammatory effects of [6]-gingerol, [8]-gingerol, [10]-gingerol and [6]-shogaol. *Journal of Ethnopharmacology*, *127*, 515-520. https://doi.org/10.1016/j.jep.2009.10.004

Dontha, S. (2016). A review on antioxidant methods. *Asian Journal of Pharmaceutical and Clinical Research*, *9*(Suppl 2), 14-32. http://dx.doi.org/10.22159/ajpcr.2016.v9s2.13092.

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Efferth, T. (2019). Biotechnology applications of plant callus cultures. *Engineering*, *5*, 50-59. https://doi.org/10.1016/j.eng.2018.11.006

Ehuwa, O., Jaiswal, A. K., & Jaiswal, S. (2021). *Salmonella*, food safety and food handling practices. *Foods*, *10*(5). https://doi.org/10.3390/foods10050907

Elbouzidi, A., Taibi, M., Baraich, A., Haddou, M., Mothana, R. A., Alsufyani, S. A., Darwish, H. W., Molinié, R., Fontaine, J., Fliniaux, O, Mesnard, F., & Addi, M. (2025). Elicitor-driven enhancement of phenolic compounds in geranium callus cultures: phytochemical profiling via LC-MS/MS and biological activities. *Frontiers in Chemistry*, *13*, 1537877. https://doi.org/10.3389/fchem.2025.1537877

El Boudlali, H., Lehmicke, L., & Ceglarek, U. (2025). High-resolution accurate mass-mass spectrometry based-untargeted metabolomics: Reproducibility and detection power across data-dependent acquisition, data-independent acquisition, and AcquireX. *Computational and Structural Biotechnology Journal*, *27*, 2412-2423. https://doi.org/10.1016/j.csbj.2025.05.046

Elfaky, M. A., Okairy, H. M., Abdallah, H. M., Koshak, A. E., Mohamed, G. A., Ibrahim, S. R. M., Alzain, A. A., Hegazy, W. A. H., Khafagy, E., & Seleem, N. M. (2024). Assessing the antibacterial potential of 6-gingerol: Combined experimental and computational approaches. *Saudi Pharmaceutical Journal*, *32*, 102041. https://doi.org/10.1016/j.jsps.2024.102041

El-Nabarawy, M. A., El-Kafafi, S. H., Hamza, M. A., & Omar, M. A. (2025). The effect of some factors on stimulating the growth and production of active substances in *Zingiber officinale* callus cultures. *Annals of Agricultural Sciences*, *60*(1), 1-9. https://dx.doi.org/10.1016/j.aoas.2014.11.020

Erst, A. A., Petruk, A. A., Erst, A. S., Krivenko, D. A., Filinova, N. V., Maltseva, S. Y., Kulikovskiy, M. S., & Banaev, E. V. (2022). Optimization of biomass accumulation and production of phenolic compounds in callus cultures of *Rhodiola rosea* L. using design of experiments. *Plants*, *11*, 124. https://doi.org/10.3390/plants11010124

Espinosa-Leal, C. A., Mora-Vásquez, S., Puente-Garza, C. A., Alvarez-Sosa, D., & García-Lara, S. (2022). Recent advances on the use of abiotic stress (water, UV radiation, atmospheric gases, and temperature stress) for the enhanced production of secondary metabolites on *in vitro* plant tissue culture. *Plant Growth Regulation*, *97*, 1-20. https://doi.org/10.1007/s10725-022-00810-3

Feliatra, F., Mardalisa, M., Effendi, I., Adelina, A., & Feliatra, V. A. (2022). Biodiversity of *Escherichia coli* bacterial resistance to multidrug isolated on the Dumai coast of Indonesia. *Biodiversitas*, *23*(1), 10-16. https://doi.org/10.13057/biodiv/d230102

Ferreyra, M. L. F., Rius, S. P., & Casati, P. (2012). Flavonoids: biosynthesis, biological functions, and biotechnological applications. *Frontiers in Plant Science*, *3*(222), 1-15. https://doi.org//10.3389/fpls.2012.00222

Ganapathy, G., Keerthi, D., Nair, R. A., & Pillai, P. (2016). Correlation of Phenylalanine ammonia lyase (PAL) and Tyrosine ammonia lyase (TAL) activities to phenolics and curcuminoid content in ginger and its wild congener, *Zingiber zerumbet* following *Pythium myriotylum* infection. *European Journal of Plant Pathology*, *145*(4), 777–785. https://doi.org/10.1007/s10658-016-0865-2

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Gao, Y., Lu, Y., Zhang, N., Udenigwe, C. C., Zhang, Y., & Fu, Y. (2024). Preparation, pungency and bioactivity of gingerols from ginger (*Zingiber officinale* Roscoe): a review. *Critical Reviews in Food Science and Nutrition*, *64*(9), 2708-2733. https://doi.org/10.1080/10408398.2022.2124951

Gasulla, F., Barreno, E., Parages, M. L., Cámara, J., Jiménez, C., Dörmann, P., & Bartels, D. (2016). The role of phospholipase D and MAPK signaling cascades in the adaption of lichen microalgae to desiccation: Changes in membrane lipids and phosphoproteome. *Plant and Cell Physiology*, *57*(9), 1908-1920. https://doi.org/10.1093/pcp/pcw111

George, E. F., Hall, M. A., & Klerk, G. D. (2008). Plant propagation by tissue culture 3rd edition. Springer. The Netherlands.

Georgiev, M. I., Weber, J., & Maciuk, A. (2009). Bioprocessing of plant cell cultures for mass production of targeted compounds. *Applied Microbiology and Biotechnology*, *83*(2009), 809-823. https://doi.org/10.1007/s00253-009-2049-x

Ghasemzadeh, A., Jaafar, H. Z. E., Ashkani, S., Rahmat, A., Juraimi, A. S., Puteh, A., & Mohamed, M. T. M. (2016). Variation in secondary metabolite production as well as antioxidant and antibacterial activities of *Zingiber zerumbet* (L.) at different stages of growth. *BMC Complementary and Alternative Medicine*, *16*, 104. https://doi.org/10.1186/s12906-016-1072-6

Ginting, R. C. B., Sukarno, N., Widyastuti, U., Darusman, L. K., & Kanaya, S. (2013). Diversity of endophytic fungi from red ginger (*Zingiber officinale* Rosc.) plant and their inhibitory effect to *Fusarium oxysporum* plant pathogenic fungi. *Hayati Journal of Biosciences*, *20*(3), 127-137. https://doi.org/10.4308/hjb.20.3.127

Glenz, R., Kaiping, A., Göpfert, D., Weber, H., Lambour, B., Sylvester, M., Fröschel, C., Mueller, M. J., Osman, M., & Waller, F. (2022). The major plant sphingolipid long chain base phytosphingosine inhibits growth of bacterial and fungal plant pathogens. *Scientific Reports*, *12*, 1081. https://doi.org/10.1038/s41598-022-05083-4

Gnasekaran, P. (2021). Effects of LED on the micropropagation and callus induction of *Zingiber officinale* var. *rubrum*. Universiti Sains Malaysia

Gnasekaran, P., Rahman, Z. A., Chew, B. L., Uddain, J., Solayappan, M., Chear, N. J. Y., Appalasamy, S., Mariappan, V., Wahyuni, D. K., & Subramaniam, S. (2023). Picloram enhanced the callus induction, growth kinetics, antioxidant potentials, and secondary metabolites production of *Zingiber officinale* var. *rubrum* callus cultures. *Plant Cell, Tissue and Organ Culture*, *155*, 843-859. https://dpi.org/10.1007/s11240-023-02603-6

Golkar, P., Vázquez-Núñez, E., & Peralta-Videa, J. (2026). Nano-elicitation approaches for boosting secondary metabolites in medicinal plant cell cultures. *Plants*, *15*, 46. https://doi.org/10.3390/plants15010046

Gulcin, I. (2025). Antioxidants: a comprehensive review. *Archives of Toxicology*, *99*, 1893-1997. https://doi.org/10.1007/s00204-025-03997-2

Guo, Y., Bai, J., & Zhang, Z. (2007). Plant regeneration from embryonic suspension-derived protoplasts of ginger (*Zingiber officinale* Rosc.). *Plant Cell, Tissue and Organ Culture*, *89*, 151-157. https://doi.org/10.1007/s11240-007-9223-6

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Guo, J., & Cheng, Y. (2022). Advances in fungal elicitor-triggered plant immunity. *International Journal of Molecular Sciences, 23*(19). MDPI. https://doi.org/10.3390/ijms231912003

Gülçin, Î. (2012). Antioxidant activity of food constituents: an overview. *Archives of Toxicology*, *86*, 345-391. https://doi.org/10.1007/s00204-011-0774-2.

Gülsoy, E., Kaya, E. D., Türkhan, A., Bulut, M., Koyuncu, M., Güler, E., Sayın, F., & Murado˘glu, F. (2023). The effect of altitude on phenolic, antioxidant and fatty acid compositions of some Turkish hazelnut (*Coryllus avellana* L.) cultivars. *Molecules*, *28*, 5067. https://doi.org/10.3390/molecules28135067

Habibah, N. A., Yuniastuti, A., Susanti, R., Lisdiana, Mustikaningtyas, D., Lutfiah, A., Aulia, S. N., & Rabbani, T. (2024). Growth and production of secondary metabolites inn the callus of Bima Brebes shallot varieties. *Biodiversitas*, *25*(8), 2811-2820. https://10.13057/biodiv/d250855

Han, J. S., Lee, S., Kim, H. Y., & Lee, C. H. (2015). MS-based metabolite profiling of aboveground and root components of *Zingiber mioga* and *officinale*. *Molecules*, *20*, 16170–16185. https://doi.org/10.3390/molecules200916170

Hapsari, E., Soesanto, L., & Mugiastuti, E. (2021). Viabilitas dan virulensi tujuh belas tahun penyimpanan *Fusarium oxysporum* Schlecht. f.sp. *zingiberi* Trujillo dalam tanah steril viability and virulence of seventeen years preservation of *Fusarium oxysporum* Schlecht. f.sp. *zingiberi* Trujillo in sterile soils. *6*(2), 72–82.

Hardjo, P. H., & Krisnawan, A. H. (2020). Rhizome buds disinfection for preparation of red ginger (*Zingiber officinale* Roxb. var. *rubrum* Rosc.) *in vitro* culture. *MPI (Media Pharmaceutica Indonesiana)*, *3*(1), 19–26. https://doi.org/10.24123/mpi.v3i1.2836

Haroen, U., Syafwan, S., Kurniawan, K, & Budiansyah, A. (2024). Determination of total phenolics, flavonoids, and testing of antioxidant and antibacterial activities of red ginger (*Zingiber officinale* var. Rubrum). *Journal of Advances Veterinary and Animal Research*, *11*(1), 114-124. http://doi.org/10.5455/javar.2024.k755

Haryoto, H. & Frista, A. (2019). Aktivitas antioksidan ekstrak etanol, fraksi polar, semipolar dan non polar dari daun mangrove kacangan (*Rhizophora apiculata*) dengan metode DPPH dan FRAP. *Jurnal Sains dan Kesehatan*, *2*(2), 131-138. https://doi.org/10.25026/jsk.v2i2.129

Hasibuan, R. & Gultom, E. (2021). The effect of method, type of solvent and extraction time towards the yield of oil on essential oil extraction from lime peel (*Citrus aurantifolia*). *IOP Conference Series: Materials Science and Engineering*, *1122*, 012108. https://doi.org/10.1088/1757-899X/1122/1/012108

Hasnain, A., Naqvi, S. A. H., Ayesha, S. I., Khalid, F., Ellahi, M., Iqbal, S., Hassan, M. Z., Abbas, A., Adamski, R., Markowska, D., Baazeem, A., Mustafa, G., Moustafa, M., Hasan, M. E., & Abdelhamid, M. M. A. (2022). Plants in vitro propagation with its applications in food, pharmaceuticals and cosmetic industries; current scenario and future approaches. *Frontiers in Plant Science*, 01-021. https://doi.org/10.3389/fpls.2022.1009395

Hesami, M., Tohidfar, M., Alizadeh, M., & Daneshvar, M. H. (2020). Effects of sodium nitroprusside on callus browning of Ficus religiosa: an important medicinal plant.

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Journal of Forestry Research, *31*(3), 789-796. https://doi.org/10.1007/s11676-018-0860-x

Hossain, T. J. (2024). Methods for screening and evaluation of antimicrobial activity: A review of protocols, advantages, and limitations. *European Journal of Microbiology and Immunology*, *14*, 97-115. https://doi.org/10.1556/1886.2024.00035.

Jualang, A. G., Nurul Humairah, T. A., Devina, D., & Hartinie, M. (2015). *In vitro* shoot regeneration from rhizome bud of native ginger in Borneo, *Etlingera coccinea*. *Journal of Tropical Plant Physiology*, 7, 36-46.

Ighodaro, O. M. & Akinloye, O. A. (2018). First line defence antioxidants-superoxide dismutase (SOD), catalase (CAT) and glutathione peroxidase (GPX): Their fundamental role in the entire antioxidant defence grid. *Alexandria Journal of Medicine, 54*, 287-293. https://doi.org/10.1016/j.ajme.2017.09.001

Ikeuchi, M., Sugimoto, K., & Iwase, A. (2013). Plant callus: Mechanisms of induction and repression. *The Plant Cell*, *25*, 3159-3173. www.plantcell.org/cgi/doi/10.1105/tpc.113.116053

Imaneh, D., Akbar, M., & Gholamreza, A. (2011). *In vitro* and *in vivo* production of gingerols and zingiberene in ginger plant (*Zingiber officinale* Theilade). *Iranian Journal of Pharmaceutical Sciences*, *7*(2), 117–121. http://www.ijps.ir/?_action=articleInfo&article=2169

Irawati, F., Wijaya, A. N., Manurung, A., Thongiratama, M. A., Savitri, W. D., & Hardjo, P. H. (2023). Explant surface sterilization protocol for micropropagation of *Amorphophallus muelleri* Blume. *Proceedings of the Conference on Natural Resources and Life Sciences*, 116-121. https://doi.org/10.2991/978-94-6463-322-1_16

Iriti, M. & Faoro, F. (2009). Chemical diversity and defence metabolism: How plants cope with pathogens and ozone pollution. *International Journal of Molecular Sciences, 10*, 3371-3399. https://doi.org/10.3390/ijms10083371

Isah, T. (2019). Stress and defense responses in plant secondary metabolites production. Biological Research, 52(39), 1-25. https://doi.org/10.1186/s40659-019-0246-3

Jabborova, D., Choudhary, R., Azimov, A., Jabbarov, Z., Selim, S., Abu-Elghait, M., Desouky, S. E., El Azab, I. H., Alsuhaibani, A. M., Khattab, A., & Elsaied, A. (2022). Composition of *Zingiber officinale* Theilade (ginger), soil properties and soil enzyme activities grown in different concentration of mineral fertilizers. *Horticulturae*, *8*(1). https://doi.org/10.3390/horticulturae8010043

Jain, D., Bisht, S., Parvez, A., Singh, K., Bhaskar, P., & Koubouris, G. (2024). Effective biotic elicitors for augmentation of secondary metabolite production in medicinal plants. *Agriculture*, *14*, 796. https://doi.org/10.3390/agriculture14060796

Jalmi, S. K. & Sinha, A. K. (2015). ROS mediated MAPK signaling in abiotic and biotic stress-striking similarities and differences. *Frontiers in Plant Science*, *6*(769). https://doi.org/10.3389/fpls.2015.00769

Jan, R., Gani, A., Masarat Dar, M., & Bhat, N. A. (2022). Bioactive characterization of ultrasonicated ginger (*Zingiber officinale*) and licorice (*Glycyrrhiza glabra*) freeze

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

dried extracts. *Ultrasonics Sonochemistry*, *88*. https://doi.org/10.1016/j.ultsonch.2022.106048

Jie, E. Y., Ahn, M. S., Lee, J., Cheon, Y. I., Kim, C. Y., & Kim, S. W. (2019). Establishment of a high-frequency plant regeneration system from rhizome-derived embryogenic cell-suspension cultures of *Curcuma longa* L. *Plant Biotechnology Reports*, *13*, 123-129. https://doi.org/10.1007/s11816-019-00519-2

Joshi, T., Agrawal, K., Mangal, M., Deepa, P. R., & Sharma, P. K. (2024). Measurement of antioxidant synergy between phenolic bioactives in traditional food combinations (legume/non-legume/fruit) of (semi) arid regions: insights into the development of sustainable functional foods. *Discover Food*, *4*(11). https://doi.org/10.1007/s44187-024-00082-y

Juariah, S., Bakar, F. I. A., Bakar, M. F. A., Endrini, S., Kartini, S., & Ningrum, R. S. (2023). Antibacterial activity and inhibition mechanism of red ginger (*Zingiber officinale* var. *rubrum*) ethanol extract against patogenic bacteria. *Journal of Advanced Research in Applied Sciences and Engineering Technology*, *30*(1), 145-157. https://doi.org/10.37934/araset.30.1.145157

Karadag, A., Ozcelik, B., & Saner, S. (2009). Review of methods to determine antioxidant capacities. Food Analytical Methods, 2, 41-60. https://doi.org/10.1007/s12161-008-9067-7

Karyanti, Sukarnih, T., Rudiyana, Y., Hanifah, N. F., Sa'adah, N., & Dasumiati. (2021). Micropropagation of red ginger (*Zingiber officinale* Rosc. Var. Rubrum) using several types of cytokinins. *Journal of Physics: Conference Series*, *1751*(1). https://doi.org/10.1088/1742-6596/1751/1/012051

Kasilingam, T., Raman, G., Sundramoorthy, N., Supramaniam, G., Mohtar, S., & Avin, F. (2018). In vitro regeneration of ginger: Tips and highlights. *European Journal of Medicinal Plants*, *23*(3), 1–8. https://doi.org/10.9734/ejmp/2018/40181

Khalafalla, M. M. (2026). Plant cell suspension culture for plant secondary metabolite production: Current status, constraints, and future solutions. *Polish Journal of Environmental Studies*, *35*(1), 1-14. https://doi.org/10.15244/pjoes/195703

Khan, M., Ullah, N., Azhar, M., Komal, W., & Muhammad, W. (2019). A mini-review on the therapeutic potential of *Zingiber officinale* (ginger). *Natural Product: An Indian Journal*, *15*(1), 125. www.tsijournals.com

Kherasani, I., Prihastanti, E., & Haryanti, S. (2017). Pertumbuhan kalus eksplant rimpang jahe merah (*Zingiber officinale* Rosc.) pada berbagai konsentrasi sukrosa secara *in vitro*. *Buletin Anatomi dan Fisiologi*, *2*(1), 43-49

Koch, B. L., Singla-Rastogi, M., & Innes, R. W. (2026). Extracellular vesicles and extracellular RNAs in plant-microbe interactions. *Annual Review of Plant Biology*, *77*, 225-255. https://doi.org/10.1146/annurev-arplant-063025-110704

Kotha, R. R., Tareq, F. S., Yildiz, E., & Luthria, D. L. (2022). Oxidative stress and antioxidants – A critical review on *in vitro* antioxidant assays. *Antioxidants*, *11*, 2388. https://doi.org/10.3390/antiox11122388.

Kubra, I. R. & Rao, L. J. M. (2012). An impression on current developments in the technology, chemistry, and biological activities of ginger (*Zingiber officinale*

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Theilade). *Critical Reviews in Food Science and Nutrition*, *52*(8), 651-688. https://dx.doi.org/10.1080/10408398.2010.505689

Kumar, S. S., Arya, M., Mahadevappa, P., & Giridhar, P. (2020). Influence of photoperiod on growth, bioactive compounds and antioxidant activity in callus cultures of *Basella rubra* L. *Journal of Photochemistry & Photobiology, B: Biology*, *209*, 111937. https://doi.org/10.1016/j.jphotobiol.2020.111937

Lang, Y., Gao, N., Zang, Z., Meng, X., Lin, Y., Yang, S., Yang, Y., Jin, Z., & Li, B. (2024). Classification and antioxidant assays of polyphenols: a review. *Journal of Future Foods*, 4-3, 193-204. https://doi.org/10.1016/j.jfutfo.2023.07.002.

Li, H.-L., Wu, L., Dong, Z., Jiang, Y., Jiang, S., Xing, H., Li, Q., Liu, G., Tian, S., Wu, Z., Wu, B., Li, Z., Zhao, P., Zhang, Y., Tang, J., Xu, J., Huang, K., Liu, X., Zhang, W., … Liu, Y. (2021). Haplotype-resolved genome of diploid ginger (*Zingiber officinale*) and its unique gingerol biosynthetic pathway. *Horticulture Research*, *8*, 189. https://doi.org/10.1038/s41438-021-00627-7

Li, J., Li, X., Liu, X., Wang, X., Li, J., Lin, K., Sun, S., Yue, H., & Dai, Y. (2022). Untargeted metabolomic study of acute exacerbation of pediatric asthma via HPLC-Q-Orbitrap-MS. *Journal of Pharmaceutical and Biomedical Analysis*, *215*(March), 114737. https://doi.org/10.1016/j.jpba.2022.114737

Li, Z., Chen, Z.-X., Tang, J.-M., Jiang, Y.-S., Liao, Q.-H., Liu, Y.-Q., & Liu, G.-H. (2019). Metabolomic analysis of bioactive compounds in mature rhizomes and daughter rhizomes in ginger *(Zingiber officinale)*. https://doi.org/10.21203/rs.2.17463/v1

Liu, C., Fan, H., Zhang, J., Wu, J., Zhou, M., Cao, F., Tao, G. & Zhou, X. (2024[a]). Combating browning: mechanisms and management strategies in *in vitro* culture of economic woody plants. *Forestry Research*, *4*, e032. https://doi.org/10.48130/forres-0024-0026

Liu, C., Li, A., Fan, X., Qin, B., & Zhang, L. (2024[b]). Explant browning during callus induction of *Juglans mandshurica* might be caused by the cooperation of PAL, polyphenol and PPO. *South African Journal of Botany*, *174*, 937-945. https:doi.org/10.1016/j.sajb.2024.09.072.

Liu, G., Zhu, W., Zhang, J., Song, D., Zhuang, L., Ma., Q., Yang, X., Liu, X., Zhang, J., Zhang, H., Wang, J., Liang, L., & Xu, X. (2022). Antioxidant capacity of phenolic compounds separated from tea seed oil in vitro and in vivo. Food Chemistry, 371, 131122. https://doi.org/10.1016/j.foodchem.2021.131122.

Liu, H., Yang, H., Zhao, T., Lin, C., Li, Y., & Zhang, X. (2021). Combined metabolome and transcriptome analyses of young , mature , and old rhizome tissues of *Zingiber officinale* Theilade. *12*(December), 1–16. https://doi.org/10.3389/fgene.2021.795201

Liu, J., Du, C., Beaman, H. T., & Monroe, M. B. B. (2020). Characterization of phenolic acid antimicrobial and antioxidant structure-property relationships. *Pharmaceutics*, *12*, 419. https://doi.org/10.3390/pharmaceutics12050419

Long, Y., Yang, Y., Pan, G., & Shen, Y. (2022). New insights into tissue culture plant-regeneration mechanisms. *Frontiers in Plant Science*, *13*. https://doi.org/10.3389/fpls.2022.926752

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Lukiati, B., Sulisetijono, S., Nugrahaningsih, N., & Masita, R. (2020). Determination of totalphenol and flavonoid levels and antioxidant activity of metanolic and ethanolic extract *Zingiber officinale* Rosc var. *Rubrum* Rhizome. *AIP Conference Proceedings*, *2231*, 040003. https://doi.org/10.1063/5.0002657

Ma, X., & Gang, D. R. (2006). Metabolic profiling of in vitro micropropagated and conventionally greenhouse grown ginger (*Zingiber officinale*). *Phytochemistry*, *67*(20), 2239–2255. https://doi.org/10.1016/j.phytochem.2006.07.012

Maghraby, Y. R., Labib, R. M., Sobeh, M., Farag, M. A. (2023). Gingerols and shogaols: A multi-faceted review of their extraction, formulation, and analysis in drugs and biofluids to maximize their nutraceutical and pharmaceutical applications. *Food Chemistry*, *20*, 100947. https://doi.org/10.1016/j.fochx.2023.100947

Magvirah, T., Marwati, M., & Ardhani, F. (2019). Uji daya hambat bakteri *Staphylococcus aureus* menggunakan ekstrak daun tahongai (*Kleinhovia hospita* L.). *Jurnal Peternakan Lingkungan Tropis*, *2*(2), 41-50

Majeed, G., Noor, W., Lone, R., Agrawal, S., Alaklabi, A., Shah, M. A., & Kamili, A. N. (2024). Modulation of plant defenses by jasmonic acid and salicylic acid in *Capsicum annuum* L. against *Fusarium* wilt in response to *Fusarium oxysporum* patogen. *Plant Stress*, *14*, 100571. https://doi.org/10.1016/j.stress.2024.100571

Mamdouh, D. & Smetanska, I. (2022). Optimization of callus and cell suspension cultures of *Lycium schweinfurthii* for improved production of phenolics, flavonoids, and antioxidant activity. *Horticulturae*, *8*, 394. https://doi.org/10.3390/horticulturae8050394

Mao, Q.-Q., Xu, X.-Y., Cao, S.-Y., Gan, R.-Y., Corke, H., Beta, T., & Li, H.-B. (2019). Bioactive compounds and bioactivities of ginger (*Zingiber officinale* Roscoe). *Foods*, *8*(185), 1–21

Maryam, S., Baits, M., & Nadia, A. (2018). Pengukuran aktivitas antioksidan ekstrak etanol daun kelor (*Moringa oleifera* Lam.) menggunakan metode FRAP (*Ferric Reducing Antioxidant Power*). *Jurnal Fitofarmaka Indonesia, 2*(2)

Mathur, M. (2018). Effect of fungal elicitation on growth and metabolite production in callus of few medicinal plants. *International Journal of Life Sciences*, 114–116.

Mehaboob, V. M., Faizal, K., Raja, P., Thiagu, G., Aslam, A., & Shajahan, A. (2019a). Effect of nitrogen sources and 2, 4-D treatment on indirect regeneration of ginger (*Zingiber officinale* Rosc.) using leaf base explants. *Journal of Plant Biotechnology*, *46*(1), 17–21. https://doi.org/10.5010/JPB.2019.46.1.017

Mehaboob, V. M., Faizal, K., Shamsudheen, K. M., Raja, P., Thiagu, G., & Shajahan, A. (2019b). Direct organogenesis and microrhizome production in ginger (*Zingiber officinale* Rosc.). *Journal of Pharmacognosy and Phytochemistry*, *8*(3), 2880–2883.

Miri, S. M. (2020). Micropropagation, callus induction and regeneration of ginger (*Zingiber officinale* Rosc.). *Open Agriculture*, *5*(1), 75–84. https://doi.org/10.1515/opag-2020-0008

Mishra, K., Ojha, H., & Chaudhury, N. K. (2012). Estimation of antiradical properties of antioxidants using DPPH assay: A critical review and results. *Food Chemistry*, 130, 1036-1043. https://doi.org/10.1016/j.foodchem.2011.07.127

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mishra, S., Roychowdhury, R., Ray, S., Hada, A., Kumar, A., Sarker, U., Aftab, T., & Das, R. (2024). Salicylic acid (SA)-mediated plant immunity against biotic stresses: An insight on molecular components and signaling mechanism. *Plant Stress*, *11*, 100427. https://doi.org/10.1016/j.stress.2024.100427

Mohammadi, N., Lima, A. S., Azevedo, L., & Granato, D. (2024). Bridging the gap in antioxidant activity of flavonoids: Correlating the oxidation of human plasma with chemical and cellular assays. *Current Research in Food Science*, *8*, 100714. https://doi.org/10.1016/j.crfs.2024.100714

Molzahn, V. A., Mousavi, S., Bereswill, S., & Heimesaat, M. M. (2026). Ginger and derivatives as promising antibiotics-independent options to tackle infections caused by bacterial including multi-drug resistant patogen-A review. *European Journal of Microbiology and Immunology*, *16*(1), 12-22. https://doi.org/10.1556/1886.2025.00069

Moon, K. M., Kwon, E., Lee, B., & Kim, C. Y. (2020). Recent trends in controlling the enzymatic browning of fruit and vegetable products. *Molecules*, *25*, 2754. https://doi.org/10.3390/molecules25122754

Moscatiello, R., Baldan, B., & Navazio, L. (2013). Plant cell suspension cultures. *Plant Mineral Nutrients: Methods and Protocols, Methods in Molecular Biology*, *953*. https://doi.org/10.1007/978-1-62703-152-3_5

Motolinía-Alcántara, E., A., Castillo-Araiza, C. O., Rodríguez-Monroy, M., Román-Guerrero, A., & Cruz-Sosa, F. (2021). Engineering considerations to produce bioactive compounds from plant cell suspension culture in bioreactors. *Plants*, *10*, 2762. https://doi.org/10.3390/plants10122762

Murthy, H., N., Lee, E., & Paek, K. (2014). Production of secondary metabolites from cell and organ cultures: strategies and approaches for biomass improvement and metabolite accumulation. *Plant Cell, Tissue and Organ Culture*, *118*, 1-16. https://doi.org/10.1007/s11240-014-0467-7

Mustafa, N. R., de Winter, W., van Iren, F., & Verpoorte, R. (2011). Initiation, growth and cryopreservation of plant cell suspension cultures. *Nature Protocols*, *6*(6), 715-742. https://doi.org/10.1038/nprot.2010.144

Mutlu-Ingok, A., Catalkaya, G., Capanoglu, E., & Karbancioglu-Guler, F. (2021). Antioxidant and antimicrobial activities of fennel, ginger, oregano and thyme essential oils. *Food Frontiers*, *2*(4), 508–518. https://doi.org/10.1002/fft2.77

Nabi, N., Singh, S., & Saffeullah, P. (2021). Responses of *in vitro* cell cultures to elicitation: regulatory role of jasmonic acid and methyl jasmonate: a review. *In Vitro Cellular & Developmental Biology - Plant*, *1*.

Nafia, R. & Habibah, N. A. (2025). Optimalisasi induksi kalus tebu (Saccharum officinarum L.) pada media Murashige and Skoog dengan penambahan picloram dan kinetin. *Bioscientist: Jurnal Ilmiah Biologi*, *13*(3), 1790-1802. https://doi.org/10.33394/bioscientist.v13i3.17030

Najhah, M. Y., Jaafar, H. Z. E., Nakasha, J. J., & Hakiman, M. (2021). Shoot multiplication and callus induction of *Labisia pumila* var. *alata* as influenced by different plant

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

growth regulators treatments and its polyphenolic activities compared with the wild plant. *Molecules*, *26*, 3229. https://doi.org/10.3390/molecules26113229

Namdeo, A. G. (2007). Plant cell elicitation for production of secondary metabolites: A review. *Pharmacognosy Reviews*, 1(1), 69-79

Narayani, M., & Srivastava, S. (2017). Elicitation: a stimulation of stress in in vitro plant cell/tissue cultures for enhancement of secondary metabolite production. *Phytochemistry Reviews*, *16*(6), 1227–1252. https://doi.org/10.1007/s11101-017-9534-0

Nesa, S. R., Mizan, Md. F. R., Meghla, N. S., Kang, I., & Ha, S. (2025). Exploring the effects of phenolic compounds and essential oils in poultry: A sustainable strategy to combat *Salmonella* biofilm infections. *Poultry Science*, *104*, 106056. https://doi.org/10.1016/j.psj.2025.106056.

Nikolaeva, T. N., Lapshin, P. V., & Zagoskina, N. V. (2022).Method for determining the total content of phenolic compounds in plant extracts with Folin-Denis reagent and Folin-Ciocalteu reagent: Modification and comparison. *Russian Journal of Bioorganic Chemistry*, *48*(7), 1519-1525. https://doi.org/10.1134/S1068162022070214

Ninkuu, V., Aluko, O. O., Yan, J., Zeng, H., Liu, G., Zhao, J., Li, H., Chen, S., & Dakora, F. D. (2025). Phenylpropanoids metabolism: recent insight into stress tolerance and plant development cues. *Frontiers in Plant Science*. https://doi.org/10.3389/fpls.2025.1571825

Nurdyansyah, F. and Widyastuti, D. A. (2020). Comparison of antioxidant activity of ethanolic, methanolic, n-hexan, and aqueous extract of *Parkia speciosa* peel based on half-maximal inhibitory concentration through free radical inhibition. *Advance Sustainable Science, Engineering and Technology*, *2*(2), 0200207-01. https://doi.org/10.26877/asset.v2i2.7129

Octaviani, M., Rahima, R., & Fadhli, H. (2021). Uji aktivitas antibakteri ekstrak dan fraksi buah *Syzygium polyanthum* Wigh Walp terhadap bakteri Gram negatif. *Jurnal Katalisator*, *6*(2), 297-306. https://doi.org/10.22216/jk.v5i2.5717

Pant, P., Pandey, S., & Dall'Acqua, S. (2021). The influence of environmental conditions on secondary metabolites in medicinal plants: A literature review. *Chemistry & Biodiversity*, *18*, e2100345. https://doi.org/10.1002/cbdv.202100345

Partap, M., Rattan, S., Kumar, D., & Warghat, A. R. (2022). Bioprocess development for enhancing cell biomass, differential picrosides accumulation, and gene expression profiling at shake flask levels in suspension cultures of *Picrorhiza kurroa*. *Industrial Crops & Products*, *187*, 115311. https://doi.org/10.1016/j.indcrop.2022.115311

Pasternak, T. P. & Steinmacher, D. (2024). Plant growth regulation in cell and tissue culture in vitro. *Plants*, *13*, 327. https://doi.org/10.3390/plants13020327

Patel, H. & Krishnamurthy, R. (2013). Elicitors in plant tissue culture. *Journal of Pharmacognosy and Phytochemistry*, *2*(2), 60-65

Paul, A., Sarkar, A., Acharya, K., & Chakraborty, N. (2022). Fungal elicitor-mediated induction of innate immunity in *Catharanthus roseus* against leaf blight disease

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

caused by *Alternaria alternata*. *Journal of Plant Growth Regulation*, *0123456789*. https://doi.org/10.1007/s00344-021-10569-y

Permadi, N., Prismantoro, D., Vasall, P. R. N., Sheelmarevaa, F. A., Nurjanah, S., Nurzaman, M., Alhasnawi, A. N., Doni, F., & Julaeha, E. (2025). Modern and traditional strategies for controlling microbial contamination in plant micropropagation: Current insights and future perspectives. *Current Research in Biotechnology*, *10*, 100337. https://doi.org/10.1016/j.crbiot.2025.100337

Phillips, G. C. & Garda, M. (2019). Plant tissue culture media and practices: an overview. *In Vitro Cellular & Developmental Biology*, *55*, 242-257. https://doi.org/10.1007/s11627-019-09983-5

Pisoschi, A. M., Pop, A., Cimpeanu, C., & Predoi, G. (2016). Antioxidant capacity determination in plants and plant-derived products: A review. Oxidative Medicine and Cellular Longevity, 2016, 9130976. https://dx.doi.org/10.1155/2016/9130976

Poeloengan, M. (2011). The effect of red ginger (*Zingiber officinale* Theilade) extract on the growth of mastitis causing bacterial isolates. *African Journal of Microbiology Research*, *5*(4), 382–388. https://doi.org/10.5897/AJMR10.776

Prachi, Sharma, T. R., & Singh, B. M. (2002). Salicylic acid induced insensitivity to culture filtrate of *Fusarium oxysporum* f.sp. *zingiberi* in the calli of *Zingiber officinale* Theilade. *European Journal of Plant Pathology*, *108*(1), 31–39. https://doi.org/10.1023/A:1013915013127

Pramiastuti, O. & Joharoh, J. (2020). Antibacterial activity combined extracts of red ginger *(Zingiber officinale* var. *Rubrum)* and betel leaf *(Piper betel* L.*) against Staphylococcus aureus and Escherichia coli*. *Melysa: Medical Laboratory Analysis and Science Journal*, *2*(1), 1-9. https://doi.org/1035584/melysa.v2i1.45

Prior, R. L., Wu, X., & Schaich, K. (2005). Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *Journal of Agricultural and Food Chemistry*, *53*, 4290-4302.

Puspitasari, A. D. S. & Habibah, N. A. (2021). Pengaruh zat pengatur tumbuh 2,4-D dan Kinetin terhadap pertumbuhan dan morfologi sel gembili (Dioscorea esculenta). Life Science, 10(2), 191-200

Rahmani, A. H., Al Shabrmi, F. M., & Aly, S. M. (2014). Active ingredients of ginger as potential candidates in the prevention and treatment of diseases via modulation of biological activities. *International Journal of Physiology, Pathophysiology and Pharmacology*, *6*(2), 125-136

Rajkumari, S., & Sanatombi, K. (2020). Secondary metabolites content and essential oil composition of *in vitro* cultures of *Zingiber montanum* (Koenig) Link ex A. Dietr. *Biotechnology Letters*, *42*(7), 1237–1245. https://doi.org/10.1007/s10529-020-02872-7

Rampengan, D. D. C. H., Syahputra, R. A., Halim, P., Kumalawati, D. A., Ramadhan, R. N., Surya, R., Wiyarta, E., Permatasari, H. K., Tjandrawinata, R. R., Taslim, N. A., Kim, B., Tallei, T. E., Tsopmo, A., & Nurkolis, F. (2024). Red ginger confers antioxidant activity, inhibits lipid and sugar metabolic enzymes, and downregulates

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

miR-21/132 expression. *Journal of Agriculture and Food Research*, *18*, 101526. https://doi.org/10.1016/j.jafr.2024.101526

Rao, S. R. & Ravishankar, G. A. (2002). Plant cell cultures: Chemical factories of secondary metabolites. *Biotechnology Advances*, *20*(2), 101-153. https://doi.org/10.1016/S0734-9750(02)00007-1

Razzaq, A., Zafar, M. M., Ali, A., Ihsan, L., Qadir, F., Khan, M. N., Zhang, Y., Gao, L., Cong, H., Iqbal, R., Jiang, X., & Qiao, F. (2025). Elicitor-mediated enhancement of secondary metabolites in plant species: a review. *Frontiers in Plant Science*, *16*, 1706600. https://doi.org/10.3389/fpls.2025.1706600

Robinson, K., Assumpcao, A. L. F. V., Arsi, K., Donoghue, A., & Jesudhasan, P. R. R. (2022). Ability of garlic and ginger oil to reduce *Salmonella* in post-harvest poultry. *Animals*, *12*(21), 2974. https://doi.org/10.3390/ani12212974

Rutter, B. D. & Innes, R. W. (2023). Extracellular vesicles in phytopathogenic fungi. *Extracellular Vesicles and Circulating Nucleic Acids*, *4*, 90-106. https://doi.org/10.20517/evcna.2023.04

Rybczyński, J. J., Marczak, L., Skórkowska-Telichowska, K., Stobiecki, M., Szopa, J., & Mikula, A. (2025). Cell suspension of the tree fern *Cyathea smithii* (J. D. Hooker) and its metabolic potential during cell growth: Preliminary studies. *International Journal of Molecular Sciences*, *23*(23), https://doi.org/10.3390/ijms262311683

Sakul, G., Simbala, H., & Rundengan, G. (2020). Uji daya hambat ekstrak etanol daun pangi (*Pangium edule* Reinw. ex Blume) terhadap bakteri *Staphylococcus aureus*, *Escherichia coli* dan *Pseudomonas aeruginosa*, *9*(2), 275-283

Salem, M. A., Souza, L. P. De, Serag, A., Fernie, A. R., Farag, M. A., Ezzat, S. M., & Alseekh, S. (2020). Metabolomics in the context of plant natural products research : From sample preparation to metabolite analysis. *Metabolites*, *10*(37), 1–30.

Salem, M. A., Zayed, A., Alseekh, S., Fernie, A. R., & Giavalisco, P. (2021). The integration of MS-based metabolomics and multivariate data analysis allows for improved quality assessment of *Zingiber officinale* Theilade. *Phytochemistry*, *190*(June), 112843. https://doi.org/10.1016/j.phytochem.2021.112843

Sartini, S., Djide, M. N., & Nainu, F. (2019). Correlation phenolic concentration to antioxidant and antibacterial activities of several ethanolic extracts from Indonesia. Journal of Physics: Conference Series, 1341, 072009. https://doi.org/10.1088/1742-6596/1341/7/072009

Sathyagowri, S., & Seran, T. H. (2011). In vitro plant regeneration of ginger (*Zingiber officinale* Rosc .) with emphasis on initial culture establishment. *International Journal of Medicinal and Aromatic Plants*, *1*(3), 195–202.

Selwal, N., Supriadi, K., Rahayu, F., Sukmadjaja, D., Khamidah, A., Budiaarto, K., Antarlina, S. S., Tripatmasari, M., & Wani, A. K. (2025). Elicitation strategies for enhanced secondary metabolite synthesis in plant cell cultures and its role in plant defense mechanism. *Plant Gene*, *41*, 100485. https://doi.org/10.1016/j.plgene.2024.100485

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Seran, T. H. (2013). In vitro propagation of ginger (*Zingiber officinale* Rosc.) through direct organogenesis: A review. *Pakistan Journal of Biological Sciences*, *16*(24), 1826-1835. https://doi.org/10.3923/pjbs.2013.1826.1835

Setiowati, F. K. & Permatasari, N. A. R. (2025). Perbedaan pengaruh 2,4-dichlorophenoxyacetic acid dan salicylic acid terhadap produksi biomassa kultur suspensi sel Zingiber officinale var. Rubrum. Jurnal Biologi dan Pembelajarannya, 12(1), 13-19

Seyis, F., Yurteri, E., Özcan, A., & Cirak, C. (2020). Altitudinal impacts on chemical content and composition of *Hypericum perforatum*, a prominent medicinal herb. *South African Journal of Botany*, *135*, 391-403. https://doi.org/10.1016/j.sajb.2020.09.034

Shamsudin, N. F., Ahmed, Q. U., Mahmood, S., Shah, S. A. A., Khatib, A., Mukhtar, S., Alsharif, M. A., Parveen, H., & Zakaria, Z. A. (2022). Antibacterial effects of flavonoids and their structure-activity relationship study: A comparative interpretation. *Molecules*, *27*, 1149. https://doi.org/10.3390/molecules27041149

Sharma, A., Shahzad, B., Rehman, A., Bhardwaj, R., Landi, M., & Zheng, B. (2019). Response of phenylpropanoid pathway and the role of polyphenols in plants under abiotic stress. *Molecules*, *24*, 2452. https://doi.org/10.3390/molecules24132452

Sharma, S., Rathi, N., Kamal, B., Pundir, D., Kaur, B., & Arya, S. (2010). Conservation of biodiversity of highly important medicinal plants of India through tissue culture technology-a review. *Agriculture and Biology Journal of North America*, *1*(5), 827-833. https://doi.org/10.5251/abjna.2010.1.5.827.833

Simic, S. G., Tusevski, O., Maury, S., Hano, C., Delaunay, A., Chabbert, B., Lamblin, F., Laine, E., Joseph, C., & Hagège, D. (2015). Fungal elicitor-mediated enhancement in phenylpropanoid and naphtodianthrone contents of *Hypericum perforatum* L. cell cultures. *Plant Cell, Tissue and Organ Culture*, 122, 213-226. https://doi.org/10.1007/s11240-015-0762

Singh, T. & Samantaray, U. S. (2021). Optimization of modified Murashige and Skoog (MS) medium promoting efficient callus induction in *Zinnia elegans*. *International Journal for Research in Applied Sciences and Biotechnology*, *8*(3), 202-211. https://doi.org/10.31033/ijrasb.8.3.25

Sharma, T. R. & Singh, B. M. (1997). High-frequency in vitro multiplication of disease-free *Zingiber officinale* Rosc. *Plant Cell Reports*, 17, 68-72

Solanki, R. U., Parekh, M. J., & Patel, S. R. (2014). Regeneration of ginger (*Zingiber officinale* ROSC.) through shoot tip culture. *Journal of Cell and Tissue Research*, *14*(2), 4409–4412.

Son, Y., Cheong, Y., Kim, N., Chung, H., Kang, D. G., & Pae H. (2011). Mitogen-activated protein kinases and reactive oxygen species: How can ROS activate MAPK pathways? *Journal of Signal Transduction*, 792639, 1-6. https://doi.org/10.1155/2011/792639

Soomro, R. & Memon, R. A. (2007). Establishment of callus and suspension culture in *Jatropha curcas*. *Pakistan Journal of Botany*, *39*(7), 2431-2441

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Styawan, A. A., Susidarti, R. A., Purwanto, Windarsih, A., Rahmawati, N., Sholikhah, I. K. M., & Rohman, A. (2022). Review on ginger (*Zingiber officinale* Theilade): phytochemical composition, biological activities and authentication analysis. *Food Research*, *6*(4), 443–454. https://doi.org/10.26656/fr.2017.6(4).500

Suciyati, S. W., & Adnyana, I. K. (2017). Red ginger (*Zingiber officinale* Theilade var *rubrum*): A review. *Pharmacologyonline*, *2*, 60–65.

Sukweenadhi, J., Setiabudi, J., Krisnawan, A. H., & Christanti, P. (2024). Initiation of red ginger callus (*Zingiber officinale* Roxb. var. *rubrum* Rosc.)from various explants. *BIO Web of Conferences*, *91*, 01014. https://doi.org/10.1051/bioconf/20249101014

Suleiman, M. H. A., ALaerjani, W. M. A., & Mohammed, M. E. A. (2020). Influence of altitudinal variation on the total phenolic and flavonoid content of *Acacia* and *Ziziphus* honey. *International Journal of Food Properties*, *23*(1), 2077-2086. https://10.1080/10942912.2020.1842445

Sultana, A., Hassan, L., Ahmad, S. D., Shah, A. H., Batool, F., Islam, M. A., Rahman, R. & Moonmoon, S. (2009). *In vitro* regeneration of ginger using leaf, shoot tip and root explants. *Pakistan Journal of Botany*, *41*(4), 1667-1676

Summer, K., Browne, J., Hollanders, M., & Benkendorff, K. (2022). Out of control: The need for standardised solvent approaches and data reporting in antibiofilm assays incorporating dimethyl-sulfoxide (DMSO). Biofilm, (4)100081. doi: 10.1016/j.bioflm.2022.100081

Supu, R. D., Diantini, A., & Levita, J. (2018). Red ginger (*Zingiber officinale* var. *rubrum*): Its chemical constituents, pharmacological activities and safety. *Fitofarmaka*, *8*(1), 1–15. http://dx.doi.org/10.1016/j.neuropsychologia.2015.07.010%0Ahttp://dx.doi.org/10.1016/j.visres.2014.07.001%0Ahttps://doi.org/10.1016/j.humov.2018.08.006%0Ahttp://www.ncbi.nlm.nih.gov/pubmed/24582474%0Ahttps://doi.org/10.1016/j.gaitpost.2018.12.007%0Ahttps:

Syarif, S., Kosman, R., & Inayah, N. (2015). Uji aktivitas antioksidan terong belanda (Solanum betaceum Cav.) dengan metode FRAP. As-Syifaa, 7(01), 26-33

Tan, J. B. L. & Lim, Y. Y. (2015). Critical analysis of current methods for assessing the *in vitro* antioxidant and antibacterial activity of plant extracts. *Food Chemistry*, *172*, 814-822). https://dx.doi.org/10.1016/j.foodchem.2014.09.141

Tanaka, K., Arita, M., Sakurai, H., Ono, N., & Tezuka, Y. (2015). Analysis of chemical properties of edible and medicinal ginger by metabolomics approach. https://doi.org/10.1155/2015/671058

Tao, H., Shaolin, P., Gaofeng, D., Lanying, Z., & Gengguang, L. (2002). Plant regeneration from leaf-derived callus in *Citrus grandis* (pummelo): Effects of auxin in callus induction medium. *Plant Cell, Tissue and Organ Culture*, *69*, 141-146

Tarigan, S. D. S., Astarini, I. A., & Astiti, N. P. A. (2023). Inisiasi kalus bangle (*Zingiber purpureum* Theilade) pada beberapa kombinasi 2,4-D dan kinetin. *Jurnal Hortikultura Indonesia*, *14*(2), 93-99 https://doi.org/10.29244/jhi.14.2.93-99

Tewelde, S., Patharajan, S., Teka, Z., & Sbhatu, D. B. (2020). Assessing the efficacy of broad-spectrum antibiotics in controlling bacterial contamination in the *in vitro*

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

micropropagation of ginger (*Zingiber officinale* Rosc). *Scientific World Journal*, *2020*. https://doi.org/10.1155/2020/6431301

Thorpe, T. A. (2007). History of plant tissue culture. *Molecular Biotechnology*, *37*, 169-180. https://doi.org/10.1007/s12033-007-0031-3

Tilley, A., McHenry, M. P., McHenry, J. A., Solah, V., & Bayliss, K. (2023). Enzymatic browning: The role of substrates in polyphenol oxidase mediated browning. *Current Research in Food Science*, *7*, 100623. https://doi.org/10.1016/j.crfs.2023.100623

Tiwari, D., Kewlani, P., Gaira, K. S., Bhatt, I. D., Sundriyal, R. C., & Pande, V. (2023). Predicting phytochemical diversity of medicinal and aromatic plants (MAPs) across eco-climatic zones and elevation in Uttarakhand using Generalized Additive Model. *Scientific Reports*, *13*(1), 10888. https://doi.org/10.1038/s41598-023-37495-1

Vasconsuelo, A. & Boland, R. (2007). Molecular aspects of the early stages of elicitation of secondary metabolites in plants. *Plant Science*, *172*(5), 861-875. https://doi.org/10.1016/j.plantsci.2007.01.006

Wagiono, Sari, D. A. Miledhiya, S.A., Fitria, I.A., Sidabutar, K.V., Kamil, M.I., Fadzrin, A. G. M. (2020). Pengaruh pemberian kombinasi pupuk organik dan anorganik terhadap keragaan pertumbuhan dan tanaman jahe merah (*Zingiber officinale* Rubrum.) di Kecamatan Majalaya Kabupaten Karawang. *Jurnal Agrotek Indonesia*, *2*(5), 41–46.

Wahyuni, D. K., Huda, A., Faizah, S., Purnobasuki, H., & Wardojo, B. P. E. (2020). Effects of light, sucrose concentration and repetitive subculture on callus growth and medically important production in *Justicia gendarussa* Burm.f. *Biotechnology Reports*, *27*, e00473. https://10.1016/j.btre.2020.e00473

Wahyuni, D. S. C., Kristanti, M., Marliyana, S. D., & Rinanto, Y. (2019). Metabolomic study of three species in Zingiberaceae family based on 1H-NMR. *Majalah Obat Tradisional*, *24*(1), 59. https://doi.org/10.22146/mot.41071

Wang, C., Zhang, Y., Ding, H., Song, M., Yin, J., & Yu, H. (2021). Authentication of Zingiber species based on analysis of metabolite profiles. *12*(November), 1–15. https://doi.org/10.3389/fpls.2021.705446

Wang, X., Shen, Y., Thakur, K., Han, J., Zhang, J. G., Hu, F., & Wei, Z. J. (2020). Antibacterial activity and mechanism of ginger essential oil against *Escherichia coli* and *Staphylococcus aureus*. *Molecules*, *25*(17). https://doi.org/10.3390/molecules25173955

Warhade, M. I., & Badere, R. S. (2018). *Fusarium oxysporum* cell elicitor enhances betalain content in the cell suspension culture of *Celosia cristata*. *Physiology and Molecular Biology of Plants*, *24*(2), 285–293. https://doi.org/10.1007/s12298-018-0511-x

Widyastuti, D. A., Nuringtyas, T. R., Rohman, A., & Santosa, D. (2026). Altitude-dependent variation in antibacterial properties of red ginger (*Zingiber officinale* var. r*ubrum*: Implications for natural anti-*Salmonella* agents. *Advance Sustainable Science, Engineering and Technology*, *8*(2), 02602012-01 ~ 02602012-09. https://doi.org/10.26877/asset.v8i2.2781

Widyastuti, D. A., Santosa, D., Nuringtyas, T. R., & Rohman, A. (2024). Callus induction of red ginger (Zingiber officinale var. rubrum) with 2,4-D and Kinetin combination

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

to enhance total phenolic and flavonoid content. IOP Conference Series: Earth and Environmental Science, 1364, 012051

Wijerathna-Yapa, A., Hiti-Bandaralage, J., & Pathirana, R. (2025). Harnessing metabolites from plant cell tissue and organ culture for sustainable biotechnology. *Plant Cell, Tissue and Organ Culture*, *162*, 55. https://doi.org/10.1007/s11240-025-03180-6

Windarsih, A., Bakar, N. K. A., Rohman, A., Yuliana, N. D., & Dachriyanus, D. (2024). Untargeted metabolomics using liquid chromatography-high resolution mass spectrometry and chemometrics for analysis of non-halal meats adulteration in beef meat. *Animal Bioscience*, *37*(5), 918-928. https://doi.org/10.5713/ab.23.0238

Windarsih, A., Suratno, Warmiko, H. D., Indrianingsih, A. W., Rohman, A., & Ulumuddin, Y. I. (2022). Untargeted metabolomics and proteomics approach using liquid chromatography-Orbitrap high resolution mass spectrometry to detect pork adulteration in *Pangasius hypopthalmus* meat. *Food Chemistry*, *386*, 132856. https://doi.org/10.1016/j.foodchem.2022.132856

Wu, T., Kerbler, S. M., Fernie, A. R., & Zhang-Youjun. (2021). Plant cell cultures as heterologous bio-factories for secondary metabolite production. *Plant Communications*, 2, 100235. https://doi.org/10.1016/j.xplc.2021.100235

Xiao, J. F., Zhou, B., & Ressom, H. W. (2012). Metabolite identification and quantitation in LC-MS/MS-based metabolomics. *Trends in Analytical Chemistry*, *32*, 1-14. https://doi.org/10.1016/j.trac.2011.08.009

Yang, B., Zheng, J., Laaksonen, O., Tahvonen, R., & Kallio, H. (2013). Effect of latitude and weather conditions on phenolic compounds in currant (*Ribes* spp.) cultivars. *Journal of Agricultural and Food Chemistry*, *61*, 3517-3532. https://dx.doi.org/10.1021/jf4000456

Yang, H., Yang, L. Wang, Y., Hu, Y., Li, Y., Qu, H., Wei, W., Yang, H., Bi, Q., Zhang, J., & Guo, D. (2025). A systematic comparative analysis of ginger-related varieties from three dimensions based on HS-SPME-GC-Q-TOF MS and UHPLC-LTQ-Orbitrap MS. *Food Research International*, *203* (2025). https://doi.org/10.1016/j.foodres.2025.115820

Yang, L., Wen, K., Ruan, X., Zhao, Y., Wei, F., & Wang, Q. (2018). Response of plant secondary metabolites to environmental factors. *Molecules*, *23*, 762. https://doi.org/10.3390/molecules23040762

Yang, Z., Guo, Z., Yan, J., & Xie, J. (2024). Nutritional components, phytochemical compositions, biological properties, and potential food applications of ginger (*Zingiber officinale*): A comprehensive review. *Journal of Food Composition and Analysis*, *128*, 106057. https://doi.org/10.1016/j.jfca.2024.106057

Yazıcı-Tütüniş, S., Toraman, G. Ö. A., Dincel, E. D., Tufan, S., Akalın, E., Tan, E., Ulusoy-Güzeldemirci, U., Gören, A. C., Miski, M., Topçu, G., & Tan, N. (2025). *In silico* and *in vitro* antibacterial evaluation of eight Anatolian *Salvia* species with chemical profiling by LC-HRMS. *Scientific Reports*, *15*, 31404. https://doi.org/10.1038/s41598-025-15803-1

Yu, D., Guo, S., Wang, J., Yan, H., Zhang, Z., Yang, J., & Duan, J. (2022). Comparison of different drying methods on the volatile components of ginger (*Zingiber officinale*

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Theilade) by HS-GC-MS coupled with fast GC E-Nose. *Foods*, *11*, 1611. https://doi.org/10.3390/foods11111611

Yu, D., Guo, S., Zhang, X., Yan, H., Mao, S., Wang, J., Zhou, J., Yang, J., Yuan, Y., & Duan, J. (2023). Combining stable isotope, multielement and untargeted metabolomics with chemometrics to discriminate the geographical origins of ginger (*Zingiber officinale* Theilade). *Food Chemistry*, *426*, 136577. https://doi.org/10.1016/j.foodchem.2023.136577

Yue, J., Dong, Y., Li, C., Wang, X., & Zhang, Y. (2024). Sucrose promotes the proliferation and differentiation of callus by regulating ROS intensity in *Agapanthus praecox*. *Horticulturae*, *10*, 1350. https://doi.org/10.3390/horticulturae10121350

Zahid, N. A., Jaafar, H. Z. E., & Hakiman, M. (2021). Micropropagation of ginger (*Zingiber officinale* Theilade) 'Bentong' and evaluation of its secondary metabolites and antioxidant activities compared with the conventionally propagated plant. *Plants*, *10*, 630.

Zavaliev, R. & Dong, X. (2024). NPR1, a key immune regulator for plant survival under biotic and abiotic stresses. *Molecular Cell*, *84*, 131-141. https://doi.org/10.1016/j.molcel.2023.11.018

Zeng, H. & Yao, N. (2022). Sphingolipids in plant immunity. *Phytopathology Research*, 4(20).

Zhang, P., Jackson, E., Li, X., & Zhang, Y. (2025). Salicylic acid and jasmonic acid in plant immunity. *Horticulture Research*, *12*(uhaf082), 1-15. https://doi.org/10.1093/hr/uhaf082

Zhang, S., Kou, X., Zhao, H., Mak, K. K., Balijepalli, M. K., & Pichika, M. R. (2022). *Zingiber officinale* var. *rubrum*: Red ginger's medicinal uses. *Molecules* (Vol. 27, Issue 3). MDPI. https://doi.org/10.3390/molecules27030775

Zhao, J., Davis, L. C., & Verpoorte, R. (2005). Elicitor signal transduction leading to production of plant secondary metabolites. *Biotechnology Advances*, *23*(4), 283-333. https://doi.org/10.1016/j.biotechadv.2005.01.003

Zheng, Y., Liu, Y., Ma, M., & Xu, K. (2008). Increasing *in vitro* microrhizome production of ginger (*Zingiber officinale* Theilade). *Acta Physiologiae Plantarum*, *30*(4), 513–519. https://doi.org/10.1007/s11738-008-0149-3

Zhong, J. (2001). Biochemical engineering of the production of plant-specific secondary metabolites by cell suspension cultures. *Advances in Biochemical Engineering/Biotechnology*, *72*, 1-26

Zhu, B., Wu, L., Wan, H., Yang, K., Si, J., & Qin, L. (2018). Fungal elicitors stimulate biomass and active ingredients accumulation in *Dendrobium catenatum* plantlets. *Biologia*, *73*(10), 917–926. https://doi.org/10.2478/s11756-018-0091-9

Zoratti, L., Karppinen, K., Escobar, A. L., Häggman, H., & Jaakola, L. (2014). Light-controlled flavonoid biosynthesis in fruits. Frontiers in Plant Science, 5(534), 1-17. https://doi.org/10.3389/fpls.2014.00534

Zouine, N., Ghachtouli, N. E., Abed, S. E., & Koraichi, S. I. A comprehensive review on medicinal plant extracts as antibacterial agents: Factors, mechanism insights and

UNIVERSITAS
GADJAH MADA
Kultur In Vitro Jahe Merah (Zingiber officinale var. rubrum Theilade) dengan Elisitor Fusarium oxysporum sebagai Anti-Salmonella sp.
Dyah Ayu Widyastuti, Prof. Dr. Abdul Rohman, SF., Apt., M.Si.; Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Dr. Djoko Santos
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

future prospects. *Scientific African*, *26*, e02395. https://doi.org/10.1016/j.sciaf.2024.e02395

Zuraida, A. R., Shukri, M., Sabrina, E., Nazreena, A., Radziah, C., Pavallekoodi, G., & Sreeramanan, S. (2016). Micropropagation of ginger (*Zingiber officinale* var . *Rubrum*) using buds from microshoots. *Pakistan Journal of Botany*, *48*(3), 1153–1158.