UNIVERSITAS
GADJAH MADA
Efektivitas epidural continuous dibandingkan epidural intermitten dalam manajemen nyeri pasca operasi berdasarkan APS-POQ-R
Talitha Azalia, Dr. dr. Mahmud,Msc,Sp.An-TI,FIP Subsp.MN(K); Dr. dr. Sudadi SpAn-TI, Subsp.N.An.R(K)
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aboushaar N, Serrano N. The mutually reinforcing dynamics between pain and stress: mechanisms, impacts and management strategies. Front Pain Res. 2024;5(November).

Akire SC, Bayraktar N. Outcomes of pain management among postoperative patients: a cross-sectional study. J Perianesth Nurs. 2024;39(2):240-5.

AN Hernandez, Avila JM H. Epidural Anesthesia [Internet]. Treasure Island (FL): StatPearls Publishing; 2025. Available from: https://www.ncbi.nlm.nih.gov/books/NBK542219/

Anterpreet D, Muriam A. Caudal Anesthesia. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2025. Available from: https://www.ncbi.nlm.nih.gov/books/NBK551693/

Archibald LK, Quisling RG. Central Nervous System Infections. Textbook of Neurointensive Care. 2013. p. 427–517.

Bacon DR. The Historical Narrative: Tales of Professionalism? Anesthesiol Clin. 2008;26(1):67–74.

Botti M, Khaw D, Jørgensen EB, Rasmussen B, Hunter S, Redley B. Cross-cultural examination of the structure of the Revised American Pain Society Patient Outcome Questionnaire (APS-POQ-R). J pain. 2015 Aug;16(8):727–40.

Block, B.M., Liu, S.S., Rowlingson, A.J. *et al.* (2003) 'Efficacy of postoperative epidural analgesia', *Database of Abstracts of Reviews of Effects*

Butterworth JF, Mackey DC, Wasnick JD. Morgan & Mikhail's Clinical Anesthesiology. 7th ed. McGraw Hill Professional; 2022. 1443 p.

Chan EY, Sutton C, Wang X, et al. Evaluate construct validity of the Revised American Pain Society Patient Outcome Questionnaire in gynecological postoperative patients using confirmatory factor analysis. BMC Anesthesiol. 2020;20:1-10.

Chaw SH, Lo YL, Lee JY, Wong JW, Zakaria WAW, Ruslan SR, et al. Evaluate construct validity of the Revised American Pain Society Patient Outcome

UNIVERSITAS
GADJAH MADA
Efektivitas epidural continuous dibandingkan epidural intermitten dalam manajemen nyeri pasca operasi berdasarkan APS-POQ-R
Talitha Azalia, Dr. dr. Mahmud,Msc,Sp.An-TI,FIP Subsp.MN(K); Dr. dr. Sudadi SpAn-TI, Subsp.N.An.R(K)
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Questionnaire in gynecological postoperative patients using confirmatory factor analysis. BMC Anesthesiol. 2021;21(1):1–11.

Chou R, Gordon DB, de Leon-Casasola OA, Rosenberg JM, Bickler S, Brennan T, et al. Management of Postoperative Pain: A Clinical Practice Guideline From the American Pain Society, the American Society of Regional Anesthesia and Pain Medicine, and the American Society of Anesthesiologists' Committee on Regional Anesthesia, Executive Commi. J Pain [Internet]. 2016 Feb 1;17(2):131–57. Available from: https://doi.org/10.1016/j.jpain.2015.12.008

Cöcelli LP, Erkutlu I, Karakurum G, Avci N, Gül R, Öner Ü. Transient neurologic syndrome after spinal anesthesia with epidural steroid treatment. Curr Ther Res - Clin Exp. 2009;70(Wiesmann et al., 2018):316–22.

Colloca L, Ludman T, Bouhassira D, Baron R, Dickenson AH, Yarnitsky D, et al. Neuropathic pain. Nat Rev Dis Prim. 2017 Feb;3:17002.

Doulton B. Pharmacologic management of adult breakthrough cancer pain. Can Fam Physician. 2014 Dec;60(12):1111–4, e585-9.

Elliott JA. Chapter 10 - PATIENT-CONTROLLED ANALGESIA. In: SMITH HSBTCT in P, editor. Philadelphia: W.B. Saunders; 2009. p. 73–8. Available from: https://www.sciencedirect.com/science/article/pii/B9781416048367000109

Erden S, Guler S, Tura I, Basibuyuk IF, Arslan UE. Evaluating patient outcomes in postoperative pain management according to the revised American Pain Society Patient Outcome Questionnaire (APS-POQ-R). Appl Nurs Res. 2023;73:151734.

Ferraz MB, Quaresma MR, Aquino LR, Atra E, Tugwell P, Goldsmith CH. Reliability of pain scales in the assessment of literate and illiterate patients with rheumatoid arthritis. J Rheumatol. 1990 Aug;17(8):1022–4.

Fettes PDW, Moore CS, Whiteside JB, McLeod GA, Wildsmith JAW. Intermittent vs continuous administration of epidural ropivacaine with fentanyl for analgesia during labour. Br J Anaesth. 2006 Sep;97(3):359–64.

UNIVERSITAS
GADJAH MADA
Efektivitas epidural continuous dibandingkan epidural intermitten dalam manajemen nyeri pasca operasi berdasarkan APS-POQ-R
Talitha Azalia, Dr. dr. Mahmud,Msc,Sp.An-TI,FIP Subsp.MN(K); Dr. dr. Sudadi SpAn-TI, Subsp.N.An.R(K)
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Freise H, Van Aken HK. Risks and benefits of thoracic epidural anaesthesia. Br J Anaesth [Internet]. 2011;107(6):859–68. Available from: https://www.sciencedirect.com/science/article/pii/S0007091217325631

Gala FB, Aswani Y. Imaging in spinal posterior epidural space lesions: A pictorial essay. Indian J Radiol Imaging. 2016;26(3):299–315.

Gan TJ, Habib AS, Miller TE, White W, Apfelbaum JL. Incidence, patient satisfaction, and perceptions of post-surgical pain: results from a US national survey. Curr Med Res Opin. 2014 Jan;30(1):149–60.

Gerhardt MA, Gunka VB, Miller RJ. Hemodynamic stability during labor and delivery with continuous epidural infusion. J Am Osteopath Assoc. 2006 Dec;106(12):692–8.

Gordon DB, Polomano RC, Pellino TA, Turk DC, McCracken LM, Sherwood G, et al. Revised American Pain Society Patient Outcome Questionnaire (APS-POQ-R) for quality improvement of pain management in hospitalized adults: preliminary psychometric evaluation. J pain. 2010 Nov;11(11):1172–86.

Hamzah H, Bratha INYDS, Sumartono C, Utariani A, Semedi BP, Avidar YP. Comparison of Outcome between Patients Receiving General Anesthesia Combined with Continuous Epidural Anesthesia and Patients Receiving General Anesthesia Combined with Intermittent Epidural Anesthesia. Bali J Anesthesiol [Internet]. 2020;4(3). Available from: https://journals.lww.com/bjoa/fulltext/2020/04030/comparison_of_outcome_between_patients_receiving.8.aspx

Horn R, Hendrix JM, Kramer J. Postoperative Pain Control. In Treasure Island (FL); 2025.

Hossein A, Baker MB. Epidural Abscess [Internet]. Treasure Island (FL): StatPearls Publishing; 2023. Available from: https://www.ncbi.nlm.nih.gov/books/NBK535450/

Hughes JA, Hazelwood S, Lyrstedt AL, Jones L, Brown NJ, Jarugula R, et al. Enhancing pain care with the American Pain Society Patient Outcome

UNIVERSITAS
GADJAH MADA
Efektivitas epidural continuous dibandingkan epidural intermitten dalam manajemen nyeri pasca operasi berdasarkan APS-POQ-R
Talitha Azalia, Dr. dr. Mahmud,Msc,Sp.An-TI,FIP Subsp.MN(K); Dr. dr. Sudadi SpAn-TI, Subsp.N.An.R(K)
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Questionnaire for use in the emergency department (APS-POQ-RED): validating a patient-reported outcome measure. BMJ Open Qual. 2024;13(1):e002295.

Hussain N, Lagnese CM, Hayes B, Kumar N, Weaver TE, Essandoh MK, et al. Comparative analgesic efficacy and safety of intermittent local anaesthetic epidural bolus for labour: a systematic review and meta-analysis. Br J Anaesth [Internet]. 2020 Oct 1;125(Wiesmann et al., 2018):560–79. Available from: https://doi.org/10.1016/j.bja.2020.05.060

Jin MY, Everett ES, Abd-Elsayed A. Microbiological and Physiological Effects of Pain. Curr Pain Headache Rep [Internet]. 2023;27(6):165–73. Available from: https://doi.org/10.1007/s11916-023-01114-5

Kang XH, Bao FP, Xiong XX, Li M, Jin TT, Shao J, et al. Major complications of epidural anesthesia: A prospective study of 5083 cases at a single hospital. Acta Anaesthesiol Scand. 2014;58(7):858–66.

Kang Y, Trewern L, Jackman J, McCartney D, Soni A. Chronic pain: definitions and diagnosis. Bmj. 2023;1–5.

Karcz M, Abd-Elsayed A, Chakravarthy K, Aman MM, Strand N, Malinowski MN, et al. Pathophysiology of Pain and Mechanisms of Neuromodulation: A Narrative Review (A Neuron Project). J Pain Res. 2024;17:3757–90.

Katz J, Rosenbloom BN. The golden anniversary of Melzack and Wall's gate control theory of pain: Celebrating 50 years of pain research and management. Pain Res Manag. 2015;20(6):285–6.

Kaulhausen T, Siewe J, Eysel P, Knifka J, Notermans H, Koebke J, et al. The Role of the Inter-/Supraspinous Ligament Complex in Stand-Alone Interspinous Process Devices: A Biomechanical and Anatomic Study. J Neurol Surg A Cent Eur Neurosurg. 2012 Mar 1;73:65–72.

Kim YJ, Lee DK, Kwon HJ, Kwon HM, Lee JH, Kim DH, et al. Programmed Intermittent Epidural Bolus versus Continuous Epidural Infusion in Major Upper Abdominal Surgery: A Retrospective Comparative Study. J Clin Med.

UNIVERSITAS
GADJAH MADA
Efektivitas epidural continuous dibandingkan epidural intermitten dalam manajemen nyeri pasca operasi berdasarkan APS-POQ-R
Talitha Azalia, Dr. dr. Mahmud,Msc,Sp.An-TI,FIP Subsp.MN(K); Dr. dr. Sudadi SpAn-TI, Subsp.N.An.R(K)
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

2021 Nov;10(22).

Kishore K, Reddy IR, Aasim SA, Himabindu P. A Comparative Study of the Efficacy of Epidural 0 . 25 % Bupivacaine Versus 0 . 25 % Ropivacaine For Post Operative Pain Relief in Lower Abdominal Surgeries . 2019;(5):15–8.

Liu S, Kelliher L. Physiology of pain—a narrative review on the pain pathway and its application in the pain management. Dig Med Res Vol 5 (December 30, 2022) Dig Med Res [Internet]. 2022; Available from: https://dmr.amegroups.org/article/view/8443

Macionis V. Nociplastic pain: controversy of the concept. Korean J Pain. 2025 Jan;38(1):4–13.

Mo X, Zhao T, Chen J, Li X, Liu J, Xu C, et al. Programmed Intermittent Epidural Bolus in Comparison with Continuous Epidural Infusion for Uterine Contraction Pain Relief After Cesarean Section: A Randomized, Double-Blind Clinical Trial. Drug Des Devel Ther. 2022;16:999–1009.

Mukherjee S, Das S, Mukhopadhyay S, Rangan Basu S, cum Clinical Tutor R, Roy BC. Comparison between continuous epidural infusion and intermittent epidural bolus of bupivacaine fentanyl combination for labour analgesia. Sch J Appl Med Sci [Internet]. 2013;1(6):953–8. Available from: www.saspublisher.com

Nugent SM, Lovejoy TI, Shull S, Dobscha SK, Morasco BJ. Associations of Pain Numeric Rating Scale Scores Collected during Usual Care with Research Administered Patient Reported Pain Outcomes. Pain Med (United States). 2021;22(10):2235–41.

PALLIATIVE Canadian edition. Canada: Twycross R, Wilcock A, Dean M, Kennedy B. Palliative care formulary. Canadian ed. Nottingham, UK: Palliativedrugs.com; 2014; 2010.

Pozza DH, Tavares I, Cruz CD, Fonseca S. Spinal Cord Injury and Complications Related to Neuraxial Anaesthesia Procedures: A Systematic Review. Int J Mol Sci. 2023 Feb;24(5).

Raja SN, Carr DB, Cohen M, Finnerup NB, Flor H, Gibson S, et al. The revised

UNIVERSITAS
GADJAH MADA
Efektivitas epidural continuous dibandingkan epidural intermitten dalam manajemen nyeri pasca operasi berdasarkan APS-POQ-R
Talitha Azalia, Dr. dr. Mahmud,Msc,Sp.An-TI,FIP Subsp.MN(K); Dr. dr. Sudadi SpAn-TI, Subsp.N.An.R(K)
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

International Association for the Study of Pain definition of pain: concepts, challenges, and compromises. Pain. 2020 Sep;161(9):1976–82.

Resta M, Panjaitan M, Arsinta D, Mafiana R. Factors That Influence It). 2020;1(2):41–5.

Saint Luke's Health System. Continuous Epidural Pain Relief [Internet]. 2024. Available from: https://www.saintlukeskc.org/health-library/continuous-epidural-infusion-pain-relief

Salicath JH, Yeoh EC, Bennett MH. Epidural analgesia versus patient-controlled intravenous analgesia for pain following intra-abdominal surgery in adults. Cochrane database Syst Rev. 2018 Aug;8(8):CD010434.

Sattar MH, Guthrie ST. Anatomy, Back, Sacral Vertebrae [Internet]. Treasure Island (FL): StatPearls Publishing; 2025. Available from: https://www.ncbi.nlm.nih.gov/books/NBK551653/%0A

Schaible HG. 24 - Scientific basis of pain. In: Hochberg MC, Silman AJ, Smolen JS, Weinblatt ME, Weisman MHBTR (Sixth E, editors. Philadelphia: Mosby; 2015. p. 183–7. Available from: https://www.sciencedirect.com/science/article/pii/B9780323091381000243

Schmitt SK. Osteomyelitis. Infect Dis Clin North Am [Internet]. 2017;31(2):325–38. Available from: https://www.sciencedirect.com/science/article/pii/S0891552017300107

Schneider H, Cristian A. Role of Rehabilitation Medicine in the Management of Pain in Older Adults. Clin Geriatr Med [Internet]. 2008;24(2):313–34. Available from: https://www.sciencedirect.com/science/article/pii/S0749069007001073

Shugarman LR, Goebel JR, Lanto A, Asch SM, Sherbourne CD, Lee ML, et al. Nursing staff, patient, and environmental factors associated with accurate pain assessment. J Pain Symptom Manage. 2010 Nov;40(5):723–33.

Siswagama TA. Comparison of Intermittent Epidural Bolus and Continuous Epidural Infusion for Postoperative Pain Management in Abdominal Surgery Patients. 2024;(3):60–4.

UNIVERSITAS
GADJAH MADA
Efektivitas epidural continuous dibandingkan epidural intermitten dalam manajemen nyeri pasca operasi berdasarkan APS-POQ-R
Talitha Azalia, Dr. dr. Mahmud,Msc,Sp.An-TI,FIP Subsp.MN(K); Dr. dr. Sudadi SpAn-TI, Subsp.N.An.R(K)
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Smith J, Ng L. The management of acute pain – an update. Medicine (Baltimore) [Internet]. 2025;53(2):102–8. Available from: https://www.sciencedirect.com/science/article/pii/S1357303924002834

Stephan A S, Daly HCS, Stannard KJ. Mechanisms of Vacular Disease: A Reference Book for Vascular Specialists [Internet]. R F, M T, editors. University of Adelaide Press: University of Adelaide Press; 2011. 20 p. Available from: https://www.ncbi.nlm.nih.gov/books/NBK534269/

Sutiyono D. Epidural Analgesia Kolaborasi Dokter Anestesi dan Dokter Bedah Syaraf untuk Penanganan Nyeri Pascaoperasi Tulang Belakang. JAI (Jurnal Anestesiol Indones. 2019;11(3):153–63.

Suwarman, Yadi DF, Suryadi S, Nugraha P. Evaluation of post-elective surgery acute pain management profiles using the APS-POQ-R questionnaire: an observational study. Anaesthesia, Pain Intensive Care. 2024;28(3):481–8.

Tawfic QA, Faris AS. Acute pain service: past, present and future. Pain Management. 2015 Jan;5(1):47–58.

Teng IC, Sun CK, Ho CN, Wang LK, Lin YT, Chang YJ, et al. Impact of combined epidural anaesthesia/analgesia on postoperative cognitive impairment in patients receiving general anaesthesia: a meta-analysis of randomised controlled studies. Anaesthesia, Crit care pain Med. 2022 Oct;41(5):101119.

The Royal College of Anesthetics. NAP 3 The 3rd National Audit Project of The Royal College of Anaesthetists Major complications of central neuraxial block in the united kingdom NAP 3. 2009.

Timmers I, Quaedflieg CWEM, Hsu C, Heathcote LC, Rovnaghi CR, Simons LE. The interaction between stress and chronic pain through the lens of threat learning. Neurosci Biobehav Rev. 2019 Dec;107:641–55.

Treede RD, Apkarian VA, Bromm B, Greenspan JD, Lenz FA. Cortical representation of pain: functional characterization of nociceptive areas near the lateral sulcus. Pain [Internet]. 2000;87(2). Available from: https://journals.lww.com/pain/fulltext/2000/08010/cortical_representation_of_

UNIVERSITAS
GADJAH MADA
Efektivitas epidural continuous dibandingkan epidural intermitten dalam manajemen nyeri pasca operasi berdasarkan APS-POQ-R
Talitha Azalia, Dr. dr. Mahmud,Msc,Sp.An-TI,FIP Subsp.MN(K); Dr. dr. Sudadi SpAn-TI, Subsp.N.An.R(K)
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

pain__functional.1.aspx

Vader K, Bostick GP, Carlesso LC, Hunter J, Mesaroli G, Perreault K, et al. The Revised IASP Definition of Pain and Accompanying Notes: Considerations for the Physiotherapy Profession. Vol. 73, Physiotherapy Canada. Physiotherapie Canada. Canada; 2021. p. 103–6.

Viderman D, Tapinova K, Nabidollayeva F, Tankacheev R, Abdildin YG. Intravenous versus Epidural Routes of Patient-Controlled Analgesia in Abdominal Surgery: Systematic Review with Meta-Analysis. J Clin Med. 2022 May;11(9).

Virmani R, Ghai A, Singh DK. Study to compare continuous epidural infusion and intermittent bolus of bupivacaine for postoperative analgesia following renal surgery. South African J Anaesth Analg. 2014 Aug 12;14:19–22.

Voscopoulos C, Lema M. When does acute pain become chronic? Br J Anaesth [Internet]. 2010;105:i69–85. Available from: http://dx.doi.org/10.1093/bja/aeq323

Wang L, Wu Z, Hu L, Wang Y. Programmed intermittent epidural bolus for post-cesarean delivery analgesia: a randomized controlled double-blind trial. J Anesth. 2022 Feb;36(1):32–7.

Wiesmann T, Hoff L, Prien L, Torossian A, Eberhart L, Wulf H, et al. Programmed intermittent epidural bolus versus continuous epidural infusion for postoperative analgesia after major abdominal and gynecological cancer surgery: a randomized, triple-blinded clinical trial. BMC Anesthesiol. 2018;18(1):154.

Yin X, Xiang Z, Prasai A, Lamichhane N. Continuous versus Intermittent Bolus Epidural Anaesthesia in Elderly Surgical Patients. J Nepal Med Assoc. 2003;42(148):201–2.

Zoëga S, Ward S, Gunnarsdottir S. Evaluating the quality of pain management in a hospital setting: testing the psychometric properties of the Icelandic version of the revised American Pain Society patient outcome questionnaire. Pain Manag Nurs Off J Am Soc Pain Manag Nurses. 2014 Mar;15(1):143–55.