

DAFTAR PUSTAKA

- Abdou, R. M., El Dine, R. S., El-Tanbouly, N. D., & El-Sayed, A. M. (2021). Optimization for ultrasonic-assisted extraction of *afmomum melegueta* phenolics using response surface methodology. *Egyptian Journal of Chemistry*, 64(6), 3153–3160. <https://doi.org/10.21608/ejchem.2021.52321.3080>
- Alam Bhuiyan, M. K., & Qureshi, S. (2016). Proximate Chemical Composition of Sea Grapes *Caulerpa racemosa* (J. Agardh, 1873) Collected from a Sub-Tropical Coast. *Virology & Mycology*, 5(2). <https://doi.org/10.4172/2161-0517.1000158>
- Alami, M. M., Guo, S., Mei, Z., Yang, G., & Wang, X. (2024). Environmental factors on secondary metabolism in medicinal plants: exploring accelerating factors. In *Medicinal Plant Biology* (Vol. 3). Maximum Academic Press. <https://doi.org/10.48130/mpb-0024-0016>
- Alam, W., Khan, H., Shah, M. A., Cauli, O., & Saso, L. (2020). Kaempferol as a Dietary Anti-Inflammatory Agent: Current Therapeutic Standing. *Molecules*, 25(18). <https://doi.org/10.3390/molecules25184073>
- Antara, K. L., Fadjar, M., & Setijawati, D. (2022). Analisis Pertumbuhan *Caulerpa* lentifera yang Terintegrasi dengan Budidaya *Haliois squamata*. *Buletin Oseanografi Marina*, 11(3), 347–357. <https://doi.org/10.14710/buloma.v11i3.47685>
- Apriliyanti, F. J., Risjani, Y., Hertika, A. M. S., & Paricahya, A. F. (2024). Growth Analysis of *Caulerpa* lentillifera Cultivated at Laboratory Scale with Different Light Intensities. *Jurnal Penelitian Pendidikan IPA*, 10(5), 2346–2353. <https://doi.org/10.29303/jppipa.v10i5.6126>
- Aydar, A. (2019). Statistical Methods In Optimization Of Food Materials. *European International Journal of Science and Technology*, 8(3), 33–40. <https://orcid.org/0000-0001-9780-0917>
- Azizah, L. N., Novitasari, D., Andriyani, L., Aini, I. N., Juan, A., Prasetya, P., & Susiloningrum, D. (2024). PEMANFAATAN ANGGUR LAUT “LATO” (*Caulerpa racemosa*) YANG HIDUP DI PESISIR LAUT MLONGGO JEPARA SEBAGAI BAHAN AKTIF CLAY MASK. <http://cjp.jurnal.stikescendekiautamakudus.ac.id>
- Belwal, T., Ezzat, S. M., Rastrelli, L., Bhatt, I. D., Daglia, M., Baldi, A., Devkota, H. P., Orhan, I. E., Patra, J. K., Das, G., Anandharamakrishnan, C., Gomez-Gomez, L., Nabavi, S. F., Nabavi, S. M., & Atanasov, A. G. (2018). A critical analysis of extraction techniques used for botanicals: Trends, priorities, industrial uses and optimization strategies. In *TrAC - Trends in Analytical Chemistry* (Vol. 100, pp. 82–102). Elsevier B.V. <https://doi.org/10.1016/j.trac.2017.12.018>

- Cardoso, C., Matos, J., & Afonso, C. (2025). Extraction of Marine Bioactive Compounds from Seaweed: Coupling Environmental Concerns and High Yields. In *Marine Drugs* (Vol. 23, Number 9). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/md23090366>
- Carreira-Casais, A., Otero, P., Garcia-Perez, P., Garcia-Oliveira, P., Pereira, A. G., Carpena, M., Soria-Lopez, A., Simal-Gandara, J., & Prieto, M. A. (2021). Benefits and drawbacks of ultrasound-assisted extraction for the recovery of bioactive compounds from marine algae. *International Journal of Environmental Research and Public Health*, 18(17). <https://doi.org/10.3390/ijerph18179153>
- Chen, K. Y., Chen, Y. J., Cheng, C. J., Jhan, K. Y., Chiu, C. H., & Wang, L. C. (2021). 3-Hydroxybenzaldehyde and 4-Hydroxybenzaldehyde enhance survival of mouse astrocytes treated with *Angiostrongylus cantonensis* young adults excretory/secretory products. *Biomedical Journal*, 44(6), S258–S266. <https://doi.org/10.1016/j.bj.2020.11.008>
- Chew, Y. L., Lim, Y. Y., Omar, M., & Khoo, K. S. (2008). Antioxidant activity of three edible seaweeds from two areas in South East Asia. *LWT*, 41(6), 1067–1072. <https://doi.org/10.1016/j.lwt.2007.06.013>
- Cotas, J., Leandro, A., Monteiro, P., Pacheco, D., Figueirinha, A., Gonçalves, A. M. M., Da Silva, G. J., & Pereira, L. (2020). Seaweed phenolics: From extraction to applications. In *Marine Drugs* (Vol. 18, Number 8). MDPI AG. <https://doi.org/10.3390/MD18080384>
- Cotas, J., Leandro, A., Pacheco, D., Gonçalves, A. M. M., & Pereira, L. (2020). A comprehensive review of the nutraceutical and therapeutic applications of red seaweeds (Rhodophyta). In *Life* (Vol. 10, Number 3). MDPI AG. <https://doi.org/10.3390/life10030019>
- Dalmau, E., Rosselló, C., Eim, V., Ratti, C., & Simal, S. (2020). Ultrasound-assisted aqueous extraction of biocompounds from orange byproduct: Experimental kinetics and modeling. *Antioxidants*, 9(4). <https://doi.org/10.3390/antiox9040352>
- Dang, T. T., Van Vuong, Q., Schreider, M. J., Bowyer, M. C., Van Altena, I. A., & Scarlett, C. J. (2017). Optimisation of ultrasound-assisted extraction conditions for phenolic content and antioxidant activities of the alga *Hormosira banksii* using response surface methodology. *Journal of Applied Phycology*, 29(6), 3161–3173. <https://doi.org/10.1007/s10811-017-1162-y>
- Duan, X., Subbiah, V., Xie, C., Agar, O. T., Barrow, C. J., Dunshea, F. R., & Suleria, H. A. R. (2023). Evaluation of the antioxidant potential of brown seaweeds extracted by different solvents and characterization of their phenolic compounds by LC–ESI–QTOF–MS/MS. *Journal of Food Science*, 88(9), 3737–3757. <https://doi.org/10.1111/1750-3841.16720>

- Estrada, J. L., Bautista, N. S., & Dionisio-Sese, M. L. (2020). Morphological variation of two common sea grapes (*Caulerpa lentillifera* and *caulerpa racemosa*) from selected regions in the Philippines. *Biodiversitas*, 21(5), 1823–1832. <https://doi.org/10.13057/biodiv/d210508>
- Eviana, M., Mukhlis, A., & Azhar, F. (2024). Growth of Sea Grapes (*Caulerpa lentillifera*) in Laboratory-Scale Cultivation With Urea As A Single Nitrogen Nutrient. *Journal of Fish Health*, 4(4), 235–246. <https://doi.org/10.29303/jfh.v4i4.5956>
- Ferreira, S. L. C., Bruns, R. E., Ferreira, H. S., Matos, G. D., David, J. M., Brandão, G. C., da Silva, E. G. P., Portugal, L. A., dos Reis, P. S., Souza, A. S., & dos Santos, W. N. L. (2007). Box-Behnken design: An alternative for the optimization of analytical methods. In *Analytica Chimica Acta* (Vol. 597, Number 2, pp. 179–186). <https://doi.org/10.1016/j.aca.2007.07.011>
- Galanakis, C. M., Goulas, V., Tsakona, S., Manganaris, G. A., & Gekas, V. (2013). A knowledge base for the recovery of natural phenols with different solvents. *International Journal of Food Properties*, 16(2), 382–396. <https://doi.org/10.1080/10942912.2010.522750>
- Gam, D. H., Kim, S. Y., & Kim, J. W. (2020). Optimization of ultrasound-assisted extraction condition for phenolic compounds, antioxidant activity, and epigallocatechin gallate in lipid-extracted microalgae. *Molecules*, 25(3). <https://doi.org/10.3390/molecules25030454>
- Getachew, A. T., Holdt, S. L., Meyer, A. S., & Jacobsen, C. (2022). Effect of Extraction Temperature on Pressurized Liquid Extraction of Bioactive Compounds from *Fucus vesiculosus*. *Marine Drugs*, 20(4). <https://doi.org/10.3390/md20040263>
- Goksen, G. (2023). Elucidation and quantification health-promoting phenolic compounds, antioxidant properties and sugar levels of ultrasound assisted extraction, aroma compositions and amino acids profiles of macroalgae, *Laurencia papillosa*. *Ultrasonics Sonochemistry*, 98. <https://doi.org/10.1016/j.ultsonch.2023.106527>
- Hassan, I. H., Pham, H. N. T., & Nguyen, T. H. (2021). Optimization of ultrasound-assisted extraction conditions for phenolics, antioxidant, and tyrosinase inhibitory activities of Vietnamese brown seaweed (*Padina australis*). *Journal of Food Processing and Preservation*, 45(5). <https://doi.org/10.1111/jfpp.15386>
- ICH. (2005). Validation of Analytical Procedures: Text and Methodology Q2(R1). *INTERNATIONAL CONFERENCE ON HARMONISATION OF TECHNICAL REQUIREMENTS FOR REGISTRATION OF PHARMACEUTICALS FOR HUMAN USE*.

- ICH. (2006). *INTERNATIONAL CONFERENCE ON HARMONISATION OF TECHNICAL REQUIREMENTS FOR REGISTRATION OF PHARMACEUTICALS FOR HUMAN USE ICH HARMONISED TRIPARTITE GUIDELINE VALIDATION OF ANALYTICAL PROCEDURES: TEXT AND METHODOLOGY Q2(R1)*.
- Inoubli, S., López-Álvarez, M., Flórez-Fernández, N., Shili, A., Ksouri, R., Torres, M. D., González, P., & Domínguez, H. (2024). Microwave-assisted processing of ulvans from Mediterranean *Caulerpa prolifera* with in vitro cell viability. *Algal Research*, 84. <https://doi.org/10.1016/j.algal.2024.103808>
- Keskinkaya, H. B., Okudan, E. Ş., Altınok, B. Y., Koçak, M., & Gümüş, N. E. (2026). Phytochemical profiling and assessment of antioxidant and antibacterial activities of the green macroalga *Caulerpa prolifera* from the Antalya coast. *Ege Journal of Fisheries and Aquatic Sciences*, 68. <https://doi.org/10.12714/egejfas.43.1.08>
- Khoddami, A., Wilkes, M. A., & Roberts, T. H. (2013). Techniques for analysis of plant phenolic compounds. In *Molecules* (Vol. 18, Number 2, pp. 2328–2375). <https://doi.org/10.3390/molecules18022328>
- Koodkaew, I., Pitakwongsaporn, S., Jarussophon, N., & Wichachucherd, B. (2024). Chemical Profile, Antioxidant Activity and α -Glucosidase Inhibition of Sea Grape *Caulerpa lentillifera* Collected from Different Sites in Thailand. *Trends in Sciences*, 21(4). <https://doi.org/10.48048/tis.2024.7520>
- Kumar, K., Srivastav, S., & Sharanagat, V. S. (2021). Ultrasound assisted extraction (UAE) of bioactive compounds from fruit and vegetable processing by-products: A review. In *Ultrasonics Sonochemistry* (Vol. 70). Elsevier B.V. <https://doi.org/10.1016/j.ultsonch.2020.105325>
- Kumar, Y., Singhal, S., Tarafdar, A., Pharande, A., Ganesan, M., & Badgujar, P. C. (2020). Ultrasound assisted extraction of selected edible macroalgae: Effect on antioxidant activity and quantitative assessment of polyphenols by liquid chromatography with tandem mass spectrometry (LC-MS/MS). *Algal Research*, 52. <https://doi.org/10.1016/j.algal.2020.102114>
- Kurniawan, R., Nurkolis, F., Taslim, N. A., Subali, D., Surya, R., Gunawan, W. Ben, Alisaputra, D., Mayulu, N., Salindeho, N., & Kim, B. (2023). Carotenoids Composition of Green Algae *Caulerpa racemosa* and Their Antidiabetic, Anti-Obesity, Antioxidant, and Anti-Inflammatory Properties. *Molecules*, 28(7). <https://doi.org/10.3390/molecules28073267>
- Lee, Z. J., Xie, C., Duan, X., Ng, K., & Suleria, H. A. R. (2024). Optimization of Ultrasonic Extraction Parameters for the Recovery of Phenolic Compounds in Brown Seaweed: Comparison with Conventional Techniques. *Antioxidants*, 13(4). <https://doi.org/10.3390/antiox13040409>

- Leliana, L., Setyaningsih, W., Palma, M., Supriyadi, S., & Santoso, U. (2022). Optimization of Ultrasound-Assisted Extraction from Young Coconut Mesocarp in the Rapid Extraction of Phenolic Compounds and Antioxidant Activity. *Agronomy*, 12(11). <https://doi.org/10.3390/agronomy12112798>
- Liu, X., Luo, G., Wang, L., & Yuan, W. (2019). Optimization of antioxidant extraction from edible brown algae *Ascophyllum nodosum* using response surface methodology. *Food and Bioprocess Processing*, 114, 205–215. <https://doi.org/10.1016/J.FBP.2019.01.003>
- Marrone, B. L., Lacey, R. E., Anderson, D. B., Bonner, J., Coons, J., Dale, T., Downes, C. M., Fernando, S., Fuller, C., Goodall, B., Holladay, J. E., Kadam, K., Kalb, D., Liu, W., Mott, J. B., Nikolov, Z., Ogden, K. L., Sayre, R. T., Trewyn, B. G., & Olivares, J. A. (2018). Review of the harvesting and extraction program within the National Alliance for Advanced Biofuels and Bioproducts. *Algal Research*, 33, 470–485. <https://doi.org/10.1016/j.algal.2017.07.015>
- Medina-Torres, N., Ayora-Talavera, T., Espinosa-Andrews, H., Sánchez-Contreras, A., & Pacheco, N. (2017). Ultrasound assisted extraction for the recovery of phenolic compounds from vegetable sources. *Agronomy*, 7(3). <https://doi.org/10.3390/agronomy7030047>
- Monteiro, M., Santos, R. A., Iglesias, P., Couto, A., Serra, C. R., Gouveias, I., Barros, A., Oliva-Teles, A., Enes, P., & Díaz-Rosales, P. (2020). Effect of extraction method and solvent system on the phenolic content and antioxidant activity of selected macro- and microalgae extracts. *Journal of Applied Phycology*, 32(1), 349–362. <https://doi.org/10.1007/s10811-019-01927-1>
- Montolalu, R. I., Dotulong, V., Mentang, F., Taher, N., & Makapedua, D. M. (2024). A comparative analysis on impact of drying methods on antioxidants, antidiabetes and antiobesity activities in green algae *Caulerpa lentillifera*: In vitro study. *Algal Research*, 84. <https://doi.org/10.1016/j.algal.2024.103768>
- Murdiono, W. E., Razak, N. A. A., Halmi, M. I. E., Yong, J. W. H., & Mahmud, K. (2025). Optimization of aqueous extraction of phenolic compounds and bioactive profiles from brown (*Sargassum polycystum*) and red (*Kappaphycus alvarezii*) seaweeds using the response surface method. *Algal Research*, 86. <https://doi.org/10.1016/j.algal.2025.103924>
- Nguyen, V. T., Ueng, J. P., & Tsai, G. J. (2011). Proximate Composition, Total Phenolic Content, and Antioxidant Activity of Seagrass (*Caulerpa lentillifera*). *Journal of Food Science*, 76(7). <https://doi.org/10.1111/j.1750-3841.2011.02289.x>
- Nurjanah, A., Surya Kurniawan, E., Prasetyo, D., Shandy Pramesti, G., Aulia Rahmanto, R., Syafitri, A., Safiqul Umam, F., Andella Putri, W., & Kholiqul Amiin, M. (2025). Evaluation of Antimicrobial Potential using Disc Diffusion Assay of Seagrass Macroalgae Extract (*Caulerpa* sp.) in the waters of Pasaran Island, Lampung as an

- Anti-Inflammatory Agent. *Biology*, 14(1), 17–24.
<https://doi.org/10.14421/biomedich.2025.141.17-24>
- Nurjanah, N., Jacob, A. M., Asmara, D. A., & Hidayat, T. (2019). PHENOL COMPONENT OF FRESH AND BOILED SEA GRAPES (*CAULERPA* SP.) FROM TUAL, MALUKU. *Food ScienTech Journal*, 1(1), 31.
<https://doi.org/10.33512/fsj.v1i1.6244>
- Oroian, M., Ursachi, F., & Dranca, F. (2020). Influence of ultrasonic amplitude, temperature, time and solvent concentration on bioactive compounds extraction from propolis. *Ultrasonics Sonochemistry*, 64.
<https://doi.org/10.1016/j.ultsonch.2020.105021>
- Ouahabi, S., Daoudi, N. E., Chebaibi, M., Mssillou, I., Rahhou, I., Bnouham, M., Hammouti, B., Fauconnier, M. L., Ayerdi Gotor, A., Rhazi, L., & Ramdani, M. (2025). A Comparative Study of the Phytochemical Composition, Antioxidant Properties, and In Vitro Anti-Diabetic Efficacy of Different Extracts of *Caulerpa prolifera*. *Marine Drugs*, 23(7). <https://doi.org/10.3390/md23070259>
- Palaniyappan, S., Sridhar, A., Kari, Z. A., Téllez-Isaías, G., & Ramasamy, T. (2023). Evaluation of Phytochemical Screening, Pigment Content, In Vitro Antioxidant, Antibacterial Potential and GC-MS Metabolite Profiling of Green Seaweed *Caulerpa racemosa*. *Marine Drugs*, 21(5). <https://doi.org/10.3390/md21050278>
- Putra, V. G. P., Mutiarahma, S., Chaniago, W., Rahmadi, P., Kurnianto, D., Hidayat, C., Carrera, C., Palma, M., & Setyaningsih, W. (2022). An ultrasound-based technique for the analytical extraction of phenolic compounds in red algae. *Arabian Journal of Chemistry*, 15(2). <https://doi.org/10.1016/j.arabjc.2021.103597>
- Rajha, H. N., Darra, N. El, Hobaika, Z., Boussetta, N., Vorobiev, E., Maroun, R. G., & Louka, N. (2014). Extraction of Total Phenolic Compounds, Flavonoids, Anthocyanins and Tannins from Grape Byproducts by Response Surface Methodology. Influence of Solid-Liquid Ratio, Particle Size, Time, Temperature and Solvent Mixtures on the Optimization Process. *Food and Nutrition Sciences*, 05(04), 397–409. <https://doi.org/10.4236/fns.2014.54048>
- Rusli, A., Metusalach, Muhammad Tahir, M., Salengke, & Syamsuar. (2016). ANALYSIS OF BIOACTIVE COMPOUNDS OF *Caulerpa racemosa*, *Sargassum* sp. AND *Gracillaria verrucosa* USING DIFFERENT SOLVENTS (Vol. 78). www.jurnalteknologi.utm.my
- Sandjaya, G., Dewi, E. N., & Purwanti, F. (2025). Total Phenols, Flavonoids, Antioxidant Activity of Methanolic and Ethyl Acetate Extracts of *Caulerpa racemosa* Plants Grown in Usaha Jaya Village, Raja Ampat Regency, Southwest Papua Province. *Asian Journal of Current Research*, 10(1), 102–113.
<https://doi.org/10.56557/ajocr/2025/v10i19090>

- Sanjaya, Y. A., Tola, P. S., & Rahmawati, R. (2022, November 22). Ultrasound-assisted Extraction as a Potential Method to Enhanced Extraction of Bioactive Compound. *3rd International Conference Eco-Innovation in Science, Engineering, and Technology*. <https://doi.org/10.11594/nstp.2022.2729>
- Santos, F., Soares, C., Morais, S. L., Neves, C., Grosso, C., Ramalhosa, M. J., Vieira, M., Delerue-Matos, C., & Domingues, V. F. (2025). Optimized Extraction Protocols for Bioactive Antioxidants from Commercial Seaweeds in Portugal: A Comparative Study of Techniques. *Foods*, 14(3). <https://doi.org/10.3390/foods14030453>
- Setyaningsih, W., Saputro, I. E., Palma, M., & Barroso, C. G. (2015). Optimisation and validation of the microwave-assisted extraction of phenolic compounds from rice grains. *Food Chemistry*, 169, 141–149. <https://doi.org/10.1016/j.foodchem.2014.07.128>
- Setyaningsih, W., Saputro, I. E., Palma, M., & Barroso, C. G. (2016). Stability of 40 phenolic compounds during ultrasound-assisted extractions (UAE). *AIP Conference Proceedings*, 1755. <https://doi.org/10.1063/1.4958517>
- Shen, L., Pang, S., Zhong, M., Sun, Y., Qayum, A., Liu, Y., Rashid, A., Xu, B., Liang, Q., Ma, H., & Ren, X. (2023). A comprehensive review of ultrasonic assisted extraction (UAE) for bioactive components: Principles, advantages, equipment, and combined technologies. In *Ultrasonics Sonochemistry* (Vol. 101). Elsevier B.V. <https://doi.org/10.1016/j.ultsonch.2023.106646>
- Sherley, Hikmawanti, N. P. E., & Agustin, M. (2023). The effect of extraction methods on total phenolics and antioxidant activities in *Caulerpa racemosa* (Forsskal) J. Agardh extracts. *Vitae*, 30(2). <https://doi.org/10.17533/udea.vitae.v30n2a349405>
- Slinkard, K., & Singleton, V. L. (1977). Total Phenol Analysis: Automation and Comparison with Manual Methods. *American Journal of Enology and Viticulture*, 28(1), 49–55. <https://doi.org/10.5344/ajev.1977.28.1.49>
- Taherkhani, A., Sharifi, A., & Koubaa, M. (2024). Optimization of Bioactive Compound Extraction from Iranian Brown Macroalgae *Nizimuddinia zanardini* with Ultrasound and Microwave Methods Using Fuzzy Logic. *Foods*, 13(23). <https://doi.org/10.3390/foods13233837>
- Tanna, B., Choudhary, B., & Mishra, A. (2018). Metabolite profiling, antioxidant, scavenging and anti-proliferative activities of selected tropical green seaweeds reveal the nutraceutical potential of *Caulerpa* spp. *Algal Research*, 36, 96–105. <https://doi.org/10.1016/j.algal.2018.10.019>
- Tapotubun, A. M., Matrutty, T. E. A. A., Riry, J., Tapotubun, E. J., Fransina, E. G., Mailoa, M. N., Riry, W. A., Setha, B., & Rieuwpassa, F. (2020). Seaweed *Caulerpa*

- sp position as functional food. *IOP Conference Series: Earth and Environmental Science*, 517(1). <https://doi.org/10.1088/1755-1315/517/1/012021>
- Tiwari, B. K. (2015). Ultrasound: A clean, green extraction technology. In *TrAC - Trends in Analytical Chemistry* (Vol. 71, pp. 100–109). Elsevier B.V. <https://doi.org/10.1016/j.trac.2015.04.013>
- Tsegay, Z. T., Agriopoulou, S., Chaari, M., Smaoui, S., & Varzakas, T. (2024). Statistical Tools to Optimize the Recovery of Bioactive Compounds from Marine Byproducts. In *Marine Drugs* (Vol. 22, Number 4). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/md22040182>
- Ummat, V., Tiwari, B. K., Jaiswal, A. K., Condon, K., Garcia-Vaquero, M., O'Doherty, J., O'Donnell, C., & Rajauria, G. (2020). Optimisation of ultrasound frequency, extraction time and solvent for the recovery of polyphenols, phlorotannins and associated antioxidant activity from brown seaweeds. *Marine Drugs*, 18(5). <https://doi.org/10.3390/md18050250>
- Vinayak, R. C., Sudha, S. A., & Chatterji, A. (2011). Bio-screening of a few green seaweeds from India for their cytotoxic and antioxidant potential. *Journal of the Science of Food and Agriculture*, 91(13), 2471–2476. <https://doi.org/10.1002/jsfa.4490>
- Vo, Q. V., Bay, M. Van, Nam, P. C., Quang, D. T., Flavel, M., Hoa, N. T., & Mechler, A. (2020). Theoretical and Experimental Studies of the Antioxidant and Antinitrosant Activity of Syringic Acid. *Journal of Organic Chemistry*, 85(23), 15514–15520. <https://doi.org/10.1021/acs.joc.0c02258>
- Wardhani, D. H., Sari, D. K., & Prasetyaningrum, A. (2013). *ULTRASONIC-ASSISTED EXTRACTION OF ANTIOXIDANT PHENOLIC COUMPOUNDS FROM EUCHEUMA COTTONII* (Vol. 14, Number 4).
- Yap, W. F., Tay, V., Tan, S. H., Yow, Y. Y., & Chew, J. (2019). Decoding antioxidant and antibacterial potentials of Malaysian green seaweeds: *Caulerpa racemosa* and *caulerpa lentillifera*. *Antibiotics*, 8(3). <https://doi.org/10.3390/antibiotics8030152>