UNIVERSITAS GADJAH MADA
Parameter CT Scan Pasca Terapi sebagai Prediktor Progression Free Survival pada Pasien Karsinoma Nasofaring
Pratama Widi Permana, Dr. dr. Bambang Supriyadi, Sp. Rad., Subsp. MSK (K), MM.; dr. Evi Artsini, Sp. Rad., Subsp
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adoga AA, Kokong DD, Ma'an ND, Silas OA, Dauda AM, Yaro JP, et al. The epidemiology, treatment, and determinants of outcome of primary head and neck cancers at the Jos University Teaching Hospital. South Asian J Cancer. 2018;7:35–44. doi:10.4103/sajc.sajc_15_18

Amin MB, Greene FL, Edge SB, Compton CC, Gershenwald JE, Brookland RK, et al. The eighth edition AJCC cancer staging manual: continuing to build a bridge from a population-based to a more "personalized" approach to cancer staging. CA Cancer J Clin. 2017;67. doi:10.3322/caac.21388

Blanchard P, Nguyen F, Moya-Plana A, Pignon JP, Even C, Bidault F, et al. New developments in the management of nasopharyngeal carcinoma. Cancer Radiother. 2018. doi:10.1016/j.canrad.2018.06.003

Bossi P, Chan AT, Licitra L, Trama A, Orlandi E, Hui EP, et al. Nasopharyngeal carcinoma: ESMO-EURACAN clinical practice guidelines for diagnosis, treatment and follow-up. Ann Oncol. 2021;32. doi:10.1016/j.annonc.2020.12.007

Chen C, Fei Z, Huang C, Ding J, Chen L. Prognostic value of tumor burden in nasopharyngeal carcinoma. Cancer Manag Res. 2018;10. doi:10.2147/CMAR.S169459

Chen YP, Chan ATC, Le QT, Blanchard P, Sun Y, Ma J. Nasopharyngeal carcinoma. Lancet. 2019. doi:10.1016/S0140-6736(19)30956-0

Chen YP, Ismaila N, Chua MLK, Colevas AD, Haddad R, Huang SH, et al. Chemotherapy in combination with radiotherapy for definitive-intent treatment of stage II–IVA nasopharyngeal carcinoma: CSCO and ASCO guideline. J Clin Oncol. 2021;39. doi:10.1200/JCO.20.03237

Chua MLK, Wee JTS, Hui EP, Chan ATC. Nasopharyngeal carcinoma. Lancet. 2016. doi:10.1016/S0140-6736(15)00055-0

Dahlan M. Besar sampel dalam penelitian kedokteran dan kesehatan. Jakarta: Sagung Seto; 2016.

Ding RB, Chen P, Rajendran BK, Lyu X, Wang H, Bao J, et al. Molecular landscape and subtype-specific therapeutic response of nasopharyngeal carcinoma revealed by integrative pharmacogenomics. Nat Commun. 2021;12. doi:10.1038/s41467-021-23379-3

UNIVERSITAS GADJAH MADA
Parameter CT Scan Pasca Terapi sebagai Prediktor Progression Free Survival pada Pasien Karsinoma Nasofaring
Pratama Widi Permana, Dr. dr. Bambang Supriyadi, Sp. Rad., Subsp. MSK (K), MM.; dr. Evi Artsini, Sp. Rad., Subsp
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Dong A, Zhu S, Ma H, Wei X, Huang W, Ruan G, et al. Matted lymph nodes on MRI in nasopharyngeal carcinoma: prognostic factor and potential indication for induction chemotherapy benefits. J Magn Reson Imaging. 2024;59. doi:10.1002/jmri.29012

Frush DP, Callahan MJ, Coley BD, Nadel HR, Guillerman RP. Comparison of the different imaging modalities used to image pediatric oncology patients: a COG diagnostic imaging committee/SPR oncology committee white paper. Pediatr Blood Cancer. 2023. doi:10.1002/pbc.30298

Godény M. Prognostic factors in advanced pharyngeal and oral cavity cancer: significance of multimodality imaging in terms of 7th edition of TNM. Cancer Imaging. 2014. doi:10.1186/1470-7330-14-15

Guo X, Johnson RC, Deng H, Liao J, Guan L, Nelson GW, et al. Evaluation of nonviral risk factors for nasopharyngeal carcinoma in a high-risk population of southern China. Int J Cancer. 2009;124. doi:10.1002/ijc.24293

Huang WB, Chan JYW, Liu DL. Human papillomavirus and World Health Organization type III nasopharyngeal carcinoma: multicenter study from an endemic area in Southern China. Cancer. 2018;124. doi:10.1002/cncr.31031

Kwong TSA, Leung HS, Mo FKF, Tsang YM, Lan L, Wong LM, et al. Volumetric measurement to evaluate treatment response to induction chemotherapy on MRI outperformed RECIST guideline in outcome prediction in advanced nasopharyngeal carcinoma. ESMO Open. 2024;9. doi:10.1016/j.esmoop.2024.103933

Lee AW, Ng WT, Pan JJ, Chiang CL, Poh SS, Choi HC, et al. International guideline on dose prioritization and acceptance criteria in radiation therapy planning for nasopharyngeal carcinoma. Int J Radiat Oncol Biol Phys. 2019;105. doi:10.1016/j.ijrobp.2019.06.2540

Lee AWM, Ma BBY, Ng WT, Chan ATC. Management of nasopharyngeal carcinoma: current practice and future perspective. J Clin Oncol. 2015. doi:10.1200/JCO.2015.60.9347

Lee N, Harris J, Garden AS, Straube W, Glisson B, Xia P, et al. Intensity-modulated radiation therapy with or without chemotherapy for nasopharyngeal carcinoma: RTOG 0225. J Clin Oncol. 2009;27. doi:10.1200/JCO.2008.19.9109

Li G, Yang S, Wang S, Jiang R, Xu X. Diagnostic value of dynamic 18F-FDG PET-CT in cervical lymph node metastasis of nasopharyngeal cancer. Diagnostics (Basel). 2023;13. doi:10.3390/diagnostics13152530

Parameter CT Scan Pasca Terapi sebagai Prediktor Progression Free Survival pada Pasien Karsinoma
Nasofaring
Pratama Widi Permana, Dr. dr. Bambang Supriyadi, Sp. Rad., Subsp. MSK (K), MM.; dr. Evi Artsini, Sp. Rad., Subsp
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Li XY, Chen QY, Sun XS, Liu SL, Yan JJ, Guo SS, et al. Ten-year outcomes of survival and toxicity for a phase III randomized trial of concurrent chemoradiotherapy versus radiotherapy alone in stage II nasopharyngeal carcinoma. Eur J Cancer. 2019;110. doi:10.1016/j.ejca.2018.10.020

Li XY, Luo DH, Guo L, Mo HY, Sun R, Guo SS, et al. Deintensified chemoradiotherapy for pretreatment Epstein-Barr virus DNA-selected low-risk locoregionally advanced nasopharyngeal carcinoma: a phase II randomized noninferiority trial. J Clin Oncol. 2022;40. doi:10.1200/JCO.21.01467

Li Y, Zang J, Liu J, Luo S, Wang J, Hou B, et al. Residual volume of lymph nodes during chemoradiotherapy-based nomogram to predict survival of nasopharyngeal carcinoma patient receiving induction chemotherapy. Front Oncol. 2021;11. doi:10.3389/fonc.2021.739103

Liang SB, Teng JJ, Hu XF, Yang XL, Luo M, Fang XN, et al. Prognostic value of total tumor volume in patients with nasopharyngeal carcinoma treated with intensity-modulated radiotherapy. BMC Cancer. 2017;17. doi:10.1186/s12885-017-3480-5

Liu GY, Li WZ, Peng KQ, Lv X, Ke LR, Wu YS, et al. Prognostic value of early radiological response to first-line platinum-containing chemotherapy in patients with metastatic nasopharyngeal carcinoma. Cancer Med. 2020;9. doi:10.1002/cam4.2751

Liu L, Hu L, Zeng Q, Peng D, Chen Z, Huang C, et al. Dynamic contrast-enhanced MRI of nasopharyngeal carcinoma: correlation with hypoxia-inducible factor 1α expression and tumor grade/stage. Ann Palliat Med. 2021;10. doi:10.21037/apm-21-303

Liu Y, Chen S, Dong A, Ai F, Quan T, Cui C, et al. Nodal grouping in nasopharyngeal carcinoma: prognostic significance, N classification, and a marker for the identification of candidates for induction chemotherapy. Eur Radiol. 2020;30. doi:10.1007/s00330-019-06537-6

Loh KS, Goh BC, Lu J, Hsieh WS, Tan L. Familial nasopharyngeal carcinoma in a cohort of 200 patients. Arch Otolaryngol Head Neck Surg. 2006;132. doi:10.1001/archotol.132.1.82

Ni W, Qi W, Xu F, Cao W, Xu C, Chen J, et al. Prognostic value of nasopharynx tumour volume in local-regional advanced nasopharyngeal carcinoma. Ann Transl Med. 2020;8. doi:10.21037/atm.2020.01.03

Pan JJ, Ng WT, Zong JF, Chan LLK, O'Sullivan B, Lin SJ, et al. Proposal for the 8th edition of the AJCC/UICC staging system for nasopharyngeal cancer in the

Parameter CT Scan Pasca Terapi sebagai Prediktor Progression Free Survival pada Pasien Karsinoma
Nasofaring
Pratama Widi Permana, Dr. dr. Bambang Supriyadi, Sp. Rad., Subsp. MSK (K), MM.; dr. Evi Artsini, Sp. Rad., Subsp
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

era of intensity-modulated radiotherapy. Cancer. 2016;122. doi:10.1002/cncr.29795

Peng G, Wang T, Yang KY, Zhang S, Zhang T, Li Q, et al. A prospective randomized study comparing intensity-modulated radiotherapy vs conventional two-dimensional radiotherapy for nasopharyngeal carcinoma. Radiother Oncol. 2012;104. doi:10.1016/j.radonc.2012.08.013

Raghupathy R, Hui EP, Chan ATC. Epstein-Barr virus as a paradigm in nasopharyngeal cancer: from lab to clinic. J Clin Oncol Educ Book. 2014. doi:10.14694/edbook_am.2014.34.149

Raica V, Bratu A, Zaharia C, Salcianu I. CT evaluation of squamous cell carcinoma of the nasopharynx. Curr Health Sci J. 2019;45:79–86. doi:10.12865/CHSJ.45.01.11

Romdhoni AC. Peningkatan kemampuan deteksi dini karsinoma nasofaring bagi dokter di Madiun. J Layanan Masy. 2023;7.

Shah A, Nagali S. Nasopharyngeal carcinoma. StatPearls [Internet]. 2022.

Stenmark MH, McHugh JB, Schipper M, Walline HM, Komarck C, Feng FY, et al. Nonendemic HPV-positive nasopharyngeal carcinoma: association with poor prognosis. Int J Radiat Oncol Biol Phys. 2014;88. doi:10.1016/j.ijrobp.2013.11.246

Tang LL, Guo R, Zhang N, Deng B, Chen L, Cheng ZB, et al. Effect of radiotherapy alone vs radiotherapy with concurrent chemoradiotherapy on survival without disease relapse in patients with low-risk nasopharyngeal carcinoma: a randomized clinical trial. JAMA. 2022;328. doi:10.1001/jama.2022.13997

Tian YM, Liu MZ, Zeng L, Bai L, Lin CG, Huang SM, et al. Long-term outcome and pattern of failure for patients with nasopharyngeal carcinoma treated with intensity-modulated radiotherapy. Head Neck. 2019;41. doi:10.1002/hed.25545

Tian YM, Xiao WW, Bai L, Liu XW, Zhao C, Lu TX, et al. Impact of primary tumor volume and location on prognosis of patients with locally recurrent nasopharyngeal carcinoma. Chin J Cancer. 2015;34. doi:10.1186/s40880-015-0019-5

Wong KCW, Hui EP, Lo KW, Lam WKJ, Johnson D, Li L, et al. Nasopharyngeal carcinoma: an evolving paradigm. Nat Rev Clin Oncol. 2021. doi:10.1038/s41571-021-00524-x

Wu X, Huang PY, Peng PJ, Lu LX, Han F, Wu SX, et al. Long-term follow-up of a phase III study comparing radiotherapy with or without weekly oxaliplatin for

UNIVERSITAS
GADJAH MADA
Parameter CT Scan Pasca Terapi sebagai Prediktor Progression Free Survival pada Pasien Karsinoma Nasofaring
Pratama Widi Permana, Dr. dr. Bambang Supriyadi, Sp. Rad., Subsp. MSK (K), MM.; dr. Evi Artsini, Sp. Rad., Subsp
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

locoregionally advanced nasopharyngeal carcinoma. Ann Oncol. 2013;24. doi:10.1093/annonc/mdt163

Xia WX, Lv X, Liang H, Liu GY, Sun R, Zeng Q, et al. A randomized controlled trial comparing two different schedules for cisplatin treatment in patients with locoregionally advanced nasopharyngeal cancer. Clin Cancer Res. 2021;27. doi:10.1158/1078-0432.CCR-20-4532

Xiang ZZ, Liu F, Yan RN, Zeng YY, He T, Zeng Z, et al. Prognostic value of volumetric reduction of the target lesions after induction chemotherapy in locoregionally advanced nasopharyngeal carcinoma. Head Neck. 2019;41. doi:10.1002/hed.25620

Xiao WW, Han F, Lu TX, Chen CY, Huang Y, Zhao C. Treatment outcomes after radiotherapy alone for patients with early-stage nasopharyngeal carcinoma. Int J Radiat Oncol Biol Phys. 2009;74. doi:10.1016/j.ijrobp.2008.09.008

Xu FH, Xiong D, Xu YF, Cao SM, Xue WQ, Qin HD, et al. An epidemiological and molecular study of the relationship between smoking, risk of nasopharyngeal carcinoma, and Epstein-Barr virus activation. J Natl Cancer Inst. 2012;104. doi:10.1093/jnci/djs320

Yan G, Feng Y, Wu M, Li C, Wei Y, Hua L, et al. Prognostic significance of MRI-based late-course tumor volume in locoregionally advanced nasopharyngeal carcinoma. Radiat Oncol. 2022;17. doi:10.1186/s13014-022-02087-2

Zeng YY, Xiang ZZ, He T, Liu F, Shao BF, Yan RN, et al. The comparison of prognostic value of tumour volumetric regression ratio and RECIST 1.1 criteria after induction chemotherapy in locoregionally advanced nasopharyngeal carcinoma. Oral Oncol. 2020;111. doi:10.1016/j.oraloncology.2020.104924