

DAFTAR PUSTAKA

- Abdul Rahman, N., Larbi, A., Kotu, B., Asante, M. O., Akakpo, D. B., Mellon-Bedi, S., & Hoeschle-Zeledon, I. (2021). Maize–legume strip cropping effect on productivity, income, and income risk of farmers in northern Ghana. *Agronomy Journal*, 113(2), 1574–1585. <https://doi.org/10.1002/agj2.20536>
- Addien Hidayat, A. Farid Hemon, & Baiq Erna Listiana. (2023). Karakter Kuantitatif dan Toleransi Beberapa Galur Tanaman Kacang Tanah yang Ditanam pada Intensitas Cahaya Rendah. *Jurnal Ilmiah Mahasiswa Agrokomplek*, 2(2), 283–292. <https://doi.org/10.29303/jima.v2i2.3032>
- Ahmed El-Shamy, M. (2015). Advantages of Intercropping Soybean with Maize Under Two Maize Plant Distributions and Three Mineral Nitrogen Fertilizer Rates. *Advances in Bioscience and Bioengineering*, 3(4), 30. <https://doi.org/10.11648/j.abb.20150304.11>
- Ajal, J., Kiær, L. P., Pakeman, R. J., Scherber, C., & Weih, M. (2022). Intercropping drives plant phenotypic plasticity and changes in functional trait space. *Basic and Applied Ecology*, 61, 41–52. <https://doi.org/10.1016/j.baae.2022.03.009>
- Akmalia, H. A., & Suharyanto, E. (2017). THE PHYSIOLOGICAL RESPONSE AND PRODUCTIVITY OF MAIZE (*Zea mays* L.) ‘Sweet Boy-02’ IN DIFFERENT LIGHT AND WATER TREATMENT. *Jurnal Teknosains*, 6(2), 59. <https://doi.org/10.22146/teknosains.22648>
- Ali, M. F., Brown, P., Thomas, J., Salmerón, M., & Kawashima, T. (2022). Effect of assimilate competition during early seed development on the pod and seed growth traits in soybean. *Plant Reproduction*, 35(3), 179–188. <https://doi.org/10.1007/s00497-022-00439-2>
- Asefa, G. (2019). The Role of Harvest Index in Improving Crop Productivity: A Review. *Journal of Natural Sciences Research*. <https://doi.org/10.7176/JNSR>
- Asih, D. N. S., Setiawan, A. N., & Sarjiyah. (2018). Weeds Growth in Various Population of Sweet Corn+Peanut Intercropping. *Planta Tropika: Journal of Agro Science*, 6(1). <https://doi.org/10.18196/pt.2018.077.22-31>
- Banik, P., & Sharma, R. C. (2009). Yield and resource utilization efficiency in baby cornlegume-intercropping system in the eastern plateau of India. *Journal of Sustainable Agriculture*, 33(4), 379–395. <https://doi.org/10.1080/10440040902834970>

- Barl, L., Debastiani Benato, B., Genze, N., Grimm, D. G., Gigl, M., Dawid, C., Schön, C. C., & Avramova, V. (2025). The combined effect of decreased stomatal density and aperture increases water use efficiency in maize. *Scientific Reports*, 15(1). <https://doi.org/10.1038/s41598-025-94833-1>
- Bawa, G., Yu, X., Liu, Z., Zhou, Y., & Sun, X. (2023). Surviving the enemies: Regulatory mechanisms of stomatal function in response to drought and salt stress. In *Environmental and Experimental Botany* (Vol. 209). Elsevier B.V. <https://doi.org/10.1016/j.envexpbot.2023.105291>
- Begam, A., Pramanick, M., Dutta, S., Paramanik, B., Dutta, G., Patra, P. S., Kundu, A., & Biswas, A. (2024). Inter-cropping patterns and nutrient management effects on maize growth, yield and quality. *Field Crops Research*, 310. <https://doi.org/10.1016/j.fcr.2024.109363>
- Bernard, N., Losologolo, M., Batlang, U., Ngwako, S., Mashungwa, G. N., Tselaesele, N. M., & Pule-Meulenberg, F. (2018). Symbiotic performance of grain and wild herbaceous legumes in the Okavango Delta and Tswapong region of Botswana. *Symbiosis*, 75(3), 179–188. <https://doi.org/10.1007/s13199-017-0515-2>
- BPS. (2024). *Luas Panen dan Produksi Jagung di Indonesia 2023*.
- BPSITP. (2023). *Analisis Kimia Tanah, Tanaman, Air dan Pupuk* (3rd ed.). Kementan.
- BPSITS. (2024). *DESKRIPSI VARIETAS UNGGUL BARU JAGUNG DAN SORGUM*.
- Brooker, R. W., Bennett, A. E., Cong, W. F., Daniell, T. J., George, T. S., Hallett, P. D., Hawes, C., Iannetta, P. P. M., Jones, H. G., Karley, A. J., Li, L., McKenzie, B. M., Pakeman, R. J., Paterson, E., Schöb, C., Shen, J., Squire, G., Watson, C. A., Zhang, C., ... White, P. J. (2015). Improving intercropping: A synthesis of research in agronomy, plant physiology and ecology. In *New Phytologist* (Vol. 206, Number 1, pp. 107–117). <https://doi.org/10.1111/nph.13132>
- Cai, F., Zhang, Y., Mi, N., Ming, H., Zhang, S., Zhang, H., Zhao, X., & Zhang, B. (2022). The Effect of Drought and Sowing Date on Dry Matter Accumulation and Partitioning in the Above-Ground Organs of Maizer. *Atmosphere*, 13(5). <https://doi.org/10.3390/atmos13050677>
- Campbell, N. A., J. B. Reece, L. A. Urry, M. L. Cain, S. A. Wasserman, P. V. Minorsky, dan R. B. Jackson. 2008. *Biologi Jilid 1*. Edisi Kedelapan. Erlangga, Jakarta.

- Chen, G., Chai, Q., Huang, G., Yu, A., Feng, F., Mu, Y., Kong, X., & Huang, P. (2015). Belowground Interspecies Interaction Enhances Productivity and Water Use Efficiency in Maize–Pea Intercropping Systems. *Crop Science*, 55(1), 420–428. <https://doi.org/10.2135/cropsci2014.06.0439>
- Chen, J., Arafat, Y., Wu, L., Xiao, Z., Li, Q., Khan, M. A., Khan, M. U., Lin, S., & Lin, W. (2018). Shifts in soil microbial community, soil enzymes and crop yield under peanut/maize intercropping with reduced nitrogen levels. *Applied Soil Ecology*, 124, 327–334. <https://doi.org/10.1016/j.apsoil.2017.11.010>
- Chen, L. H., Xu, M., Cheng, Z., & Yang, L. T. (2024). Effects of Nitrogen Deficiency on the Photosynthesis, Chlorophyll a Fluorescence, Antioxidant System, and Sulfur Compounds in *Oryza sativa*. *International Journal of Molecular Sciences*, 25(19). <https://doi.org/10.3390/ijms251910409>
- Chen, P., Du, Q., Liu, X., Zhou, L., Hussain, S., Lei, L., Song, C., Wang, X., Liu, W., Yang, F., Shu, K., Liu, J., Du, J., Yang, W., & Yong, T. (2017). Effects of reduced nitrogen inputs on crop yield and nitrogen use efficiency in a long-term maize-soybean relay strip intercropping system. *PLoS ONE*, 12(9). <https://doi.org/10.1371/journal.pone.0184503>
- Choudhary, V. K., & Choudhury, B. U. (2018). A STAGGERED MAIZE-LEGUME INTERCROP ARRANGEMENT INFLUENCES YIELD, WEED SMOTHERING and NUTRIENT BALANCE in the EASTERN HIMALAYAN REGION of INDIA. *Experimental Agriculture*, 54(2), 181–200. <https://doi.org/10.1017/S0014479716000144>
- Choudhary, V. K., Dixit, A., & Chauhan, B. S. (2016). Resource-use maximisation through legume intercropping with maize in the eastern Himalayan region of India. *Crop and Pasture Science*, 67(5), 508–519. <https://doi.org/10.1071/CP15233>
- Dikr, W. (2022). Relay Cropping Mung Bean by Plant Density and Row Arrangements with Maize on Yield and Yield Components of Component Crops at Jegebicho, Southern Ethiopia. *Agriculture, Forestry and Fisheries*, 11(1), 54. <https://doi.org/10.11648/j.aff.20221101.18>
- Dong, Q., Zhao, X., Sun, Y., Zhou, D., Lan, G., Pu, J., Feng, C., Zhang, H., Shi, X., Liu, X., Zhang, J., Sun, Z., & Yu, H. (2024). Border row effects improved the spatial distributions of maize and peanut roots in an

- intercropping system, associated with improved yield. *Frontiers in Plant Science*, 15. <https://doi.org/10.3389/fpls.2024.1414844>
- Dong, Q., Zhao, X., Zhou, D., Liu, Z., Shi, X., Yuan, Y., Jia, P., Liu, Y., Song, P., Wang, X., Jiang, C., Liu, X., Zhang, H., Zhong, C., Guo, F., Wan, S., Yu, H., & Zhang, Z. (2022). Maize and peanut intercropping improves the nitrogen accumulation and yield per plant of maize by promoting the secretion of flavonoids and abundance of Bradyrhizobium in rhizosphere. *Frontiers in Plant Science*, 13. <https://doi.org/10.3389/fpls.2022.957336>
- Duan, M., Zhang, X., Wei, Z., Chen, X., & Zhang, B. (2024). Effect of Maize Canopy Structure on Light Interception and Radiation Use Efficiency at Different Canopy Layers. *Agronomy*, 14(7). <https://doi.org/10.3390/agronomy14071511>
- Ekawati, F., Sutoyo, & Suliansya, I. (2022). Uniformity Test on Generation F4, Candidates for High-Yielding Composite Corn Varieties. *IOP Conference Series: Earth and Environmental Science*, 1097(1). <https://doi.org/10.1088/1755-1315/1097/1/012017>
- El-Mehy, A. A., Shehata, M. A., Mohamed, A. S., Saleh, S. A., & Suliman, A. A. (2023). Relay intercropping of maize with common dry beans to rationalize nitrogen fertilizer. *Frontiers in Sustainable Food Systems*, 1–6. <https://power.larc.nasa.gov/data-access-viewer/>.
- Ende, S. dan Salawati. 2023. Dinamika Nitrogen pada Sistem Tumpangsari. Diandra Kreatif.
- Enosh, B., Nanda Kishore Reddy, N., & Jaswal, A. (2025). Herbicide-free weed management in kharif maize (*Zea mays* L.) intercropping Systems: Advancing environmental sustainability, productivity, and economic efficiency. *Journal of Applied and Natural Science*, 17(1), 65–77. <https://doi.org/10.31018/jans.v17i1.6135>
- Esi Essilfie, M., Ntekor, I., Dapaah, H. K., & Owusu, S. E. (2024). Effect of Intercropping Different Varieties of Groundnut with Maize and Spatial Arrangement on Yield and Yield Components of the Crops. *Universal Journal of Agricultural Research*, 12(2), 285–298. <https://doi.org/10.13189/ujar.2024.120208>
- Faisal, Lubis, I., Junaedi, A., & Sopandie, D. (2024). The Role of Net Assimilation Rate and Nitrogen Management in Optimizing Rice (*Oryza sativa* L.) Yield. *Indian Journal of Agricultural Research*, 58(4), 627–633. <https://doi.org/10.18805/IJARE.AF-813>

- Feng, C., Du, G., Zhang, Y., Feng, L., Zhang, L., Wang, Q., Xiang, W., Bai, W., Cai, Q., Sun, T., Sun, Z., & Zhang, L. (2024). Maize/Peanut Intercropping Affects Legume Nodulation in Semi-Arid Conditions. *Agronomy*, 14(5).
<https://doi.org/10.3390/agronomy14050951>
- Fu, Z., Chen, P., Zhang, X., Du, Q., Zheng, B., Yang, H., Luo, K., Lin, P., Li, Y., Pu, T., Wu, Y., Wang, X., Yang, F., Liu, W., Song, C., Yang, W., & Yong, T. (2023). Maize-legume intercropping achieves yield advantages by improving leaf functions and dry matter partition. *BMC Plant Biology*, 23(1).
<https://doi.org/10.1186/s12870-023-04408-3>
- Gao, H., Meng, W., Zhang, C., van der Werf, W., Zhang, Z., Wan, S., & Zhang, F. (2020). Yield and nitrogen uptake of sole and intercropped maize and peanut in response to N fertilizer input. *Food and Energy Security*, 9(1).
<https://doi.org/10.1002/fes3.187>
- Gao, H., Zhang, C., van der Werf, W., Ning, P., Zhang, Z., Wan, S., & Zhang, F. (2022). Intercropping modulates the accumulation and translocation of dry matter and nitrogen in maize and peanut. *Field Crops Research*, 284.
<https://doi.org/10.1016/j.fcr.2022.108561>
- Gardner, F. P., R. B. Pearce, dan R. L. Mitchell. 2008. Fisiologi Tanaman Budidaya. Terjemahan Herawati Susilo. UI-Press, Jakarta.
- González-Espíndola, L. Á., Pedroza-Sandoval, A., Trejo-Calzada, R., Jacobo-Salcedo, M. del R., García de los Santos, G., & Quezada-Rivera, J. J. (2024). Relative Water Content, Chlorophyll Index, and Photosynthetic Pigments on Lotus corniculatus L. in Response to Water Deficit. *Plants*, 13(7). <https://doi.org/10.3390/plants13070961>
- Gu, J., & Yang, J. (2022). Nitrogen (N) transformation in paddy rice field: Its effect on N uptake and relation to improved N management. In *Crop and Environment* (Vol. 1, Number 1, pp. 7–14). Elsevier B.V.
<https://doi.org/10.1016/j.crope.2022.03.003>
- Han, F., Guo, R., Hussain, S., Guo, S., Cai, T., Zhang, P., Jia, Z., Naseer, M. A., Saqib, M., Chen, X., & Ren, X. (2023). Rotation of planting strips and reduction in nitrogen fertilizer application can reduce nitrogen loss and optimize its balance in maize–peanut intercropping. *European Journal of Agronomy*, 143.
<https://doi.org/10.1016/j.eja.2022.126707>

- Han, X., Han, N., Zhou, Q., Kang, J., & Bai, X. (2019). Effects of nitrogen application on growth and yield of maize. *IOP Conference Series: Earth and Environmental Science*, 340(5). <https://doi.org/10.1088/1755-1315/304/5/052054>
- Hang, W., Shoukat, W., Yang, J., Lu, Y., Qin, S., Liu, H., Rong, X., Zhou, X., & Zhang, Y. (2025). Effects of simulated nitrogen deposition on microbial dynamics: Altered nitrogen fixation and ammonia oxidation in biological soil crusts. *Journal of Environmental Management*, 380. <https://doi.org/10.1016/j.jenvman.2025.125141>
- Hardjowigeno, S. 2015. Ilmu Tanah. Akademika Pressindo. Jakarta.
- Homulle, Z., George, T. S., & Karley, A. J. (2022). Root traits with team benefits: understanding belowground interactions in intercropping systems. In *Plant and Soil* (Vol. 471, Numbers 1–2). Springer Science and Business Media Deutschland GmbH. <https://doi.org/10.1007/s11104-021-05165-8>
- Huang, S. R., Song, Q. F., Guo, Z., Long, Q. F., Zhang, L. S., Li, Y., Yang, Y., Wang, X. C., Yang, F., Yong, T. W., Liu, J., Yan, Y. H., Yang, W. Y., & Wu, Y. S. (2026). Quantifying the light interception and canopy photosynthesis of strip intercropping system based on 3D canopy photosynthesis model. *Computers and Electronics in Agriculture*, 249. <https://doi.org/10.1016/j.compag.2026.111850>
- Isaac, N., Margaret, E. E., Harrison, K. D., & Samuel, E. O. (2024). Phenology and growth response of maize and groundnut to different spatial arrangement and intercropping systems. *African Journal of Agricultural Research*, 20(5), 337–355. <https://doi.org/10.5897/ajar2023.16598>
- Izehiwa, I. R., Huang, C., Lawal, L. O., Oziengbe, E., & Divine, I. (2025). Influence of nitrogen fertilizer application on maize yield and nitrogen use efficiency in China. *IOSR Journal of Agriculture and Veterinary Science*, 18(3), 21–30. <https://doi.org/10.9790/2380-1803012130>
- Jensen, E. S., Carlsson, G., & Hauggaard-Nielsen, H. (2020). Intercropping of grain legumes and cereals improves the use of soil N resources and reduces the requirement for synthetic fertilizer N: A global-scale analysis. In *Agronomy for Sustainable Development* (Vol. 40, Number 1). Springer. <https://doi.org/10.1007/s13593-020-0607-x>
- Jiao, N., Wang, J., Ma, C., Zhang, C., Guo, D., Zhang, F., & Jensen, E. S. (2021). The importance of aboveground and belowground interspecific interactions in

- determining crop growth and advantages of peanut/maize intercropping. *Crop Journal*, 9(6), 1460–1469. <https://doi.org/10.1016/j.cj.2020.12.004>
- Jin, F., Wang, Z., Zhang, H., Huang, S., Chen, M., Kwame, T. J., Yong, T., Wang, X., Yang, F., Liu, J., Yu, L., Pu, T., Fatima, A., Rahman, R., Yan, Y., Yang, W., & Wu, Y. (2024). Quantification of spatial-temporal light interception of crops in different configurations of soybean-maize strip intercropping. *Frontiers in Plant Science*, 15. <https://doi.org/10.3389/fpls.2024.1376687>
- Jing, B., Shi, W., & Chen, T. (2025). Maize/soybean intercropping with nitrogen reduction: A pathway for improved nitrogen efficiency and reduced environmental impact in Northwest China. *Soil and Tillage Research*, 253. <https://doi.org/10.1016/j.still.2025.106696>
- Jumin, H. B., Mardaleni, Vebionita, I., & Jekinda. (2025). Net Assimilation Rate and Mean Relative Growth Rate of Horticulture Plants on Swamp Land under Control of Organic Compounds. *Current Applied Science and Technology*, 25(4). <https://doi.org/10.55003/cast.2025.259673>
- Kebede, E. (2021). Contribution, Utilization, and Improvement of Legumes-Driven Biological Nitrogen Fixation in Agricultural Systems. In *Frontiers in Sustainable Food Systems* (Vol. 5). Frontiers Media S.A. <https://doi.org/10.3389/fsufs.2021.767998>
- KEPMENTAN_NO_966_TAHUN_2022_. (n.d.). *KEPMENTAN_NO_966_TAHUN_2022_*.
- Khan, H. Z., Alasasfa, M. A., Iqbal, A., Naeem, A., & Iqbal, M. A. (2024). Defoliation of Autumn Planted Maize Hybrids for Sustainable Intensification of Maize-Soybean Intercropping System. *Journal of Ecological Engineering*, 25(9), 34–43. <https://doi.org/10.12911/22998993/190382>
- Khan, M. A., Fahmida, P., & Habib, S. A. (2012). *Urea Sythensis, Properties, and Uses*. Nova Science Publisher.
- Korale, O. D., Dhuppe, M. V, Patil, S. S., Gite, N. G., & Mirkad, S. B. (2022). Correlation and Path Analysis for Yield and Yield Contributing Characters in groundnut (*Arachis hypogaea* L.). *International Journal of Theoretical & Applied Sciences*, 14(1), 22–25. www.researchtrend.net
- Kou, H., Liao, Z., Zhang, H., Lai, Z., Liu, Y., Kong, H., Li, Z., Zhang, F., & Fan, J. (2024). Grain yield, water-land productivity and economic profit responses to row configuration in maize-soybean strip intercropping systems under drip

fertigation in arid northwest China. *Agricultural Water Management*, 297.

<https://doi.org/10.1016/j.agwat.2024.108817>

Kozłowski, T. (1997). *Environmental Regulation of Vegetative Growth*.

<https://doi.org/10.1016/B978-0-12-424210-4.50005-X>

Kumagai, E., Yabiku, T., & Hasegawa, T. (2022). A strong negative trade-off between seed number and 100-seed weight stalls genetic yield gains in northern Japanese soybean cultivars in comparison with Midwestern US cultivars. *Field Crops Research*, 283. <https://doi.org/10.1016/j.fcr.2022.108539>

Kumar, V., Ram, V., & Rajkumari, P. (2024). Evaluating Intercropping Indices, Yield Attributes and Yield of Baby Corn and Green Gram under Different Planting Patterns. *International Journal of Plant & Soil Science*, 36(8), 460–469.

<https://doi.org/10.9734/ijpss/2024/v36i84876>

Lai, H., Gao, F., Su, H., Zheng, P., Li, Y., & Yao, H. (2022). Nitrogen Distribution and Soil Microbial Community Characteristics in a Legume–Cereal Intercropping System: A Review. In *Agronomy* (Vol. 12, Number 8). MDPI.

<https://doi.org/10.3390/agronomy12081900>

Lalrinsangi, J. K., Singh, S., Chaudhary, K. P., Nawhal, A., & Kumari, R. (2024). Effect of Intercropping with Cowpea and Maize with Organic Manure Application on the Physiological Parameters. *International Journal of Plant & Soil Science*, 36(6), 601–615. <https://doi.org/10.9734/ijpss/2024/v36i64663>

Leegood, R. C. (2016). C4 Plants. In *Encyclopedia of Applied Plant Sciences* (Vol. 1, pp. 52–59). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-394807-6.00091-5>

Li, C., Stomph, T. J., Makowski, D., Li, H., Zhang, C., Zhang, F., & van der Werf, W. (2023). The productive performance of intercropping. *Proceedings of the National Academy of Sciences of the United States of America*, 120(2).

<https://doi.org/10.1073/pnas.2201886120>

Li, G., Liang, Y., Liu, Q., Zeng, J., Ren, Q., Guo, J., Xiong, F., & Lu, D. (2024). Enhancing production efficiency through optimizing plant density in maize–soybean strip intercropping. *Frontiers in Plant Science*, 15.

<https://doi.org/10.3389/fpls.2024.1473786>

Li, H., Fan, Z., Wang, G., Wang, Y., Hu, F., Yin, W., Wang, Q., Cao, W., Chai, Q., & Yao, T. (2025). Root plasticity of maize intercropped with a legume green manure contributes to the maintenance of grain yield under reduced nitrogen inputs. *Field Crops Research*, 334. <https://doi.org/10.1016/j.fcr.2025.110151>

- Li, L., Zou, Y., Wang, Y., Chen, F., & Xing, G. (2022). Effects of Corn Intercropping with Soybean/Peanut/Millet on the Biomass and Yield of Corn under Fertilizer Reduction. *Agriculture (Switzerland)*, 12(2).
<https://doi.org/10.3390/agriculture12020151>
- Li, P., Zhuang, Z., Cai, H., Cheng, S., Soomro, A. A., Liu, Z., Gu, R., Mi, G., Yuan, L., & Chen, F. (2016). Use of genotype-environment interactions to elucidate the pattern of maize root plasticity to nitrogen deficiency. *Journal of Integrative Plant Biology*, 58(3), 242–253. <https://doi.org/10.1111/jipb.12384>
- Li, R., Niu, Z., & Niu, H. (2026). Interspecific Nitrogen Transfer and Nutrient Exchange in Legume-Cereal Intercropping Systems: A Review. In *Review. Regional Ecology and Management* (Vol. 2026, Number 1).
<https://www.sciltp.com/journals/rem>
- Liao, Q., Ding, R., Du, T., Kang, S., Tong, L., & Li, S. (2022). Stomatal conductance drives variations of yield and water use of maize under water and nitrogen stress. *Agricultural Water Management*, 268.
<https://doi.org/10.1016/j.agwat.2022.107651>
- Liao, Z., Zhang, C., Zhang, Y., Yu, S., Yan, S., Zhang, S., Li, Z., & Fan, J. (2024). Nitrogen application and soil mulching improve grain yield of rainfed maize by optimizing source-sink relationship and grain filling process on the Loess Plateau of China. *European Journal of Agronomy*, 153.
<https://doi.org/10.1016/j.eja.2023.127060>
- Lin, P., Liu, S., Fu, Z., Luo, K., Li, Y., Peng, X., Yuan, X., Yang, L., Pu, T., Li, Y., Yong, T., & Yang, W. (2024). Rhizosphere flavonoids alleviates the inhibition of soybean nodulation caused by shading under maize-soybean strip intercropping. *Journal of Integrative Agriculture*.
<https://doi.org/10.1016/j.jia.2024.09.030>
- Lin, P.-H., Huang, M.-Sen, & Chao, Y.-Y. (2018). Effect of Various Leguminous Intercrops on Maize Yield. *Maydica Electronic Publication*.
- Liu, Y., Stomph, T. J., Zhang, F., Li, C., & van der Werf, W. (2024). Nitrogen input strategies impact fertilizer nitrogen saving by intercropping: A global meta-analysis. *Field Crops Research*, 318. <https://doi.org/10.1016/j.fcr.2024.109607>
- Lu, J., Dong, Q., Lan, G., He, Z., Zhou, D., Zhang, H., Wang, X., Liu, X., Jiang, C., Zhang, Z., Wan, S., Zhao, X., & Yu, H. (2023). Row ratio increasing improved light distribution, photosynthetic characteristics, and yield of peanut in the

- maize and peanut strip intercropping system. *Frontiers in Plant Science*, 14.
<https://doi.org/10.3389/fpls.2023.1135580>
- Ma, Y., Xiao, C., Liu, J., & Ren, G. (2025). Nutrient-dependent regulation of symbiotic nitrogen fixation in legumes. In *Horticulture Research* (Vol. 12, Number 3). Oxford University Press. <https://doi.org/10.1093/hr/uhae321>
- Mahmud, K., Makaju, S., Ibrahim, R., & Missaoui, A. (2020). Current progress in nitrogen fixing plants and microbiome research. In *Plants* (Vol. 9, Number 1). MDPI AG. <https://doi.org/10.3390/plants9010097>
- Mano, N. A., Madore, B., & Mickelbart, M. V. (2023). Different Leaf Anatomical Responses to Water Deficit in Maize and Soybean. *Life*, 13(2).
<https://doi.org/10.3390/life13020290>
- Marino, R. W., & Howarth, R. (2009). *Nitrogen Fixation*. Cornell University.
- Milasari, S. F., Wibowo, A. F., Nilamsari, W. A., & Rachmawati, D. (2025). Assessing Foliar Chlorophyll Content with SPAD-502 Chlorophyll Meter: A Comparison with Spectrophotometer Method in Various Plants. *Jurnal Riset Biologi Dan Aplikasinya*, 7(1), 50–56. <https://doi.org/10.26740/jrba>
- Nasar, J., Zhao, C. J., Khan, R., Gul, H., Gitari, H., Shao, Z., Abbas, G., Haider, I., Iqbal, Z., Ahmed, W., Rehman, R., Liang, Q. P., Zhou, X. B., & Yang, J. (2023). Maize-soybean intercropping at optimal N fertilization increases the N uptake, N yield and N use efficiency of maize crop by regulating the N assimilatory enzymes. *Frontiers in Plant Science*, 13.
<https://doi.org/10.3389/fpls.2022.1077948>
- Nasielski, J., Earl, H., & Deen, B. (2019). Luxury vegetative nitrogen uptake in maize buffers grain yield under post-silking water and nitrogen stress: A mechanistic understanding. *Frontiers in Plant Science*, 10.
<https://doi.org/10.3389/fpls.2019.00318>
- Nassary, E. K., Baijukya, F., & Ndakidemi, P. A. (2020). Sustainable intensification of grain legumes optimizes food security on smallholder farms in Sub-Saharan Africa-A review. *International Journal of Agriculture and Biology*, 23(1).
<https://doi.org/10.17957/IJAB/15.1254>
- Nielsen, R. L. 2023. Ear Size Determination in Corn. Corny News Network, Purdue University, Department of Agronomy.
<https://www.agry.purdue.edu/ext/corn/News/timeless/Earsize.html>. Diakses 21 Mei 2026.

- Ningoji, S. N., & Thimmegowda, M. N. (2021). Phenotypic correlation and regression of hydroponics maize fodder as influenced by seed rate, nutrient sources and spray schedule. *Environment Conservation Journal*, 22(3), 253–264.
<https://doi.org/10.36953/ECJ.2021.22330>
- Nurdiani, U., Prasetyo, K., & Risa Utami, D. (2023). OPTIMALISASI PENGGUNAAN FAKTOR PRODUKSI USAHATANI JAGUNG DI KABUPATEN BANYUMAS. *Mimbar Agribisnis*.
- O. S, O., A. T, A., D, A., & B. C, A. (2025). Studies on Character Expression for yield Components in Soybean. *Environmental Reports*, 7(2), 159–163.
<https://doi.org/10.51470/ER.2025.7.2.159>
- Olayinka, Adefalu, L. L., Adisa, Lawal, & Etejere, E. O. (2017). Effects of Spatial Arrangements of Groundnut-Maize Intercrop on Growth, Yield and Proximate Composition of Groundnut. In *Al-Hikmah Journal of Pure & Applied Sciences* (Vol. 5).
- Panda, S. K., Maitra, S., Panda, P., Shankar, T., Pal, A., Sairam, M., & Praharaj, S. (2021). Productivity and competitive ability of rabi maize and legumes intercropping system. *Crop Research*, 56(3 & 4). <https://doi.org/10.31830/2454-1761.2021.016>
- Pandey, B., Garkoti, M., Kumar, R., Chandra, N., & Arya, D. (2023). Evaluation of relative water content in some selected herbaceous plants along the Kosi Watershed, Kumaun Himalaya. *International Journal of Botany Studies*.
<https://doi.org/10.1046/j.1365>
- Paponov, I. A., Paponov, M., Sambo, P., & Engels, C. (2020). Differential Regulation of Kernel Set and Potential Kernel Weight by Nitrogen Supply and Carbohydrate Availability in Maize Genotypes Contrasting in Nitrogen Use Efficiency. *Frontiers in Plant Science*, 11.
<https://doi.org/10.3389/fpls.2020.00586>
- Poorter, H., Pons, T. L., & Reichgelt, T. (2025). Stomatal Density and Index Are More Responsive to Light Intensity than to [CO₂]: A Meta-Analysis and Implications for Paleo-CO₂ Reconstruction. *Plant Ecophysiology*, 1.
<https://doi.org/10.53941/plantecophys.2025.100001>
- Purba, T., Situmeang, R., Rohman, H. F., Mahyati, Arsi, Firgiyanto, R., Junaedi, A. S., Saadah, T. T., Junairiah, Herawati, J., & Suhastyo, A. A. (2021). *Pupuk dan Teknologi Pemupukan* (1st ed.). Yayasan Kita Menulis.

PUSDATIN. (2024). *ANALISIS KINERJA PERDAGANGAN JAGUNG Pusat Data dan Sistem Informasi Pertanian Sekretariat Jenderal Kementerian Pertanian 2024*.

Qiao, M., Sun, R., Wang, Z., Dumack, K., Xie, X., Dai, C., Wang, E., Zhou, J., Sun, B., Peng, X., Bonkowski, M., & Chen, Y. (2024). Legume rhizodeposition promotes nitrogen fixation by soil microbiota under crop diversification. *Nature Communications*, 15(1). <https://doi.org/10.1038/s41467-024-47159-x>

Rahmianna, A. A., & Ginting, E. (2023). *AFLATOKSIN PADA KACANG TANAH DAN PENGENDALIANNYA* (J. S. Utomo, Ed.; Pertama). Madza Media.

Ramakrishna, W., Bohn, M., Lai, J., & Kole, C. (2015). *GENETICS, GENOMICS AND BREEDING OF MAIZE*. CRC Press.

Rascio, N., & Rocca, L. (2008). Biological Nitrogen Fixation. In *Annual Reviews of Ecology, Evolution, and Systematics* (Vol. 16). European Commission.

Raza, M. A., Bin Khalid, M. H., Zhang, X., Feng, L. Y., Khan, I., Hassan, M. J., Ahmed, M., Ansar, M., Chen, Y. K., Fan, Y. F., Yang, F., & Yang, W. (2019). Effect of planting patterns on yield, nutrient accumulation and distribution in maize and soybean under relay intercropping systems. *Scientific Reports*, 9(1). <https://doi.org/10.1038/s41598-019-41364-1>

Raza, M. A., Mohi Ud Din, A., Shah, G. A., Zhiqi, W., Feng, L. Y., Gul, H., Yasin, H. S., Shafiq ur Rahman, M., Juan, C., Liang, X., Rehman, R., Al Garawi, A. M., van der Werf, W., Qin, R., Xin, L., Khalid, M. H. Bin, & Zhongming, M. (2024). Legume choice and planting configuration influence intercrop nutrient and yield gains through complementarity and selection effects in legume-based wheat intercropping systems. *Agricultural Systems*, 220. <https://doi.org/10.1016/j.agsy.2024.104081>

Ruiz, A., Archontoulis, S. V., & Borrás, L. (2022). Kernel weight relevance in maize grain yield response to nitrogen fertilization. *Field Crops Research*, 286. <https://doi.org/10.1016/j.fcr.2022.108631>

Sage, R. F., & McKown, A. D. (2006). Is C4 photosynthesis less phenotypically plastic than C3 photosynthesis? *Journal of Experimental Botany*, 57(2 SPEC. ISS.), 303–317. <https://doi.org/10.1093/jxb/erj040>

Salinas-Roco, S., Morales-González, A., Espinoza, S., Pérez-Díaz, R., Carrasco, B., del Pozo, A., & Cabeza, R. A. (2024). N2 Fixation, N Transfer, and Land Equivalent Ratio (LER) in Grain Legume–Wheat Intercropping: Impact of N

Supply and Plant Density. *Plants*, 13(7).

<https://doi.org/10.3390/plants13070991>

Singh, S. D., Nongmaithem, N., Konsam, J., Senjam, P., & Singh, N. A. (2023).

Evaluation of Soybean and Green Gram as Intercrops with Maize under Different Row Proportions in the North-eastern Hill Region, India. *Legume Research*, 46(12), 1647–1652. <https://doi.org/10.18805/LR-4791>

Sreelatha, P., Sudhakar, P., Umamahesh, V., Subramanyam, D., & Vasanthi, R. P.

(2024). Interrelations between Canopy Architecture and Growth Yield Attribute on Selected Growth Habit Peanut Genotypes. *Legume Research*, 47(2), 214–217. <https://doi.org/10.18805/LR-4606>

Steen Jensen, E., Carlsson, G., & Hauggaard-Nielsen, H. (2020). Intercropping of grain legumes and cereals improves the use of soil N resources and reduces the requirement for synthetic fertilizer N: A global-scale analysis. *Agronomy for Sustainable Development*, 40 (5). <https://doi.org/10.1007/s13593-020-0607-x/Published>

Stomph, T. J., Dordas, C., Baranger, A., de Rijk, J., Dong, B., Evers, J., Gu, C., Li, L., Simon, J., Jensen, E. S., Wang, Q., Wang, Y., Wang, Z., Xu, H., Zhang, C., Zhang, L., Zhang, W. P., Bedoussac, L., & van der Werf, W. (2020). Designing intercrops for high yield, yield stability and efficient use of resources: Are there principles? In *Advances in Agronomy* (Vol. 160, Number 1, pp. 1–50).

Academic Press Inc. <https://doi.org/10.1016/bs.agron.2019.10.002>

Sulaiman, A. A., Djufry, F., Bahrin, A. H., & Nur, A. (2024). *Budidaya Jagung Terstandar* (I. Muttaqien & E. Kustanti, Eds.; Pertama). Pertanian Press.

Sulaman, S., Nadeem, M., Shabaan, M., Orman, S., Anwar-ul-Haq, M., & Zulfiqar, U. (2025). Exogenous Application of Nitrogen (N) and Potassium (K) Improves Drought Tolerance in Plants: A Review. In *Journal of Soil Science and Plant Nutrition* (Vol. 25, Number 2, pp. 4850–4865). Springer Science and Business Media Deutschland GmbH. <https://doi.org/10.1007/s42729-025-02433-9>

Supriyadi, H. (2016). *PETUNJUK TEKNIK PENGELOLAAN TANAMAN TERPADU (PTT) JAGUNG* (N. Sutrisna, Ed.). BPTP Jawa Barat.

Suryantini. 2015. Pembintilan dan Penambatan Nitrogen pada Tanaman Kacang Tanah. Dalam Monograf Balitkabi No. 13: Kacang Tanah: Inovasi Teknologi dan Pengembangan Produk, hlm. 234–250. Balai Penelitian Tanaman Aneka Kacang dan Umbi, Malang.

- Suwardi, S., Suryaningtyas, D. T., Saputra, H., Rosjidi, M., Mustafa, A., & Ghofar, A. (2023). Release Pattern of Nitrogen and Potassium from Controlled Release Fertilizer (CRF) in the Soil. *JOURNAL OF TROPICAL SOILS*, 28(3), 99–106. <https://doi.org/10.5400/jts.2023.v28i3.99-106>
- Tasca, A., Alcock, T. D., & Bienert, G. P. (2025). The role of maize (*Zea mays*) radicle root hairs in seedling establishment under adverse phosphorus and water seedbed conditions. *Annals of Botany*, 136(5–6), 1115–1130. <https://doi.org/10.1093/aob/mcaf142>
- Taufiq, A. (2024). *Unsur Hara Bagi Tanaman Kacang Tanah dan Pengelolaannya*. BSIP.
- Te, X., Din, A. M. U., Cui, K., Raza, M. A., Faraz Ali, M., Xiao, J., & Yang, W. (2023). Inter-specific root interactions and water use efficiency of maize/soybean relay strip intercropping. *Field Crops Research*, 291. <https://doi.org/10.1016/j.fcr.2022.108793>
- Tim Pustaka. (2017). *Inovasi Budidaya & Pascapanen Jagung*. IAARD Press.
- Toker, P., Canci, H., Turhan, I., Isci, A., Scherzinger, M., Kordrostami, M., & Yol, E. (2024). The advantages of intercropping to improve productivity in food and forage production—a review. In *Plant Production Science* (Vol. 27, Number 3, pp. 155–169). Taylor and Francis Ltd. <https://doi.org/10.1080/1343943X.2024.2372878>
- Trustinah. 2015. Morfologi dan Pertumbuhan Kacang Tanah. Dalam Monograf Balitkabi No. 13: Kacang Tanah: Inovasi Teknologi dan Pengembangan Produk, hlm. 41–59. Balai Penelitian Tanaman Aneka Kacang dan Umbi, Malang.
- Wahyuningsih, A., Setiawan, B. M., & Kristanto, B. A. (2018). EFISIENSI EKONOMI PENGGUNAAN FAKTOR-FAKTOR PRODUKSI, PENDAPATAN USAHATANI JAGUNG HIBRIDA DAN JAGUNG LOKAL DI KECAMATAN KEMUSU, KABUPATEN BOYOLALI. *Agrisociconomics*, 2(1), 1–13. <http://ejournal2.undip.ac.id/index.php/agrisociconomics>
- Wang, H., Gu, C., Liu, X., Yang, C., Li, W., & Wang, S. (2020). Impact of Soybean Nodulation Phenotypes and Nitrogen Fertilizer Levels on the Rhizosphere Bacterial Community. *Frontiers in Microbiology*, 11. <https://doi.org/10.3389/fmicb.2020.00750>
- Wang, Q., Sun, Z., Bai, W., Zhang, D., Zhang, Y., Wang, R., Werf, W. Van Der, Evers, J. B., Stomph, T. J., Guo, J., & Zhang, L. (2021). LIGHT INTERCEPTION AND USE EFFICIENCY DIFFER WITH MAIZE PLANT

DENSITY IN MAIZE-PEANUT INTERCROPPING. *Frontiers of Agricultural Science and Engineering*, 8(3), 432–446. <https://doi.org/10.15302/J-FASE-2021403>

Wang, Y., Jiang, P., Liao, C., Fei, J., Zhang, Y., Xiangmin, R., Peng, J., & Luo, G. (2025). Understanding the increased maize productivity of intercropping systems from interactive scenarios of plant roots and arbuscular mycorrhizal fungi. *Agriculture, Ecosystems and Environment*, 381.

<https://doi.org/10.1016/j.agee.2024.109450>

Wangiyana, W., Sari, H., & Ngawit, I. K. (2025). Increasing yield of maize through additive intercropping with several varieties of peanut under two row patterns in dryland of East Lombok, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 1471(1). <https://doi.org/10.1088/1755-1315/1471/1/012029>

Wei, W., Liu, T., Shen, L., Wang, X., Zhang, S., & Zhang, W. (2022). Effect of Maize (*Zea mays*) and Soybean (*Glycine max*) Intercropping on Yield and Root Development in Xinjiang, China. *Agriculture (Switzerland)*, 12(7).

<https://doi.org/10.3390/agriculture12070996>

Werf, W. Van Der, Zhang, L., Li, C., Chen, P., Feng, C., Xu, Z., Zhang, C., Gu, C., Bastiaans, L., Makowski, D., & Stomph, T. (2021). COMPARING PERFORMANCE OF CROP SPECIES MIXTURES AND PURE STANDS. *Frontiers of Agricultural Science and Engineering*, 8(3), 481–489.

<https://doi.org/10.15302/J-FASE-2021413>

Widowati, L. R., Siregar, A. F., Anggria, L., Wibowo, H., Sipahutar, I. A., Kasno, A., Rochayati, S., Rostaman, T., Budiyo, A., Zakiah, K., Ariyani, R., Santri, J. A., Lindawati, E., K. I. D., Sarmah, Septiyana, Purnamasari, L., Mutammimah, U., & Rahmayeni, R. (2024). *Rekomendasi Pupuk N, P, dan untuk Tanaman Pangan per Kabupaten* (U. Mutammimah, Ed.; 2nd ed.). Pertanian Press.

WU, Y. wei, LI, Q., JIN, R., CHEN, W., LIU, X. lin, KONG, F. lei, KE, Y. pei, SHI, H. chun, & YUAN, J. chao. (2019). Effect of low-nitrogen stress on photosynthesis and chlorophyll fluorescence characteristics of maize cultivars with different low-nitrogen tolerances. *Journal of Integrative Agriculture*, 18(6), 1246–1256. [https://doi.org/10.1016/S2095-3119\(18\)62030-1](https://doi.org/10.1016/S2095-3119(18)62030-1)

Xia, H., Wang, L., Xue, Y., Kong, W., Xue, Y., Yu, R., Xu, H., Wang, X., Wang, J., Liu, Z., & Guo, X. (2019). Impact of increasing maize densities on agronomic performances and the community stability of productivity of maize/peanut

intercropping systems. *Agronomy*, 9(3).

<https://doi.org/10.3390/agronomy9030150>

- Xiang, W., Zhang, Y., Feng, L., Zhang, L., Bai, W., Song, W., Feng, C., & Sun, Z. (2026). Nitrogen Uptake and Use Efficiency Affected by Spatial Configuration in Maize/Peanut Intercropping in Rain-Fed Semi-Arid Region. *Agronomy*, 16(1). <https://doi.org/10.3390/agronomy16010131>
- Xu, H., Hu, J., Luo, G., Wang, Y., Zhang, Y., Rong, X., Peng, J., & Liao, C. (2025). Intercropping-driven maize yield gain depending on regional environments, planting conditions, and production managements: A global-scale evidence. *European Journal of Agronomy*, 168. <https://doi.org/10.1016/j.eja.2025.127622>
- Xue, J., Gou, L., Zhao, Y., Yao, M., Yao, H., Tian, J., & Zhang, W. (2016). Effects of light intensity within the canopy on maize lodging. *Field Crops Research*, 188, 133–141. <https://doi.org/10.1016/j.fcr.2016.01.003>
- Yang, J., & Zhang, J. (2010). Crop management techniques to enhance harvest index in rice. In *Journal of Experimental Botany* (Vol. 61, Number 12, pp. 3177–3189). <https://doi.org/10.1093/jxb/erq112>
- Yang, X., Zhang, C., Ma, X., Liu, Q., An, J., Xu, S., Xie, X., & Geng, J. (2021). Combining Organic Fertilizer With Controlled-Release Urea to Reduce Nitrogen Leaching and Promote Wheat Yields. *Frontiers in Plant Science*, 12. <https://doi.org/10.3389/fpls.2021.802137>
- Yasin, M. H. G., Sumarno, & Nur, A. (2014). *Perakitan Varietas Unggul Jagung Fungsional*. IAARD Press.
- Yi, Y., Gong, T., Xiong, X., Guan, Y., Wei, C., Lyu, T., Du, H., Zhang, Y., & Wang, H. (2025). Nitrogen Supply Regulates Stomatal Traits and Reduces Diurnal Transpiration Rate in Potato Under Non-Limiting Water Conditions. *Food and Energy Security*, 14(6). <https://doi.org/10.1002/fes3.70150>
- Yu, X., Xiao, S., Yan, T., Chen, Z., Zhou, Q., Pan, Y., Yang, W., & Lu, M. (2023). Interspecific Competition as Affected by Nitrogen Application in Sweet Corn–Soybean Intercropping System. *Agronomy*, 13(9). <https://doi.org/10.3390/agronomy13092268>
- Zait, Y., Joseph, A., & Assmann, S. M. (2024). Stomatal responses to VPD utilize guard cell intracellular signaling components. *Frontiers in Plant Science*, 15. <https://doi.org/10.3389/fpls.2024.1351612>
- Zhang, D., Sun, Z., Feng, L., Bai, W., Yang, N., Zhang, Z., Du, G., Feng, C., Cai, Q., Wang, Q., Zhang, Y., Wang, R., Arshad, A., Hao, X., Sun, M., Gao, Z., & Zhang,

- L. (2020). Maize plant density affects yield, growth and source-sink relationship of crops in maize/peanut intercropping. *Field Crops Research*, 257. <https://doi.org/10.1016/j.fcr.2020.107926>
- Zhang, G., Yang, H., Zhang, W., Bezemer, T. M., Liang, W., Li, Q., & Li, L. (2023). Interspecific interactions between crops influence soil functional groups and networks in a maize/soybean intercropping system. *Agriculture, Ecosystems and Environment*, 355. <https://doi.org/10.1016/j.agee.2023.108595>
- Zhang, H., Shi, W., Ali, S., Chang, S., Jia, Q., & Hou, F. (2022). Legume/Maize Intercropping and N Application for Improved Yield, Quality, Water and N Utilization for Forage Production. *Agronomy*, 12(8). <https://doi.org/10.3390/agronomy12081777>
- Zhang, W. P., Li, Z. X., Gao, S. N., Yang, H., Xu, H. Sen, Yang, X., Fan, H. X., Su, Y., Surigaoge, Weiner, J., Fornara, D., & Li, L. (2023). Resistance vs. surrender: Different responses of functional traits of soybean and peanut to intercropping with maize. *Field Crops Research*, 291. <https://doi.org/10.1016/j.fcr.2022.108779>
- Zhang, W., Wei, Y. X., Khan, A., Lu, J. S., Xiong, J. L., Zhu, S. G., Fang, X. W., Wang, W., Hao, M., Zhao, L., Zhang, X. L., Deng, J. M., Li, S. Q., & Xiong, Y. C. (2023). Intercropped soybean boosts nitrogen benefits and amends nitrogen use pattern under plastic film mulching in the semiarid maize field. *Field Crops Research*, 295. <https://doi.org/10.1016/j.fcr.2023.108881>
- Zhang, Y., Zhao, F., Sun, Z., Bai, W., Zhang, Z., Feng, C., & Cai, Q. (2024). Effects of Maize/Peanut Intercropping on Yield and Nitrogen Uptake and Utilization under Different Nitrogen Application Rates. *Agriculture (Switzerland)*, 14(6). <https://doi.org/10.3390/agriculture14060893>
- Zhao, F., Sun, Z., Feng, L., Zhang, Y., Feng, C., Bai, W., Zheng, J., Zhang, Z., Yang, N., Cai, Q., Xiang, W., Li, H., Jiang, Y., & Hohmann, P. (2022). Biological N fixation but not mineral N fertilization enhances the accumulation of N in peanut soil in maize/peanut intercropping system. *Journal of Agriculture and Food Research*, 10. <https://doi.org/10.1016/j.jafr.2022.100365>
- Zhao, L. S., Li, K., Wang, Q. M., Song, X. Y., Su, H. N., Xie, B. Bin, Zhang, X. Y., Huang, F., Chen, X. L., Zhou, B. C., & Zhang, Y. Z. (2017). Nitrogen Starvation Impacts the Photosynthetic Performance of *Porphyridium cruentum* as Revealed by Chlorophyll a Fluorescence. *Scientific Reports*, 7(1). <https://doi.org/10.1038/s41598-017-08428-6>