

DAFTAR PUSTAKA

- Abass, K. (2020). Rising incidence of urban floods: understanding the causes for flood risk reduction in Kumasi, Ghana. *GeoJournal*, 9. <https://doi.org/10.1007/s10708-020-10319-9>.
- Abdessamed, D., & Abderrazak, B. (2019). Coupling HEC-RAS and HEC-HMS in rainfall-runoff modeling and evaluating floodplain inundation maps in arid environments: case study of Ain Sefra city, Ksour Mountain. SW of Algeria. *Environmental Earth Sciences*, 78(19), 1–17. <https://doi.org/10.1007/s12665-019-8604-6>.
- Afani, I. Y. N., Yuwono, B. D. ., & Nurhadi, B. (2019). Optimalisasi Pembuatan Peta Kontur Skala Besar Menggunakan Kombinasi Data Pengukuran Terestris Dan Foto Udara Format Kecil. *Jurnal Geodesi Undip*, 8(1).
- Aji, L. J., Meiliasari, D. P., Apriyadi, R. K., Maarif, S., & Sumantri, H. (2022). Kapasitas Pengurangan Risiko Bencana Multi-hazard Pemerintah Kabupaten Pidie Jaya Guna Mendukung Keamanan Nasional. *PENDIPA Journal of Science Education*, 6(1), 64–72.
- Akter, A., Hasan, A., & Islam, K. (2020). Possibilities of urban flood reduction through distributed-scale rainwater harvesting. *Water Science and Engineering*, 13(2), 95–105. <https://doi.org/10.1016/j.wse.2020.06.001>.
- Ali, S., & George, A. (2022). Modelling a community resilience index for urban. *Natural Hazards*, 113(1), 261–286. <https://doi.org/10.1007/s11069-022-05299-7>.
- Anderson, M. ., & T.P Burt. (1985). Modelling Strategies. In M. . Anderson & T. . Burt (Eds.), *Hydrological Forecasting*.
- Aqoba, Z., & Sebayang, I. S. D. (2015). Kajian Kapasitas Saluran Kanal Barat Kota Semarang Terhadap Debit Kala Ulang 50 Tahun. *Jurnal Forum Mekanika*, 4(1).
- Arif, I., & Dewi, V. A. K. (2025). Study on Flood Control of the Sumber Pinang River in Sidogiri, Pasuruan Regency through River Normalization, Levees, and Parapet Walls. *G-Tech : Jurnal Teknologi Terapan*, 9(1), 354–363.
- Arifin, W. A., Daud, A., Maulsyid, R. P., Maulidia, R., & Handyanto, L. (2025). Penerapan Interpolasi Inverse Distance Weighted (IDW) Dalam Menentukan Tinggi Gelombang Laut Di Perairan Selat Sunda. *Jurnal Teknologi Perikanan Dan Kelautan*, 16(3), 268–281.
- Aristo, M. R., & Hizbaron, D. R. (2023). Pengaruh faktor kerentanan fisik dan sosial akibat erupsi gunung merapi terhadap ketercapaian SDGS dan IRBI. *Jurnal Tekno Sains*, 12(2), 177–190.
- Asdak, C. (2010). *Hidrologi dan Pengelolaan Daerah Aliran Sungai* (Lima). Gadjah Mada University Press.
- Ayuni, T. P., Saputra, A. J., Ginting, J. M., Studi, P., Teknik, S., Teknik, F., Batam, I., & Batam, K. (2023). Analisis Banjir Metode Hidrograf Satuan Sintetis SCS dan Nakayasu pada DAS Pesung , Batam. *Jurnal Ilmiah Rekayasa Sipil*, 20(2), 146–155.
- Bambang, T. (1995). *Hidraulika II*. Beta Offset.
- Baptista, V. S. G., Hugo, V., Coelho, R., Bertrand, G. F., Gustavo, B. L., Caicedo, N. O. L., Maria, S., Montenegro, G. L., Stefan, C., Glass, J., Heim, R., Conrad,

- A., & Almeida, N. (2023). Rooftop water harvesting for managed aquifer recharge and flood mitigation in tropical cities : Towards a strategy of co-benefit evaluations in ~ o Pessoa , northeast Brazil Jo a. *Journal of Environmental Management*, 342(January), 118034. <https://doi.org/10.1016/j.jenvman.2023.118034>.
- Bathrellos, G. D., Karymbalis, E., Skilodimou, H. D., Gaki-Papanastassiou, K., & Baltas, E. A. (2016). Urban flood hazard assessment in the basin of Athens Metropolitan city, Greece. *Environmental Earth Sciences*, 75(4), 319. <https://doi.org/10.1007/s12665-015-5157-1>.
- BBC. (2020). Kerugian banjir di Jakarta dan sekitarnya diperkirakan melebihi Rp10 triliun, kata pengamat. *BBC News Indonesia*. <https://www.bbc.com/indonesia/indonesia-50982184>.
- Beden, N., & Ulke Keskin, A. (2021). Flood map production and evaluation of flood risks in situations of insufficient flow data. *Natural Hazards*, 105(3), 2381–2408. <https://doi.org/10.1007/s11069-020-04404-y>.
- Beshir, A. A., & Song, J. (2021). Urbanization and its impact on flood hazard: the case of Addis Ababa, Ethiopia. *Natural Hazards*, 0123456789. <https://doi.org/10.1007/s11069-021-04873-9>.
- Bhattacharjee, S., Kumar, P., Thakur, P. K., & Gupta, K. (2021). Hydrodynamic modelling and vulnerability analysis to assess flood risk in a dense Indian city using geospatial techniques. *Natural Hazards*, 105(2), 2117–2145. <https://doi.org/10.1007/s11069-020-04392-z>.
- Birkmann, J. (2006). Measuring Vulnerability to Promote Disaster-Resilient Societies: Conceptual Frameworks and Definitions. In *Measuring Vulnerability to Natural Hazards* (p. 17). United Nations University.
- Peraturan Kepala Badan Nasional Penanggulangan Bencana No 1 Tahun 2012, (2012).
- Peraturan Kepala Badan Nasional Penanggulangan Bencana Nomor 02 Tahun 2012 Tentang Pedoman Umum Pengkajian Risiko Bencana. <https://www.bnpb.go.id/uploads/24/peraturan-kepala/2012/perka-2-tahun-2012-tentang-pedoman-umum-pengkajian-resiko-bencana.pdf>
- BNPB. (2019). *Data Informasi Bencana Indonesia*. <http://dibi.bnpb.go.id/DesInventar/main.jsp?countrycode=id&lang=ID&datalang=LL>
- BNPB. (2023). *Rangkuman Bencana Tahun 2023*. <https://gis.bnpb.go.id/arccgis/apps/sites/#/public/pages/bencana-besar-tahun-2023>.
- Boakye, W. A. (2018). Diagnoses of the Adaptive Capacity of Urban Households to Floods : The Case of Dome Community in the Greater Accra Region of Ghana. *Ghana Journal of Geography*, 10(2), 1–22.
- Boudaghpour, S., Bagheri, M., & Bagheri, Z. (2015). Estimation of Flood Environmental Effects Using Flood Zone Mapping Techniques in Halilrood Kerman, Iran. *Arabian Journal for Science and Engineering*, 40(3), 659–675. <https://doi.org/10.1007/s13369-014-1536-2>
- Bourget, P. G. (2002). Collective Capacity : Regional Information Sharing in Support of Floodplain Management Collective Capacity : Regional Information Sharing in Support of Floodplain Management. *International Water Resources Association*, 27(1).

<https://doi.org/10.1080/02508060208686975>

- Bouwer, L. M., Bubeck, P., Wagtendonk, A. J., & Aerts, J. C. J. H. (2009). Inundation scenarios for flood damage evaluation in polder areas. *Nat. Hazards Earth Syst. Sci*, 9, 1995–2007.
- BPBD Jakarta. (2022). *Kajian Risiko Bencana Provinsi DKI Jakarta Tahun 2022-2026*.
- BPS. (2022). *Kota Jakarta Timur Dalam Angka Tahun 2022*.
- BPS. (2025). *Kecamatan Ciracas Dalam Angka*. <https://jaktimkota.bps.go.id/id/publication/2025/09/26/b21a54d6c2bbf94070273881/kecamatan-ciracas-dalam-angka-2025.html>
- BPTJ. (2021). *TOD Ciracas, Mengoptimalkan Keragaman Moda Transportasi*. Badan Pengelola Transportasi Jabodetabek. <https://bptj-dev.dephub.go.id/post/read/tod-ciracas,-mengoptimalkan-keragaman-moda-transportasi?language=id>
- Brito, M. M. De, Evers, M., & Höllermann, B. (2017a). Prioritization of flood vulnerability, coping capacity and exposure indicators through the Delphi technique : A case study in Taquari-Antas basin , Brazil. *International Journal of Disaster Risk Reduction*, 24(June), 119–128. <https://doi.org/10.1016/j.ijdr.2017.05.027>.
- Buana, H., Limantara, L. M., Juwono, P. T., & Sholichin, M. (2022). Time Lag Modeling in Modification of Nakayasu Synthetic Unit Hydrograph. *Journal of Hunan University (Natural Sciences)*.
- Budirahardjo, E. K., & Tandi, W. (2020). Potensi Penampungan Air Hujan Di Dki Jakarta Rainwater Harvesting Potential In Jakarta. *Jurnal Sumber Daya Air*, 16(2), 77–90. <https://doi.org/10.32679/jsda.v16i2.615>.
- Budiyono, Y., Aerts, J., Brinkman, J. J., Marfai, M. A., & Ward, P. (2015). Flood risk assessment for delta mega-cities: a case study of Jakarta. *Natural Hazards*, 75(1), 389–413. <https://doi.org/10.1007/s11069-014-1327-9>.
- Budiyono, Y., Aerts, J. C. J. H., Tollenaar, D., & Ward, P. J. (2016). *River flood risk in Jakarta under scenarios of future change*. 2011, 757–774. <https://doi.org/10.5194/nhess-16-757-2016>.
- Chan, F. K. S., Mitchell, G., Adekola, O (2012). Flood risk in Asia's urban megadeltas: Drivers, impacts and response. *Environment and* <https://doi.org/10.1177/097542531200300103>.
- Chen, A. S., Hammond, M. J., Djordjević, S., Butler, D., Khan, D. M., & Veerbeek, W. (2016). From hazard to impact: flood damage assessment tools for mega cities. In *Natural Hazards* (Vol. 82, Issue 2). <https://doi.org/10.1007/s11069-016-2223-2>.
- Chow, V. Te. (1959). *Open -Channel Hydraulics*. McGraw-Hill.
- Chow, V. Te, Maidment, D. R., & Mays, L. W. (1988). *Applied Hidrology* (B. . Clark & John Morriss (eds.)). McGraw-Hill.
- Cobián Álvarez, J. A., & Resosudarmo, B. P. (2019). The cost of floods in developing countries' megacities: a hedonic price analysis of the Jakarta housing market, Indonesia. *Environmental Economics and Policy Studies*, 21(4), 555–577. <https://doi.org/10.1007/s10018-019-00242-w>
- Colin. (2004). *Interpolating Surfaces in ArcGIS Spatial Analyst*.
- Dadang, D., & Rosmilawati, I. (2020). Participatory Learning and Action (PLA) Pada Kelompok Keluarga Harapan di Kota Serang. *Jurnal Pendidikan FKIP*,

- 3(1), 570–579. <https://doi.org/10.15294/pls.v4i2.41400>
- Dandapat, K., & Panda, G. K. (2017). Flood vulnerability analysis and risk assessment using analytical hierarchy process. *Modeling Earth Systems and Environment*, 3(4), 1627–1646. <https://doi.org/10.1007/s40808-017-0388-7>
- Darabi, H., Choubin, B., Rahmati, O., Torabi Haghighi, A., Pradhan, B., & Kløve, B. (2019). Urban flood risk mapping using the GARP and QUEST models: A comparative study of machine learning techniques. *Journal of Hydrology*, 569(February 2018), 142–154. <https://doi.org/10.1016/j.jhydrol.2018.12.002>
- de Arruda Gomes, M. M., de Melo Verçosa, L. F., & Cirilo, J. A. (2021). Hydrologic models coupled with 2D hydrodynamic model for high-resolution urban flood simulation. In *Natural Hazards* (Vol. 108, Issue 3). Springer Netherlands. <https://doi.org/10.1007/s11069-021-04817-3>
- Delani, O. M., & Dasanto, B. D. (2015). Perbandingan hidrograf banjir menggunakan beberapa metode perhitungan curah hujan efektif (studi kasus: Das Cisadane Hulu). *Jurnal Sumber Daya Air*, 12(2), 187–198. <https://doi.org/10.32679/jsda.v12i2.65>
- Desalegn, H., & Mulu, A. (2021). Flood vulnerability assessment using GIS at Fetam watershed, upper Abbay basin, Ethiopia. *Heliyon*, 7(1), e05865. <https://doi.org/10.1016/j.heliyon.2020.e05865>
- Dewi, R., Limantara, L. M., & Soetopo, W. (2016). Analisis Parameter Alfa Hidrograf Satuan Sintetik Nakayasu Di Sub DAS Lesti. *Jurnal Teknik Pengairan*, 7(1), 107–116.
- Dimitriadis, P., Tegos, A., Oikonomou, A., Pagana, V., Koukouvinos, A., Mamassis, N., Koutsoyiannis, D., & Efstratiadis, A. (2016). Comparative evaluation of 1D and quasi-2D hydraulic models based on benchmark and real-world applications for uncertainty assessment in flood mapping. *Journal Of Hydrology*, 534, 478–492. <https://doi.org/10.1016/j.jhydrol.2016.01.020>
- Djunaedi, A. (2014). *Pengantar Perencanaan Wilayah Dan Kota* (Pertama). Gadjah Mada University Press.
- Dou, X., Song, J., Wang, L., Tang, B., Xu, S., Kong, F., & Jiang, X. (2018). Flood risk assessment and mapping based on a modified multi-parameter flood hazard index model in the Guanzhong Urban Area, China. *Stochastic Environmental Research and Risk Assessment*, 32(4), 1131–1146. <https://doi.org/10.1007/s00477-017-1429-5>
- Dung, N. B., Long, N. Q., An, D. T., & Minh, D. T. (2021). Multi-geospatial flood hazard modelling for a large and complex river basin with data sparsity: a case study of the Lam River Basin, Vietnam. *Earth Systems and Environment, Kieu 2011*. <https://doi.org/10.1007/s41748-021-00215-8>
- Dung, N. B., Minh, D. T., Ahmad, A., & Long, N. Q. (2020). The Role Of Relative Slope Length In Flood Hazard Mapping Using Ahp And Gis (Case Study: Lam River Basin, Vietnam). *Geography, Environment, Sustainability*, 13(2), 118–126.
- Duraisekaran, E., Mohanraj, T., Samuel, J. S. K., Rajagopalan, S., & Govindasamy, R. (2021). Investigation of multiple flood mitigation strategies for an urban catchment using semi-distributed hydrological modelling. *Arabian Journal of Geosciences*, 14(15). <https://doi.org/10.1007/s12517-021-07619-w>
- Duy, H., Nguyen, Q., Kha, D., & Van, C. P. (2024). A novel flood risk management approach based on future climate and land use change scenarios. *Science of*

- the Total Environment*, 921(November 2023), 171204.
<https://doi.org/10.1016/j.scitotenv.2024.171204>
- Eini, M., Kaboli, H. S., Rashidian, M., & Hedayat, H. (2020). Hazard and vulnerability in urban flood risk mapping: Machine learning techniques and considering the role of urban districts. *International Journal of Disaster Risk Reduction*, 50(May), 101687. <https://doi.org/10.1016/j.ijdr.2020.101687>
- Elboshy, B., Kanae, S., Gamaleldin, M., Ayad, H., Osaragi, T., & Elbarki, W. (2019). A framework for pluvial flood risk assessment in Alexandria considering the coping capacity. *Environment Systems and Decisions*, 39(1), 77–94. <https://doi.org/10.1007/s10669-018-9684-7>
- Engineers Australia Water Engineering. (2012). *Australian Rainfall And Runoff Revision Project 15: Two Dimensional Modelling In Urban And Rural Floodplains* (C. Babister, Mark; Barton (ed.)).
- Ennouini, W., Fenocchi, A., Petaccia, G., & Persi, E. (2024). A complete methodology to assess hydraulic risk in small ungauged catchments based on HEC - RAS 2D Rain - On - Grid simulations. *Natural Hazards*, 120(8), 7381–7409. <https://doi.org/10.1007/s11069-024-06515-2>
- Erena, S. H., & Worku, H. (2019). Urban flood vulnerability assessments: the case of Dire Dawa city, Ethiopia. *Natural Hazards*, 97(2), 495–516. <https://doi.org/10.1007/s11069-019-03654-9>
- Farooq, M., Shafique, M., & Khattak, M. S. (2019). Flood hazard assessment and mapping of River Swat using HEC-RAS 2D model and high-resolution 12-m TanDEM-X DEM (WorldDEM). *Natural Hazards*, 97(2), 477–492. <https://doi.org/10.1007/s11069-019-03638-9>
- Feng, B. (2020). Urban flood hazard mapping using a hydraulic–GIS combined model. *Natural Hazards*, 100(3), 1089–1104. <https://doi.org/10.1007/s11069-019-03850-7>
- Feng, B., Zhang, Y., & Bourke, R. (2021). Urbanization impacts on flood risks based on urban growth data and coupled flood models. *Natural Hazards*, 106(1), 613–627. <https://doi.org/10.1007/s11069-020-04480-0>
- Few, R. (2003). Flooding , vulnerability and coping strategies : local responses to a global threat. *Progress in Development Studies*, 1, 43–58.
- Franci, F., Bitelli, G., Mandanici, E., Hadjimitsis, D., & Agapiou, A. (2016). Satellite remote sensing and GIS-based multi-criteria analysis for flood hazard mapping. *Natural Hazards*, 83(1), 31–51. <https://doi.org/10.1007/s11069-016-2504-9>
- Gain, A. K., Mojtahed, V., Biscaro, C., Balbi, S., & Giupponi, C. (2015). An integrated approach of flood risk assessment in the eastern part of Dhaka City. *Natural Hazards*, 79(3), 1499–1530. <https://doi.org/10.1007/s11069-015-1911-7>
- Geng, Y., Zheng, X., Wang, Z., & Wang, Z. (2020). Flood risk assessment in Quzhou City (China) using a coupled hydrodynamic model and fuzzy comprehensive evaluation (FCE). *Natural Hazards*, 100(1), 133–149. <https://doi.org/10.1007/s11069-019-03803-0>
- Ginting, S., & Utaminingsih, W. (2020). Pengembangan Model Hidrograf Satuan Sintetis (HSS) DPMA-IOH dan Penerapannya pada Daerah Aliran Sungai. *Jurnal Teknik Sipil Jurnal Teoritis Dan Terapan Bidang Rekayasa Sipil*, 7(1).
- Griend, A. A. van de. (1979). *Modelling Catchment Response And Runoff Analysis*.

- Guarín, G. P., Westen, C. J. Van, & Montoya, L. (2005). Community-based flood risk assessment using GIS for the town of San Community-Based Flood Risk Assessment Using GIS for the Town of San Sebastián , Guatemala. *Journal of Human Security and Development*, 1(1), 29–49.
- Haase, D., Scheuer, S., & Meyer, V. (2010). *Integrated assessment of urban flood risk, coping capacity and vulnerability*.
- Hadi, M. P. (2016). Pemahaman Karakteristik Hujan Sebagai Dasar Pemilihan Model Hidrologi (Studi Kasus di Das Bengawan Solo Hulu). *Forum Geografi*, 20(1), 13–26. <https://doi.org/10.23917/forgeo.v20i1.1804>
- Hadi, M. P., Syamsiyyah, N. J. L., & Annisa, L. (2020). Unit hydrograph method for curve number validation in hydrological modeling: Case study of Welaran Watershed, Karangsambung, Kebumen. *IOP Conference Series: Earth and Environmental Science*, 451(1). <https://doi.org/10.1088/1755-1315/451/1/012077>
- Hardjowigeno, S. (2007). *Ilmu Tanah*. Akademika Presindo.
- Harto, S. (1983). *Mengenal Dasar Hidrologi Terapan*. Biro Penerbit Keluarga Mahasiswa Teknik Sipil, Universitas Gadjah Mada.
- Hashimoto, H., & Park, K. (2008). Two-dimensional urban flood simulation : Fukuoka flood disaster in 1999. *Flood Recovery, Innovation and Response*, 118. <https://doi.org/10.2495/FRIAR080061>
- Hdeib, R., & Aouad, M. (2023). Rainwater harvesting systems : An urban flood risk mitigation measure in arid areas. *Water Science and Engineering*, 16(3), 219–225. <https://doi.org/10.1016/j.wse.2023.04.004>
- HEC RAS. (2023). *HEC-RAS Hydraulic Reference Manual*.
- Heine, R. A., & Pinter, N. (2012). Levee effects upon fl ood levels : an empirical assessment. *Hydrological Processes Process*, 3240(January), 3225–3240. <https://doi.org/10.1002/hyp.8261>
- Hernández-cruz, X., & Dávila, S. (2020). Quantifying adaptive capacity to floods : an assessment. *Natural Hazards*, 103(1), 1537–1564. <https://doi.org/10.1007/s11069-020-04048-y>
- Hernandez-Mora, M., Meseguer-Ruiz, O., Karas, C., & Lambert, F. (2021). Estimating coastal flood hazard of Tossa de Mar, Spain: a combined model – data interviews approach. *Natural Hazards*. <https://doi.org/10.1007/s11069-021-04914-3>
- Hizbaron, D. R., Baiquni, M., Sartohadi, J., & Rijanta, R. (2012). Urban Vulnerability in Bantul District, Indonesia—Towards Safer and Sustainable Development. *Sustainability*, 4(1), 2022–2037. <https://doi.org/10.3390/su4092022>
- Hizbaron, D. R., Hadmoko, D. S., Samodra, G., Dalimunthe, S. A., & Sartohadi, J. (2010). Tinjauan Kerentanan, Risiko dan Zonasi Rawan Bahaya Rockfall di Kulonprogo, Yogyakarta. *Forum Geografi*, 24(2), 119–136.
- Hizbaron, D. R., Ismayani, N., Ernawan, F. N., Puspitasari, N. N. A., Yulianda, Y., & Jati, R. (2021). Comparative urban capacity analysis for flood-prone areas: method and a case study of Sidoarjo, Indonesia. *Environment, Development and Sustainability*, 23(9), 14027–14045. <https://doi.org/10.1007/s10668-021-01249-8>
- Hizbaron Dyah R., Rahmat Panji Nur, Agustina, S., & Ngainul, M. M. (2015). *Kajian Pola Spasial Kerentanan Sosial, Ekonomi, dan Fisik di Wilayah Rawan*

- Erupsi Gunungapi Merapi. *Jurnal Riset Kebencanaan Indonesia*, 1(1), 16–24.
<http://www.iabi-indonesia.org/wp-content/uploads/2015/07/JRKI-Vol1-No1-2015-compressed-4.pdf>
- IFHV. (2023). *WorldRiskReport 2023*. Bündnis Entwicklung Hilft.
- Imawan, A. Y., Wahyudi, S. I., & Wahyudi, N. R. (2020). The benefits of river normalization of Guntur weir upstream to irrigation area service in Demak Regency Central Java Indonesia. *4th International Conference on Civil Engineering Research (ICER 2020)*, 930(Iccer), 1–10.
<https://doi.org/10.1088/1757-899X/930/1/012077>
- Irawan, P., Setiawan, J., Novia, H., Sari, K., & Awaliyah, S. (2024). Analisis Pola Distribusi Curah Hujan Lebat Dominan Di Daerah Aliran Sungai (DAS) Citanduy Hulu. *Jurnal Sumber Daya Air*, 20(2), 75–86.
- ISDR. (2004). *Living With Risk A Global Review Of Disaster Reduction Initiatives*. United Nations publication.
- Jakarta, D. L. H. P. D. (2024). *Pemantauan Kualitas Lingkungan Air Tanah di Provinsi DKI Jakarta Tahun 2024*.
- Jamali, B., Bach, P. M., & Deletic, A. (2020). Rainwater harvesting for urban flood management: An integrated modelling framework. *Water Research*, 171, 115372. <https://doi.org/10.1016/j.watres.2019.115372>
- Januriyadi, N. F., Kazama, S., Moe, I. R., & Kure, S. (2018). *Evaluation of future flood risk in Asian megacities: a case study of Jakarta*. 12(3), 14–22.
<https://doi.org/10.3178/hr.12.14>
- Jayawardena, A. W. (2015). Hydro-meteorological disasters: Causes, effects and mitigation measures with special reference to early warning with data driven approaches of forecasting. *Procedia IUTAM*, 17(2013), 3–12.
<https://doi.org/10.1016/j.piutam.2015.06.003>
- Jibhakate, S. M., Timbadiya, P. V., & Patel, P. L. (2023). Multiparameter flood hazard, socioeconomic vulnerability and flood risk assessment for densely populated coastal city. *Journal of Environmental Management*, 344(January), 118405. <https://doi.org/10.1016/j.jenvman.2023.118405>
- K. Jain, S., Singh, R. D., Jain, M. K., & Lohani, A. K. (2005). Delineation of Flood-Prone Areas Using Remote Sensing Techniques. *Water Resources Management*, 19, 333–347. <https://doi.org/10.1007/s11269-005-3281-5>
- Kamiana, I. M. (2011). *Teknik Perhitungan Debit Rencana Bangunan Air (Pertama)*. Graha Ilmu.
- Kamila, D., Limantara, L. M., Bisri, M., & Soetopo, W. (2019). Alpha Modeling of Nakayasu Synthetic Unit Hydrograph for Part of Watersheds in Indonesia. *International Journal of Recent Technology and Engineering (IJRTE)*, 3878(4), 5509–5514. <https://doi.org/10.35940/ijrte.D8972.118419>
- Katsuhama, Y., & Grigg, N. S. (2010). Capacity building for flood management systems: a conceptual model and case studies. *Water International*, 35(6). <https://doi.org/10.1080/02508060.2010.533348>
- Kefi, M., Mishra, B. K., Masago, Y., & Fukushi, K. (2020). Analysis of flood damage and influencing factors in urban catchments: case studies in Manila, Philippines, and Jakarta, Indonesia. *Natural Hazards*, 104(3), 2461–2487. <https://doi.org/10.1007/s11069-020-04281-5>
- Khalaj, M. R., Noor, H., & Dastranj, A. (2021). Investigation and simulation of flood inundation hazard in urban areas in Iran. *Geoenvironmental Disasters*,

8(1), 1–13. <https://doi.org/10.1186/s40677-021-00191-1>

- Khoiri, A. H., Andawayanti, U., & Haribowo, R. (2022). Kajian Efektivitas Kolam Retensi Dalam Mereduksi Banjir Jalan Raya Porong Kabupaten Sidoarjo dengan Storm Water Management Model. *Jurnal Teknologi Dan Rekayasa Sumber Daya Air*, 2(2), 142–155.
- Khunwishit, S., & Choosuk, C. (2022). Household Preparedness Typology and Coping Capacity : Implications for Building Disaster Resilience in Developing Countries. *International Journal of Safety and Security Engineering*, 12(3), 319–328.
- Kietowibowo, J., Sutandi, A., & Kurniawan, V. (2020). Perhitungan Biaya Dan Penghematan Dari Rencana Penerapan Sistem Pemanenan Air Hujan Di Apartemen Royal Mediterania. *Jurnal Mitra Teknik Sipil*, 3(3), 555–568.
- Kim, H. Il, & Han, K. Y. (2020). Data-Driven Approach for the Rapid Simulation of Urban Flood Prediction. *KSCE Journal of Civil Engineering*, 24(6), 1932–1943. <https://doi.org/10.1007/s12205-020-1304-7>
- Klaus, S., Kreibich, H., Merz, B., Kuhlmann, B., & Schröter, K. (2016). Large-scale, seasonal flood risk analysis for agricultural crops in Germany. *Environmental Earth Sciences*, 75(18). <https://doi.org/10.1007/s12665-016-6096-1>
- Klijn, F., Asselman, N., & Wagenaar, D. (2018). Room for Rivers : Risk Reduction by Enhancing the Flood Conveyance Capacity of The Netherlands ' Large Rivers. *Geosciences*, 8(224). <https://doi.org/10.3390/geosciences8060224>
- Koch, A., Corsiez, K., Defroidmont, J., & Philippe, and M. (2014). Advances in Hydroinformatics. In P. Gourbesvill (Ed.), *Evaluation of Flow Speed in Urbanized Areas and Flood Hazard Mapping in Flood Risk Prevention Schemes* (p. 47). Springer Water.
- Komolafe, A. A. (2021). Integrated methodology for urban flood inundation modeling: a case study of Ichinomiya River Basin, Japan. *Modeling Earth Systems and Environment*, 0123456789. <https://doi.org/10.1007/s40808-021-01204-6>
- Komolafe, A. A., Herath, S., Avtar, R., & Vuillaume, J. F. (2019). Comparative analyses of flood damage models in three Asian countries: towards a regional flood risk modelling. *Environment Systems and Decisions*, 39(2), 229–246. <https://doi.org/10.1007/s10669-018-9716-3>
- Komolafe, A. A., Olorunfemi, I. E., Akinluyi, F. O., Adeyemi, M. A., & Ajayi, J. A. (2021). Enhanced flood hazard modelling using hydraulic, analytical hierarchical process and height above nearest drainage models in Ogunpa river basin, Ibadan, Southwestern Nigeria. *Modeling Earth Systems and Environment*, 7(2), 967–981. <https://doi.org/10.1007/s40808-020-01037-9>
- Kubal, C., Haase, D., Meyer, V., & Scheuer, S. (2009). Integrated urban flood risk assessment – adapting a multicriteria approach to a city. *Nat. Hazards Earth Syst. Sci*, 9, 1881–1895.
- Kumar, N., Kumar, M., Sherring, A., Suryavanshi, S., Ahmad, A., & Lal, D. (2020). Applicability of HEC-RAS 2D and GFMS for flood extent mapping: a case study of Sangam area, Prayagraj, India. *Modeling Earth Systems and Environment*, 6(1), 397–405. <https://doi.org/10.1007/s40808-019-00687-8>
- Kumar, S. (2021). Data Intelligence and Planning using AI and Machine Learning with SAP Analytics Cloud - SAC. *International Journal of Computer Trends*

- and Technology*, 69(2), 1–4. <https://doi.org/10.14445/22312803/ijctt-v69i2p101>
- Küpferle, C., Kräßig, S., & Hirschhäuser, T. (2009). Development of an integrated method to determine , present and manage flood risk in flood plains. *Sustainable Development and Planning*, 2(9), 943–952. <https://doi.org/10.2495/SDP090892>
- Laeni, N., Brink, M. Van Den, Busscher, T., Ovink, H., & Arts, J. (2020). *Building Local Institutional Capacities for Urban Flood Adaptation : Lessons from the Water as Leverage Program in Semarang , Indonesia*.
- Laouacheria, F., & Mansouri, R. (2015). Comparison of WBNM and HEC-HMS for Runoff Hydrograph Prediction in a Small Urban Catchment. *Water Resources Management*, 29(8), 2485–2501. <https://doi.org/10.1007/s11269-015-0953-7>
- Lesmana, T. M., Pitojo Tri Juwono, & Candrasasih. (2021). JURNAL Tanggul Ekonomis.pdf. *Repositori.Ub.Ac.Id*, 1.
- Li, W., Chen, Q., & Mao, J. (2009). Development of 1D and 2D coupled model to simulate urban inundation: An application to Beijing Olympic Village. *Chinese Science Bulletin*, 54(9), 1613–1621. <https://doi.org/10.1007/s11434-009-0208-1>
- Li, X., Li, M., Cui, K., Lu, T., Xie, Y., & Liu, D. (2022). *Evaluation of Comprehensive Emergency Capacity to Urban Flood Disaster : An Example from Zhengzhou City in Henan Province , China*. 1, 1–17.
- Limantara, L. M. (2010). *Hidrologi Praktis* (1st ed.). Lubuk Agung.
- Liu, J., Shi, Z., & Wang, D. (2016). Measuring and mapping the flood vulnerability based on land-use patterns: a case study of Beijing, China. *Natural Hazards*, 83(3), 1545–1565. <https://doi.org/10.1007/s11069-016-2375-0>
- López-Valencia, A. P. (2019). Vulnerability assessment in urban areas exposed to flood risk: methodology to explore green infrastructure benefits in a simulation scenario involving the Cañaveralero River in Cali, Colombia. *Natural Hazards*, 99(1), 217–245. <https://doi.org/10.1007/s11069-019-03736-8>
- Luu, C., Von Meding, J., & Kanjanabootra, S. (2018). Assessing flood hazard using flood marks and analytic hierarchy process approach: a case study for the 2013 flood event in Quang Nam, Vietnam. *Natural Hazards*, 90(3), 1031–1050. <https://doi.org/10.1007/s11069-017-3083-0>
- Madadi, M. R., Azamathulla, H. M., & Yakhkeshi, M. (2015). Application of Google earth to investigate the change of flood inundation area due to flood detention dam. *Earth Science Informatics*, 8(3), 627–638. <https://doi.org/10.1007/s12145-014-0197-8>
- Maghelal, P., & Arlikatti, S. (2025). Heliyon Disaster preparedness kits ready or not ? Household resilience to flash flooding in Uttarakhand. *Heliyon*, 11(1), e41446. <https://doi.org/10.1016/j.heliyon.2024.e41446>
- Maharani, R. D., Bambang Yulistyanto, & Bambang Triatmodjo. (2016). *Pemetaan Risiko Bencana Banjir Sungai Winongo Kota Yogyakarta*. Universitas Gadjah Mada.
- Mahmood, S., & Hamayon, K. (2021). Geo-spatial assessment of community vulnerability to flood along the Ravi River, Ravi Town, Lahore, Pakistan. *Natural Hazards*, 106(3), 2825–2844. <https://doi.org/10.1007/s11069-021-04568-1>

- Mahmood, S., Rahman, A. ur, & Shaw, R. (2019). Spatial appraisal of flood risk assessment and evaluation using integrated hydro-probabilistic approach in Panjkora River Basin, Pakistan. *Environmental Monitoring and Assessment*, 191(9). <https://doi.org/10.1007/s10661-019-7746-z>
- Mansur, A. V., Brondízio, E. S., Roy, S., Hetrick, S., Vogt, N. D., & Newton, A. (2016). An assessment of urban vulnerability in the Amazon Delta and Estuary: a multi-criterion index of flood exposure, socio-economic conditions and infrastructure. *Sustainability Science*, 11(4), 625–643. <https://doi.org/10.1007/s11625-016-0355-7>
- Maranzoni, A., Oria, M. D., & Rizzo, C. (2023). Quantitative flood hazard assessment methods: A review. *Journal Of Flood Risk Management*, 16(August 2022), 1–31. <https://doi.org/10.1111/jfr3.12855>
- Marfai, M. A., Sekaranom, A. B., & Ward, P. (2015). Community responses and adaptation strategies toward flood hazard in Jakarta, Indonesia. *Natural Hazards*, 75(2), 1127–1144. <https://doi.org/10.1007/s11069-014-1365-3>
- Martini, P., Carniello, L., & Avanzi, C. (2004). Two dimensional modelling of flood flows and suspended sediment transport : the case of the Brenta River , Veneto (Italy). *Nat. Hazards Earth Syst. Sci*, 4, 165–181.
- Maryono, A. (2009). *PASTI (Preparedness Assasment Tools For Indonesia)*. UNESCO.
- Maryono, A. (2018). *Memanen Air Hujan*. Gadjah Mada University Press.
- Maryono, A. (2024). *Restorasi Sungai*. Gadjah Mada University Press.
- Maryono, A. (2025). *Reformasi Pengelolaan Sumber Daya Air (Ke Empat)*. Gadjah Mada University Press.
- Maryono, A., Nugroho, A. P., Prasetya, A., & Sembada, P. T. S. (2022). Uji Tingkat Penerimaan Masyarakat terhadap Teknologi GAMA Rain Filter dengan Metode “ UTAUT ” dan Perbandingan Kualitas Air Hujan dengan Air Sumur Penduduk Testing the Level of Public Acceptance of GAMA Rain Filter Technology with the "UTAUT" Method and C. *Jurnal Kesehatan Vokasional*, 7(3), 185–195.
- Maryono, A., Zulaekhah, I., & Aryanti Karlina Nurendyastuti. (2023). Gradual changes in temperature , humidity , rainfall , and solar irradiation as indicators of city climate change and increasing hydrometeorological disaster : a case study in Yogyakarta ... Gradual changes in temperature , humidity , rainfall , and solar i. *Int. J. Hydrology Science and Technology*, 15(3), 304–326. <https://doi.org/10.1504/IJHST.2023.130161>
- Masseroni, D., Cislighi, A., Camici, S., Massari, C., & Brocca, L. (2017). A reliable rainfall-runoff model for flood forecasting: Review and application to a semi-urbanized watershed at high flood risk in Italy. *Hydrology Research*, 48(3), 726–740. <https://doi.org/10.2166/nh.2016.037>
- Merz, R., & Blo, G. (2005). Flood frequency regionalisation — spatial proximity vs . catchment attributes. *Journal of Hydrology*, 302, 283–306. <https://doi.org/10.1016/j.jhydrol.2004.07.018>
- Młynski, D., Wałęga, A., Ksiazek, L., Florek, J., & Petroselli, A. (2020). Possibility of Using Selected Rainfall-Runo ff Models for Determining the Design Hydrograph in. *Water*, 12(1450), 17.
- Moe, I. R., Pekerjaan, K., Republik, U., Kure, S., Farid, M., Udo, K., & Assessment, G. R. (2016). *Evaluation Of Flood Inundation In Jakarta Using Flood*

- Evaluation Of Flood Inundation In Jakarta Using Flood Inundation Model.* 1(February). <https://doi.org/10.2208/jscejhe.72.1>
- Moel, H. De, Jongman, B., Kreibich, H., & Merz, B. (2015). Flood risk assessments at different spatial scales. *Natural Hazards*, 70(1603–1617), 865–890. <https://doi.org/10.1007/s11027-015-9654-z>
- Mori, K. (2003). *Hidrologi Untuk Pengairan* (S. Sosrodarsono & K. Takeda (eds.); Sembilan). PT Pradnya Paramita.
- Müller, A. (2013). Flood risks in a dynamic urban agglomeration: A conceptual and methodological assessment framework. *Natural Hazards*, 65(3), 1931–1950. <https://doi.org/10.1007/s11069-012-0453-5>
- Muta'ali, L. (2013). *Penataan Ruang Wilayah Dan Kota* (nasruddin (ed.)). Badan Penerbit Fakultas Geografi Universitas Gadjah Mada.
- Namara, W. G., Damisse, T. A., & Tufa, F. G. (2021). Application of HEC-RAS and HEC-GeoRAS model for Flood Inundation Mapping, the case of Awash Bello Flood Plain, Upper Awash River Basin, Oromiya Regional State, Ethiopia. *Modeling Earth Systems and Environment*, 2015. <https://doi.org/10.1007/s40808-021-01166-9>
- Natakusumah, D. K., Hatmoko, W., & Harlan, D. (2011). Prosedur Umum Perhitungan Hidrograf Satuan Sintetis dengan Cara ITB dan Beberapa Contoh Penerapannya. *Jurnal Teknik Sipil*, 18(3), 251. <https://doi.org/10.5614/jts.2011.18.3.6>
- Natarajan, S., & Radhakrishnan, N. (2019). Simulation of extreme event-based rainfall–runoff process of an urban catchment area using HEC-HMS. *Modeling Earth Systems and Environment*, 5(4), 1867–1881. <https://doi.org/10.1007/s40808-019-00644-5>
- Natarajan, S., & Radhakrishnan, N. (2020). Flood hazard delineation in an ungauged catchment by coupling hydrologic and hydraulic models with geospatial techniques—a case study of Koraiyar basin, Tiruchirappalli City, Tamil Nadu, India. *Environmental Monitoring and Assessment*, 192(11). <https://doi.org/10.1007/s10661-020-08650-2>
- Nisa, I. Z., Harifa, A. C., & Harsanti, W. (2023). Perancangan Normalisasi Sungai Bogowonto Bagian Hilir Kawasan Strategis Nasional Yogyakarta International Airport. *Jurnal Manajemen Rekayasa Konstruksi*, 4, 286–290.
- Norallahi, M., & Seyed Kaboli, H. (2021). Urban flood hazard mapping using machine learning models: GARP, RF, MaxEnt and NB. *Natural Hazards*, 106(1), 119–137. <https://doi.org/10.1007/s11069-020-04453-3>
- Nugroho, J., Aisyah, S., Qolbi, N., Farras, M., Wulandari, S., Soekarno, I., Adi, A., Immaduddin, F., & Rohmat, W. (2025). Results in Engineering Post-normalization sedimentation in the Citarum Majalaya River: Patterns , impacts , and mitigation strategies. *Results in Engineering*, 27(June), 106943. <https://doi.org/10.1016/j.rineng.2025.106943>
- Nugroho, P. C., Pinuji, S. E., S, G. Y., Wiguna, S., 12, S., Shabrina, F. Z., Septian, R. T., Hafiz, A., Nugraha, A., Ichawana, A. N., Adi, A. W., Randongkir, R. E., Handayaningsih, T. U., & Iriansyah, A. A. (2019). *Modul Teknis Penyusunan Kajian Risiko Bencana Bnjir* (R. Yunus & Seniorwan (eds.)). Direktorat Pengurangan Risiko Bencana Badan Nasional Penanggulangan Bencana.
- Okiria, E., Okazawa, H., Noda, K., Kobayashi, Y., Suzuki, S., & Yamazaki, Y.

- (2022). A Comparative Evaluation of Lumped and Semi-Distributed Conceptual Hydrological Models: Does Model Complexity Enhance Hydrograph Prediction? *Hydrology*, 9(5). <https://doi.org/10.3390/hydrology9050089>
- Pakoksung, K., & Takagi, M. (2016). Effect of satellite based rainfall products on river basin responses of runoff simulation on flood event. *Modeling Earth Systems and Environment*, 2(3), 1–14. <https://doi.org/10.1007/s40808-016-0200-0>
- Pandya, U., Patel, D. P., & Singh, S. K. (2021). A flood assessment of data scarce region using an open-source 2D hydrodynamic modeling and Google Earth Image: a case of Sabarmati flood, India. *Arabian Journal of Geosciences*, 14(21), 1–18. <https://doi.org/10.1007/s12517-021-08504-2>
- Pangesti, L. V., & Hizbaron, D. R. (2026). An Overview on Determinant Factors of Coastal Community Resilience at. *Journal of Integrated Disaster Risk Management*, 16(1). <https://doi.org/10.5595/001c.155291>
- Pantau Banjir Jakarta. (2020). <https://pantaubanjir.jakarta.go.id/>
- Papaioannou, G., Loukas, A., Vasiliades, L., & Aronica, G. T. (2016). Flood inundation mapping sensitivity to riverine spatial resolution and modelling approach. *Natural Hazards*, 83(1), 117–132. <https://doi.org/10.1007/s11069-016-2382-1>
- Parizi, E., Khojeh, S., Mossa, S., & Jouybari, Y. (2022). Application of Unmanned Aerial Vehicle DEM in flood modeling and comparison with global DEMs : Case study of Atrak River Basin , Iran. *Journal of Environmental Management*, 317(May), 115492. <https://doi.org/10.1016/j.jenvman.2022.115492>
- Patel, D. P., Ramirez, J. A., Srivastava, P. K., Bray, M., & Han, D. (2017). Assessment of flood inundation mapping of Surat city by coupled 1D/2D hydrodynamic modeling: a case application of the new HEC-RAS 5. *Natural Hazards*, 89(1), 93–130. <https://doi.org/10.1007/s11069-017-2956-6>
- Pathak, S., Liu, M., Jato-Espino, D., & Zevenbergen, C. (2020). Social, economic and environmental assessment of urban sub-catchment flood risks using a multi-criteria approach: A case study in Mumbai City, India. *Journal of Hydrology*, 591(July), 125216. <https://doi.org/10.1016/j.jhydrol.2020.125216>
- Pazhuhan, M., & Amirzadeh, M. (2024). Flood risk perception and disaster preparedness in marginalised flood-prone communities : evidence from Saadi neighbourhood , Shiraz , Iran. *Local Environment*, 9839. <https://doi.org/10.1080/13549839.2023.2300953>
- Percival, S., & Teeuw, R. (2019). A methodology for urban micro-scale coastal flood vulnerability and risk assessment and mapping. *Natural Hazards*, 97(1), 355–377. <https://doi.org/10.1007/s11069-019-03648-7>
- Peraturan Daerah Provinsi DKI Jakarta No. 1 Tahun 2012 tentang Rencana Tata Ruang Wilayah tahun 2030, (2012).
- Penetapan Garis Sempadan Sungai dan Garis Sempadan Danau, Pub. L. No. 28/PRT/M/2015 (2015). <https://peraturan.bpk.go.id/Details/159992/permen-pupr-no-28prtm2015-tahun-2015>
- Ponce, V. M., & Hawkins, R. H. (1996). Runoff Curve Number: Has It Reached Maturity? *Journal of Hydrologic Engineering*, 1(1), 11–19. [https://doi.org/10.1061/\(asce\)1084-0699\(1996\)1:1\(11\)](https://doi.org/10.1061/(asce)1084-0699(1996)1:1(11))

- Ponukumati, Padmini Cheruvu, V., & Regonda, S. K. (2026). A Novel Data - Driven Probabilistic Approach for Consequence Specific Urban Flood Risk Mapping. *Water Resources Research*, 62(e2025WR042621). <https://doi.org/10.1029/2025WR042621>
- Prabowo, A. S., & Mahmud. (2014). Pengembangan Hidrograf Satuan Sintetik Nakayasu Dan Gama I Terhadap Hidrograf Satuan Observasi Di Das Katingan. *Jurnal Teknologi Berkelanjutan (Sustainable Technology Journal)*, 3(2), 66–70.
- Priyambodoho, B. A., Kure, S., Yagi, R., & Januriyadi, N. F. (2021). Flood inundation simulations based on GSMaP satellite rainfall data in Jakarta, Indonesia. *Progress in Earth and Planetary Science*, 8(1). <https://doi.org/10.1186/s40645-021-00425-8>
- Puno, G. R., Amper, R. A. L., Opiso, E. M., & Cipriano, J. A. B. (2020). Mapping and analysis of flood scenarios using numerical models and GIS techniques. *Spatial Information Research*, 28(2), 215–226. <https://doi.org/10.1007/s41324-019-00280-2>
- Putra, C. P., Mundra, I. W., & Yulianti. (2022). Perencanaan Kolam Retensi LANDASAN TEORI Debit banjir Rencana Dimensi Saluran. *Student Jurnal GELAGAR*, 1, 1–7.
- Qi, W., Ma, C., Xu, H., Chen, Z., Zhao, K., & Han, H. (2021). Low Impact Development Measures Spatial Arrangement for Urban Flood Mitigation: An Exploratory Optimal Framework based on Source Tracking. *Water Resources Management*, 35(11), 3755–3770. <https://doi.org/10.1007/s11269-021-02915-2>
- Rafiei-Sardooi, E., Azareh, A., Choubin, B., Mosavi, A. H., & Clague, J. J. (2021). Evaluating urban flood risk using hybrid method of TOPSIS and machine learning. *International Journal of Disaster Risk Reduction*, 66(November 2020), 102614. <https://doi.org/10.1016/j.ijdrr.2021.102614>
- Rahman, K. U., Balkhair, K. S., Almazroui, M., & Masood, A. (2017). Sub-catchments flow losses computation using Muskingum–Cunge routing method and HEC-HMS GIS based techniques, case study of Wadi Al-Lith, Saudi Arabia. *Modeling Earth Systems and Environment*, 3(1), 1–9. <https://doi.org/10.1007/s40808-017-0268-1>
- Rahman, M. A. (2011). *Assessing Social and Physical Flood Risk in Urban Area: the case of Greater Manchester*. researchgate.net.
- Rahman, M. M., Suchi, Mst. Nusrat Jahan Shahide, Abir Mohd Shakib Hossain, M. T., Alam, E., & Islam, M. K. (2025). Flood Risk in Char Community : An Evidence- - Based Study in Bangladesh. *Journal of Flood Risk Management*, 18(e70084). <https://doi.org/10.1111/jfr3.70084>
- Rahmayati, Y., Parnell, M., & Himmayani, V. (2017). Understanding community-led resilience: the Jakarta floods experienc. *Australian Journal of Emergency Management*, 32(4), 58–66.
- Rana, I. A., & Routray, J. K. (n.d.). Risk Assessment of Flood Prone Urban Areas of Pakistan. In *researchgate.net*. https://www.researchgate.net/profile/Irfan-Rana/publication/343991707_Risk_Assessment_of_Flood_Prone_Urban_Areas_of_Pakistan/links/5f4cedd9458515a88b982b5c/Risk-Assessment-of-Flood-Prone-Urban-Areas-of-Pakistan.pdf
- Rana, I. A., & Routray, J. K. (2018a). Integrated methodology for flood risk

- assessment and application in urban communities of Pakistan. *Natural Hazards*, 91(1), 239–266. <https://doi.org/10.1007/s11069-017-3124-8>
- Rana, I. A., & Routray, J. K. (2018b). Multidimensional Model for Vulnerability Assessment of Urban Flooding: An Empirical Study in Pakistan. *International Journal of Disaster Risk Science*, 9(3), 359–375. <https://doi.org/10.1007/s13753-018-0179-4>
- Rangari, V. A., Sridhar, V., Umamahesh, N. V., & Patel, A. K. (2019). Floodplain Mapping and Management of Urban Catchment Using HEC-RAS: A Case Study of Hyderabad City. *Journal of The Institution of Engineers (India): Series A*, 100(1), 49–63. <https://doi.org/10.1007/s40030-018-0345-0>
- Rangari, V. A., Umamahesh, N. V., & Bhatt, C. M. (2019). Assessment of inundation risk in urban floods using HEC RAS 2D. *Modeling Earth Systems and Environment*, 5(4), 1839–1851. <https://doi.org/10.1007/s40808-019-00641-8>
- Rauf, I., & Magfira, I. (2025). Flood control hydraulic modelling of Meja Watershed with structural approach using Hec-Ras 6 . 4. *IOP Conf. Series: Earth and Environmental Science*, 1454, 1–14. <https://doi.org/10.1088/1755-1315/1454/1/012015>
- Rehan, B. M. (2018). An innovative micro-scale approach for vulnerability and flood risk assessment with the application to property-level protection adoptions. *Natural Hazards*, 91(3), 1039–1057. <https://doi.org/10.1007/s11069-018-3175-5>
- Rehman, S., Hasan, M. S. U., Rai, A. K., Avtar, R., & Sajjad, H. (2021). Assessing flood-induced ecological vulnerability and risk using GIS-based in situ measurements in Bhagirathi sub-basin, India. *Arabian Journal of Geosciences*, 14(15). <https://doi.org/10.1007/s12517-021-07780-2>
- Robot, Jeffier Andrew Mananoma, T., & Wuisan, Eveline Tangkudung, H. (2014). Analisis Debit Banjir Sungai Ranoyapo Menggunakan Metode Hss Gama-I Dan Hss Limantara. *Jurnal Sipil Statik*, 2(1).
- Rufat, S., Tate, E., Burton, C. G., & Maroof, A. S. (2015). Social vulnerability to floods: Review of case studies and implications for measurement. *International Journal of Disaster Risk Reduction*, 14, 470–486. <https://doi.org/10.1016/j.ijdr.2015.09.013>
- Saini, S. S., Kaushik, S. P., & Jangra, R. (2016). Flood-risk assessment in urban environment by geospatial approach: a case study of Ambala City, India. *Applied Geomatics*, 8(3–4), 163–190. <https://doi.org/10.1007/s12518-016-0174-7>
- Sari, S. P., Suprayogi, S., & Budiman, S. (2025). Hec-Ras-Based Urban Flood Simulation For Enhancing Mitigation Scenarios In The Gajahwong River, Indonesia. *Geographia Technica*, 20(1), 127–142.
- Schanze, J. (2006). Flood Risk Management - A Basic Framework. In J. Schanze, E. Zeman, & J. Marsalek (Eds.), *Flood Risk Management: Hazards, Vulnerability, and Mitigation Measure* (p. 6). Springer.
- Scheuer, S., Haase, D., & Meyer, V. (2010). Integrated assessment of urban flood risk, coping, capacity and vulnerability. In ... *Risk and Complexity: Impact amor.cms.hu-berlin.de*. <http://amor.cms.hu-berlin.de/~scheuese/pub/IAPS.pdf>
- Scheuer, S., Haase, D., & Meyer, V. (2011a). *economic, social and ecological dimensions of flood risk and coping capacity: from a starting point view*

- towards an end point view of vulnerability. 731–751.
<https://doi.org/10.1007/s11069-010-9666-7>
- Scheuer, S., Haase, D., & Meyer, V. (2011b). Exploring multicriteria flood vulnerability by integrating economic, social and ecological dimensions of flood risk and coping capacity: From a starting point view towards an end point view of vulnerability. *Natural Hazards*, 58(2), 731–751.
<https://doi.org/10.1007/s11069-010-9666-7>
- Sebastian, A., Juan, A., & ... (2018). Exploring the Impact of Urban Development on Flood Risk from Compound Events: A Catchment Case Study in Southeast, Texas. *AGU Fall Meeting*.
- Sepehri, M., Malekinezhad, H., Hosseini, S. Z., & Ildoromi, A. R. (2019). Assessment of flood hazard mapping in urban areas using entropy weighting method: a case study in Hamadan city, Iran. *Acta Geophysica*, 67(5), 1435–1449. <https://doi.org/10.1007/s11600-019-00342-x>
- Seyhan, E. (1990). *Dasar-Dasar Hidrologi* (S. Prawirohatmodjo (Ed.)). Gadjah Mada University Press.
- Shah, A. A., Ye, J., Abid, M., Khan, J., & Amir, S. M. (2018). Flood hazards: household vulnerability and resilience in disaster-prone districts of Khyber Pakhtunkhwa province, Pakistan. *Natural Hazards*, 93(1), 147–165.
<https://doi.org/10.1007/s11069-018-3293-0>
- Shalih, O., Adi, A. W., Wiguna, S., Shabrina, F. Z., Rizqi, A., Putra, A. S., Karimah, R., Eveline, F., Alfian, A., Syauqi, Septian, R. T., Widiastomo, Y., Bagaskoro, Y., Dewi, A. N., Rahmawati, I., Seniorwan, Hafizh, A., Suryaningrum, H. A., Purnamasiwi, D. I., ... Iftidah, A. (2023). *Risiko Bencana Indoneisa* (Ridwan Yunus (Ed.); Pertama). Pusat Data Informasi Komunikasi Bencana, BNPB.
- Siagian, T. H., Purnadi, P., Suhartono, S., & Ritonga, H. (2014). Social vulnerability to natural hazards in Indonesia: Driving factors and policy implications. *Natural Hazards*, 70(2), 1603–1617.
<https://doi.org/10.1007/s11069-013-0888-3>
- Sinaulan, J. H., Ar, N. H., Tyasmoro, S. Y., & Nugroho, B. A. (2013). Behaviour Analysis of Riverbank Society on Pollution of Water Quality in Ciliwung River Downstream , Jakarta. *Developing Country Studies*, 3(12), 16–25.
- Sitterson, J., Knightes, C., Parmar, R., Wolfe, K., Muche, M., & Avant, R. (2017). *An Overview of Rainfall-Runoff Model Types An Overview of Rainfall-Runoff Model Types* (Issue September).
- Stiefel, J. M., Melesse, A. M., McClain, M. E., Price, R. M., Anderson, E. P., & Chauhan, N. K. (2009). Effects of rainwater-harvesting-induced artificial recharge on the groundwater of wells in Rajasthan , India. *Hydrogeology Journal*, 17(2061–2073). <https://doi.org/10.1007/s10040-009-0491-6>
- Subiantoro, W., Juwita, W., Fisher, G., & Lestari, S. P. (2025). Evaluasi Dampak Normalisasi Sungai Cikapundung Terhadap Pengurangan Banjir Di Kota Bandung. *Jurnal Media Komunikasi Dunia Ilmu Sipil (MoDuluS)*, 7(1), 53–62.
- Sugiyono. (2011). *Metode Penelitian Kuantitatif Kualitatif dan R&D* (14th ed.). Alfabeta.
- Sujono, J. (2023). *Hidrologi Terapan Transformasi Hujan-Aliran dengan HEC - HMS* (Pertama). Gadjah Mada University Press.
- Sukmajati, E. I., Kusuma, M., Syahril Badri Hatmoko, W., Farid, M., & Natasaputra,

- S. (2021). Kajian Efektivitas Normalisasi Sungai Terhadap Pengurangan Risiko Banjir (Studi Kasus: Sungai Tikala, Kota Manado). *Il Jurnal Teoretis Dan Terapan Bidang Rekayasa Sipil*, 28(3). <https://doi.org/10.5614/jts.2021.28.3.7>
- Sunarto, Marfai, M. A., Mardianto, D., & Rahayu, L. (2010). Strategi Pengurangan Risiko Multi Bencana melalui Mitigasi dan Adaptasi Studi Kasus Zona Utara Jawa Bagian Tengah. *Jurnal Kebencanaan Indonesia*, 2(3), 618–632.
- Suprayogi, S., Rifai, & Latifah, R. (2021). HEC-HMS Model for Urban Flood Analysis in Belik River , Yogyakarta , Indonesia. *ASEAN Committee on Science and Technology*, 38(1). <https://doi.org/10.29037/ajstd.643>
- Suprayogi, S., Widyastuti, M., Cahaydi, A., Sekaranom, A. B., Fadlillah, L. N., Christanto, N., & Budiman, S. (2024). *Hidrologi Perkotaan : Teori, Permasalahan Dan Solusi*. Deepublish.
- Suprayogi, S., Widyastuti, M., Hadi, M. P., Christanto, N., Tivianton, T. A., Fadhillah, G. O., Rahmawati, L., & Fadlillah, L. N. (2022). Runoff Coefficient Analysis After Regional Development in Tambakbayan Watershed, Yogyakarta, Indonesia. *Jurnal Ilmu Lingkungan*, 20(2), 396–405. <https://doi.org/10.14710/jil.20.2.396-405>
- Sutikno, Dibyosaputro, S., & Haryono, E. (2019). *Geomorfologi Dasar*. Gadjah Mada University Press.
- Tamiru, H., & Wagari, M. (2021). Machine-learning and HEC-RAS integrated models for flood inundation mapping in Baro River Basin, Ethiopia. *Modeling Earth Systems and Environment*, 0123456789. <https://doi.org/10.1007/s40808-021-01175-8>
- Tan, J., & Lin, L. (2025). Rural residents ' participation in community-based disaster risk reduction (CBDRR): the role of moral self-identity , perceived responsibility and face consciousness. *Journal of Environmental Planning and Management*, 68(2), 290–308. <https://doi.org/10.1080/09640568.2023.2245561>
- Tang, Z., Chu, J., Zhou, Z., Zhou, T., & Yuan, K. (2025). The Sensitivity Analysis of Parameters in the 1D – 2D Coupled Model for Urban Flooding. *Applied Sciences (Switzerland)*, 15(2157).
- Tanir, T., Sumi, S. J., de Lima, A. de S., de A. Coelho, G., Uzun, S., Cassalho, F., & Ferreira, C. M. (2021). Multi-scale comparison of urban socio-economic vulnerability in the Washington, DC metropolitan region resulting from compound flooding. *International Journal of Disaster Risk Reduction*, 61(May), 102362. <https://doi.org/10.1016/j.ijdr.2021.102362>
- Tansar, H., Akbar, H., & Aslam, R. A. (2021). Flood inundation mapping and hazard assessment for mitigation analysis of local adaptation measures in Upper Ping River Basin, Thailand. *Arabian Journal of Geosciences*, 14(23). <https://doi.org/10.1007/s12517-021-08878-3>
- Tapsell, B. S. M., Penning-Rowsell, E. C., Tunstall, S. M., & Wilson, T. L. (2002). Vulnerability to Flooding : Health and Social Dimensions. *The Royal Society*, 360(1796), 1511–1525.
- Taringan, R. (2010). *Perencanaan Pembangunan Wilayah (Lima)*. Sinar Grafika Offset.
- Tate, E., Rahman, M. A., Emrich, C. T., & Sampson, C. C. (2021). Flood exposure and social vulnerability in the United States. *Natural Hazards*, 106(1), 435–

457. <https://doi.org/10.1007/s11069-020-04470-2>
- Thanvisitthpon, N., Shrestha, S., Pal, I., & Ninsawat, S. (2020). Assessment of flood adaptive capacity of urban areas in Thailand. *Environmental Impact Assessment Review*, 81(December 2019), 106363. <https://doi.org/10.1016/j.eiar.2019.106363>
- Triatmodjo, B. (2008). *Hidrologi Terapan*. Beta Offset.
- Tunas, I. G., & Herman, R. (2019). The Effectiveness of River Bank Normalization on Flood Risk Reduction. *MATEC Web of Conferences*, 9.
- Ullah, S., Farooq, M., Sarwar, T., Tareen, M. J., & Wahid, M. A. (2016). Flood modeling and simulations using hydrodynamic model and ASTER DEM—A case study of Kalpani River. *Arabian Journal of Geosciences*, 9(6). <https://doi.org/10.1007/s12517-016-2457-z>
- UNISDR. (2009a). Disasters. In *2009 UNISDR Terminology on Disaster Risk Reduction*. The United Nations International Strategy for Disaster Reduction (UNISDR). <https://doi.org/10.7591/9781501701498-008>
- UNISDR. (2015). *Sendai Framework for Disaster Risk Reduction 2015 - 2030*.
- USDA. (1964). Part 630 Hydrology National Engineering Handbook Chapter 10 Estimation of Direct Runoff from Storm Rainfall. In *National Engineering Handbook*.
- USDA. (2004). Part 630 Hydrology National Engineering Handbook Chapter 9. In *Part 630 Hydrology National Engineering Handbook*.
- USDA. (2009). *National Engineering Handbook Chapter 7 Hydrologic Soil Groups*.
- Van Gils, H., Huizing, H., Kannegieter, A., & Van Der Zee, D. (1991). The evolution of the ITC system of rural land use and land cover classification (LUCC). *ITC Journal*, 1991–3(July), 163–167.
- Van Westen, C. ., Alkema, D., Damen, M., Kerle, N., & Kingma, N. (2011). *Multi Hazard Risk Assessment*. United Nations University – ITC School on Disaster Geoinformation Management.
- van Zuidam, R. A. (1986). *Aerial Interpretation In Terrain Analysis And Geomorphologic Mapping*. Smits Publisher.
- Vasconcellos, S. M., Kobiyama, M., Dagostin, F. S., Corseuil, C. W., & Castiglio, V. S. (2021). Flood Hazard Mapping in Alluvial Fans with Computational Modeling. *Water Resources Management*, 35(5), 1463–1478. <https://doi.org/10.1007/s11269-021-02794-7>
- Verstappen. (2014). *Geomorfologi Terapan Survei Geomorfologi Untuk Pengembangan Lingkungan* (Sutikno (Ed.)). Ombak.
- Vojinovic, Z., Hammond, M., Golub, D., Hirunsalee, S., Weesakul, S., Meesuk, V., Medina, N., Sanchez, A., Kumara, S., & Abbott, M. (2016). Holistic approach to flood risk assessment in areas with cultural heritage: a practical application in Ayutthaya, Thailand. *Natural Hazards*, 81(1), 589–616. <https://doi.org/10.1007/s11069-015-2098-7>
- Wahab, R., & Tiong, R. (2017). Multi-variate residential flood loss estimation model for Jakarta: an approach based on a combination of statistical techniques. *Natural Hazards*, 86(2), 779–804. <https://doi.org/10.1007/s11069-016-2716-z>
- Wang, Y., Zhang, Q., Lin, K., Liu, Z., & Liang, Y. (2024). A novel framework for urban flood risk assessment : Multiple perspectives and causal analysis. *Water*

- Research, 256 (December 2023), 121591.
<https://doi.org/10.1016/j.watres.2024.121591>
- Ward, R. . (1967). *Principles of Hydrology*. McGraw-Hill.
- Westen, V., Alkema, Damen, Kerle, & Kingma. (2011). *Multi Hazard Risk Assessment*. University of Twente.
- Wicaksono, D., Iriani, L. G., Fatchurohman, H., Purwanto, T. H., Aji, D. S., Handayani, W., & Khasanah, A. N. (2020). Flood Inundation Modeling Using Geomorphic Approaches, UAV, and GIS. *Journal Of Applied Geospatial Information*, 4(1), 335–342.
- Widasmara, M. Y., Hadi, P., & Christanto, N. (2019). Hydrograph modeling with rational modified method. *E3S Web of Conferences*, 02007, 1–5.
- Wijayanti, P., Zhu, X., Hellegers, P., Budiyo, Y., & van Ierland, E. C. (2017). Estimation of river flood damages in Jakarta, Indonesia. *Natural Hazards*, 86(3), 1059–1079. <https://doi.org/10.1007/s11069-016-2730-1>
- WMO. (2008). *Urban Flood Risk Manajement A Tool for Integrated Flood Management*.
- Xia, J., Falconer, R. A., Lin, B., & Tan, G. (2011). Modelling flash flood risk in urban areas. *Proceedings of the Institution*
<https://doi.org/10.1680/wama.2011.164.6.267>
- Xu, T., Xie, Z., Zhao, F., Li, Y., Yang, S., Zhang, Y., Yin, S., Chen, S., Li, X., Zhao, S., & Hou, Z. (2021). Permeability control and flood risk assessment of urban underlying surface: a case study of Runcheng south area, Kunming. *Natural Hazards*, 0123456789. <https://doi.org/10.1007/s11069-021-05072-2>
- Yalcin, E. (2020). Assessing the impact of topography and land cover data resolutions on two-dimensional HEC-RAS hydrodynamic model simulations for urban flood hazard analysis. *Natural Hazards*, 101(3), 995–1017. <https://doi.org/10.1007/s11069-020-03906-z>
- Yatsrib, M., Harman, A. N., Taufik, S. R., Kesuma, T. N. A., Saputra, D., Kusuma, M. S. B., Farid, M., & Kuntoro, A. A. (2021). Study on the Contribution of Normalization to Reducing Flood Risk in the Ciliwung River , Tebet District , Jakarta. *6th International Conference on Sustainable Built Environment (ICSBE)*, 933, 1–9. <https://doi.org/10.1088/1755-1315/933/1/012032>
- Yudo, S. (2014). Kondisi Pencemaran Air Sungai Cipinang Jakarta. *Jurnal Air Indonesia*, 7(2).
- Yunus, H. S. (2005). *Manajemen Kota Perspektif Spasial* (Pertama). Pustaka Pelajar.
- Zhang, Y. (2020). Using LiDAR-DEM based rapid flood inundation modelling framework to map floodplain inundation extent and depth. *Journal of Geographical Sciences*, 30(10), 1649–1663. <https://doi.org/10.1007/s11442-020-1805-9>
- Zope, P. E., Eldho, T. I., & Jothiprakash, V. (2017). Hydrological impacts of land use–land cover change and detention basins on urban flood hazard: a case study of Poisar River basin, Mumbai, India. *Natural Hazards*, 87(3), 1267–1283. <https://doi.org/10.1007/s11069-017-2816-4>