

DAFTAR PUSTAKA

- Abdul-Hamid, H., Mohamad-Ismail, F.-N., Mohamed, J., Samdin, Z., Abiri, R., Tuan-Ibrahim, T.-M., Mohammad, L.-S., & Jalil, A.-M. (2022). Allometric equation for aboveground biomass estimation of mixed mature mangrove forest. *Forests*, 13(2), 325. <https://doi.org/10.3390/f13020325>
- Adame, M. F., Cherian, S., Reef, R., & Stewart-Koster, B. (2017). Mangrove root biomass and the uncertainty of belowground carbon estimations. *Forest Ecology and Management*, 403, 52–60. <https://doi.org/10.1016/j.foreco.2017.08.016>
- Aitchison, J., & Brown, J. A. C. (1957). *The lognormal distribution, with special reference to its uses in economics*. Cambridge University Press.
- Al-Jabri, K., Al-Mulla, Y., Tabook, A., Al-Lawati, N., Al Lawati, F., Al Abri, A., Rabani, S., & Al Salmi, N. (2025). Carbon stock assessment of Mangrove habitat using field measurements and using machine learning-based GIS and remote sensing techniques. *iScience*, 28(12), Article 114053. <https://doi.org/10.1016/j.isci.2025.114053>
- Akendengue Aken, I., Okanga-Guay, M., Ondo Assoumou, E., Ajonina Nwutih, G., & Mombo, J.-B. (2021). Local allometric equations for estimating above-ground biomass (AGB) of mangroves (*Rhizophora* spp. and *Avicennia germinans*) from the Komo, Mondah and Rio Mouni estuaries in Gabon. *European Scientific Journal, ESJ*, 17(34), 172. <https://doi.org/10.19044/esj.2021.v17n34p172>
- Alongi, D. M. (2008). Mangrove forests: Resilience, protection from tsunamis, and responses to global climate change. *Estuarine, Coastal and Shelf Science*, 76(1), 1–13. <https://doi.org/10.1016/j.ecss.2007.08.024>
- Analuddin, K., Kadidae, L. O., Haya, L. O. M. Y., Septiana, A., Sahidin, I., Syahrir, L., Rahim, S., Fajar, L. O. A., & Nadaoka, K. (2020). Aboveground biomass, productivity and carbon sequestration in *Rhizophora stylosa* mangrove forest of Southeast Sulawesi, Indonesia. *Biodiversitas Journal of Biological Diversity*, 21(4), 1318–1326. <https://doi.org/10.13057/biodiv/d210407>
- Ávila-Acosta, C. R., Domínguez-Domínguez, M., Vázquez-Navarrete, C. J., Acosta-Pech, R. G., & Martínez-Zurimendi, P. (2024). Allometric models of aboveground biomass in mangroves compared with those of the Climate Action Reserve standard applied in the carbon market. *Resources*, 13(9), 129. <https://doi.org/10.3390/resources13090129>
- Basyuni, M., Wirasatriya, A., Iryanthony, S. B., Amelia, R., Slamet, B., Sulistiyono, N., Priyadi, R., Sumarga, E., Eddy, S., Al Mustanirroh, S. S., Sasmito, S. D., Sidik, F., Kajita, T., Ali, H. M., Macklin, P. A., & Arifanti, V. B. (2023). Aboveground biomass and carbon stock estimation using UAV photogrammetry in Indonesian mangroves and other competing land uses.

Ecological Informatics, 77, Artikel 102227.
<https://doi.org/10.1016/j.ecoinf.2023.102227>

- Boer, M., Kurniawan, F., Kurnia, R., Zairion, Z., Priyambodo, B., & Yunus, M. (2025). Bibliographic analysis and refinement of general allometric models for biomass and carbon stock estimation in tropical mangroves of Indonesia. *Next Research*. <https://doi.org/10.1016/j.nexres.2025.100342>
- Baskerville, G. L. (1972). Use of logarithmic regression in the estimation of plant biomass. *Canadian Journal of Forest Research*, 2(1), 49–53. <https://doi.org/10.1139/x72-009>
- Borenstein, M., Hedges, L. V., Higgins, J. P. T., & Rothstein, H. R. (2009). *Introduction to meta-analysis*. John Wiley & Sons. <https://doi.org/10.1002/9780470743386>
- Chave, J., Andalo, C., Brown, S., Cairns, M. A., Chambers, J. Q., Eamus, D., Fölster, H., Fromard, F., Higuchi, N., Kira, T., Lescure, J.-P., Nelson, B. W., Ogawa, H., Puig, H., Riéra, B., & Yamakura, T. (2005). Tree allometry and improved estimation of carbon stocks and balance in tropical forests. *Oecologia*, 145(1), 87–99. <https://doi.org/10.1007/s00442-005-0100-x>
- Chave, J., Réjou-Méchain, M., Búrquez, A., Chidumayo, E., Colgan, M. S., Delitti, W. B., & Vieilledent, G. (2014). Improved allometric models to estimate the aboveground biomass of tropical trees. *Global change Biology*, 20(10), 3177–3190.
- Clough, B. F., Dixon, P., & Dalhaus, O. (1997). Allometric relationships for estimating biomass in multi-stemmed mangrove trees. *Australian Journal of Botany*, 45(6), 1023–1031. <https://doi.org/10.1071/BT96075>
- Clough, B. F., & Scott, K. (1989). Allometric relationships for estimating above-ground biomass in six mangrove species. *Forest Ecology and Management*, 27(2), 117–127.
- Cohen, R., Kaino, J., Okello, J. A., Bosire, J. O., Kairo, J. G., Huxham, M., & Mencuccini, M. (2013). Propagating uncertainty to estimates of above-ground biomass for Kenyan mangroves: A scaling procedure from tree to landscape level. *Forest Ecology and Management*, 310, 968–982. <https://doi.org/10.1016/j.foreco.2013.09.047>
- Cunia, T. (1987). On the error of continuous forest inventory estimates. *Canadian Journal of Forest Research*, 17(5), 417–419. <https://doi.org/10.1139/x87-075>
- DerSimonian, R., & Laird, N. (1986). Meta-analysis in clinical trials. *Controlled Clinical Trials*, 7(3), 177–188. [https://doi.org/10.1016/0197-2456\(86\)90046-2](https://doi.org/10.1016/0197-2456(86)90046-2)
- Dharmawan, I. W. S., & Siregar, C. A. (2008). Karbon tanah dan pendugaan karbon tegakan *Avicennia marina* (Forsk.) Vierh. di Ciasem, Purwakarta. *Jurnal*

Penelitian Hutan dan Konservasi Alam, 5(4), 317–328.
<https://doi.org/10.20886/jphka.2008.5.4.317-328>

- Dharmawan, I. W. S. (2010). Pendugaan biomassa karbon di atas tanah pada tegakan *Rhizophora mucronata* di Ciasem, Purwakarta. *Jurnal Ilmu Pertanian Indonesia*, 15(1), 50–56.
- Doi, S. A. R., & Thalib, L. (2008). A quality-effects model for meta-analysis. *Epidemiology*, 19(1), 94–100.
- Draper, N. R., & Smith, H. (1998). *Applied regression analysis* (3rd ed.). Wiley.
- Enquist, B. J., West, G. B., Charnov, E. L., & Brown, J. H. (1999). Allometric scaling of production and life-history variation in vascular plants. *Nature*, 401(6756), 907–911. <https://doi.org/10.1038/44819>
- Fatoyinbo, T. E., & Simard, M. (2013). Height and biomass of mangroves in Africa from ICESat/GLAS and SRTM. *International Journal of Remote Sensing*, 34(2), 668–681. <https://doi.org/10.1080/01431161.2012.712224>
- Greenland, S., & O'Rourke, K. (2001). On the bias produced by quality scores in meta-analysis, and a hierarchical view of proposed solutions. *Biostatistics*, 2(4), 463–471.
- Guyatt, G. H., Oxman, A. D., Vist, G. E., Kunz, R., Falck-Ytter, Y., Alonso-Coello, P., & Schünemann, H. J. (2008). GRADE: An emerging consensus on rating quality of evidence and strength of recommendations. *BMJ*, 336(7650), 924–926. <https://doi.org/10.1136/bmj.39489.470347.AD>
- Guyot, P., Ades, A. E., Ouwers, M. J., & Welton, N. J. (2012). Enhanced secondary analysis of survival data: Reconstructing the data from published Kaplan-Meier survival curves. *BMC Medical Research Methodology*, 12, Article 9. <https://doi.org/10.1186/1471-2288-12-9>
- Hamidi, D. A., Ilham, W., Aminah, S., & Fithria, A. (2014). Penyusunan allometrik untuk pendugaan kandungan biomassa jenis bakau (*Rhizophora apiculata*). *EnviroScienteeae*, 10, 75–79.
- Hozo, S. P., Djulbegovic, B., & Hozo, I. (2005). Estimating the mean and variance from the median, range, and the size of a sample. *BMC Medical Research Methodology*, 5(1), 13. <https://doi.org/10.1186/1471-2288-5-13>
- IPCC. (2006). *2006 IPCC guidelines for national greenhouse gas inventories*. Eggleston, H. S., Buendia, L., Miwa, K., Ngara, T., & Tanabe, K. (Eds.). Institute for Global Environmental Strategies (IGES). <https://www.ipcc-nggip.iges.or.jp/public/2006gl/>
- Intarat, K., & Vaiphasa, C. (2020). Modeling mangrove above-ground biomass using terrestrial laser scanning techniques: A case study of the *Avicennia marina* species in the Bang Pu District, Thailand. *International Journal of Geoinformatics*, 16(2), 53–62.

- James, G., Witten, D., Hastie, T., & Tibshirani, R. (2013). *An introduction to statistical learning: With applications in R*. Springer.
<https://doi.org/10.1007/978-1-4614-7138-7>
- Jüni, P., Witschi, A., Bloch, R., & Egger, M. (1999). The hazards of scoring the quality of clinical trials for meta-analysis. *JAMA*, 282(11), 1054–1060.
- Kamal, M., Hidayatullah, M. F., Mahyatar, P., & Ridha, S. M. (2022). Estimation of aboveground mangrove carbon stocks from WorldView-2 imagery based on generic and species-specific allometric equations. *Remote Sensing Applications: Society and Environment*, 26, 100748.
<https://doi.org/10.1016/j.rsase.2022.100748>
- Kauffman, J. B., Adame, M. F., Arifanti, V. B., Schile-Beers, L. M., Bernardino, A. F., Bhomia, R. K., Donato, D. C., & Feller, I. C. (2020). Total ecosystem carbon stocks of mangroves across broad global environmental and physical gradients. *Ecological Monographs*, 90(2), Artikel e01405.
<https://doi.org/10.1002/ecm.1405>
- Kauffman, J. B., & Donato, D. C. (2012). *Protocols for the measurement, monitoring and reporting of structure, biomass and carbon stocks in mangrove forests* (Working Paper 86). Center for International Forestry Research (CIFOR). <https://doi.org/10.17528/cifor/003749>
- Kementerian Kehutanan Republik Indonesia. (2026, Mei 11). *Miliki 23 %mangrove dunia, Indonesia dorong kemitraan global lewat World Mangrove Center* [Siaran pers]. <https://www.kehutan.go.id/news/miliki-23-persen-mangrove-dunia-indonesia-dorong-kemitraan-global-lewat-world-mangrove-center>
- Ketterings, Q. M., Coe, R., van Noordwijk, M., Ambagau, Y., & Palm, C. A. (2001). Reducing uncertainty in the use of allometric biomass equations for predicting above-ground tree biomass in mixed secondary forests. *Forest Ecology and Management*, 146(1-3), 199–209.
[https://doi.org/10.1016/S0378-1127\(00\)00460-6](https://doi.org/10.1016/S0378-1127(00)00460-6)
- Komiyama, A., Pongparn, S., & Kato, S. (2005). Common allometric equations for estimating the tree weight of mangroves. *Journal of Tropical Ecology*, 21(4), 471–477. <https://doi.org/10.1017/S0266467405002476>
- Komiyama, A., Ong, J. E., & Pongparn, S. (2008). Allometry, biomass, and productivity of mangrove forests: A review. *Aquatic Botany*, 89(2), 128–137. <https://doi.org/10.1016/j.aquabot.2007.12.006>
- Kristensen, E., Bouillon, S., Dittmar, T., & Marchand, C. (2008). Organic carbon dynamics in mangrove ecosystems: A review. *Aquatic Botany*, 89(2), 201–219. <https://doi.org/10.1016/j.aquabot.2007.12.005>
- Kusmana, C., Hidayat, T., Tiryana, T., Rusdiana, O., & Istomo. (2018). Allometric models for above- and below-ground biomass of *Sonneratia* spp. *Global*

Ecology and Conservation, 15, Artikel e00417.
<https://doi.org/10.1016/j.gecco.2018.e00417>

- Kutner, M. H., Nachtsheim, C. J., Neter, J., & Li, W. (2004). *Applied linear statistical models* (5th ed.). McGraw-Hill.
- Looney, C. G. (1983). Monte Carlo simulation with moment matching samples. *Mathematics and Computers in Simulation*, 25(3), 237–240.
[https://doi.org/10.1016/0378-4754\(83\)90099-X](https://doi.org/10.1016/0378-4754(83)90099-X)
- Masruhin, Pratama, M. I. S., & Ardiyanti, H. B. (2026). Spatial distribution analysis of mangrove ecosystems on Bawean Island. *Journal of Sustainable Supply Chain and Technology*, 1(1), 120–127.
- McMahon, T. A. (1973). Size and shape in biology. *Science*, 179(4079), 1201–1204.
<https://doi.org/10.1126/science.179.4079.1201>
- Menteri Lingkungan Hidup/Kepala Badan Pengendalian Lingkungan Hidup Republik Indonesia. (2025). *Keputusan Menteri Lingkungan Hidup/Kepala Badan Pengendalian Lingkungan Hidup Nomor 3438 Tahun 2025 tentang Peta Mangrove Nasional Tahun 2025*. Kementerian Lingkungan Hidup/Badan Pengendalian Lingkungan Hidup Republik Indonesia.
- Molto, Q., Rossi, V., & Blanc, L. (2013). Error propagation in biomass estimation in tropical forests. *Methods in Ecology and Evolution*, 4(2), 175–183.
<https://doi.org/10.1111/j.2041-210x.2012.00266.x>
- Montgomery, D. C. (2009). *Introduction to statistical quality control* (6th ed.). John Wiley & Sons.
- Mugasha, W. A., Mwakalukwa, E. E., Luoga, E., Malimbwi, R. E., Zahabu, E., Silayo, D. S., Sola, G., Crete, P., Henry, M., & Kashindye, A. (2016). Allometric models for estimating tree volume and aboveground biomass in lowland forests of Tanzania. *International Journal of Forestry Research*, 2016, Artikel 8076271. <https://doi.org/10.1155/2016/8076271>
- Návar, J. (2009). Allometric equations for tree species and carbon stocks for forests of northwestern Mexico. *Forest Ecology and Management*, 257(2), 427–434. <https://doi.org/10.1016/j.foreco.2008.09.028>
- Niklas, K. J. (1994). *Plant allometry: The scaling of form and process*. University of Chicago Press.
- Niklas, K. J. (2004). Plant allometry: Is there a grand unifying theory? *Biological Reviews*, 79(4), 871–889. <https://doi.org/10.1017/S1464793104006499>
- Noor, Y. R., Khazali, M., & Suryadiputra, I. N. N. (1999). *Panduan pengenalan mangrove di Indonesia*. Wetlands International – Indonesia Programme (PHKA/WI-IP).

- Okarda, B., Purnomo, H., Muchlish, Z. R., Shuhada, I. M., & Kusumadewi, S. D. (2026). New species-specific allometric models for above- and below-ground biomass and carbon content of young mangroves. *Global Ecology and Conservation*, 67, Article e04155. <https://doi.org/10.1016/j.gecco.2026.e04155>
- Ong, J. E., Gong, W. K., & Wong, C. H. (2004). Allometry and partitioning of the mangrove, *Rhizophora apiculata*. *Forest Ecology and Management*, 188(1-3), 395–408. <https://doi.org/10.1016/j.foreco.2003.08.002>
- Pahlevi, M. R., Poedjirahajoe, E., Mahayani, N. P. D., Jihad, A. N., & Satria, R. A. (2024). Struktur vegetasi dan karakteristik habitat mangrove di Pantai Utara Mojo Pemalang Jawa Tengah. *Jurnal Ilmu Lingkungan*, 22(2), 431–438. <https://doi.org/10.14710/jil.22.2.431-438>
- Parresol, B. R. (1999). Assessing tree and stand biomass: A review with examples and critical comparisons. *Forest Science*, 45(4), 573–593. <https://doi.org/10.1093/forestscience/45.4.573>
- Paul, K. I., Radtke, P. J., Roxburgh, S. H., Larmour, J., Waterworth, R., Butler, D., Brooksbank, K., & Ximenes, F. (2018). Validation of allometric biomass models: How to have confidence in the application of existing models. *Forest Ecology and Management*, 412, 70–79. <https://doi.org/10.1016/j.foreco.2018.01.016>
- Peraturan Menteri Lingkungan Hidup/Badan Pengendalian Lingkungan Hidup Republik Indonesia Nomor 26 Tahun 2025 tentang Tata Cara Pelaksanaan Inventarisasi Ekosistem Mangrove. (2025). *Berita Negara Republik Indonesia Tahun 2025 Nomor 1073*. Jakarta: Kementerian Hukum Republik Indonesia.
- Picard, N., Saint-André, L., & Henry, M. (2012). *Manual for building tree volume and biomass allometric equations: from field measurement to prediction* (pp. 215-pp).
- Rahman, M. S., Donoghue, D. N. M., Bracken, L. J., & Mahmood, H. (2021). Biomass estimation in mangrove forests: A comparison of allometric models incorporating species and structural information. *Environmental Research Letters*, 16(12), Article 124002. <https://doi.org/10.1088/1748-9326/ac31ee>
- Rakotomavo, A. (2018). Aboveground biomass estimation of *Avicennia marina* (Forssk) Vierh. and *Rhizophora mucronata* Lam. in the Mangoky Delta, SW Madagascar. *American Journal of Plant Sciences*, 9(9), 1894–1910. <https://doi.org/10.4236/ajps.2018.99137>
- Réjou-Méchain, M., Tanguy, A., Pioniot, C., Chave, J., & Hérault, B. (2017). Biomass: An R package for estimating above-ground biomass and its uncertainty in tropical forests. *Methods in Ecology and Evolution*, 8(9), 1163–1167. <https://doi.org/10.1111/2041-210X.12753>

- Ritabulan, Carong, S. R., & Yusna. (2024). Potensi biomassa dan karbon di atas permukaan tanah pada vegetasi mangrove Rewata'a, Kabupaten Majene. *Pangale Journal of Forestry and Environment*, 3(2), 1–10. <https://doi.org/10.31605/pangale.v3i2.3481>
- Roberts, D. R., Bahn, V., Ciuti, S., Boyce, M. S., Elith, J., Guillera-Aroita, G., Hauenstein, S., Lahoz-Monfort, J. J., Schröder, B., Thuiller, W., Warton, D. I., Wintle, B. A., Hartig, F., & Dormann, C. F. (2017). Cross-validation strategies for data with temporal, spatial, hierarchical, or phylogenetic structure. *Ecography*, 40(8), 913–929. <https://doi.org/10.1111/ecog.02881>
- Saintilan, N., Wilson, N. C., Rogers, K., Rajkaran, A., & Krauss, K. W. (2014). Mangrove expansion and salt marsh decline at mangrove poleward limits. *Global Change Biology*, 20(1), 147–157. <https://doi.org/10.1111/gcb.12341>
- Saltelli, A., Ratto, M., Andres, T., Campolongo, F., Cariboni, J., Gatelli, D., Saisana, M., & Tarantola, S. (2008). *Global sensitivity analysis: The primer*. John Wiley & Sons.
- Sandve, G. K., Nekrutenko, A., Taylor, J., & Hovig, E. (2013). Ten simple rules for reproducible computational research. *PLOS Computational Biology*, 9(10), e1003285. <https://doi.org/10.1371/journal.pcbi.1003285>
- Sitoe, A. A., Mandlate, L. J. C., & Guedes, B. S. (2014). Biomass and carbon stocks of Sofala Bay mangrove forests. *Forests*, 5(8), 1967–1981. <https://doi.org/10.3390/f5081967>
- Soares, M. L. G., & Schaeffer-Novelli, Y. (2005). Above-ground biomass of mangrove species. I. Analysis of models. *Estuarine, Coastal and Shelf Science*, 65(1–2), 1–18. <https://doi.org/10.1016/j.ecss.2005.05.001>
- Sprugel, D. G. (1983). Correcting for bias in log-transformed allometric equations. *Ecology*, 64(1), 209–210. <https://doi.org/10.2307/1937343>
- Sukardjo, S., & Yamada, I. (1992). Biomass and productivity of a *Rhizophora mucronata* Lamarck plantation in Tritih, Central Java, Indonesia. *Forest Ecology and Management*, 49(3–4), 195–209.
- Sullivan, M. J. P., Lewis, S. L., Hubau, W., Qie, L., Baker, T. R., Banin, L. F., Chave, J., Cuni-Sanchez, A., Feldpausch, T. R., Lopez-Gonzalez, G., Arets, E., Ashton, P., Bastin, J.-F., Berry, N. J., Bogaert, J., Boot, R., Brearley, F. Q., Brien, R., Burslem, D. F. R. P., . . . Phillips, O. L. (2018). Field methods for sampling tree height for tropical forest biomass estimation. *Methods in Ecology and Evolution*, 9(5), 1179–1190. <https://doi.org/10.1111/2041-210X.12962>
- Suwa, R., Rollon, R., Sharma, S., Yoshikai, M., Albano, G. M. G., Ono, K., Adi, N. S., Ati, R. N. A., Kusumaningtyas, M. A., Kepel, T. L., Maliao, R. J., Primavera-Tirol, Y. H., Blanco, A. C., & Nadaoka, K. (2021). Mangrove biomass estimation using canopy height and wood density in the South East

- and East Asian regions. *Estuarine, Coastal and Shelf Science*, 248, 106937.
<https://doi.org/10.1016/j.ecss.2020.106937>
- Tarlan, M. A. (2008). *Biomass estimation of nyirih (Xylocarpus granatum Koenig) in primary mangrove forest in Batu Ampar, West Kalimantan* [Skripsi, Institut Pertanian Bogor].
- Van Breugel, M., Ransijn, J., Craven, D., Bongers, F., & Hall, J. S. (2011). Estimating carbon stock in secondary forests: Decisions and uncertainties associated with allometric biomass models. *Forest Ecology and Management*, 262(8), 1648–1657.
<https://doi.org/10.1016/j.foreco.2011.07.018>
- Thomas, S. C., & Martin, A. R. (2012). Carbon content of tree tissues: A synthesis. *Forests*, 3(2), 332–352. <https://doi.org/10.3390/f3020332>
- Tippett, L. H. C. (1925). On the extreme individuals and the range of samples taken from a normal population. *Biometrika*, 17(3/4), 364–387.
<https://doi.org/10.1093/biomet/17.3-4.364>
- Wan, X., Wang, W., Liu, J., & Tong, T. (2014). Estimating the sample mean and standard deviation from the sample size, median, range and/or interquartile range. *BMC Medical Research Methodology*, 14, 135.
<https://doi.org/10.1186/1471-2288-14-135>
- Wayson, C. A., Johnson, K. D., Cole, J. A., Olguín, M. I., Carrillo, O. I., & Birdsey, R. A. (2015). Estimating uncertainty of allometric biomass equations with incomplete fit error information using a pseudo-data approach: Methods. *Annals of Forest Science*, 72, 825–834. <https://doi.org/10.1007/s13595-014-0436-7>
- Weidema, B. P., & Wesnæs, M. S. (1996). Data quality management for life cycle inventories—An example of using data quality indicators. *Journal of Cleaner Production*, 4(3–4), 167–174. [https://doi.org/10.1016/S0959-6526\(96\)00043-1](https://doi.org/10.1016/S0959-6526(96)00043-1)
- Wenger, S. J., & Olden, J. D. (2012). Assessing transferability of ecological models: An underappreciated aspect of statistical validation. *Methods in Ecology and Evolution*, 3(2), 260–267. <https://doi.org/10.1111/j.2041-210X.2011.00170.x>
- West, G. B., Brown, J. H., & Enquist, B. J. (1997). A general model for the origin of allometric scaling laws in biology. *Science*, 276(5309), 122–126.
<https://doi.org/10.1126/science.276.5309.122>
- West, G. B., Brown, J. H., & Enquist, B. J. (1999). A general model for the structure and allometry of plant vascular systems. *Nature*, 400(6745), 664–667.
- Willmott, C. J., & Matsuura, K. (2005). Advantages of the mean absolute error (MAE) over the root mean square error (RMSE) in assessing average model

performance. *Climate Research*, 30(1), 79–82.
<https://doi.org/10.3354/cr030079>

- Wirasatriya, A., Pribadi, R., Iryanthony, S. B., Maslukah, L., Sugianto, D. N., Helmi, M., Ananta, R. R., Adi, N. S., Kepel, T. L., Ati, R. N. A., Kusumaningtyas, M. A., Suwa, R., Ray, R., Nakamura, T., & Nadaoka, K. (2022). Mangrove above-ground biomass and carbon stock in the Karimunjawa-Kemujan Islands estimated from Unmanned Aerial Vehicle-imagery. *Sustainability*, 14(2), Artikel 706.
<https://doi.org/10.3390/su14020706>
- Xu, Q., Man, A., Fredrickson, M., Hou, Z., Pitkänen, J., Wing, B., Ramirez, C., Li, B., & Greenberg, J. A. (2018). Quantification of uncertainty in aboveground biomass estimates derived from small-footprint airborne LiDAR. *Remote Sensing of Environment*, 216, 514–528.
<https://doi.org/10.1016/j.rse.2018.07.022>
- Yanai, R. D., Levine, C. R., Green, M. B., & Campbell, J. L. (2010). Quantifying uncertainty in forest nutrient budgets. *Journal of Forestry*, 108(8), 407–415.
<http://dx.doi.org/10.5849/jof.11-087>
- Yuen, J. Q., Fung, T., & Ziegler, A. D. (2016). Review of allometric equations for major land covers in SE Asia: Uncertainty and implications for above- and below-ground carbon estimates. *Forest Ecology and Management*, 360, 323–340. <https://doi.org/10.1016/j.foreco.2015.09.016>