UNIVERSITAS
GADJAH MADA
**Morfologi, Kandungan Nutrien dan Kecernaan In Vitro Rumput Blembem (Ischaemum rugosum) dengan Tinggi
Pemotongan dan Regrowth yang Berbeda**
Fazlur ibnul salam, Prof. Ir. Nafiatul Umami, S.Pt., M.P., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adesogan, A.T., K.G. Arriola, Y. Jiang, A. Oyebade, E.M. Paula, A.A. Pech-Cervantes, and D. Vyas. 2019. Symposium review: Technologies for improving fiber utilization. J. Dairy Sci. 102(6):5726-5755.

Agustono, A. 2014. Pengukuran kecernaan protein kasar, serat kasar, lemak kasar, dan energi pada pakan komersial ikan gurami (*Osphronemus gouramy*) dengan menggunakan teknik pembedahan. Jurnal Ilmiah Perikanan dan Kelautan 6(1): 71-80.

Anggraini, M. dan R. Yulianto. 2023. Profil produksi hijauan rumput gajah (*Pennisetum purpureum*) di Universitas Jember Kampus Bondowoso. Jurnal Peternakan Lingkungan Tropis 6(2):63-69.

Anis, S.D., M.A. Chozin, S. Hardjosoewignyo, M. Ghulamahdi, and S. Sudradjat. 2016. The effects of cutting heights and intervals of defoliation on productivity and nutrient content of *Brachiaria humidicola* (Rendle) Schweick. Indonesian Journal of Agronomy 39(3):77-82.

Anu, V., T.T. Nikolaus, and I. Benu. 2023. Pengaruh umur pemotongan terhadap produksi dan kualitas rumput kume (*Sorghum plumosum*). Jurnal Peternakan Lahan Kering 5(2):279-286.

AOAC. 2005. Official methods of analysis of the Association of Analytical Chemist. Virginia, USA: Association of Official Analytical Chemist, Inc.

Awan, T.H., B.S. Chauhan, and P.C.S. Cruz. 2014. Physiological and morphological responses of *Ischaemum rugosum* Salisb (wrinkled grass) to different nitrogen rates and rice seeding rates. PLoS One. 9(6):e98255.

Bain, A., A.M. Tasse, and D. Zulkarnain. 2025. Evaluation of nutrient content of animal feed crops in tropical islands region (case study of Tomia Timur District, Wakatobi Regency, Indonesia). Int. J. Sci. Res. Sci. Eng. Technol. 12(2):755-767.

Bekewe, P.E., M.S. Castillo, J.J. Acosta, and R. Rivera. 2020. Defoliation management effects on nutritive value of performer's switchgrass. Crop Sci. 60(3):1682-1689.

Braz, T.G.S., J.A. Martuscello, M.E.R. Santos, and V.V. Pereira. 2017. Análise de correlação parcial no estudo da morfogênese e do acúmulo de forragem de *Panicum maximum* cv. 'Tanzânia'. Cienc. Rural. 47(9): 1678-4596

Budiman, B., R. D Soetrisno., S. P. S Budhi dan A. Indrianto. Total karbohidrat nonstruktural pada pangkal batang dan akar tanaman rumput gajah. Bionatura 13(2):133-140.

Buxton, D.R. and D.D. Redfearn. 1997. Plant limitations to fiber digestion and utilization. J. Nutr. 127(5):814-818.

Calvache, I., O. Balocchi, M. Alonso, J.P. Keim, and I. López. 2020. Water-soluble carbohydrate recovery in pastures of perennial ryegrass (*Lolium perenne* L.) and pasture brome (*Bromus valdivianus* Phil.) under two defoliation frequencies determined by thermal time. Agriculture 10(11):563.

UNIVERSITAS
GADJAH MADA
**Morfologi, Kandungan Nutrien dan Kecernaan In Vitro Rumput Blembem (Ischaemum rugosum) dengan Tinggi
Pemotongan dan Regrowth yang Berbeda**
Fazlur ibnul salam, Prof. Ir. Nafiatul Umami, S.Pt., M.P., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Cardoso Sanches, S.S., R.C. Rodrigues, R.A. Alves de Araújo, C.S. dos Santos Costa, I.R. Rodrigues da Silva, F.N.S. Santos, and R. Ramos Silva. 2020. Morphogenetic and structural characteristics of gamba grass subjected to nitrogen fertilization and different defoliation intensities. Biosci. J. 36(5).

Chrisanto, J., S.D. Anis, dan S.S. Malalantang. 2024. Pengaruh tinggi pemotongan terhadap pertumbuhan vegetatif rumput gajah Pakchong (*Pennisetum purpureum* cv. Thailand) di peternakan sapi "Batukurung" Desa Poopo Kabupaten Minahasa Selatan. Pages 535-542 in Prosiding Seminar Nasional Pembangunan Dan Pendidikan Vokasi Pertanian.

Dhillon, B.S., R.S. Uppal, and M. Goyal. 2020. Forage quality and productivity of barley (*Hordeum vulgare* L.) as influenced by cutting management under staggered sowing in North-West India. Arch. Agron. Soil Sci. 66(9):1244-1258.

Dolker, T. and M. Agrawal. 2019. Negative impacts of elevated ozone on dominant species of semi-natural grassland vegetation in Indo-Gangetic plain. Ecotoxicol. Environ. Saf. 182:109404.

Dumadi, E.H., L. Abdullah, dan H.A. Sukria. 2021. Kualitas hijauan rumput gajah (*Pennisetum purpureum*) berbeda tipe pertumbuhan: review kuantitatif. Jurnal Ilmu Nutrisi dan Teknologi Pakan 19(1): 6-13.

Dutra, L.A., F.D. Carvalho, E.R. Leite, M.J.D. Cândido, and J.D. Araújo Filho. 2014. Structural characteristics of Mulato grass I under different cutting heights. AJPS. *5*(5): 627-635.

Ebrahim, H., F. Negussie, and G. Animut. 2020. Effects of nitrogen fertilizer rate and cutting height on morphological characteristics and yield of elephant grass (*Pennisetum purpureum* L.). East Afr. J. Sci. 14(2):141-150.

ECHO. 2022. Sunn hemp. ECHO Plant Information Sheet. USA.

Fariani, A. and E. Evitayani. 2008. The potency of swamp grass as ruminant feed: Grass production, carrying capacity and fiber fraction. Journal of the Indonesian Tropical Animal Agriculture 33(4):299-304.

Fathul, F. dan S. Wajizah. 2009. Penambahan mikromineral Mn dan Cu dalam ransum untuk biofermentasi rumen domba secara *in vitro*. Jurnal Ilmu Ternak dan Veteriner. 15:9-15.

Fitriana, P.R., H. Hidayat, dan T. Akbarillah. 2017. Kualitas nutrisi rumput *Setaria spachaellata* yang dipanen berdasarkan interval pemotongan. Jurnal Sain Peternakan Indonesia 12(4):225-979.

Givens, D.I., E. Owen, H.M. Omed, and R.F.E. Axford. 2000. Forage Evaluation in Ruminant Nutrition. CABI Publishing.

Hambakodu, M. 2021. Evaluasi nilai nutrisi dan kecernaan in vitro beberapa rumput alam dari lahan perkebunan dan padang penggembalaan. Jurnal Peternakan Indonesia 23(2):130-135.

Harianti, F., M. Ridla, L. Abdullah. 2023. Pertumbuhan dan produksi hijauan rumput gajah pakchong panen pertama pada pemberian dosis pupuk dan umur potong berbeda. Jurnal Ilmu Nutrisi dan Teknologi Pakan 21(2): 68-74.

Heniwati, Y., N. Jamarun, R. Sriagtula, dan Z. Ikhlas. 2026. Pengaruh interval defoliasi terhadap produktivitas dan kualitas *Indigofera zollingeriana* di BPTU

UNIVERSITAS
GADJAH MADA
**Morfologi, Kandungan Nutrien dan Kecernaan In Vitro Rumput Blembem (Ischaemum rugosum) dengan Tinggi
Pemotongan dan Regrowth yang Berbeda**
Fazlur ibnul salam, Prof. Ir. Nafiatul Umami, S.Pt., M.P., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

HPT Padang Mengatas Provinsi Sumatera Barat. Jurnal Peternakan Indonesia 28(1):1-10.

Hidayah, S.N., R. Hidayat, and N. Triani. 2022. Study of paclobutrazol dosage and seed size on growth and yield of porang (*Amorphophallus onchophyllus* P.). Jurnal Teknologi Pertanian Lampung 11(4):574-588.

Hobir, H. 2002. Pengaruh selang panen terhadap pertumbuhan dan produksi nilam. Jurnal Penelitian Tanaman Industri 8(3):103-107.

Home, P.M., D.W. Catchpole, and A. Ella. 1986. Cutting management of tree and shrub legumes. Pages 164-169 In *Proceedings* of an International Workshop Held Forage and Agriculture in Southeast Asia. Cisarua, Indonesia.

Imoro, Z. A., O. S. Kıngsley, and A. Abukari. 2021. Effects of different cutting heights on coppice response of forage shrubs in Ghana. TurkJFor. 22(3):186-191.

Johannes, L.P., T.T.N. Minh, N.V. Son, D.T. Tung, T.D. Viet, and T.D. Xuan. 2025. Agronomic and utilization potential of three elephant grass cultivars for energy, forage, and soil improvement in Vietnam. Crops 5(5):70.

Jones, G.B., J.B. Alpuerto, B.F. Tracy, and T. Fukao. 2017. Physiological effect of cutting height and high temperature on regrowth vigor in orchardgrass. Front. Plant Sci. 8:805.

Kabi, F. and F.B. Bareeba. 2008. Herbage biomass production and nutritive value of mulberry (*Morus alba*) and *Calliandra calothyrsus* harvested at different cutting frequencies. Anim. Feed Sci. Technol. 140(1-2):178-190.

Kase, R.I., E.D. Sulistijo, dan H.P. Nastiti. 2025. Pengaruh tinggi pemotongan terhadap kecernaan in vitro bahan kering dan bahan organik serta total digestible nutrient (tdn) pada rumput gajah mini (pennisetum purpureum cv. Mott). Journal of Innovative and Creativity 5(3):15099-15108.

Kusuma, M.E. 2015. Pengaruh lanjutan dosis pupuk kotoran ternak ayam terhadap pertumbuhan dan produksi rumput *Brachiaria humidicola* pada pemotongan kedua. Jurnal Ilmu Hewani Tropika 4(2):49-54.

Lestienne, F., B. Thornton, and F. Gastal. 2006. Impact of defoliation intensity and frequency on N uptake and mobilization in *Lolium perenne*. J. Exp. Bot. 57(4):997-1006.

Li, T., L. Peng, H. Wang, Y. Zhang, Y. Wang, Y. Cheng, and F. Hou. 2022. Multi-cutting improves forage yield and nutritional value and maintains the soil nutrient balance in a rainfed agroecosystem. Front. Plant Sci. 13:825117.

Lim, C.A.A., T.H. Awan, P.C. Sta. Cruz, and B.S. Chauhan. 2015. Influence of environmental factors, cultural practices, and herbicide application on seed germination and emergence ecology of *Ischaemum rugosum* Salisb. PLoS One. 10(9):e0137256.

Lima, J.R., R.C. Rodrigues, G.O. Sousa, C.S. Costa, H.N. Parente, and F.N.S. Santos. 2020. Ecophysiology of *Andropogon* grass subjected to different cutting frequencies and intensities. Rev. Bras. Eng. Agríc. Ambient. 24(9):610-615.

UNIVERSITAS
GADJAH MADA
**Morfologi, Kandungan Nutrien dan Kecernaan In Vitro Rumput Blembem (Ischaemum rugosum) dengan Tinggi
Pemotongan dan Regrowth yang Berbeda**
Fazlur ibnul salam, Prof. Ir. Nafiatul Umami, S.Pt., M.P., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Liu, Y., X. Yang, D. Tian, R. Cong, X. Zhang, Q. Pan, and Z. Shi. 2018. Resource reallocation of two grass species during regrowth after defoliation. Front. Plant Sci. 9:1767.

Liu, Z., Y. Zhu, F. Li, and G. Jin. 2017. Non-destructively predicting leaf area, leaf mass and specific leaf area based on a linear mixed-effect model for broadleaf species. Ecol. Indic. 78:340-350.

Liunokas, A.B. dan A.H.S. Billik. 2021. Pengembangan buku ajar karakteristik morfologi tumbuhan untuk meningkatkan kemampuan mahasiswa dalam mengidentifikasi jenis tumbuhan. Jurnal Basicedu 5(6):5885-5891.

Lounglawan, P., W. Lounglawan, and W. Suksombat. 2014. Effect of cutting interval and cutting height on yield and chemical composition of King Napier grass (*Pennisetum purpureum* × *Pennisetum americanum*). APCBEE Procedia. 8:27-31.

Lucas-Lorenzo, D.E., M.A. Santiago-Ortega, S. Cadena-Villegas, J.M. Calzada-Marín, and E.D.J. Flores-Santiago. 2025. Rendimiento de *Cratylia argentea* (Desvaux) O. Kuntze a diferentes estrategias de manejo. Ecosistemas y Recursos Agropecuarios 12(2).

Mardewi, N.K., I.W.A. Santika, and Y. Tonga. 2023. Nutritional quality of Pakchong, Zanzibar and Bio grass harvested at different ages. SEAS. 7(1):30-38.

Marenco, R.A. and A.C.S. Reis. 1998. Shading as an environmental factor affecting the growth of *Ischaemum rugosum*. Revista Brasileira de Fisiologia Vegeta 10(2):107-112.

Mayoru, S., W.A. Jufri, dan N. Usman. 2022. Karakteristik morfologi tumbuhan daun majemuk. JBES. 2(2):107-114.

Mengistu, G., M. Faji, K. Mohammed, M. Workiye, G. Kebede, G. Terefe, and F. Feyissa. 2024. Forage yield and nutritive value of Desho grass (*Pennisetum glaucifolium* Trin.) as affected by cutting heights in the central highlands of Ethiopia. Heliyon 10(7).

Mosjidis, J.D., K.S. Balkcom, J.M. Burke, P. Casey, J.B. Hess, and G. Wehtje. 2013. Production of the sunn hemp cultivars; AU Golden and AU Durbin developed by Auburn University. Technical Rep. 328. Alabama Agric. Exp. Stn., Auburn.

Naisoko, K., S.T. Temu, H.P. Nastiti, dan E.D. Sulistijo. 2025. Pengaruh tinggi pemotongan terhadap pertumbuhan rumput gajah mini (*Pennisetum purpureum* cv. Mott). Jurnal Ilmiah Kajian Multidisiplin 9(3).

Narayani, D., H.P. Nastiti, dan D.B. Osa. 2019. Pengaruh tinggi pemotongan berbeda terhadap kandungan serat kasar dan protein kasar serta mineral kalsium (Ca) rumput setaria (*Setaria sphacelata*). Jurnal Peternakan Lahan Kering 1(1):87-93.

Nio, S.A., J.A. Rumbay, P.S. Anggini, P.S.L. Supit, dan D.P.M. Ludong. 2021. Potensi metode sonic bloom untuk meningkatkan pertumbuhan tanaman. Jurnal MIPA 10(2):76-80.

UNIVERSITAS
GADJAH MADA
**Morfologi, Kandungan Nutrien dan Kecernaan In Vitro Rumput Blembem (Ischaemum rugosum) dengan Tinggi
Pemotongan dan Regrowth yang Berbeda**
Fazlur ibnul salam, Prof. Ir. Nafiatul Umami, S.Pt., M.P., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Nuzul, V.S., D. Indradewa, dan D. Kastono. 2018. Pengaruh waktu dan tinggi pemotongan tunggul terhadap komponen hasil dan hasil padi (*Oryza sativa* L.) ratun. Vegetalika 7(2):54-65.

Oktaria, V.D., A. Irsyammawati, dan I. Subagiyo. 2023. Pengaruh dosis pupuk urea dan umur panen yang berbeda terhadap kandungan nutrisi fodder jagung (*Zea mays*) hidroponik. Tropical Animal Science 5(1):8-15.

Pakpahan, T.E. 2018. Pemanfaatan orok-orok (*Crotalaria juncea*) mendukung pertanian berkelanjutan. Journal of Animal Science and Agronomy Panca Budi 3(2):1-3.

Pereira, G.F., J.V. Emerenciano Neto, G.S. Difante, L.C.S.L.C. Assis, P.O. Lima, and R.S. Santos. 2021. Production and quality of tropical grasses at different regrowth intervals in the Brazilian semiarid. Acta Sci. Anim. Sci. 43: 1807-8672

Pereira, G.F., J.V.E. Neto, G.S. dos Santos Difante, L.C.D.S.L. Cortes, and P. de Oliveira Lima. 2019. Morphogenic and structural characteristics of tropical forage grasses managed under different regrowth periods in the Brazilian semi-arid region. Semina: Ciências Agrárias 40(1):283-292.

Prastyawan, R.M., B.I.M. Tampoebolon, dan S. Surono. 2012. Peningkatan kualitas tongkol jagung melalui teknologi amoniasi fermentasi (amofer) terhadap kecernaan bahan kering dan bahan organik serta protein total secara in vitro. Animal Agriculture Journal 1(1):611-621.

Rabbi, Y.N., H.P. Nastiti, D.B. Osa, dan S.T. Temu. 2025. Pengaruh tinggi pemotongan terhadap kandungan protein kasar dan serat kasar serta lemak kasar rumput gajah mini (*Pennisetum purpureum* cv. Mott). Jurnal Ilmiah Kajian Multidisiplin 9(3).

Respati, A.N., N. Umami, and C. Hanim. 2018. Growth and production of *Brachiaria brizantha* cv. MG5 in three different regrowth phases treated by gamma radiation dose. Tropical Animal Science Journal 41(3):179.

Royal Botanic Gardens, Kew. 2025. Plants of the World Online: *Ischaemum rugosum* Salisb. https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:406281-1. Diakses pada 27 Juli 2026

Sajimin dan N.D. Purwantari. 2006. Produksi hijauan beberapa jenis leguminosa pohon untuk pakan ternak. Balai Penelitian Ternak, Bogor.

Sakashita, Y., H. Kurashima, M. Fukuda, H. Hirano, S. Lamsal, N. Katayama, and T. Fukao. 2024. Possible roles of carbohydrate management and cytokinin in the process of defoliation-regrowth cycles in rice. Int. J. Mol. Sci. 25(10):5070.

Santia, S.D. dan A.C. Kaunang. 2017. Pengaruh tinggi dan jarak waktu pemotongan rumput gajah dwarf (*Pennisetum purpureum* cv. Mott) terhadap pertumbuhan vegetatif dan produksi bahan kering. Jurnal Zootek 37(1):116-122.

Sari, M.T.P., I. Susilawati, dan H.K. Mustafa. 2021. Pengaruh frekuensi pemberian POC hasil biokonversi lalat *Hermetia illucens* terhadap produksi hijauan, rasio daun batang, dan rasio tajuk akar rumput *Pennisetum purpureum* cv. Mott. Jurnal Ilmu Ternak Universitas Padjadjaran 21(1):66-72.

UNIVERSITAS
GADJAH MADA
**Morfologi, Kandungan Nutrien dan Kecernaan In Vitro Rumput Blembem (Ischaemum rugosum) dengan Tinggi
Pemotongan dan Regrowth yang Berbeda**
Fazlur ibnul salam, Prof. Ir. Nafiatul Umami, S.Pt., M.P., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Silva, D.A.M.D, G.F. Pereira, J.V.E. Neto, R. da Silva Santos, Â.P.A.C. Gracindo, A.L.C. Gurgel, and M.G. da Silva Bezerra. 2020. Respostas do capim-buffel a diferentes períodos de rebrotação e alturas de resíduo. Res. Soc. Dev. 9(11): 2525-3409

Silva, M.R. and R.A. Marenco. 2000. Crescimento de *Ischaemum rugosum* sob três níveis de sombreamento. Planta Daninha 18:187-198.

Silveira, M.D., D. Nascimento Júnior, B.D. Cunha, G.S. Difante, K.S. Pena, S.D. Silva, and A.F. Sbrissia. 2010. Effect of cutting interval and cutting height on morphogenesis and forage accumulation of guinea grass (*Panicum maximum*). Trop. Grassl. 44(2):103-108.

Stojanović, B., A. Simić, N. Đorđević, A. Božičković, V. Davidović, and A. Ivetić. 2022. Estimation of nutritive value and protein degradability of *Trifolium repens* and *Poa pratensis* as the dominant pasture species, under simulated rotational grazing. Contemp. Agric. 71(1-2):20-27.

Sukmawan, Y., D. Riniarti, and R. Mukti. 2020. Optimization rate of urea fertilizer for one-year-old pepper (*Piper nigrum* L.) parent plant. ICoAAS. 5-10.

Suwitari, N.K.E. dan I.G.A.D.S. Rejeki. 2025. Pengaruh pemberian pupuk organik padat terhadap pertumbuhan rumput bede (*Brachiaria decumbens*). Gema Agro 30(2):81-93.

Tessema, Z.K., J. Mihret, and M. Solomon. 2010. Effect of defoliation frequency and cutting height on growth, dry-matter yield and nutritive value of Napier grass (*Pennisetum purpureum* (L.) Schumach). Grass Forage Sci. 65(4):421-430.

Tilley, J.M.A. and R.A. Terry. 1963. A two-stage technique for in vitro digestion of forage crops. J. Brit. Grassl. Soc. 18:108-111.

Tillman, A.D., H. Hartadi, S. Reksohadiprodjo, S. Prawirokusumo, dan S. Lebdosoekojo. 1991. Ilmu Makanan Ternak Dasar. Gadjah Mada University Press, Yogyakarta.

Tozer, K.N., R.M. Greenfield, C.A. Cameron, M.P. Upsdell, and D.E. Hume. 2024. Effect of three defoliation frequency treatments and drought on perennial ryegrass herbage and root growth and water-soluble carbohydrate reserves. Grassl. Res. 3(4):347-363.

Tripathi, M.K., B. Chaudhary, S.K. Sarkar, S.R. Singh, H.R. Bhandari, and B.S. Mahapatra. 2013. Performance of sunnhemp (*Crotalaria juncea* L.) as a summer season (pre-monsoon) crop for fibre. J. Agric. Sci. 5:236-242.

Umami, N., A.N. Respati, B. Suhartanto, and N. Suseno. 2017. Nutrient composition and in vitro digestibility of *Brachiaria decumbens* cv. Basilisk with different level of fertilizer. Pages 143-146 In Proceedings of the 7th International Seminar on Tropical Animal Production. Yogyakarta, Indonesia.

Wadi, A., Y. Ishii, and S. Idota. 2004. Effects of cutting interval and cutting height on dry matter yield and overwintering ability at the established year in *Pennisetum* species. Plant Prod. Sci. 7(1):88-96.

UNIVERSITAS
GADJAH MADA
**Morfologi, Kandungan Nutrien dan Kecernaan In Vitro Rumput Blembem (Ischaemum rugosum) dengan Tinggi
Pemotongan dan Regrowth yang Berbeda**
Fazlur ibnul salam, Prof. Ir. Nafiatul Umami, S.Pt., M.P., Ph.D., IPM., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wahyono, T., E. Jatmiko, F. Firsoni, S.N.W. Hardani, dan E. Yunita. 2019. Evaluasi nutrien dan kecernaan in vitro beberapa spesies rumput lapangan tropis di Indonesia. Sains Peternakan: Jurnal Penelitian Ilmu Peternakan 17(2):17-23.

Wang, X.L., X.L. Guo, X.G. Hou, W. Zhao, G.W. Xu, and Z.Q. Li. 2014. Effects of leaf zeatin and zeatin riboside induced by different clipping heights on the regrowth capacity of ryegrass. Ecol. Res. 29(2):167-180.

Wekgari, Y., F. Dereba, and N. Gamachu. 2024. Determination of cutting frequency for optimum herbage yield and nutritive value of Desho grass (*Pennisetum glaucifolium*) in western Oromia, Ethiopia. Heliyon 10(18).

Wisang, R., E.D. Sulistijo, dan H.P. Nastiti. 2025. Pengaruh tinggi pemotongan terhadap kecernaan in vitro bahan kering dan bahan organik serta total digestible nutrient (TDN) rumput gajah mini (*Pennisetum purpureum* cv. Mott) panen kedua. Jurnal Veteriner Nusantara 8(2):61-68.

Yoku, O., D.Y. Seseray, dan M. Krey. 2017. Pertumbuhan dan karakteristik morfologi rumput (*Ischaemum* sp.) tanah asal Amban dan Kebar dengan level dosis pupuk NPK yang berbeda. Pastura 7(1):4.

Yuan, J., H. Li, and Y. Yang. 2020. The compensatory tillering in the forage grass *Hordeum brevisubulatum* after simulated grazing of different severity. Front. Plant Sci. 11:792.