

DAFTAR PUSTAKA

- Aalipour, H., Nikbakht, A., & Etemadi, N. (2019). Relationship between chlorosis, photo- synthesis and the nutrient content of plane trees in the presence of chemical and organic fertilizers. *Adv. Hort. Sci.*, 33(January), 171–177. <https://doi.org/10.13128/ahs-23326>
- Abdullah, F. (1996). Basidiomata Induction and Characterization of Ganoderma from Oil Palm (*Elaeis guineensis*) on Three Agrowaste Substrates. *Pertanika J. Trop. Agric. Sci.* 19(2/3); 19(2), 117–122.
- Abhayashree, M. S., Murali, M., & Amruthesh, K. N. (2016). Scientia Horticulturae Abiotic elicitors mediated resistance and enhanced defense related enzymes in *Capsicum annuum* L. against anthracnose disease. *Scientia Horticulturae*, 204, 172–178. <https://doi.org/10.1016/j.scienta.2016.04.004>
- Adotey, G., Quarcoo, A., Gedel, M. A., Yerenkyi, P., Otu, P., Anang, A. K., Okine, L. K. N., Gbewonyo, W. S. K., Holliday, J. C., & Lombardi, V. C. (2026). The Medicinal Mushroom Ganoderma: A Review of Systematics, Phylogeny, and Metabolomic Insights. *Journal of Fungi*, 12(1), 1–17. <https://doi.org/10.3390/jof12010058>
- Afandi, D., Basyni, M., Putri, L. A. P., Chalil, D., & Syahputra, I. (2018). Expression of oil palm (*Elaeis guineensis*) polyisoprenoids in response to Ganoderma boninense infection. *Biodiversitas Journal of Biological Diversity*, 20(1), 68–76. <https://doi.org/10.13057/biodiv/d200109>
- Alexander, A., Dayou, J., Abdullah, S., & Phin, C. K. (2019). Differential expression and profile of oil palm root-sterols composition related to Ganoderma boninense infection. *ASM Science Journal*, 12(Special Issue 3), 40–47.
- Annunziata, M. G., Ciarmiello, L. F., Woodrow, P., Aversana, E. D., & Carillo, P. (2019). Spatial and Temporal Profile of Glycine Betaine Accumulation in Plants Under Abiotic Stresses. *Frontiers in Plant Science*, 10(March), 1–13. <https://doi.org/10.3389/fpls.2019.00230>
- Anothai, J., & Chairin, T. (2020). Soil physicochemical properties closely associated with fungal enzymes and plant defense enzymes in Ganoderma -infected oil palm orchards. *Plant Soil*, 456, 99–112. <https://doi.org/https://doi.org/10.1007/s11104-020-04705-y>
- Anothai, J., Intara, S., & Thanunchanok, S. (2023). Understanding factors influencing growth and lignocellulosic enzyme of Ganoderma for developing integrated control strategies for basal stem rot disease in oil palm. *Tropical Plant Pathology*, 48(2), 154–162. <https://doi.org/10.1007/s40858-022-00551-8>
- Asis, J., Hasbullah, N. A., Jalloh, M. B., Basri, N. K. M., Perumal, P., Mojiun, P., & Rakib, M. R. M. (2024). Trichoderma Species' In Vitro and In Planta Inhibition against Ganoderma boninense, a Causative Agent of Basal Stem Rot in Oil Palm (*Elaeis guineensis*). *Sarhad Journal of Agriculture*, 40(SpecialIssue1), 173–185. <https://doi.org/10.17582/JOURNAL.SJA/2024/40/S1.173.185>
- Bahari, M. N. A., Sakeh, N. M., Abdullah, S. N. A., Ramli, R. R., & Kadkhodaei, S. (2018). Transcriptome profiling at early infection of *Elaeis guineensis* by

Ganoderma boninense provides novel insights on fungal transition from biotrophic to necrotrophic phase. *BMC Plant Biology*, 18(1), 1–25. <https://doi.org/10.1186/s12870-018-1594-9>

- Baharum, S. N., Ahmad, M. F., Ajeng, A. A., & Abdullah, R. (2023). Metabolites profiling of Ganoderma-infected oil palms rachis grown on tropical soils reveals choline phosphate and 2-oxoglutaramate as potential biomarkers in the disease detection. *Physiological and Molecular Plant Pathology*, 125, 102001. <https://doi.org/10.1016/j.pmpp.2023.102001>
- Bakhshi, M., Ebrahimi, L., Zare, R., Arzanlou, M., & Kermanian, M. (2022). Development of a Novel Diagnostic Tool for Cercospora Species Based on BOX-PCR System. *Current Microbiology*, 79(10), 1–8. <https://doi.org/10.1007/s00284-022-02989-0>
- Basit, F., Alyafei, M., Hayat, F., Al-zayadneh, W., El-keblawy, A., Sulieman, S., & Sheteiwy, M. S. (2025). *Deciphering the role of glycine betaine in enhancing plant performance and defense mechanisms against environmental stresses*. 16(July), 1582332. <https://doi.org/10.3389/fpls.2025.1582332>
- Bharudin, I., Ab Wahab, A. F. F., Abd Samad, M. A., Xin Yie, N., Zairun, M. A., Abu Bakar, F. D., & Abdul Murad, A. M. (2022). Review Update on the Life Cycle, Plant–Microbe Interaction, Genomics, Detection and Control Strategies of the Oil Palm Pathogen Ganoderma boninense. *Biology*, 11(2), 1–18. <https://doi.org/10.3390/biology11020251>
- Bivi, M. S. H. R., Paiko, A. S., Khairulmazmi, A., Akhtar, M. S., & Idris, A. S. (2016). Control of Basal Stem Rot Disease in Oil Palm by Supplementation of Calcium , Copper , and Salicylic Acid. *The Plant Pathology Journal*, 32(5), 396–406. <https://doi.org/http://dx.doi.org/10.5423/PPJ.OA.03.2016.0052>
- Boddy, L. (2016). Genetics-Variation, Sexuality, and Evolution. In *The Fungi: Third Edition* (Third Edit). Elsevier Ltd. <https://doi.org/10.1016/B978-0-12-382034-1.00004-9>
- Bolton, M. (2009). Primary Metabolism and Plant Defense—Fuel for the Fire. *Molecular Plant-Microbe Interactions*, 22(5), 487–497. [papers://6aa7c312-319c-4536-9f53-abd54d6cbe0f/Paper/p632](https://doi.org/10.1007/s12256-009-9153-4)
- Botahala, L., Sukarti, Arifuddin, W., Arif, A. R., Ischaidar, Arafah, M., Kartina, D., Armah, Z., Yasser, M., Pratama, I., Patarru, O., Santi, & Hamsah, H. (2020). *Deteksi Dini Metabolit Sekunder pada Tanaman*. Mitra Cendekia Media. <http://repo.untribkalabahi.ac.id/xmlui/handle/123456789/315>
- BPDPKS. (2021). *Laporan Tahunan: Pengembangan Sumber Daya Manusia Perkebunan Kelapa Sawit sebagai Upaya Menuju Sawit Indonesia yang Berkelanjutan*.
- Bruger, E. L., Hying, Z. T., Singla, D., Reyes, N. L. M., Pandey, S. K., Patel, J. S., & Bazurto, J. V. (2024). Enhanced catabolism of glycine betaine and derivatives provides improved osmotic stress protection in Methylobacterium extorquens PA1. *Applied and Environmental Microbiology*, 90(7), 1–26. <https://doi.org/10.1128/aem.02090-23>
- Cabarroi-hernández, M., Villalobos-arámula, A. R., Torres-Torres, M. G., Decock, C., & Guzmán-Dávalos, L. (2019). The Ganoderma weberianum-resinaceum lineage: multilocus phylogenetic analysis and morphology confirm G.

- mexicanum and *G. parvulum* in the Neotropics. *MycoKeys*, 59, 95–131. <https://doi.org/10.3897/mycokeys.59.33182>
- Camacho, C., Coulouris, G., Avagyan, V., Ma, N., Papadopoulos, J., Bealer, K., & Madden, T. L. (2009). BLAST+: Architecture and applications. *BMC Bioinformatics*, 10, 1–9. <https://doi.org/10.1186/1471-2105-10-421>
- Campos-Bermudez, V. A., Fauguel, C. M., Tronconi, M. A., Casati, P., Presello, D. A., & Andreo, C. S. (2013). Transcriptional and Metabolic Changes Associated to the Infection by *Fusarium verticillioides* in Maize Inbreds with Contrasting Ear Rot Resistance. *PLoS ONE*, 8(4). <https://doi.org/10.1371/journal.pone.0061580>
- Castillo, S. Y., Rodríguez, M. C., González, L. F., Zúñiga, L. F., Mestizo, Y. A., Medina, H. C., Montoya, C., Morales, A., Romero, H. M., & Sarria, G. A. (2022). *Ganoderma zonatum* Is the Causal Agent of Basal Stem Rot in Oil Palm in Colombia. *Journal of Fungi*, 8, 230. <https://doi.org/10.3390/jof8030230>
- Castro-moretti, F. R., Gentzel, I. N., Mackey, D., & Alonso, A. P. (2020). Metabolomics as an emerging tool for the study of plant–pathogen interactions. *Metabolites*, 10(2), 1–23. <https://doi.org/10.3390/metabo10020052>
- Cavalcanti, F. R., Resende, M. L. V., Lima, J. P. M. S., Silveira, J. A. G., & Oliveira, J. T. A. (2006). Activities of antioxidant enzymes and photosynthetic responses in tomato pre-treated by plant activators and inoculated by *Xanthomonas vesicatoria*. *Physiological and Molecular Plant Pathology*, 68(4–6), 198–208. <https://doi.org/10.1016/j.pmpp.2006.11.001>
- Chan, Y. S., & Chong, K. P. (2019). Novel media for cultivation of fruiting body of *Ganoderma boninense* for medicinal benefits. *ASM Science Journal*, 12(Special Issue 3), 11–16.
- Chen, J., Zhang, J., Liu, Y., Zhang, K., Zhu, F., & Xie, Y. (2025). Advances in the Biosynthetic Regulation and Functional Mechanisms of Glycine Betaine for Enhancing Plant Stress Resilience. *International Journal of Molecular Sciences*, 26(16), 1–23. <https://doi.org/10.3390/ijms26167971>
- Choi, Y. W., Hodgkiss, I. J., & Hyde, K. D. (2005). Enzyme production by endophytes of *Brucea javanica*. *Journal of Agricultural Technology*, 1, 55–66.
- Chong, K.-P., Alexander, A., & Abdullah, S. (2016). Early Detection and Management of *Ganoderma* Basal Stem Rot Disease: A Special Report from Sabah. *Transactions on Science and Technology*, 3(3), 16–17. <http://transectscience.org/>
- Chong, K. P. (2012). The potential of chitosan in suppressing *Ganoderma boninense* infection in oil-palm seedlings. *Journal of Sustainability Science and Management*, 7(2), 186–192.
- Chong, K. P., Dayou, J., & Alexander, A. (2017). Pathogenic Nature of *Ganoderma boninense* and Basal Stem Rot Disease. In *Detection and Control of Ganoderma boninense in Oil Palm Crop* (pp. 5–12). SpringerBriefs in Agriculture. Springer, Cham. https://doi.org/10.1007/978-3-319-54969-9_2
- Chong, K. P., Lum, M. S., Foong, C. P., Wong, C. M. V. L., Atong, M., & Rossall, S. (2011). First identification of *ganoderma boninense* isolated from sabah based on PCR and sequence homology. *African Journal of Biotechnology*, 10(66), 14718–14723. <https://doi.org/10.5897/AJB11.1096>

- Chung, G. F. (2012). Effect of Pests and Diseases on Oil Palm Yield. In *Palm Oil: Production, Processing, Characterization, and Uses*. AOCS Press. <https://doi.org/10.1016/B978-0-9818936-9-3.50009-5>
- Cornara, L., Mandrone, M., & Smeriglio, A. (2024). Biotic and Abiotic Stressors in Plant Metabolism. *International Journal of Molecular Sciences*, 25, 121. <https://doi.org/https://doi.org/10.3390/ijms25010121>
- Cortina-Escribano, M., Veteli, P., Wingfield, M. J., Wingfield, B. D., Coetzee, M. P. A., Vanhanen, H., & Linnakoski, R. (2024). Phylogenetic analysis and morphological characteristics of laccate *Ganoderma* specimens in Finland. *Mycologia*, 116(6), 1046–1062. <https://doi.org/10.1080/00275514.2024.2381424>
- Daim, L. D. J., Ooi, T. E. K., Ithnin, N., Mohd Yusof, H., Kulaveerasingam, H., Majid, N. A., & Karsani, S. A. (2015). Comparative proteomic analysis of oil palm leaves infected with *Ganoderma boninense* revealed changes in proteins involved in photosynthesis, carbohydrate metabolism, and immunity and defense. *Electrophoresis*, 36(15), 1699–1710. <https://doi.org/10.1002/elps.201400608>.This
- David, L., Kang, J., Dufresne, D., Zhu, D., & Chen, S. (2021). Multi-omics revealed molecular mechanisms underlying guard cell systemic acquired resistance. *International Journal of Molecular Sciences*, 22(1), 1–22. <https://doi.org/10.3390/ijms22010191>
- Dutton, C., Hörak, H., Hepworth, C., Mitchell, A., Ton, J., Hunt, L., & Gray, J. E. (2019). Bacterial infection systemically suppresses stomatal density. *Plant Cell and Environment*, 42(8), 2411–2421. <https://doi.org/10.1111/pce.13570>
- Dzulkaflī, S. B., Othman, A., Shahwan, S., Nurazah, Z., Abd Manaf, M. A., Idris, A. S., Amiruddin, M. D., Tahir, N. I., & Ramli, U. S. (2019). Identification of chelidonic acid and asparagine in *Ganoderma boninense* - inoculated oil palm seedlings. *Journal of Oil Palm Research*, 31(1), 53–66.
- Elisashvili, V., Kachlishvili, E., Tsiklauri, N., Metreveli, E., Khardziani, T., & Agathos, S. N. (2009). Lignocellulose-degrading enzyme production by white-rot Basidiomycetes isolated from the forests of Georgia. *World Journal of Microbiology and Biotechnology*, 25(2), 331–339. <https://doi.org/10.1007/s11274-008-9897-x>
- Faizah, R., Putranto, R. A., Raharti, V. R., Supena, N., Sukma, D., Budiani, A., Wening, S., & Sudarsono, S. (2022). Defense response changes in roots of oil palm (*Elaeis guineensis* Jacq.) seedlings after internal symptoms of *Ganoderma boninense* Pat. infection. *BMC Plant Biology*, 22(1), 1–23. <https://doi.org/10.1186/s12870-022-03493-0>
- Fernanda, R., Siddiqui, Y., Ganapathy, D., Ahmad, K., & Surendran, A. (2021). Suppression of *ganoderma boninense* using benzoic acid: Impact on cellular ultrastructure and anatomical changes in oil palm wood. *Forests*, 12, 1231. <https://doi.org/10.3390/f12091231>
- Flood, J., Cooper, R., Rees, R., Potter, U., & Hasan, Y. (2014). Some Latest R & D on *Ganoderma* Diseases in Oil Palm. *OPRI/MPOB Seminar: Advances in the Controlling of Devastating Disease of Oil Palm (Ganoderma) in South East Asia*, 1–21.
- Goh, Y. K., Ng, F. W., Kok, S. M., Goh, Y. K., & Goh, K. J. (2014). Aggressiveness of

- Ganoderma boninense isolates on the vegetative growth of oil palm (*Elaeis guineensis*) seedlings at different ages. *Malaysian Applied Biology*, 43(2), 9–16.
- Gomes, A., Santos, C., Dinis, L. T., & Mendes, R. J. (2024). *Escherichia coli* Inoculation Decreases the Photosynthetic Performance on Tomato Plants: Clarifying the Impact of Human Commensal Bacteria on Transient Plant Hosts. *Horticulturae*, 10(7), 1–12. <https://doi.org/10.3390/horticulturae10070758>
- Govender, N., Mahmood, M., Seman, I. A., & Wong, M. Y. (2017). The phenylpropanoid pathway and lignin in defense against *Ganoderma boninense* colonized root tissues in oil palm (*Elaeis guineensis* jacq.). *Frontiers in Plant Science*, 8(August), 1–11. <https://doi.org/10.3389/fpls.2017.01395>
- Govender, N., Mui-Yun, W., & Paterson, R. R. M. (2020). Opportunities for New-Generation *Ganoderma boninense* Biotechnology. In *Grand Challenges in Biology and Biotechnology* (Number September, pp. 477–500). https://doi.org/10.1007/978-3-030-29541-7_17
- Govender, N., & Wong, M. Y. (2017). Detection of oil palm root penetration by agrobacterium-mediated transformed ganoderma boninense, expressing green fluorescent protein. *Phytopathology*, 107(4), 483–490. <https://doi.org/10.1094/PHYTO-02-16-0062-R>
- Habermann, G., Machado, E. C., Rodrigues, J. D., & Medina, C. L. (2003). Gas exchange rates at different vapor pressure deficits and water relations of “Pera” sweet orange plants with citrus variegated chlorosis (CVC). *Scientia Horticulturae*, 98(3), 233–245. [https://doi.org/10.1016/S0304-4238\(02\)00228-5](https://doi.org/10.1016/S0304-4238(02)00228-5)
- Hahuly, M. V., Sumardiyono, C., Wibowo, A., Subandiyah, S., & Harper, S. (2018). Identification of purple blotch pathogen of shallot by PCR using specific primer for *Alternaria* genus. *Archives of Phytopathology and Plant Protection*, 51(3–4), 103–121. <https://doi.org/10.1080/03235408.2017.1384196>
- Hamid, S., Nor, S., & Abdullah, A. (2025). The elicitation of early defence responses and improvement of disease resistance in oil palm by extracellular proteins from *Ganoderma boninense*. *European Journal of Plant Pathology*, 143–163. <https://doi.org/10.1007/s10658-025-03052-x>
- Han, X., Li, X., White, J. F., Creamer, R., Li, C., & Yu, B. (2024). Alterations in Physiological Parameters and Secondary Metabolites of *Astragalus adsurgens* Infected by the Pathogen *Alternaria gansuensis*. *Agronomy*, 14, 1892. <https://doi.org/10.3390/agronomy14091892>
- Han, Y.-L., Wang, D., Zhou, J., He, X.-L., & Cui, B.-K. (2019). Intragenomic polymorphisms of the ITS, EF1- α and RPB2 sequences of *Ganoderma australe*. *Mycosystema*, 38(5), 679–685. <https://doi.org/10.13346/j.mycosystema.180293>
- Hapuarachchi, K., Karunarathna, S., Phengsintham, P., Yang, H., Kakumyan, P., Hyde, K., & Wen, T. (2019). Ganodermataceae (Polyporales): Diversity in Greater Mekong Subregion countries (China, Laos, Myanmar, Thailand and Vietnam). *Mycosphere*, 10(1), 221–309. <https://doi.org/10.5943/mycosphere/10/1/6>
- Hermantoro, Kurniawan, M. A., Trinugroho, J. P., Suparyanto, T., Isnain, M., Sudigyo, D., & Pardamean, B. (2023). Detecting *Ganoderma* Basal Stem Rot Disease On Oil Palm Using Artificial Neural Network Method. *Commun. Math. Biol. Neurosci*, 40, 1–16. <https://doi.org/https://doi.org/10.28919/cmbn/7911>



- Hilmi, N. H. Z., Idris, A. S., Maizatul-Suriza, M., Madihah, A. Z., & Nur-Rashyeda, R. (2022). Molecular PCR assays for detection of Ganoderma pathogenic to oil palm in Malaysia. *Malaysian Applied Biology*, 51(1), 171–182. <https://doi.org/10.55230/MABJOURNAL.V51I1.2201>
- Hu, Z., Chang, X., Dai, T., Li, L., Liu, P., Wang, G., Liu, P., Huang, Z., & Liu, X. (2019). Metabolic Profiling to Identify the Latent Infection of Strawberry by Botrytis cinerea. *Evolutionary Bioinformatics*, 15, 1–7. <https://doi.org/10.1177/1176934319838518>
- Idle, J. R., & Gonzalez, F. J. (2007). Metabolomics. *Cell Metabolism*, 6(5), 348–351. <https://doi.org/10.1016/j.cmet.2007.10.005>
- Isha, A., Akanbi, F. S., Yusof, N. A., Osman, R., Mui-Yun, W., & Abdullah, S. N. A. (2019). An NMR metabolomics approach and detection of ganoderma boninense-infected oil palm leaves using MWCNT-based electrochemical sensor. *Journal of Nanomaterials*, 2019, 4729706. <https://doi.org/10.1155/2019/4729706>
- Isha, A., Yusof, N. A., Osman, R., Wong, M. Y., & Abdullah, S. N. A. (2020). NMR-based metabolomics reveals effect of Ganoderma boninense infection on oil palm leaf at 30 days post-infection. *Plant Omics Journal*, 13(1), 15–20. <https://doi.org/10.21475/POJ.13.01.20.P2071>
- Isha, A., Yusof, N. A., Shaari, K., Osman, R., Abdullah, S. N. A., & Wong, M. Y. (2020). Metabolites identification of oil palm roots infected with Ganoderma boninense using GC–MS-based metabolomics. *Arabian Journal of Chemistry*, 13(7), 6191–6200. <https://doi.org/10.1016/j.arabjc.2020.05.026>
- Jargalmaa, S., Eimes, J. A., Park, M. S., Park, J. Y., Oh, S., & Lim, Y. W. (2017). Taxonomic evaluation of selected Ganoderma species and database sequence validation. *PeerJ*, 5, e3596. <https://doi.org/10.7717/peerj.3596>
- Jarin, A., Ghosh, U. K., Hossain, M. S., Mahmud, A., & Khan, M. A. R. (2024). Glycine betaine in plant responses and tolerance to abiotic stresses. *Discover Agriculture*, 2(1), 127. <https://doi.org/10.1007/s44279-024-00152-w>
- Jazuli, N. A., Kamu, A., Chong, K. P., Gabda, D., Hassan, A., Abu Seman, I., & Ho, C. M. (2022). A Review of Factors Affecting Ganoderma Basal Stem Rot Disease Progress in Oil Palm. *Plants*, 11, 2462. <https://doi.org/10.3390/plants11192462>
- Jeger, M. J., & Viljanen-rollinson, S. L. H. (2001). The use of the area under the disease-progress curve (AUDPC) to assess quantitative disease resistance in crop cultivars. *Theoretical and Applied Genetics*, 102, 32–40. <https://doi.org/https://doi.org/10.1007/s001220051615>
- Jiang, X., Walker, B. J., He, S. Y., & Hu, J. (2023). The role of photorespiration in plant immunity. *Frontiers in Plant Science*, 14(February), 1–8. <https://doi.org/10.3389/fpls.2023.1125945>
- Kaur, R., Chandra, J., Varghese, B., & Keshavkant, S. (2023). Allantoin : A Potential Compound for the Mitigation of Adverse Effects of Abiotic Stresses in Plants. *Plants*, 12, 3059. <https://doi.org/https://doi.org/10.3390/plants12173059>
- Khairi, M. H. F., Nor Muhammad, N. A., Bunawan, H., Mohd Daud, K., Sulaiman, S., Mohamed-hussein, Z., Wong, M., & Ramzi, A. B. (2024). Current progress on the computational methods for prediction of host-pathogen protein-protein

- interaction in the *Ganoderma boninense* -oil palm pathosystem. *Physiological and Molecular Plant Pathology*, 129(July 2023), 102201. <https://doi.org/10.1016/j.pmpp.2023.102201>
- Khoo, Y. W., & Chong, K. P. (2023). *Ganoderma boninense* : general characteristics of pathogenicity and methods of control. *Front. Plant Sci.*, 14, 1156869. <https://doi.org/10.3389/fpls.2023.1156869>
- Kim, H. K., Choi, Y. H., & Verpoorte, R. (2010). NMR-based metabolomic analysis of plants. *Nature Protocols*, 5(3), 536–549. <https://doi.org/10.1038/nprot.2009.237>
- Kok, S., Goh, Y., Tung, H., GoH, K., Wong, W., & Goh, Y. (2013). In vitro growth of *Ganoderma boninense* isolates on novel palm extract medium and virulence on oil palm (*Elaeis guineensis*) seedlings. *Malaysian Journal of Microbiology*, 9(1), 33–42. <https://doi.org/10.21161/mjm.45212>
- Kresnawaty, I., Audah, K. A., Munawar, H., & Widiastuti, H. (2017). Karakteristik antibodi anti *Ganoderma* sp. yang dihasilkan dengan menggunakan jenis dan sumber antigen yang berbeda. *Menara Perkebunan*, 85(1), 1–8. <https://doi.org/http://dx.doi.org/10.22302/iribb.jur.mp.v85i1.239>
- Kresnawaty, I., Mulyatni, A. S., Eris, D. D., Prakoso, H. T., Tri-Panji, Triyana, K., & Widiastuti, H. (2020). Electronic nose for early detection of basal stem rot caused by *Ganoderma* in oil palm. *IOP Conference Series: Earth and Environmental Science*, 468, 012029. <https://doi.org/10.1088/1755-1315/468/1/012029>
- Lakshmi, M. A., Bishnoi, S., Ho, C., Tarafder, E., Babu, B. K., Subbanna, A., Sahu, S., & Palnam, D. W. (2025). First pathogenomic insights into *Ganoderma ellipsoideum* as an emerging causal agent of basal stem rot in oil palm. *Scientific Reports* |, 15(45743), 1–14. <https://doi.org/https://doi.org/10.1038/s41598-025-28488-3>
- Lakshmi, M. A., Indrajaya, M., Palnam, D. W., Tarafder, E., Cs, K., Babu, B. K., & Subanna, A. (2026). First Report of *Ganoderma ellipsoideum* Causing Basal Stem Rot in. *Plant Disease*, 110, 539. <https://doi.org/https://doi.org/10.1094/PDIS-06-25-1162-PDN>
- Latiffah, Z., & Ho, Y. W. (2005). Morphological Characteristics and Somatic Incompatibility of *Ganoderma* from Infected Oil Palm from Three Inland Estates. *Malaysian Journal of Microbiology*, 1(2), 46–52.
- Liaubet, L., Paris, A., Tardivel, P., Pe, M., Iannuccelli, N., Vialaneix, N., & Toulouse, D. (2019). ASICS : an R package for a whole analysis workflow of 1D 1H NMR spectra. *Bioinformatics*, 35(21), 4356–4363. <https://doi.org/10.1093/bioinformatics/btz248>
- Lieng, L. M. (2024). *Characterisation of Ganoderma boninense Isolates from Sarawak, the Causal Agent of Basal Stem Rot in Elaeis guineensis*. Universiti Malaysia Sarawak.
- Liu, S., Gates, G., & Gibertoni, T. B. (2022). Species diversity, systematic revision and molecular phylogeny of *Ganodermataceae* (Polyporales, Basidiomycota) with an emphasis on Chinese collections. *Studies in Mycology*, 101, 287–415. <https://doi.org/10.3114/sim.2022.101.05>.Received
- Lo, M. L., Thanh, T. A. V., Midot, F., Lau, S. Y. L., Wong, W. C., Tung, H. J., Jee, M. S., Chin, M. Y., & Melling, L. (2023). Comparison of *Ganoderma boninense*

Isolate's Aggressiveness Using Infected Oil Palm Seedlings. *Journal of Microbiology*, 61(4), 449–459. <https://doi.org/10.1007/s12275-023-00040-w>

- Maharachchikumbura, S. S. N., Chen, Y., Ariyawansa, H. A., Hyde, K. D., Haelewaters, D., Perera, R. H., Samarakoon, M. C., Wanasinghe, D. N., Bustamante, D. E., Liu, J. K., Lawrence, D. P., Cheewangkoon, R., & Stadler, M. (2021). Integrative approaches for species delimitation in Ascomycota. *Fungal Diversity*, 109(1), 155–179. <https://doi.org/10.1007/s13225-021-00486-6>
- Mailliot, Y., Mongelard, G., Quero, A., Demailly, H., Guenin, S., Gutierrez, L., Pineau, C., Lecomte, S., Mathiron, D., Elboutachfati, R., Fontaine, J., Molinie, R., & Petit, E. (2023). Pathogen Stopping and Metabolism Modulation Are Key Points to *Linum usitatissimum* L. Early Response against *Fusarium oxysporum*. *Plants*, 12, 1963. <https://doi.org/https://doi.org/10.3390/plants12101963>
- Manickam, S., Rajagopalan, V. R., Kambale, R., Rajasekaran, R., Kanagarajan, S., & Muthurajan, R. (2023). Plant Metabolomics: Current Initiatives and Future Prospects. *Current Issues in Molecular Biology*, 45(11), 8894–8906. <https://doi.org/10.3390/cimb45110558>
- Manzanilla-López, R. H., Clark, I. M., Atkins, S. D., Hirsch, P. R., & Kerry, B. R. (2009). Rapid and reliable DNA extraction and PCR fingerprinting methods to discriminate multiple biotypes of the nematophagous fungus *Pochonia chlamydosporia* isolated from plant rhizospheres. *Letters in Applied Microbiology*, 48(1), 71–76. <https://doi.org/10.1111/j.1472-765X.2008.02489.x>
- Matous, K., Bonfig, K., Mueller, M. J., Berger, S., & Benediktyova, Z. (2007). Visualization of dynamics of plant – pathogen interaction by novel combination of chlorophyll fluorescence imaging and statistical analysis : differential effects of virulent and avirulent strains of *P. syringae* and of oxylipins on. *Journal of Experimental Botany*, 58(4), 797–806. <https://doi.org/10.1093/jxb/erl208>
- Maurel, M., Robin, C., Simonneau, T., Loustau, D., Dreyer, E., & Desprez-Loustau, M.-L. (2004). Stomatal conductance and root-to-shoot signalling in chestnut saplings exposed to *Phytophthora cinnamomi* or partial soil drying. *Functional Plant Biology*, 31, 41–51. <https://doi.org/10.1071/FP03133>
- McDonald, J. G., Wong, E., & White, G. P. (2000). Differentiation of *Tilletia* taxa by rep-PCR genomic fingerprinting. *EPPO Bulletin*, 30(3–4), 549–553. <https://doi.org/10.1111/j.1365-2338.2000.tb00945.x>
- Mei, Z., Yang, L., Khan, M. A., Yang, M., Wei, C., Yang, W., Peng, X., Tania, M., Zhang, H., Li, X., & Fu, J. (2014). Genotyping of *Ganoderma* species by improved random amplified polymorphic DNA (RAPD) and inter-simple sequence repeat (ISSR) analysis. *Biochemical Systematics and Ecology*, 56, 40–48. <https://doi.org/10.1016/j.bse.2014.04.012>
- Mercièrre, M., Laybats, A., Carasco-Lacombe, C., Tan, J. S., Klopp, C., Durand-Gasselín, T., Alwee, S. S. R. S., Camus-Kulandaivelu, L., & Breton, F. (2015). Identification and development of new polymorphic microsatellite markers using genome assembly for *Ganoderma boninense*, causal agent of oil palm basal stem rot disease. *Mycological Progress*, 14, 103. <https://doi.org/10.1007/s11557-015-1123-2>
- Midot, F., Lau, S. Y. L., Wong, W. C., Tung, H. J., Yap, M. L., Lo, M. L., Jee, M. S., Dom, S. P., & Melling, L. (2019). Genetic diversity and demographic history of

- Ganoderma boninense* in oil palm plantations of Sarawak, Malaysia inferred from ITS regions. *Microorganisms*, 7, 464. <https://doi.org/10.3390/microorganisms7100464>
- Miller, R. N. G., Holderness, M., Bridge, P. D., Chung, G. F., & Zakaria, M. H. (1999). Genetic diversity of *Ganoderma* in oil palm plantings. *Plant Pathology*, 48, 595–603. <https://doi.org/10.1046/j.1365-3059.1999.00390.x>
- Mishra, R. K., Pandey, B. K., Pathak, N., & Zeeshan, M. (2015). BOX-PCR- and ERIC-PCR-based genotyping and phylogenetic correlation among *Fusarium oxysporum* isolates associated with wilt disease in *Psidium guajava* L. *Biocatalysis and Agricultural Biotechnology*, 4(1), 25–32. <https://doi.org/10.1016/j.bcab.2014.09.012>
- Mohan, D., Namasivayam, P., Saidi, N. B., & Ho, C. L. (2022). Temporal expression of defense-related genes in *Ganoderma*-infected oil palm roots. *Trees - Structure and Function*, 36(3), 1029–1038. <https://doi.org/10.1007/s00468-022-02269-1>
- Moncalvo, J.-M., & Ryvarden, L. (1997). *A Nomenclatural Study of the Ganodermataceae* Donk. Benjamin Sats of Trykk.
- Naher, L., Yusuf, U. K., Ismail, A., Tan, S. G., & Mondal, M. M. A. (2013). Ecological status of *Ganoderma* and basal stem rot disease of oil palms (*Elaeis guineensis* Jacq.). *Australian Journal of Crop Science*, 7(11), 1723–1727.
- Nguyen, T.-T., Bui, T.-T., Pham, B.-P., Nguyen, H.-T., Ngo, X.-B., La, V.-H., & Nguyen, T.-D. (2021). Identification of *ganoderma lucidum* (curtis) p. karst. species isolated from ironwood (*erythrophleum fordii* oliver) in viet nam act through by its1 sequence and phylogenetic analysis. *Plant Cell Biotechnology and Molecular Biology*, 22(17–18), 59–70.
- Nguyen, T. T. T., Nguyen, H. D., Bui, A. T., Pham, K. H. T., Van, K. T. P., Tran, L. T., & Tran, M. H. (2023). Phylogenetic analysis and morphology of *Ganoderma multipileum*, a *Ganoderma* species associated with dieback of the metropolitan woody plant *Delonix regia* (Boj. ex. *Science Progress*, 106(3), 1–18. <https://doi.org/10.1177/00368504231195503>
- Nguyen, T. T. T., Pham, P. T. V., Nguyen, V. A. T., Nguyen, T. T. T., Tran, L. T., Truong, P. C. H., & Tran, M. H. (2025). Taxonomic characterization and cytotoxic potential of Vietnamese *Ganoderma ellipsoideum* against human breast cancer MCF-7 cells. *PLoS ONE*, 20(11), e0336024. <https://doi.org/10.1371/journal.pone.0336024>
- Nugroho, S., Rahmadi, H. Y., & Simamora, A. N. (2025). 1H NMR metabolomic profiling of resistant and susceptible oil palm root tissues in response to *Ganoderma boninense* at the nursery stage. *Scientific Reports*, 15, 16784. <https://doi.org/https://doi.org/10.1038/s41598-025-01691-y> 1
- Nurazah, Z., Idris, A. S., Kushairi, A., Din, A. M., Abrizah, O., & Ramli, U. S. (2017). Metabolomics unravel differences between Cameroon Dura and deli Dura oil palm (*Elaeis guineensis* Jacq.) genetic backgrounds against Basal stem rot. *Journal of Oil Palm Research*, 29(2), 227–241. <https://doi.org/10.21894/jopr.2017.2902.07>
- Nurazah, Z., Othman, A., Sundram, S., Ibrahim, M. H., Faudzi, S. M. M., & Ismail, I. S. (2026). 1H NMR-based metabolomic analysis reveals the time-dependent and pH-modulation on the metabolite secretion of *Ganoderma boninense* and

- Ganoderma tornatum. *Physiological and Molecular Plant Pathology*, 142, 103100. <https://doi.org/10.1016/j.pmpp.2025.103100>
- Nurlaelita, K., Wibowo, A., & Widiastuti, A. (2024). Identification and Characterization Colletotrichum spp. Causing Mango Dieback in Indonesia. *Plant Pathology Journal*, 40(4), 399–407. <https://doi.org/10.5423/PPJ.NT.04.2024.0061>
- Nusaibah, S. A., Rajinder, S., & Idris, A. S. (2010). Somatic incompatibility and aflp analysis of four species of ganoderma isolated from oil palm. *Journal of Oil Palm Research*, 22(AUGUST), 814–821.
- Onsori, H., Zamani, M. R., Motallebi, M., & Zarghami, N. (2005). Identification of over producer strain of endo- β -1,4-glucanase in Aspergillus Species: Characterization of crude carboxymethyl cellulase. *African Journal of Biotechnology*, 4(1), 26–30.
- Othman, N. Q., Sulaiman, S., Lee, Y. P., & Tan, J. S. (2019). Transcriptomic data of mature oil palm basal trunk tissue infected with Ganoderma boninense. *Data in Brief*, 25, 104288. <https://doi.org/10.1016/j.dib.2019.104288>
- Palanna, K. B., Koti, P. S., Basavaraj, S., Boraiah, B., & Narendrappa, T. (2022). Morphological and molecular diversity of Ganoderma spp. causal agent of basal stem rot of coconut in Southern dry tracts of Karnataka. *Journal of Horticultural Sciences*, 17(2), 436–447. <https://doi.org/10.24154/jhs.v17i2.1352>
- Pancoro, A., Karima, E., Apriyanto, A., & Effendi, Y. (2022). 1H NMR metabolomics analysis of oil palm stem tissue infected by Ganoderma boninense based on field severity Indices. *Scientific Reports*, 12(1), 1–13. <https://doi.org/10.1038/s41598-022-25450-5>
- Pang, Z., Chen, J., Wang, T., Gao, C., Li, Z., Guo, L., Xu, J., & Cheng, Y. (2021). Linking Plant Secondary Metabolites and Plant Microbiomes: A Review. *Frontiers in Plant Science*, 12(March), 621276. <https://doi.org/10.3389/fpls.2021.621276>
- Paterson, R. R. M. (2019). Ganoderma boninense disease of oil palm to significantly reduce production after 2050 in sumatra if projected climate change occurs. *Microorganisms*, 7(1), 4–6. <https://doi.org/10.3390/microorganisms7010024>
- Peng, S., Yap, C., Ren, P., & Chai, E. (2019). Effects of Environment and Nutritional Conditions on mycelial growth of Ganoderma boninense. *International Journal of Oil Palm*, 2(3), 95–107. <https://doi.org/10.35876/ijop.v2i3.43>
- Pilotti, C. A. (2005). Stem rots of oil palm caused by Ganoderma boninense: Pathogen biology and epidemiology. *Mycopathologia*, 159(1), 129–137. <https://doi.org/10.1007/s11046-004-4435-3>
- Pilotti, C. A., Gorea, E. A., & Bonneau, L. (2018). Basidiospores as sources of inoculum in the spread of Ganoderma boninense in oil palm plantations in Papua New Guinea. *Plant Pathology*, 67(9), 1841–1849. <https://doi.org/10.1111/ppa.12915>
- Pilotti, C. A., Killah, G., Rama, D., Gorea, E. A., & Mudge, A. M. (2021). A preliminary study to identify and distinguish southern tropical populations of Ganoderma boninense from oil palm via mating assays, sequence data, and microsatellite markers. *Mycologia*, 113(3), 574–585. <https://doi.org/10.1080/00275514.2020.1858687>

- Pilotti, C. A., Sanderson, F. R., & Aitken, E. A. B. (2003). Genetic structure of a population of *Ganoderma boninense* on oil palm. *Plant Pathology*, 52(4), 455–463. <https://doi.org/10.1046/j.1365-3059.2003.00870.x>
- Pilotti, C. A., Sanderson, F. R., Aitken, E. A. B., & Armstrong, W. (2004). Morphological variation and host range of two *Ganoderma* species from Papua New Guinea. *Mycopathologia*, 158, 251–265. <https://doi.org/10.1023/B:MYCO.0000041833.41085.6f>
- Pramunadipta, S., Widiastuti, A., Wibowo, A., & Priyatmojo, A. (2022). rep-PCR analysis of *Fusarium proliferatum* causing sheath rot disease and its relationship to light, pH, temperature and rice varieties. *Archives of Phytopathology and Plant Protection*, 55(8), 973–990. <https://doi.org/10.1080/03235408.2022.2081484>
- Pramunadipta, S., Widiastuti, A., Wibowo, A., & Priyatmojo, A. Z. (2021). Genetic diversity of the pathogenic fungus *Sarocladium oryzae* causing sheath rot on rice using rep-PCR. *IOP Conference Series: Earth and Environmental Science*, 667, 012057. <https://doi.org/10.1088/1755-1315/667/1/012057>
- Pratama, Y., Wibowo, A., Widiastuti, A., Subandiyah, S., Widinugraheni, S., & Rep, M. (2018). Evaluation of Some Specific Primer Sets Development for Detecting *Fusarium oxysporum* f. sp. *cubense* Tropic Race 4 (Foc TR4) Originating from Indonesia. *Jurnal Perlindungan Tanaman Indonesia*, 22(1), 82. <https://doi.org/10.22146/jpti.25037>
- Proels, R. K., & Hückelhoven, R. (2014). Cell-wall invertases , key enzymes in the modulation of plant metabolism during defence responses. *Molecular Plant Pathology*, 15(8), 858–864. <https://doi.org/10.1111/mpp.12139>
- Purba, A., Basyuni, M., Putri, L. A. P., Chalil, D., Hayati, R., Arifiyanto, D., & Syahputra, I. (2019). Sequence analysis of *Ganoderma boninense* isolates from oil palm. *IOP Conference Series: Earth and Environmental Science*, 260(1). <https://doi.org/10.1088/1755-1315/260/1/012172>
- Purba, A., Hayati, R., Putri, L. A. P., Chalil, D., Afandi, D., Syahputra, I., & Basyuni, M. (2020). Genetic diversity and structure of *ganoderma boninense* isolates from oil palm and other plantation crops. *Biodiversitas*, 21(2), 451–456. <https://doi.org/10.13057/biodiv/d210204>
- Putranto, R. A., Syaputra, I., & Budiani, A. (2016). Differential Gene Expression In Oil Palm Varieties Susceptible And Tolerant To *Ganoderma*. *Proceedings of the 6th Indonesian Biotechnology Conference Enhancing Industrial Competitiveness through Biotechnology Innovation (Surakarta: Universitas Sebeleas Maret)*, 233(September), 6–7. <http://www.ebi.ac.uk/ena>
- Putri, S. P., & Fukusaki, E. (2016). *Mass Spectrometry-Based Metabolomics: A Practical Guide*. <https://doi.org/10.1201/b17793>
- Rahmadi, H. Y., Syukur, M., Widodo, Suwarno, W. B., Wening, S., Simamora, A. N., & Nugroho, S. (2024). ¹H NMR analysis of metabolites from leaf tissue of resistant and susceptible oil palm breeding materials against *Ganoderma boninense*. *Metabolomics*, 20, 89. <https://doi.org/10.1007/s11306-024-02160-9>
- Rahman, M. M., Keya, S. S., Sahu, A., Gupta, A., Dhingra, A., Tran, L. S. P., & Mostofa, M. G. (2024). Acetic acid: a cheap but chief metabolic regulator for abiotic stress tolerance in plants. *Stress Biology*, 4, 34.

<https://doi.org/10.1007/s44154-024-00167-9>

- Rakib, M. R. M., Bong, C. F. J., Khairulmazmi, A., & Idris, A. S. (2014). Genetic and morphological diversity of *Ganoderma* species isolated from infected oil palms (*Elaeis guineensis*). *International Journal of Agriculture and Biology*, 16(4), 691–699.
- Rakib, M. R. M., Bong, C., Khairulmazmi, A., & Idris, A. S. (2015). Aggressiveness of *Ganoderma boninense* and *G. zonatum* Isolated from Upper- and Basal Stem Rot of Oil Palm (*Elaeis Guineensis*) in Malaysia. *Journal of Oil Palm Research*, 27(May 2016), 229–240.
- Ramzi, A. B., Me, M. L. C., Ruslan, U. S., Baharum, S. N., & Muhammad, N. A. N. (2019). Insight into plant cell wall degradation and pathogenesis of *Ganoderma boninense* via comparative genome analysis. *PeerJ*, 2019(12). <https://doi.org/10.7717/peerj.8065>
- Rees, R. W., Flood, J., Hasan, Y., Potter, U., & Cooper, R. M. (2009). Basal stem rot of oil palm (*Elaeis guineensis*); Mode of root infection and lower stem invasion by *Ganoderma boninense*. *Plant Pathology*, 58(5), 982–989. <https://doi.org/10.1111/j.1365-3059.2009.02100.x>
- Rees, R. W., Flood, J., Hasan, Y., Wills, M. A., & Cooper, R. M. (2012). *Ganoderma boninense* basidiospores in oil palm plantations: Evaluation of their possible role in stem rots of *Elaeis guineensis*. *Plant Pathology*, 61(3), 567–578. <https://doi.org/10.1111/j.1365-3059.2011.02533.x>
- Righetti, L., Bhandari, D. R., Rolli, E., Tortorella, S., Bruni, R., Dall'Asta, C., & Spengler, B. (2021). Mycotoxin Uptake in Wheat — Eavesdropping Fusarium Presence for Priming Plant Defenses or a Trojan Horse to Weaken Them? *Frontiers in Plant Science*, 12(July), 1–11. <https://doi.org/10.3389/fpls.2021.711389>
- Rojas, C. M., Senthil-Kumar, M., Tzin, V., & Mysore, K. S. (2014). Regulation of primary plant metabolism during plant-pathogen interactions and its contribution to plant defense. *Frontiers in Plant Science*, 5(FEB), 1–12. <https://doi.org/10.3389/fpls.2014.00017>
- Romero-González, R. R., Mirnezhad, M., Leiss, K. A., Choi, Y. H., & Klinkhamer, P. G. L. (2010). A metabolomics approach to thrips resistance in tomato. *Phytochem. Anal.*, 21, 110–117. <https://openaccess.leidenuniv.nl/handle/1887/17920>
- Rozali, N. L., Yarmo, M. A., Idris, A. S., Kushairi, A., & Ramli, U. S. (2017). Metabolomics differentiation of oil palm (*Elaeis guineensis* Jacq.) spear leaf with contrasting susceptibility to *Ganoderma boninense*. *Plant OMICS*, 10(2), 45–52. <https://doi.org/10.21475/poj.10.02.17.pne364>
- Sahebi, M., Hanafi, M. M., Mohidin, H., Rafii, M. Y., Azizi, P., Idris, A. S., Fariz, A., Abiri, R., Taheri, S., & Moradpoor, M. (2018). Antioxidant Enzyme Activities and Secondary Metabolite Profiling of Oil Palm Seedlings Treated with Combination of NPK Fertilizers Infected with *Ganoderma boninense*. *BioMed Research International*, 2018, 1494157. <https://doi.org/10.1155/2018/1494157>
- Sahebi, M., Hanafi, M. M., van Wijnen, A. J., Akmar, A. S. N., Azizi, P., Idris, A. S., Taheri, S., & Foroughi, M. (2017). Profiling secondary metabolites of plant defence mechanisms and oil palm in response to *Ganoderma boninense* attack.

International Biodeterioration and Biodegradation, 122, 151–164.
<https://doi.org/10.1016/j.ibiod.2017.04.016>

- Saptarini, N. M., & Hadisoebroto, G. (2017). The activity of cellulase Enzymes of *Ganoderma applanatum* and *Ganoderma tropicum*. *Journal of Applied Pharmaceutical Science*, 7(4), 134–137.
<https://doi.org/10.7324/JAPS.2017.70419>
- Sedigheh, H. G., Mortazavian, M., Norouzian, D., Atyabi, M., Akbarzadeh, A., Hasanpoor, K., & Ghorbani, M. (2011). Oxidative stress and leaf senescence. *BMC Research Notes*, 4(1), 477. <https://doi.org/10.1186/1756-0500-4-477>
- Semangun, H. (2008). *Penyakit-penyakit Tanaman Perkebunan di Indonesia*. Gadjah Mada University Press.
- Setyahadi, S., Putri, S. F., & Suhartono. (2019). Screening microbe producing chitinase for inhibiting *Ganoderma boninense* Screening microbe producing *Ganoderma boninense* chitinase for inhibiting. *IOP Conf. Series: Earth and Environmental Science*, 230, 012100. <https://doi.org/10.1088/1755-1315/230/1/012100>
- Shalini, S., Singla, A., Goyal, M., Kaur, V., & Kumar, P. (2018). Omics in Agriculture: Applications, Challenges and Future Perspectives. In *Crop Improvement for Sustainability* (Number January). https://www.researchgate.net/publication/325390380_Omics_in_Agriculture_Aplications_Challenges_and_Future_Perspectives
- Sharma, V. (2013). Pathogenesis related defence functions of plant chitinases and β -1,3-glucanases. *Vegetos*, 26(2s), 205–218. <https://doi.org/10.5958/j.2229-4473.26.2s.141>
- Silitonga, Y. R., Heryanto, R., Taufik, N., Indrayana, K., Nas, M., & Kusriani, N. (2020). *Budidaya Kelapa Sawit & Varietas Kelapa Sawit*.
- Simamora, A. N., & Wening, S. (2021). Kajian Metabolit Sebagai Pendukung Program Pemuliaan Kelapa Sawit. *WARTA Pusat Penelitian Kelapa Sawit*, 26(3), 162–177.
<https:// warta.iopri.org/index.php/Warta/article/view/66%0Ahttps://warta.iopri.org/index.php/Warta/article/download/66/42>
- Suryantini, R., & Wulandari, R. S. (2018). Diversity of *Ganoderma* pathogen in Pontianak , West Kalimantan : Characteristics , virulence and ability to infect *Acacia mangium* seedlings. *Biodiversitas*, 19(2), 465–471.
<https://doi.org/10.13057/biodiv/d190213>
- Susanto, A., Prasetyo, A. E., Priwiratama, H., Wening, S., & Surianto, S. (2013). *Ganoderma boninense* Penyebab Penyakit Busuk Batang Atas Kelapa Sawit. *Jurnal Fitopatologi Indonesia*, 9(4), 123–126. <https://doi.org/10.14692/jfi.9.4.123>
- Suwandi, S., Alesia, M., Munandar, R. P., Fadli, R., Suparman, S., Irsan, C., & Muslim, A. (2024). The suppression of *Ganoderma boninense* on oil palm under mixed planting with taro plants. *Biodiversitas*, 25(3), 1143–1150.
<https://doi.org/10.13057/biodiv/d250329>
- Takagi, H., Ishiga, Y., Watanabe, S., Konishi, T., Egusa, M., Akiyoshi, N., Matsuura, T., Mori, I. C., Hirayama, T., Kaminaka, H., Shimada, H., & Sakamoto, A. (2016). Allantoin, a stress-related purine metabolite, can activate jasmonate signaling in

- a MYC2-regulated and abscisic acid-dependent manner. *Journal of Experimental Botany*, 67(8), 2519–2532. <https://doi.org/10.1093/jxb/erw071>
- Tardivel, P. J. C., Canlet, C., Lefort, G., Tremblay-Franco, M., Debrauwer, L., Concordet, D., & Servien, R. (2017). ASICS: an automatic method for identification and quantification of metabolites in complex 1D 1H NMR spectra. *Metabolomics*, 13(10). <https://doi.org/10.1007/s11306-017-1244-5>
- Teh, C., Pang, C., Tor, X., Ho, P., & Lim, Y. (2019). Molecular cloning and functional analysis of a necrosis and ethylene inducing protein (NEP) from *Ganoderma boninense*. *Physiological and Molecular Plant Pathology*, 106(December 2018), 42–48. <https://doi.org/10.1016/j.pmp.2018.12.003>
- Turland, N. J., Wiersema, J. H., Barrie, F. R., Greuter, W., Hawksworth, D. L., Herendeen, P. S., Knapp, S., Kusber, W.-H., Li, D.-Z., Marhold, K., May, T. W., McNeill, J., Monro, A. M., Prado, J., Price, M. J., & Smith, G. F. (2015). International Code of Nomenclature for algae, fungi, and plants (Shenzhen Code). In *Regnum Vegetabile* (Vol. 158, Number July 2017). <https://doi.org/https://doi.org/10.12705/Code.2018>
- Turner, P. D. (1981). Oil Palm Diseases and Disorders. In *Brittonia*. Oxford Univ. Press. <https://doi.org/10.2307/2806712>
- Utomo, C., Werner, S., Niepold, F., & Deising, H. B. (2005). Identification of *Ganoderma*, the causal agent of basal stem rot disease in oil palm using a molecular method. *Mycopathologia*, 159(1), 159–170. <https://doi.org/10.1007/s11046-004-4439-z>
- Van Der Plank, J. E. (1963). *Plant Diseases: Epidemics and Control*. Academic press.
- Van der Rest, B., Boisson, A. M., Gout, E., Bligny, R., & Douce, R. (2002). Glycerophosphocholine metabolism in higher plant cells. Evidence of a new glyceryl-phosphodiester phosphodiesterase. *Plant Physiology*, 130(1), 244–255. <https://doi.org/10.1104/pp.003392>
- Van Emon, J. M. (2016). The Omics Revolution in Agricultural Research. *Journal of Agricultural and Food Chemistry*, 64(1), 36–44. <https://doi.org/10.1021/acs.jafc.5b04515>
- Vignoli, A., Cacciatore, S., & Tenori, L. (2025). Deriving three one dimensional NMR spectra from a single experiment through machine learning. *Nature Communication*, 16, 10159. <https://doi.org/https://doi.org/10.1038/s41467-025-65294-x>
- Wang, H., Ma, Y., Jin, M., Wang, C., Wang, K., Zheng, Y., Guo, L., Liu, X., Cui, Y., & Zhang, H. (2026). Plant Physiology and Biochemistry Emerging trends in protein post-translational modifications of lysine associated with plant stress and development. *Plant Physiology and Biochemistry*, 233, 111232. <https://doi.org/10.1016/j.plaphy.2026.111232>
- Wiratmoko, D., Prasetyo, A. E., Jatmiko, R. H., Yusuf, M. A., & Rahutomo, S. (2018). Identification of *Ganoderma boninense* Infection Levels on Oil Palm Using Vegetation Index. *International Journal of Oil Palm*, 1(3), 110–120.
- Wong, L.-C., Bong, C.-F. J., & Idris, A. S. (2012). *Ganoderma* Species Associated with Basal Stem Rot Disease of Oil Palm. *American Journal of Applied Sciences*, 9(6), 879–885. <https://doi.org/https://doi.org/10.3844/ajassp.2012.879.885>



- Wong, W. C., Goh, Y. K., Wong, C. K., Goh, Y. K., Marzuki, N. F., Choo, C. H. Y., & Tung, H. J. (2024). Genetic Structure of *Ganoderma boninense* Populations Associated with Oil Palm at Neighboring Fields with Different Planting Ages in Malaysia. *Plant Disease*, 108(7), 1982–1986. <https://doi.org/10.1094/PDIS-07-23-1426-SC>
- Wong, W. C., Tung, H. J., Fadhilah, M. N., Midot, F., Lau, S. Y. L., Melling, L., Astari, S., Hadziabdic, Trigiano, R. N., Goh, K. J., & Goh, Y. K. (2021). Genetic diversity and gene flow amongst admixed populations of *Ganoderma boninense*, causal agent of basal stem rot in African oil palm (*Elaeis guineensis* Jacq.) in Sarawak (Malaysia), Peninsular Malaysia, and Sumatra (Indonesia). *Mycologia*, 113(5), 902–917. <https://doi.org/10.1080/00275514.2021.1884815>
- Xing, J., Sun, Y., Han, Y., Cui, B., & Dai, Y. (2018). Morphological and molecular identification of two new *Ganoderma* species on *Casuarina equisetifolia* from China. *MycoKeys*, 34, 93–108. <https://doi.org/10.3897/mycokeys.34.22593>
- Yoneda, K., Nagano, R., Mikami, T., Sakuraba, H., Fukui, K., Araki, T., & Ohshima, T. (2020). Enzyme and Microbial Technology Catalytic properties and crystal structure of UDP-galactose 4-epimerase-like L -threonine 3-dehydrogenase from *Phytophthora infestans*. *Enzyme and Microbial Technology*, 140(June), 109627. <https://doi.org/10.1016/j.enzmtec.2020.109627>
- Zain, N., Seman, I. A., Kushairi, A., & Ramli, U. S. (2013). Metabolite profiling of oil palm towards understanding basal stem rot (BSR) disease. *Journal of Oil Palm Research*, 25(1), 58–71.
- Zakaria, L., Kulaveraasingham, H., Guan, T. S., Abdullah, F., & Wan, H. Y. (2005). Random amplified polymorphic DNA (RAPD) and random amplified microsatellite (RAMS) of *Ganoderma* from infected oil palm and coconut stumps in Malaysia. *Asia-Pacific Journal of Molecular Biology and Biotechnology*, 13(1), 23–34.
- Zeiss, D. R., Steenkamp, P. A., Piater, L. A., & Dubery, I. A. (2021). Altered metabolomic states elicited by Flg22 and FlgII-28 in *Solanum lycopersicum* : intracellular perturbations and metabolite defenses. *BMC Plant Biology*, 21, 429. <https://doi.org/https://doi.org/10.1186/s12870-021-03200-5>
- Zhang, H., Murzello, C., Sun, Y., Kim, M., Xie, X., Jeter, R. M., Zak, J. C., Dowd, S. E., & Paré, P. W. (2010). Choline and Osmotic-Stress Tolerance Induced in *Arabidopsis* by the Soil Microbe *Bacillus subtilis* (GB03). *Molecular Plant-Microbe Interactions*, 23(8), 1097–1104. <https://doi.org/doi:10.1094 /MPMI -23-8-1097>
- Zhang, K., Cao, H., Ma, Y., Si, H., Zang, J., Bai, H., Yu, L., Pang, X., Zhou, F., Xing, J., & Dong, J. (2022). Global analysis of lysine 2-hydroxyisobutyrylation during *Fusarium graminearum* infection in maize. *Front. Plant Sci.*, 13, 1000039. <https://doi.org/10.3389/fpls.2022.1000039>
- Zhang, K., Lyu, W., Gao, Y., Zhang, X., Sun, Y., & Huang, B. (2020). Choline-Mediated Lipid Reprogramming as a Dominant Salt Tolerance Mechanism in Grass Species Lacking Glycine Betaine. *PlantCell Physiol.*, 61(12), 2018–2030. <https://doi.org/10.1093/pcp/pcaa116>
- Zhang, R., Yang, X., Jiang, Y., Wu, P., Wang, L., Li, Z., Zhang, X., Shen, X., & Chen, H. (2026). Taurine as a multifunctional biostimulant in plants: From physiological

- roles to biochemical mechanisms and emerging applications. *Industrial Crops and Products*, 248(April), 123619. <https://doi.org/10.1016/j.indcrop.2026.123619>
- Zheng, C., Zhu, J., Yang, X., & Fu, B. (2022). Short Communication: Genetic diversity of walnut blight-associated bacteria from China using rep-PCR. *Biodiversitas*, 23(11), 5681–5686. <https://doi.org/10.13057/biodiv/d231118>
- Zheng, L., Jia, D., Fei, X., Luo, X., & Yang, Z. (2009). An assessment of the genetic diversity within *Ganoderma* strains with AFLP and ITS PCR-RFLP. *Microbiological Research*, 164(3), 312–321. <https://doi.org/10.1016/j.micres.2007.02.002>
- Zhou, L., Cao, Y., Wu, S., Vlasák, J., Li, D., Li, M., & Dai, Y. (2015). Phytochemistry global diversity of the *Ganoderma lucidum* complex (*Ganodermataceae* , *Polyporales*) inferred from morphology and multilocus phylogeny. *Phytochemistry*, 114, 7–15. <https://doi.org/10.1016/j.phytochem.2014.09.023>
- Zhou, X. W., Liu, Y., Guo, M. Y., Su, K. Q., & Zhang, Y. M. (2016). Species clarification of the widely cultivated *Ganoderma* in China based on rDNA and FIP gene sequence analysis. *International Journal of Agriculture and Biology*, 18(5), 932–938. <https://doi.org/10.17957/IJAB/15.0189>
- Zhu, Y., Zong, Y., Liang, W., Kong, R., Gong, D., Han, Y., Li, Y., Bi, Y., & Prusky, D. (2022). Sorbitol immersion accelerates the deposition of suberin polyphenolic and lignin at wounds of potato tubers by activating phenylpropanoid metabolism. *Scientia Horticulturae*, 297(February), 110971. <https://doi.org/10.1016/j.scienta.2022.110971>
- Zulkifli, Y., Alitheen, N. B., Son, R., Raha, A. R., Samuel, L., Yeap, S. K., & Nishibuchi, M. (2009). Random amplified polymorphic DNA-PCR and ERIC PCR analysis on *Vibrio parahaemolyticus* isolated from cockles in Padang, Indonesia. *International Food Research Journal*, 16(2), 141–150.