UNIVERSITAS
GADJAH MADA
**Studi Ketahanan Tanaman Tomat (S. pennellii, S. lycopersicum 'Moneymaker' dan 'Bonny Best') terhadap
Kutu Kebul (Bemisia tabaci): Pendekatan Morfologis, Enzimatis, dan Metabolomik**
Aisyah Nur Azizah, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Ahmad Suparmin, S.P., M.AgrSc., Ph.D.; Boy Valenza Dami
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Amalia, I. S., Natawigena, W. D., Sianipar, M. S., dan Bari, I. N. (2023). Identifikasi kutukebul dan pembuatan kunci identifikasi dalam bentuk portable document format (PDF). Gunung Djati Conference Series, 18, 65-78.

Amza, R. L. (2011). *Respon ketahanan kultur pisang kepok (Musa balbisiana) terhadap inokulasi Fusarium oxysporum f. sp Cubense* [Skripsi]. Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Andalas.

Astaneh, R. K., Bolandnazar, S., Nahandi, F. Z., dan Oustan, S. (2018). Effect of selenium application on phenylalanine ammonia-lyase (PAL) activity, phenol leakage and total phenolic content in garlic (Allium sativum L.) under NaCl stress. *Information Processing in Agriculture*, *5*(3), 339–344.

Astuti, M. E., dan Achmar, T. (2022). Pemanfaatan buah tomat selain sebagai konsumsi rumah tangga dalam kehidupan sehari-hari. *Journal of Hulonthalo Service Society (JHSS)*, *1*(1), 16–22.

Badan Pusat Statistik. (2026). https://www.bps.go.id. Diakses pada tanggal 1 Juli 2026.

Barros, J., dan Dixon, R. A. (2020). Plant phenylalanine/tyrosine ammonia-lyases. *Trends in Plant Science*, *25*(1), 66–79.

Baskin, J. M., & Baskin, C. C. (2003). A classification system for seed dormancy. *Seed Science Research*, 14(1), 1–16.

Bass, C., Denholm, I., Williamson, M. S., dan Nauen, R. (2015). The global status of insect resistance to neonicotinoid insecticides. *Pesticide Biochemistry and Physiology*, *121*, 78–87.

Bergau, N., *et al*. (2015). The development of type VI *glandular* trichomes in the cultivated tomato *Solanum lycopersicum* and a related wild species *S. habrochaites*. *BMC Plant Biology*, 15, 289.

Bernadus, T., dan Wahyu, W. (2002). *Bertanam Tomat*. Agromedia Pustaka.

Bewley, J. D. (1997). Seed germination and dormancy. *The Plant Cell*, 9(7), 1055–1066.

Britannica. (2026). Encyclopaedia Tomato: Description, cultivation, & history. Diakses 12 Juli 2026, dari https://www.britannica.com/plant/tomato

Broglie, R. (1993). Plant defense against pathogens. Annual Review of Plant Physiology and Plant Molecular Biology, 44, 287–310.

UNIVERSITAS
GADJAH MADA
**Studi Ketahanan Tanaman Tomat (S. pennellii, S. lycopersicum 'Moneymaker' dan 'Bonny Best') terhadap
Kutu Kebul (Bemisia tabaci): Pendekatan Morfologis, Enzimatis, dan Metabolomik**
Aisyah Nur Azizah, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Ahmad Suparmin, S.P., M.AgrSc., Ph.D.; Boy Valenza Dami
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Byrne, D. N., & Bellows, T. S., Jr. (1991). *Whitefly biology*. Annual Review of Entomology, 36, 431–457.

Byrne, D. N., dan Miller, W. B. (1990). Carbohydrate and amino acid composition of phloem sap and honeydew produced by *Bemisia tabaci*. *Journal of Insect Physiology*, *36*(6), 433–439.

Chetelat, R. T. (2023). *Seed Germination Recommendations*. Tomato Genetics Resource Center (TGRC), University of California, Davis. Diakses dari

Coatsworth, P., Gonzalez-Macia, L., Collins, A. S. P., *et al*. (2023). Continuous monitoring of chemical signals in plants under stress. *Nature Reviews Chemistry*, *7*(1), 7–25.

Dariva, F. D., Copati, M. G. F., Pessoa, H. P., Alves, F. M., Dias, F. O., Picoli, E. A. T., da Cunha, F. F., & Nick, C. (2020). Evaluation of anatomical and physiological traits of *Solanum pennellii* Cor. associated with plant yield in tomato plants under water-limited conditions. *Scientific Reports*, *10*, 16052.

De Barro, P. J., dan Ahmed, M. Z. (2011). Genetic networking of the *Bemisia tabaci* cryptic species complex reveals pattern of biological invasions. *PLoS ONE*, 6(10), e25579.

Dewi, V. P., Hindun, I., dan Wahyuni, S. (2015). Studi Trikoma Daun Pada Famili Solanaceae Sebagai Sumber Belajar Biologi. *Jurnal Pendidikan Biologi Indonesia*, *1*(2), 209–218.

Dixon, R.A., Achnine, L., Kota, P., Liu, C.-J., Reddy, M.S.S. and Wang, L. (2002), The phenylpropanoid pathway and plant defence—a genomics perspective. Molecular Plant Pathology, 3: 371-390

Dudareva, N., Negre, F., Nagegowda, D. A., dan Orlova, I. (2006). Plant volatiles: Recent advances and future perspectives. *Critical Reviews in Plant Sciences*, 25, 417–440.

Egea, I., Albaladejo, I., Meco, V., Morales, B., Sevilla, A., Bolarín, M. C., & Flores, F. B. (2018). The drought-tolerant *Solanum pennellii* regulates leaf water loss and induces genes involved in amino acid and ethylene/jasmonate metabolism under dehydration. *Scientific Reports, 8*, 2791.

Escobar-Bravo, R., Alba, J. M., Pons, C., Granell, A., Kant, M. R., Moriones, E., & Fernández-Muñoz, R. (2016). A jasmonate-inducible defense trait transferred from wild into cultivated tomato establishes increased whitefly resistance and reduced viral disease incidence. *Frontiers in Plant Science, 7*, 1732.

UNIVERSITAS
GADJAH MADA
**Studi Ketahanan Tanaman Tomat (S. pennellii, S. lycopersicum 'Moneymaker' dan 'Bonny Best') terhadap
Kutu Kebul (Bemisia tabaci): Pendekatan Morfologis, Enzimatis, dan Metabolomik**
Aisyah Nur Azizah, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Ahmad Suparmin, S.P., M.AgrSc., Ph.D.; Boy Valenza Dami
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Esquivel-Fariña, A., Rezende, J. A. M., Wintermantel, W. M., Hladky, L. J., dan Bampi, D. (2021). Natural Infection Rate of Known Tomato chlorosis virus-Susceptible Hosts and the Influence of the Host Plant on the Virus Relationship With *Bemisia tabaci* MEAM1. *Plant Disease*, *105*(5), 1390–1397.

Fan, P., Leong, B. J., dan Last, R. L. (2019). Tip of the trichome: evolution of acylsugar metabolic diversity in Solanaceae. *Current Opinion in Plant Biology*, 49, 8–16.

Feng, H., Acosta-Gamboa, L., Kruse, L. H., *et al*. (2021). *Acylsugars* protect *Nicotiana benthamiana* against insect herbivory and desiccation. *Plant Molecular Biology*, *107*(4-5), 427–440.

Fernández de Bobadilla, M., Vitiello, A., Erb, M., dan Poelman, E. H. (2022). Plant defense strategies against attack by multiple herbivores. *Trends in Plant Science*, *27*(6), 528–535.

Fiesel, P. D., Kerwin, R. E., Jones, A. D., dan Last, R. L. (2024). Trading acyls and swapping sugars: Metabolic innovations in *Solanum* trichomes. *Plant Physiology*, *194*(1), 657–674.

Firdaus, S., *et al*. (2012). Terpenoid compounds in Solanum and their role in herbivore resistance. Industrial Crops and Products, 40, 355–363.

Firdaus, S., van Heusden, A. W., Hidayati, N., Supena, E. D. J., Visser, R. G. F., & Vosman, B. (2013). Identification and QTL mapping of whitefly resistance components in *Solanum galapagense*. *Theoretical and Applied Genetics, 126*(6), 1487–1501.

Ghosh, S., Didi-Cohen, S., Cna'ani, A., Kontsedalov, S., Lebedev, G., Tzin, V., dan Ghanim, M. (2022). Comparative Analysis of Volatiles Emitted from Tomato and Pepper Plants in Response to Infection by Two Whitefly-Transmitted Persistent Viruses. *Insects*, *13*(9), 840.

Gilding, E. K., Jami, S., Deuis, J. R., dan Israel, M. R. (2020). Neurotoxic peptides from the venom of the giant Australian stinging tree. *Science Advances*, *6*(38), 1–9.

Glas, J. J., Schimmel, B. C., Alba, J. M., Escobar-Bravo, R., Schuurink, R. C., & Kant, M. R. (2012). Plant *glandular* trichomes as targets for breeding or engineering resistance to herbivores. *International Journal of Molecular Sciences*, 13(12), 17077–17103.

Gonzales, W.L. (2011). Biochemical mechanisms of phenolic defense in plants. Phytochemistry Reviews, 10(3), 451–469.

UNIVERSITAS
GADJAH MADA
**Studi Ketahanan Tanaman Tomat (S. pennellii, S. lycopersicum 'Moneymaker' dan 'Bonny Best') terhadap
Kutu Kebul (Bemisia tabaci): Pendekatan Morfologis, Enzimatis, dan Metabolomik**
Aisyah Nur Azizah, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Ahmad Suparmin, S.P., M.AgrSc., Ph.D.; Boy Valenza Dami
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

González, R. R., Elwakiel, M., Leiss, K., dan Verpoorte, R. (2011). Effect of chlorogenic acid on thrips performance in artificial diet bioassays.

Guan, J., Liu, J., Gou, J., Xu, Z., Zhou, Y., dan Zou, X. (2025). Endophytic colonization via *Cordyceps cateniannulata* induces a growth-enhancing effect and increases the resistance of tomato plants against *Tetranychus urticae* (Koch). *Crop Protection*, *193*, 107182.

Henzler, I., & Khazaei, H. (2024). Leaf trichome diversity, acylsugar concentration, and their relationships to leaf area in *Solanum galapagense*. *Genetic Resources, 5*(9), 1–12.

Herms, D. A., & Mattson, W. J. (1992). The dilemma of plants: To grow or defend. *The Quarterly Review of Biology, 67*(3), 283–335.

Hidayat, P., Noor Aidawati, S H. Hidayat, Dewi Sartiami. 2008. Tanaman indikator dan teknik RAPD-PCR untuk penentuan biotipe *Bemisia tabaci* Gennadius (Hemiptera: Aleyrodidae). J. HPT Tropika 8(1): 1-7.

Hildebrandt, T.M., *et al*. (2015). Amino acid catabolism in plants. *Molecular Plant*, 8(11), 1563–1579.

Horowitz, A. R., Ghanim, M., Roditakis, E., Nauen, R., dan Ishaaya, I. (2020). Insecticide Resistance and its Management in *Bemisia tabaci* Species. *Journal of Pest Science*, *93*(4), 893–910.

Jaiswal, A. K., Mengiste, T. D., Myers, J. R., Egel, D. S., & Hoagland, L. A. (2020). Tomato domestication attenuated responsiveness to a beneficial soil microbe for plant growth promotion and induction of systemic resistance to foliar pathogens. *Frontiers in Microbiology, 11*, 604566.

Kandito, A. (2017). Keragaman biotipe *Bemisia tabaci* pada beberapa jenis tumbuhan inang di daerah endemik Begomovirus [Skripsi]. Fakultas Pertanian Universitas Gadjah Mada.

Katz, E., Lagunes, P. M., Riov, J., Weiss, D., dan Ecker, J. R. (2006). Molecular and physiological aspects of ethylene production in plants.

Kempema, L. A., Cui, X., Holzer, F. M., & Walling, L. L. (2007). Arabidopsis transcriptome changes in response to phloem-feeding silverleaf whitefly nymphs. Similarities and distinctions in responses to aphids. *Plant Physiology, 143*(2), 849–865.

Kim, H. K., Choi, Y. H., dan Verpoorte, R. (2022). Studying metabolism by NMR-based metabolomics. *Frontiers in Molecular Biosciences*, 9, 882487.

UNIVERSITAS
GADJAH MADA
**Studi Ketahanan Tanaman Tomat (S. pennellii, S. lycopersicum 'Moneymaker' dan 'Bonny Best') terhadap
Kutu Kebul (Bemisia tabaci): Pendekatan Morfologis, Enzimatis, dan Metabolomik**
Aisyah Nur Azizah, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Ahmad Suparmin, S.P., M.AgrSc., Ph.D.; Boy Valenza Dami
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Korenblum, E., Dong, Y., Szymanski, J., *et al*. (2020). Rhizosphere microbiome mediates systemic root metabolite exudation by root-to-root signaling. *Proceedings of the National Academy of Sciences of the United States of America*, *117*(37), 23184–23194.

Kumaraswamy, S., Yogendra, K., Sotelo-Cardona, P., *et al.* (2025). Non-targeted metabolomics reveals fatty acid and associated pathways driving resistance to whitefly and tomato leafminer in wild tomato accessions. Scientific Reports, 15, [nomor artikel]. https://doi.org/10.1038/s41598-025-86191-9

Lawson, D. M., Lunde, C. F., & Mutschler, M. A. (1997). Marker-assisted transfer of acylsugar-mediated pest resistance from the wild tomato, *Lycopersicon pennellii*, to the cultivated tomato, *Lycopersicon esculentum*. *Molecular Breeding*, 3(4), 307–317.

Leckie, B. M., D'Ambrosio, D. A., Chappell, T. M., Halitschke, R., De Jong, D. M., Kessler, A., Kennedy, G. G., & Mutschler, M. A. (2016). Differential and synergistic functionality of *acylsugars* in suppressing oviposition by insect herbivores. *PLOS ONE*, 11(4), e0153345.

Li Y, Li S, Du R, Wang J, Li H, Xie D and Yan J (2021) Isoleucine Enhances Plant Resistance Against Botrytis cinerea via Jasmonate Signaling Pathway. Front. Plant Sci. 12:628328.

Li, D., Li, H. Y., Zhang, J. R., Wu, Y. J., Zhao, S. X., Liu, S. S., dan Pan, L. L. (2023). Plant resistance against whitefly and its engineering. *Frontiers in plant science*, *14*, 1232735.

Li, Y., Luo, Z. Q., Yuan, J., Wang, S., Liu, J., Su, P., Zhou, J. H., Li, X., Yang, J., dan Guo, L. P. (2022). Metabolic and Transcriptional Stress Memory in *Sorbus pohuashanensis* Suspension Cells Induced by Yeast Extract. *Cells*, *11*(23), 3838.

Lin, D., Xu, Y., Wu, H., Liu, X., Zhang, L., Wang, J., dan Rao, Q. (2019). Plant Defense Responses Induced by Two Herbivores and Consequences Liu Whitefly *Bemisia tabaci*. *Frontiers in Physiology*, *10*, 346.

Lin, S. Y. H., Trumble, J. T., dan Kumamoto, J. (1987). Activity of volatile compounds in *glandular* trichomes of *Lycopersicon* species against 2 Insect herbivores. *Journal of Chemical Ecology*, *13*(4), 837–850.

Liu, H., Wang, X., Ma, Y., Gao, W., dan Ma, C. (2024). Alfalfa leaf weevil larvae and adults feeding induces physiological change in defensive enzymes of alfalfa. *PLoS ONE*, *19*(11), e0312612.

UNIVERSITAS
GADJAH MADA
**Studi Ketahanan Tanaman Tomat (S. pennellii, S. lycopersicum 'Moneymaker' dan 'Bonny Best') terhadap
Kutu Kebul (Bemisia tabaci): Pendekatan Morfologis, Enzimatis, dan Metabolomik**
Aisyah Nur Azizah, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Ahmad Suparmin, S.P., M.AgrSc., Ph.D.; Boy Valenza Dami
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Liu, S., Jiang, J., Ma, Z., Xiao, M., Yang, L., Tian, B., Yu, Y., Bi, C., Fang, A., dan Yang, Y. (2022). The Role of Hydroxycinnamic Acid Amide Pathway in Plant Immunity. *Frontiers in plant science*, *13*, 922119.

Luckwill, L. C. (1943). *The Genus Lycopersicon: An Historical, Biological and Taxonomic Survey of the Wild and Cultivated Tomatoes.* Aberdeen University Press, Aberdeen.

Luu, V. T., Weinhold, A., Ullah, C., *et al*. (2017). O-Acyl sugars protect a wild tobacco from both native fungal pathogens and a specialist herbivore. *Plant Physiology*, *174*(4), 2405–2420.

MacLeod, N., Canty, R. J., dan Polaszek, A. (2022). Morphology-Based Identification of *Bemisia tabaci* Cryptic Species Puparia via Embedded Group-Contrast Convolution Neural Network Analysis. *Systematic Biology*, *71*(5), 1095–1109.

Maffei, M.E., Mithöfer, A., dan Boland, W. (2007). Before gene expression: Early events in plant-insect interaction. Trends in Plant Science, 12(7), 310–316.

Mandal, S., Ji, W., & McKnight, T. D. (2019). Candidate gene networks for acylsugar metabolism and plant defense in wild tomato *Solanum pennellii*. *The Plant Cell, 32*(1), 81–99.

Matioli, T. F., Mariana, R. S., Juliano, B. P., Geovanny, B., Julia, G. A. V., dan Pedro, T. Y. (2021). Risk Assessment of Insecticides Used in Tomato to Control Whitefly on the Predator *Macrolophus basicornis* (Hemiptera: Miridae). *Insects*, *12*(12), 1092.

McCollum, T., Stoffella, P., Powell, C., Cantliffe, D., dan HanifKhan. (2004). Effects of silverleaf whitefly feeding on tomato fruit ripening. *Postharvest Biology and Technology*, *31*(2), 183–190.

Mirnezhad, M., Romero-González, R. R., Leiss, K. A., Choi, Y. H., Verpoorte, R., & Klinkhamer, P. G. L. (2010). Metabolomic analysis of host plant resistance to thrips in wild and cultivated tomatoes. *Phytochemical Analysis*, 21(1), 110–117.

Mithöfer, A., dan Boland, W. (2012). Plant defense against herbivores: Chemical aspects. *Annual Review of Plant Biology*, 63, 431–450.

Moodley, V., Gubba, A., dan Mafongoya, P. (2019). A survey of whitefly-transmitted viruses on tomato crops in South Africa. *Crop Protection*, *123*, 127–133.

Morales, F. J. (2007). Tropical whitefly IPM project. *Advances in Virus Research*, *69*, 249–311.

UNIVERSITAS
GADJAH MADA
**Studi Ketahanan Tanaman Tomat (S. pennellii, S. lycopersicum 'Moneymaker' dan 'Bonny Best') terhadap
Kutu Kebul (Bemisia tabaci): Pendekatan Morfologis, Enzimatis, dan Metabolomik**
Aisyah Nur Azizah, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Ahmad Suparmin, S.P., M.AgrSc., Ph.D.; Boy Valenza Dami
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Murti, R. H., Afifah, E. N., & Nuringtyas, T. R. (2021). Metabolomic Response of Tomatoes (*Solanum lycopersicum* L.) against Bacterial Wilt (*Ralstonia solanacearum*) Using ^{1}H-NMR Spectroscopy. *Plants*, *10*(6), 1143.

Nuringtyas, T. R. (2013). *Pyrrolizidine alkaloid variation in Jacobaea plants: from plant organ to cell level* [Disertasi]. Leiden University.

Nurohmah, A. (2021). *Perbandingan karakteristik struktur trikoma daun muda dan daun dewasa pada tumbuhan kemadu (Dendrocnide stimulans (L.f.) Chew)* [Skripsi]. Fakultas Sains dan Teknologi, Universitas Islam Negeri Walisongo.

Oliveira, M. R. V., Henneberry, T. J., dan Anderson, P. (2001). History, current status, and collaborative research project for *Bemisia tabaci*. *Journal of Crop Protection*, *20*(9), 709–723.

Pandey, S., Telang, A., & Mishra, R. (2023). Acylsugar tomato lines suppress whiteflies and *Amblyseius swirskii* establishment. *Entomologia Experimentalis et Applicata*, *171*(7), 545–557.

Pattanaphol, W., *et al*. (2020). Replacing critical point drying with a low-cost chemical drying provides comparable surface image quality of *glandular* trichomes. *Applied Microscopy*, 50, 13.

Penalver-Cruz, A., Garzo, E., Prieto-Ruiz, I., Díaz-Carro, M., Winters, A., Moreno, A., dan Fereres, A. (2020). Feeding behavior, life history, and virus transmission ability of *Bemisia tabaci* Mediterranean species (Hemiptera: Aleyrodidae) under elevated CO2. *Insect Science*, *27*(3), 558–570.

Peralta, I. E., Spooner, D. M., & Knapp, S. (2008). Taxonomy of wild tomatoes and their relatives (*Solanum* sect. *Lycopersicoides*, sect. *Juglandifolia*, sect. *Lycopersicon*; Solanaceae). *Systematic Botany Monographs*, 84, 1–186.

Popowski, J., Lucas Warma, Alicia Abarca Cifuentes, Petra Bleeker, dan Maziyar Jalaal. (2024). *Glandular Trichome Rupture in Tomato Plants is an Ultra-Fast dan Sensitive Defense Mechanism Against Insects* [Preprint]. bioRxiv.

Purwoko, R. R. 2015. Keragaman Begomovirus yang berasosiasi dengan *Bemisia tabaci* (Gennadius) (Hemiptera : Aleyrodidae) di Jawa [Tesis]. Fakultas Pertanian, Universitas Gadjah Mada.

Puthoff, D. P., Holzer, F. M., Perring, T. M., dan Walling, L. L. (2010). Tomato pathogenesis-related protein genes are expressed in response to Trialeurodes vaporariorum and *Bemisia tabaci* biotype B feeding. Journal of Chemical Ecology, 36(11), 1271–1285.

UNIVERSITAS
GADJAH MADA
**Studi Ketahanan Tanaman Tomat (S. pennellii, S. lycopersicum 'Moneymaker' dan 'Bonny Best') terhadap
Kutu Kebul (Bemisia tabaci): Pendekatan Morfologis, Enzimatis, dan Metabolomik**
Aisyah Nur Azizah, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Ahmad Suparmin, S.P., M.AgrSc., Ph.D.; Boy Valenza Dami
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Rahayuwati, S., Hidayat, P., dan Hidayat, S. H. (2020). Variasi morfologi puparium *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae) pada berbagai inang dan ketinggian tempat dari daerah endemik penyakit kuning cabai di Wilayah Sundaland. *Jurnal Entomologi Indonesia*, 17(2), 61–69.

Ramaroson, M. L., Koutouan, C., Helesbeux, J. J., Le Clerc, V., Hamama, L., Geoffriau, E., dan Briard, M. (2022). Role of Phenylpropanoids and Flavonoids in Plant Resistance to Pests and Diseases. *Molecules*, *27*(23), 8371.

Rodríguez-López, M. J., Garzo, E., Bonani, J. P., Fernández-Muñoz, R., Moriones, E., & Fereres, A. (2012). Acylsucrose-producing tomato plants forces Bemisia tabaci to shift its preferred settling and feeding site. *PloS one*, *7*(3), e33064. https://doi.org/10.1371/journal.pone.0033064

Rodríguez-López, M. J., Moriones, E., & Fernández-Muñoz, R. (2020). An acylsucrose-producing tomato line derived from the wild species *Solanum pimpinellifolium* decreases fitness of the whitefly *Trialeurodes vaporariorum*. *Insects, 11*(9), 616.

Rutz, T., Pizzo, J. S., Jacobson, A. L., Majundar, A., Sikora, E. J., Coolong, T., *et al*. (2024). Physical and chemical characterization of wild tomato *Solanum habrochaites* accessions for resistance to the sweetpotato whitefly. *Scientia Horticulturae*, *338*, 113687.

Safitri, B., Putri, S. U., Febria, D., dan Darma, W. A. (2024). Intensitas Serangan Kutu Kebul pada Tanaman Tomat dengan pemberian Pestisida Nabati Berbahan Dasar Daun Tembakau : Intensity of Whiteflies Attacks on Tomato with The Application of Tobacco-Based Botanical Pesticides. *Gontor Agrotech Science Journal*, *10*(2), 165–172.

Sani, I., Ismail, S. I., Abdullah, S., Jalinas, J., Jamian, S., & Saad, N. (2020). A Review of the Biology and Control of Whitefly, *Bemisia tabaci* (Hemiptera: Aleyrodidae), with Special Reference to Biological Control Using Entomopathogenic Fungi. *Insects*, *11*(9), 619. https://doi.org/10.3390/insects11090619

Saranga, A. P. (1985). Pengaruh varietas dan umur kedelai terhadap pola perilaku dan pertumbuhan populasi *Bemisia tabaci* Genn. (Homoptera: Aleyrodidae) [Tesis]. Bogor: Program Pascasarjana Institut Pertanian Bogor.

Schilmiller, A. L., Last, R. L., & Pichersky, E. (2010). Harnessing plant trichome biochemistry for the production of useful compounds. *The Plant Journal, 54*(4), 702–711.

SDBSWeb: https://sdbs.db.aist.go.jp (National Institute of Advanced Industrial Science and Technology, accessed 2025)

UNIVERSITAS
GADJAH MADA
**Studi Ketahanan Tanaman Tomat (S. pennellii, S. lycopersicum 'Moneymaker' dan 'Bonny Best') terhadap
Kutu Kebul (Bemisia tabaci): Pendekatan Morfologis, Enzimatis, dan Metabolomik**
Aisyah Nur Azizah, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Ahmad Suparmin, S.P., M.AgrSc., Ph.D.; Boy Valenza Dami
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Seal, D. R., Sabines, J. M., Bautista-Vargas, M., Morales-Rodriguez, A., Colvin, M., dan Mossler, M. A. (2021). *Bemisia tabaci* on vegetables in the Southern United States: Incidence, impact, and management. *Insects*, 12(3), 220.

Soostani, S. B., Ranjbar, M., Memarian, A., Mohammadi, M., dan Yaghini, Z. (2025). Investigating the effect of chitosan on the expression of P5CS, PIP, and PAL genes in rapeseed (*Brassica napus* L.) under salt stress. *BMC Plant Biology*, *25*(1), 215.

Soputan, J., Pangli, M., dan Tinggogoy, D. D. D. (2021). Pengaruh Berbagai Konsentrasi Ekstrak Lengkuas (*Alpinia Galangal* L) untuk Mengendalikan Serangan Hama Kutu Kebul (*Bemisia tabaci* Genn) pada Tanaman Cabai (*Capsicum Annum*). *Jurnal Agropet*, *18*(2), 48–57.

Sulandari, S., Suseno, R., Hidayat, S. H., Harjosudarmo, J., dan Sosromarsono, S. (2006). Deteksi dan kajian kisaran inang virus penyebab penyakit daun keriting kuning cabai. *HAYATI Journal of Biosciences*, *13*(1), 1–6.

Swamy, K. R. M. (2023). Origin, distribution, taxonomy, botanical description, genetic diversity and breeding of tomato (*Solanum lycopersicum* L.). *International Journal of Development Research*, 13(4), 62364–62387.

Talebi, S. M., dan Shayestehfar, A. R. (2014). Infraspecific trichomes variations in *Acinos graveolens* (M.B.) Link. *Annals of Biological Sciences*, *2*(2), 51–57.

Treutter D. (2005). Significance of flavonoids in plant resistance and enhancement of their biosynthesis. *Plant biology (Stuttgart, Germany)*, *7*(6), 581–591.

van den Oever-van den Elsen, F., Lucatti, A. F., van Heusden, S., Broekgaarden, C., Mumm, R., Dicke, M., & Vosman, B. (2016). Quantitative resistance against *Bemisia tabaci* in Solanum pennellii: Genetics and metabolomics. Journal of Integrative Plant Biology, 58(4), 397–412.

Vendemiatti, E., Nowack, L., Peres, L. E. P., *et al*. (2024). Sticky business: The intricacies of acylsugar biosynthesis in the Solanaceae. *Phytochemistry Reviews*. Advance online publication.

Visschers, I. G. S., Peters, J. L., van de Vondervoort, J. A. H., Hoogveld, R. H. M., dan van Dam, N. M. (2019). Thrips resistance screening is coming of age: Leaf position and ontogeny are important determinants of leaf-based resistance in pepper. *Frontiers in Plant Science*, *10*, 510.

Vosman, B., Kashaninia, A., van't Westende, W., Meijer-Dekens, F., van Eekelen, H., Visser, R. G. F., de Vos, R. C. H., & Voorrips, R. E. (2019). QTL mapping of insect resistance components of *Solanum galapagense*. *Theoretical and Applied Genetics, 132*(2), 531–541.

UNIVERSITAS
GADJAH MADA
**Studi Ketahanan Tanaman Tomat (S. pennellii, S. lycopersicum 'Moneymaker' dan 'Bonny Best') terhadap
Kutu Kebul (Bemisia tabaci): Pendekatan Morfologis, Enzimatis, dan Metabolomik**
Aisyah Nur Azizah, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Ahmad Suparmin, S.P., M.AgrSc., Ph.D.; Boy Valenza Dami
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wagner, G. J., Wang, E., & Shepherd, R. W. (2004). New approaches for studying and exploiting an old protuberance, the plant trichome. *Annals of Botany*, 93(1), 3–11.

Wang, L., Tan, D., Zhong, X., Jia, M., Ke, X., Zhang, Y., *et al*. (2024). Review on toxicology and activity of tomato glycoalkaloids in immature tomatoes. *Food Chemistry*, *447*, 138937.

Wang, Y., Li, C., Huang, J., Zeng, Q., Li, L., Yang, P., Wang, P., Chu, M., Luo, J., Ren, F., dan Zhang, H. (2025). Untargeted Metabolomics Reveals Key Differences Between Yak, Buffalo, and Cow Colostrum Based on UHPLC-ESI-MS/MS. Foods, 14(2), 232.

War, A. R., Gaurav, T., Barkat, H., Sachdeva, T. M., Ramakrishnan, N., dan Sharma, H. C. (2018). Plant defence against herbivory and insect adaptations. *AoB PLANTS*, *10*(4).

War, A. R., Paulraj, M. G., Ahmad, T., *et al*. (2012). Mechanisms of plant defense against insect herbivores. *Plant Signaling dan Behavior*, 7(10), 1306–1320.

Wardana, W., Ode, D. P., dan Muzua. (2021). Pengenalan dan pengendalian Hama Penyakit Tanaman pada Tomat dan Semangka di Desa Sribatara Kecamatan Lasalimu Kabupaten Buton. *Membangun Negeri*, *5*(2), 464–476.

Wasternack, C., dan Feussner, I. (2018). The oxylipin pathways: Biochemistry and function. *Annual Review of Plant Biology*, 69, 363–386.

Watts, S., Kaur, S., dan Kariyat, R. (2023). Revisiting plant defense-fitness trade-off hypotheses using *Solanum* as a model genus. *Frontiers in Ecology and Evolution*, *10*, 1094961.

Weinhold, A., dan Baldwin, I.T. (2011). Trichome-derived O-acyl sugars are a first meal for caterpillars that tags them for predation. *PNAS*, 108(19), 7855–7859.

Wester, P., *et al*. (2013). Methanol fixation of plant tissue for scanning electron microscopy improves preservation of tissue morphology and dimensions. *Plant Methods*, 9, 36.

Windarsih, A., Riswanto, F. D. O., Bakar, N. K. A., Yuliana, N. D., Dachriyanus, dan Rohman, A. (2022). Detection of pork in beef meatballs using LC-HRMS based untargeted metabolomics and chemometrics for halal authentication. *Molecules*, 27(23), 8325.

World Flora Online (WFO). (2026). *Solanum pennellii* Correll. Diakses 12 Juli 2026, dari http://www.worldfloraonline.org/taxon/wfo-0001030300

UNIVERSITAS
GADJAH MADA
**Studi Ketahanan Tanaman Tomat (S. pennellii, S. lycopersicum 'Moneymaker' dan 'Bonny Best') terhadap
Kutu Kebul (Bemisia tabaci): Pendekatan Morfologis, Enzimatis, dan Metabolomik**
Aisyah Nur Azizah, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Ahmad Suparmin, S.P., M.AgrSc., Ph.D.; Boy Valenza Dami
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Xu, H.-X., Qian, L.-X., Wang, X.-W., Shao, R.-X., Hong, Y., Liu, S.-S., & Wang, X.-W. (2019). A salivary effector enables whitefly to feed on host plants by eliciting salicylic acid-signaling pathway. *Proceedings of the National Academy of Sciences, 116*(2), 490–495.

Xu, J., Van Herwijnen, Z. O., Dräger, D. B., Sui, C., Haring, M. A., dan Schuurink, R. C. (2019). SlMYC1 Regulates Type VI *Glandular* Trichome Formation and Terpene Biosynthesis in Tomato *Glandular* Cells. *The Plant Cell*, *30*(12), 2988–3005.

Xu, R., Gao, H., Wang, S., Ye, H., Li, J., Wu, C., *et al*. (2024). Volatile organic compounds accumulation and *Bemisia tabaci* resistance in tomato leaves treated with different caryophyllene concentrations. *Scientia Horticulturae*, *334*, 113262.

Yang, F., Shen, H., Huang, T., Yao, Q., Hu, J., Tang, J., Zhang, R., Tong, H., Wu, Q., Zhang, Y., dan Su, Q. (2023). Flavonoid production in tomato mediates both direct and indirect plant defences against whiteflies in tritrophic interactions. *Pest Management Science*, *79*(11), 4644–4654.

Yoshikawa, M., Luo, W., Tanaka, G., Konishi, Y., Matsuura, H., dan Takahashi, K. (2018). Wounding stress induces phenylalanine ammonia lyases, leading to the accumulation of phenylpropanoids in the model liverwort *marchantia polymorpha*. *Phytochemistry*, *155*, 30–36.

Yuliani, Hidayat, P., & Sartiami, D. (2006). Identifikasi kutukebul (Hemiptera: Aleyrodidae) dari beberapa tanaman inang dan perkembangan populasinya. *Jurnal Entomologi Indonesia*, *3*(1), 41–49.

Yusuf, A. A. (2024). Pertumbuhan dan Hasil Tomat (*Solanum Lycopersicum* L.) dengan Pemberian Berbagai Dosis Pelet Kompos. UIN Suska Riau.

Zabel, S., Brandt, W., Porzel, A., Athmer, B., Bennewitz, S., Schäfer, P., Kortbeek, R., Bleeker, P., dan Tissier, A. (2021). A single cytochrome P450 oxidase from *Solanum habrochaites* sequentially oxidizes 7-epi-zingiberene to derivatives toxic to whiteflies and various microorganisms. *The Plant Journal*, *105*(5), 1309–1325.

Zarate, S. I., Kempema, L. A., dan Walling, L. L. (2007). Silverleaf whitefly induces salicylic acid defenses and suppresses effectual jasmonic acid defenses. *Plant Physiology*, 143(2), 866–875.

Zeist, A., Silva, A., Resende, J., Maluf, W., Gabriel, A., Zanin, D., dan Guerra, E. (2018). Tomato Breeding for Insect-Pest Resistance. In *Tomato Breeding* (pp. 171–194). IntechOpen.

UNIVERSITAS
GADJAH MADA
**Studi Ketahanan Tanaman Tomat (S. pennellii, S. lycopersicum 'Moneymaker' dan 'Bonny Best') terhadap
Kutu Kebul (Bemisia tabaci): Pendekatan Morfologis, Enzimatis, dan Metabolomik**
Aisyah Nur Azizah, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.; Ahmad Suparmin, S.P., M.AgrSc., Ph.D.; Boy Valenza Dami
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhang, Peng-Jun dan Li, Wei-Di dan Huang, Fang dan Zhang, Jin-Ming dan Xu, Fang-Cheng dan Lu, Yaobin. (2013). Feeding by Whiteflies Suppresses Downstream Jasmonic Acid Signaling by Eliciting Salicylic Acid Signaling. Journal of chemical ecology. 39.

Zhou, F., & Pichersky, E. (2020). More is better: the diversity of terpene metabolism in plants. *Current opinion in plant biology*, *55*, 1–10. https://doi.org/10.1016/j.pbi.2020.01.005

Zhou, F. C., Wang, Y., Ren, S. X., Zhu, S. D., dan Zhou, Z. H. (2007). [Flight behaviors of *Bemisia tabaci* and corresponding IPM strategies]. *Ying Yong Sheng Tai Xue Bao*, *18*(2), 451–455.