UNIVERSITAS
GADJAH MADA
**Evalusi Efektivitas Penanda Molekuler Sequence-Related AMplified Polymorphism (SRAP) dan Analisis
Keragaman Genetik 32 Aksesi Hoya (Hoya spp.) di Yogyakarta**
Rizkya Nurrohma, Prof. Dr. Ir. Aziz Purwantoro, M.Sc ; Rani Agustina Wulandari, S.P., M.P., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Agarwal, M., N. Shrivastava, andH. Padh. 2008. Advances in molecular marker techniques and their applications in plant sciences. *Plant Cell Rep*. 27: 617–631. https://doi.org/10.1007/s00299-008-0507-z

Allendorf, F. W. 2017. Genetics and the conservation of natural populations: allozymes to genomes. Mol Ecol. 26: 420-430. https://doi.org/10.1111/mec.13948

Aneja, B., N. R. Yadav, R. C. Yadav, and R. Kumar. 2013. Sequence relate amplified polymorphism (SRAP) analysis for genetic diversity and micronutrient content among gene pools in mungbean (*Vigna radiata* (L.) Wilczek). Physiol Mol Biol Plants. 19(3): 399-407.

Baltazar, A. M. and I. J. Buot. 2019. Controversies on *Hoya* R. Br. Taxonomy. The Thailand Natural History Museum Journal, p: 59-68.

Benke, A. P., R. Krishna, V. Mahajan, W.A. Ansari, A. J. Gupta, A. Khar, P. Shelke, A. Thangasamy, T. P. A. Shabeer, and D. C. Manjunathagowda. 2021. Genetic diversity of indian garlic core germplasm using agro-biochemical traits and SRAP marker. Saudi Journal of Biological Sciences. 4833-4844.

Bermuli, J. E., Sulistijorini, & Rahayu, S. (2019). Population structure of *Hoya* spp. (Apocynaceae: Asclepiadoideae) at Bodogol nature conservation education center, Indonesia. BIOTROPIA, 26(2), 82–93. https://doi.org/https://doi.org/10.11598/btb.2019.26.2.881

Bo, W., S. Wang, G. Xing, and Y. Wang. 2025. Genetic diversity analysis of Iris germanica cultivars based on ISSR and SRAP molecular markers. Front. Plant Sci. 16: 1629234. doi: 10.3389/fpls.2025.1629234

Botstein, D., R. L. White, M. Skolnick, and R. W. Davis. 1980. Construction of a genetic linkage map in man using restriction fragment length polymorphisms. American Journal of Human Genetics. 32: 314–331.

Brhane, H. and C. Hammenhag. 2024 Genetic diversity and population structure analysis of a diverse panel of pea (*Pisum sativum*). Front. Genet. 15: 1396888. doi: 10.3389/fgene.2024.1396888

Budak, H., *et al*. 2004. Inter-simple sequence repeats (ISSRs) and SRAP markers for genetic diversity analysis.

Cai, X., Z. Feng, X. Zhang, W. Xu, B. Hou, and X. Ding. 2011. Genetic diversity and population structure of an endangered orchid (*Dendrobium loddingesii* Rolfe) from China revealed by SRAP markers. Scientia Horticulturae. 129: 877-881

Collard, B. C. and D. J. Mackill. 2008. Marker-assisted selection: an approach for precision plant breeding in the twenty-first century. Philosophical transactions

UNIVERSITAS
GADJAH MADA
**Evalusi Efektivitas Penanda Molekuler Sequence-Related AMplified Polymorphism (SRAP) dan Analisis
Keragaman Genetik 32 Aksesi Hoya (Hoya spp.) di Yogyakarta**
Rizkya Nurrohma, Prof. Dr. Ir. Aziz Purwantoro, M.Sc ; Rani Agustina Wulandari, S.P., M.P., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

of the Royal Society B: Biological sciences, 363: 557–572. https://doi.org/10.1098/rstb.2007.2170

Damayanti, I., I.Z. Siregar, and S. Rahayu. 2017. Asosiasi pohon dengan epifit *Hoya* spp. di Taman Nasional Bukit Duabelas. Jurnal Silvikultur Tropika. 8(3): 191-196.

Darmawati, I. A.P., Y. Fitriani, G. Wijaya, W. N. Hanifah, R. Dwiyani, N.L.M.Pradnyawanthi, and F. D. Darmawati. 2026. Genetic diversity and mutant detection of *Dendrobium bicadatum* using SRAP markers. Biodeversitas. 27(2): 1-7

Diallo, S., F. A. Badiane, B. N. Kabkia, *et al*. 2024. Genetic diversity and population structure of cowpea mutant collection using SSR and ISSR molecular markers. Scientific Reports. 14: 31833. https://doi.org/10.1038/s41598-024-83087-y

Excoffier, L., P. E. Smouse, dan J. M. Quattro. 1992. Analysis of molecular variance inferred from metric distances among DNA haplotypes: application to human mitochondrial DNA restriction data. Genetics. 131(2): 479–491. https://doi.org/10.1093/genetics/131.2.479

Fatmawati, Y., A. B. Setiawan, A. Purwantoro, D. W. Respatie, dan C. H. Teo. 2021. Analysis of genetic variability in F2 interspecific hybrids of mung bean (*Vigna radiata*) using inter-retrotransposon amplified polymorphism marker system. Biodiversitas. 22(11): 4880–4889.

Ferriol, M., B. Picó, and F. Nuez. 2003. Genetic diversity of a germplasm collection of *Cucurbita pepo* using SRAP and AFLP markers. Theoretical and Applied Genetics. 107(2): 271–282. https://doi.org/10.1007/s00122-003-1242-z

Frankham, R., J. D. Ballou, D. A. Briscoe, and K. H. McInnes. 2002. Introduction to Conservation Genetics 2nd ed. Cambridge University Press, UK.

Golkar, P. dan N. Mokhtari. 2018. Molecular diversity assessment of a world collection of safflower genotypes by SRAP and SCoT molecular markers. Physiology and Molecular Biology of Plants. 24(6): 1261–1271. https://doi.org/10.1007/s12298-018-0545-0

Hajari, E., D. Nonyane, dan R. Cronje. 2020. Sequence-related amplified polymorphism markers – a tool for litchi breeders in Africa. South African Journal of Science.116(9-10):1-8.

Hancı, F. Pa¸sazade, E. A. 2025. Comparison of Efficiency Parameters of SRAP and ISSR Markers in Revealing Variation in *Allium* Germplasm. Horticulturae, 11, 294. https://doi.org/10.3390/ horticulturae11030294

Hoban, S., *et al*. 2020. Genetic diversity targets and indicators in the CBD post-2020 Global Biodiversity Framework must be improved. Biological Conservation, 248, 108654.

UNIVERSITAS
GADJAH MADA
**Evalusi Efektivitas Penanda Molekuler Sequence-Related AMplified Polymorphism (SRAP) dan Analisis
Keragaman Genetik 32 Aksesi Hoya (Hoya spp.) di Yogyakarta**
Rizkya Nurrohma, Prof. Dr. Ir. Aziz Purwantoro, M.Sc ; Rani Agustina Wulandari, S.P., M.P., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kaewpongumpai, S., S. Poeaim, and O. Vanijajiva. 2016. Sequence-related amplified polymorphism (SRAP) analysis for studying genetic characterization of *Bouea macrophylla*. Biodiversitas Journal of Biological Diversity. 17(2): 539–543.

Kamal, F. A., R. A. Wulandari, E. Syafriani. 2025. Karakterisasi morfologi dan profiil penanda molekuler 17 aksesi Hoya (*Hoya* spp.) di Ngawen, Gunung Kidul, Yogyakarta. Skripsi. Fakultas Pertanian, Universitas Gadjah Mada, Yogyakarta

Kleijn, D., and R. van Donkelaar. 2001. Notes on the taxonomy and ecology of the genus *Hoya* (Asclepiadaceae) in Central Sulawesi. Blumea: Biodiversity, Evolution and Biogeography of Plants. 46(3): 457–483.

Kuang, Y., R. Jia, M. Rodda, J.Zhang, M. Xia, C. Wu, and J. Liao. 2024. Morphological diversity and evolutionary changes of pollinaria in *Hoya* (Maesdenieae: Apocynaceae). Botanical Journal of the Linnean Society. 206: 29-54.

Lamb, A. and M. Rodda. 2016. A Guide to Hoya of Borneo. Natural History Publications, Borneo.

Lewontin, R. C. 1972. The apportionment of human diversity. Evolutionary Biology, 6, 381–398. https://doi.org/10.1007/978-1-4684-9063-3_14

Li, G., and C. F. Quiros. 2001. Sequence-related amplified polymorphism (SRAP), a new marker system based on a simple PCR reaction: its application to mapping and gene tagging in *Brassica*. Theoretical and Applied Genetics. 103(2–3): 455–461.

Liu, B. H. 1998. Statistical Genomics: Linkage, Mapping, and QTL Analysis. CRC Press, USA.

Lorico, C. H., C. C. Almontero, A. G. Lalusin, R. P. Gentalla Jr., and M. L. D. Guevarra. 2024. Cross amplification of SSR markers to selected Philippine native wax plants (*Hoya* R. Br.) species. International Journal of Agricultural Technology. 20(4): 1463–1482.

Lu, J., K. Maimaiti, J. Liu, D. Zhang, D. Tan, J. Wang, and W. Shi. 2026. Assessing genetic structure and diversity using multiple molecular markers to guide conservation management of *Saussurea involucrata* in the Eastern Tianshan Mountains. International Journal of Molecular Sciences. 27(5): 2274. https://doi.org/10.3390/ijms27052274

Meirmans, P.G. (2015), Seven common mistakes in population genetics and how to avoid them. Mol Ecol. 24: 3223-3231. https://doi.org/10.1111/mec.13243

Mondini, L., A. Noorani, and M. A. Pagnotta. 2009. Assessing plant genetic diversity by molecular tools. Diversity. 1: 19–35.

Nei, M. 1973. Analysis of gene diversity in subdivided populations. Proceedings of the National Academy of Sciences of the United States of America, 70(12), 3321–3323. https://doi.org/10.1073/pnas.70.12.3321

UNIVERSITAS
GADJAH MADA
**Evalusi Efektivitas Penanda Molekuler Sequence-Related AMplified Polymorphism (SRAP) dan Analisis
Keragaman Genetik 32 Aksesi Hoya (Hoya spp.) di Yogyakarta**
Rizkya Nurrohma, Prof. Dr. Ir. Aziz Purwantoro, M.Sc ; Rani Agustina Wulandari, S.P., M.P., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Nisa, A. dan E. Ambarwati. 2022. Keragaman morfologi bunga dan buah dua puluh aksesi cabai (*Capsicum* sp.). Vegetalika. 11(4): 280–291.

Nurrohma, R., A. Purwantoro, I. Tahir. 2025. Keragaman 32 aksesi tanaman Hoya (*Hoya* spp.) berdasarkan penanda morfologi dan gugus fungsi senyawa menggunakan spektroskopi FTIR. Skripsi. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta

Odago, W. O., E. N. Waswa, C. Nanjala, E. S. Muntida, V. O. Wangsa, E. M. Mkala, M. A. Oulo, Y. Wang, C. F. Zhang, G. W. Hu, and Q. F. Wang. 2022. Analysis of the complete plastomes of 31 species of *Hoya* group: Insight into their comparative genomics and phylogenetic relationships. Original Research. 12: 814833.

Peakall, R., & Smouse, P. E. 2012. GenAlEx 6.5: Genetic analysis in Excel. Population genetic software for teaching and research—An update. Bioinformatics, 28(19), 2537–2539. https://doi.org/10.1093/bioinformatics/bts460

Poczai, P., I. Varga, M. Laos, A. Cseh, N. Bell, J. P. Valkonen, and J. Hyvönen. 2013. Advances in plant gene-targeted and functional markers: a review. Plant Methods. 9(1): 6. https://doi.org/10.1186/1746-4811-9-6

POWO. Plant of the World Online: KEW Royal Botanical Garden. Diakses pada 2 Juli 2026. https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:60437256-2#source-KBD

Prevost, A. and M. J. Wilkinson. 1999. A new system of comparing PCR primers applied to ISSR fingerprinting of potato cultivars. Theoretical and Applied Genetics. 98: 107–112.

Purwantoro, A., A. B. Setiawan, R. S. Nugraha, S. B. Mujtaba, dan A. H. Setyadi. 2023. Genetic variation and genomic constitution in orchid *Dendrobium* hybrid section Spatulata derived from interspecific hybridization based on sequence-related amplified polymorphism marker. Indonesian Journal of Biotechnology. 28(2): 119–126.

Rahayu, S. 2012. *Hoya* (Apocynaceae: Asclepiadoideae) diversity in Gunung Gede Pangrango National Park, West Java, Indonesia. Reinwardtia. 13(4): 331–339.

Reddy, M.C., K. Indu, C. Bhargavi, M.P. Rajendra, and B.H. Babu. 2022. A review on vegetatif propagation and application in forestry. Journal of Plant Development Sciences. 14(3): 265-272

Rini, D. S., Y. Budiyanti, M. Valentine, and R. Permana. 2023. ISSR dan SRAP for assessing genetic variability of Indonesian local rice genotypes (*Oryza sativa* L.). Crop Breeding and Applied Biotechnology. 23(4): 1-9. http://dx.doi.org/10.1590/1984 70332023v23n4a46

Robarts, A. and A. D. Wolfe. 2014. Sequence-related amplified polymorphism (SRAP) markers: A review. Applications in Plant Sciences. 2(7): 1400017.

UNIVERSITAS
GADJAH MADA
**Evalusi Efektivitas Penanda Molekuler Sequence-Related AMplified Polymorphism (SRAP) dan Analisis
Keragaman Genetik 32 Aksesi Hoya (Hoya spp.) di Yogyakarta**
Rizkya Nurrohma, Prof. Dr. Ir. Aziz Purwantoro, M.Sc ; Rani Agustina Wulandari, S.P., M.P., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Rodda, M. and M. A. Niissalo. 2021. Plastome evolution and organisation in the *Hoya* group (Apocynaceae). Scientific Reports. 11: 14520. https://doi.org/10.1038/s41598-021-93890-6.

Salgotra, R. K., and B.S.Chauhan. 2023. Genetic diversity, consevation, and utilization of plant genetic resources. Genes. 14. 174. https://doi.org/10.3390/genes14010174

Sari, M. F., A. Purwantoro, Y. A. Purwestri, dan E. Sulistyaningsih. 2025. Morphological and SRAP-based genetic diversity analysis of *Zinnia elegans* Jacq. accessions. Ornamental Horticulture. 31: 312949.

Shahir, M. M., Z. Noormohammadi, F. Farahani, and S. M. Atyabi. 2019. The potential use of methyl jasmonate, putrescine and cold atmospheric plasma on genetic variability and seedling growth improvement in medicinal plant *Catharanthus roseus* L. cultivar. Industrial Crops and Products, p: 140.

Shamustakimova, A. O., Y. M. Mavlyutov, and I. A. Klimenko. 2021. Application of SRAP markers for DNA identification of Russian alfalfa cultivars. Russian Journal of Genetics. 57: 540–547. https://doi.org/10.1134/S1022795421050112

Slatkin, M. 1987. Gene flow and the geographic structure of natural populations. Science, 236(4803), 787–792. https://doi.org/10.1126/science.3576198

Sood, T., S. Sood, V. K. Sood, A. Badiyal, S. Kapoor, V. Sood, dan N. Kumar. 2023. Characterisation of bell pepper (*Capsicum annuum* L. var. *grossum* Sendt.) accessions for genetic diversity and population structure based on agro-morphological and microsatellite markers. Scientia Horticulturae. 321: 112308.

Tessier, C., J. David, P. This, J. M. Boursiquot, and A. Charrier. 1999. Optimization of the choice of molecular markers for varietal identification in *Vitis vinifera* L. Theoretical and Applied Genetics. 98: 171–177.

Trimanto dan S. A. Danarto. 2020. Diversity of epiphytic orchids, *Hoya*, *Dischidia*, and phorophytes (host trees) in Bawean Island Nature Reserve and Wildlife Reserve, East Java, Indonesia. Journal of Tropical Biodiversity and Biotechnology. 5(2): 78–88.

Vallejo-Marín, M., & O'Brien, H. E. (2007). Correlated evolution of self-incompatibility and clonal reproduction in flowering plants. New Phytologist, 173(2), 415–421. https://doi.org/10.1111/j.1469-8137.2006.01922.x

Wanntorp, L., A. Kocyan, and S. S. Renner. 2006. Wax plant disentangled: A phylogeny of *Hoya* (Marsdenieae, Apocynaceae) inferred from nuclear and chloroplast DNA sequences. Molecular Phylogenetics and Evolution. 39: 722–733.

Widiarsih, S., S. Siar, A. Lalusin, J. Carandang, and T. Borromeo. 2012. Genetic diversity assessment in vegetative and reproductive characters of *Hoya mindorensis* Schlechter. Philippine Journal of Crop Science. 36: 23–29.

UNIVERSITAS
GADJAH MADA
**Evalusi Efektivitas Penanda Molekuler Sequence-Related AMplified Polymorphism (SRAP) dan Analisis
Keragaman Genetik 32 Aksesi Hoya (Hoya spp.) di Yogyakarta**
Rizkya Nurrohma, Prof. Dr. Ir. Aziz Purwantoro, M.Sc ; Rani Agustina Wulandari, S.P., M.P., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Widiarsih, S., S. V. Siar, and A. G. Lalusin. 2012. Optimization of DNA extraction protocol for *Hoya mindorensis* Schlechter. Philippine Journal of Crop Science. 36: 63–66.

Wright, S. 1978. Evolution and the Genetics of Populations. Volume 4: Variability Within and Among Natural Populations. University of Chicago Press.

Zulfahmi. 2013. Penanda DNA untuk analisis genetik tanaman. Jurnal Agroteknologi. 3(2): 41–52.