UNIVERSITAS
GADJAH MADA
Nilai Anion Gap Terkoreksi ALbumin Sebagai Perdiktor Mortalitas Pasien Sepsis
Nabila Islamiyati, Dr. dr. Umi Solekhah Intansari, M.Kes, Sp.PK (K); dr. Riat El Khair, M.Sc, Sp.PK (K), QHIA, MARS
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Achanti A, Szerlip HM. (2023). Acid-base disorders in the critically ill patient. *Clin J Am Soc Nephrol*, 18(1), 102–112.

Alevrakis E, Papadakis DD, Vagionas D, Koutsoukou A, Pontikis K, Rovina N, Vasileiadis I. (2024). Strong ion gap and anion gap corrected for albumin and lactate in patients with sepsis in the intensive care unit. *Int J Physiol Pathophysiol Pharmacol*, 16(2), 10–27.

Al-Jaghbeer M, Kellum JA. (2015). Acid-base disturbances in intensive care patients: etiology, pathophysiology and treatment. *Nephrol Dial Transplant*, 30(7), 1104–1111.

Andersson U, Tracey KJ. (2012). Reflex principles of immunological homeostasis. *Annu Rev Immunol*, 30, 313–335.

Angus DC, van der Poll T. (2013). Severe sepsis and septic shock. *N Engl J Med*, 369(9), 840–851.

Bian J, Wang X, Chen Y, Lu G, Zhang L, Tu X, Wang S, Huang W, Chen C. (2025). The association between albumin-corrected anion gap (ACAG) and the risk of acute kidney injury in patients with acute pancreatitis: a retrospective analysis based on the MIMIC-IV database. *PLoS One*, 20(8), e0330458.

Boomer JS, To K, Chang KC, Takasu O, Osborne DF, Walton AH, *et al.* (2011). Immunosuppression in patients who die of sepsis and multiple organ failure. *JAMA*, 306(23), 2594–2605.

Bone RC, Grodzin CJ, Balk RA. (1997). Sepsis: a new hypothesis for pathogenesis of the disease process. *Chest*, 112(1), 235–243.

Carson WF IV, Cavassani KA, Dou Y, Kunkel SL. (2011). Epigenetic regulation of immune cell functions during post-septic immunosuppression. *Epigenetics*, 6(3), 273–283.

Chan JK, Roth J, Oppenheim JJ, Tracey KJ, Vogl T, Feldmann M, *et al.* (2012). Alarmins: awaiting a clinical response. *J Clin Invest*, 122(8), 2711–2719.

Evans L, Rhodes A, Alhazzani W, Antonelli M, Coopersmith CM, French C, *et al.* (2021). Surviving Sepsis Campaign: international guidelines for management of sepsis and septic shock 2021. *Intensive Care Med*, 47(11), 1181–1247.

UNIVERSITAS
GADJAH MADA
Nilai Anion Gap Terkoreksi ALbumin Sebagai Perdiktor Mortalitas Pasien Sepsis
Nabila Islamiyati, Dr. dr. Umi Solekhah Intansari, M.Kes, Sp.PK (K); dr. Riat El Khair, M.Sc, Sp.PK (K), QHIA, MARS
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Gounden V, Vashisht R, Jialal I. (2025). Hypoalbuminemia. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; (Accessed: 25 January 2026).
Available at: https://www.ncbi.nlm.nih.gov/books/NBK526080/

Grifoni E, Piccini GM, Parrinello M. (2019). Microscopic description of acid-base equilibrium. *Proc Natl Acad Sci U S A*, 116(10), 4054–4057.

Guo H, Wang J. (2024). Association between albumin-corrected anion gap and in-hospital mortality and sepsis-associated acute kidney injury. *Med Sci Monit*, 30, e943012.

Harahap AF, Sayuti M, Maulina M. (2025). Hubungan Glasgow Coma Scale (GCS) dan kadar trombosit dengan lama rawat pasien sepsis di RSU Cut Meutia Aceh Utara. *Sci-Tech J*, 4 (1). 29-42.

Hatherill M, Waggie Z, Purves L, Reynolds L, Argent A. (2022). Correction of the anion gap for albumin in order to detect occult tissue anions in shock. *Arch Dis Child*, 87(6), 526–529.

He RR, Yue GL, Dong ML, Wang JQ, Cheng C. (2024). Sepsis biomarkers: advancements and clinical applications—a narrative review. *Int J Mol Sci*, 25(16), 9010.

Hensley MK, Donnelly JP, Carlton EF, Prescott HC. (2019). Epidemiology and outcomes of cancer-related versus non-cancer-related sepsis hospitalizations. *Crit Care Med*, 47(10), 1310–1316.

Hou Y, Li R, Li J, Zhang J, Ren J, Gao Y, Jin X, Luo Y, Wang X, Wang G. (2025). Association between changes in corrected anion gap and mortality among critically ill patients during ICU stay: a multicenter observational study. *Front Physiol*, 16, 1469985.

Hutapea TPH, Madurani KA, Syahputra MY, Hudha MN, Asriana AN, Suprapto, Kurniawan F. (2023). Albumin: source, preparation, determination, applications, and prospects. *J Sci Adv Mater Devices*, 8(2), 100549.

Irvan I, Febyan F, Suparto S. (2018). Sepsis dan tata laksana berdasar guideline terbaru. *J Anestesiol Indones*, 10(1), 62–73.

Jiang H, Lan X, Zhou L, Xie X. (2024). Association between albumin-corrected anion gap and kidney function in individuals with hypertension—NHANES 2009–2016 cycle. *Ren Fail*, 46(2), 2416719.

UNIVERSITAS
GADJAH MADA
Nilai Anion Gap Terkoreksi ALbumin Sebagai Perdiktor Mortalitas Pasien Sepsis
Nabila Islamiyati, Dr. dr. Umi Solekhah Intansari, M.Kes, Sp.PK (K); dr. Riat El Khair, M.Sc, Sp.PK (K), QHIA, MARS
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Jing L, Shi X, Xu L, Zhao X, Li F, Qin L. (2025). Association between serum anion gap trajectory and mortality in hospitalized patients with sepsis: an analysis of the MIMIC-IV database. *Front Endocrinol (Lausanne)*, 16, 1578078.

Kaimori JY, Sakaguchi Y, Kajimoto S, Asahina Y, Oka T, Hattori K, Doi Y, Isaka Y. (2022). Diagnosing metabolic acidosis in chronic kidney disease: importance of blood pH and serum anion gap. *Kidney Res Clin Pract*, 41(3), 288–297.

Kang C, Choi S, Jang EJ, Joo S, Jeong JH, Oh SY, *et al.* (2024). Prevalence and outcomes of chronic comorbid conditions in patients with sepsis in Korea: a nationwide cohort study from 2011 to 2016. *BMC Infect Dis*, 24, 184.

Kraut JA, Madias NE. (2007). Serum anion gap: its uses and limitations in clinical medicine. *Clin J Am Soc Nephrol*, 2(1), 162–174.

Levy MM, Fink MP, Marshall JC, Abraham E, Angus D, Cook D, *et al.* (2003). 2001 SCCM/ESICM/ACCP/ATS/SIS International Sepsis Definitions Conference. *Crit Care Med*, 31(4), 1250–1256.

Liao J, Xiao X, Lu D, Wang M, Huang W. (2025). The role of albumin-corrected anion gap as a predictor of all-cause mortality in patients with Sepsis-AKI: a propensity score-matched cohort study. *PLoS One*, 20(7), e0327914.

Limaye AP, Kirby KA, Rubenfeld GD, Leisenring WM, Bulger EM, Neff MJ, *et al.* (2008). Cytomegalovirus reactivation in critically ill immunocompetent patients. *JAMA*, 300(4), 413–422.

Lin S, Chen X. (2025). Association of albumin-corrected anion gap with all-cause and cardiovascular mortality in overactive bladder patients. *Sci Rep*, 15, 44284.

Liu Y, Zheng J, Zhang D, Jing L. (2019). Neutrophil-lymphocyte ratio and plasma lactate predict 28-day mortality in patients with sepsis. *J Clin Lab Anal*, 33(7), e22942.

Long B, Lentz S, Gottlieb M. (2021). Alcoholic ketoacidosis: etiologies, evaluation, and management. *J Emerg Med*, 61(6), 658–665.

Lou Z, Zeng F, Huang W, Xiao L, Zou K, Zhou H. (2024). Association between the anion-gap and 28-day mortality in critically ill adult patients with sepsis: a retrospective cohort study. *Medicine (Baltimore)*, 103(30), e39029.

Lu Z, Yao Y, Xu Y, Zhang X, Wang J. (2024). Albumin corrected anion gap for predicting in-hospital death among patients with acute myocardial infarction: a retrospective cohort study. *Clinics (Sao Paulo)*, 79, 100455.

UNIVERSITAS
GADJAH MADA
Nilai Anion Gap Terkoreksi ALbumin Sebagai Perdiktor Mortalitas Pasien Sepsis
Nabila Islamiyati, Dr. dr. Umi Solekhah Intansari, M.Kes, Sp.PK (K); dr. Riat El Khair, M.Sc, Sp.PK (K), QHIA, MARS
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mallat J, Michel D, Salaun P, Thevenin D, Tronchon L. (2012). Defining metabolic acidosis in patients with septic shock using Stewart approach. *Am J Emerg Med*, 30(3), 391–398.

Masevicius FD, Dubin A. (2015). Has Stewart approach improved our ability to diagnose acid-base disorders in critically ill patients? *World J Crit Care Med*, 4(1), 62–70.

Mirouse A, Vigneron C, Llitjos JF, Chiche JD, Mira JP, Mokart D, *et al.* (2020). Sepsis and cancer: an interplay of friends and foes. *Am J Respir Crit Care Med*, 202(12), 1625–1635.

Nie J, Qi S. (2026). Predictive value of albumin-corrected anion gap for acute kidney injury risk assessment in sepsis: insights from MIMIC-IV. *J Investig Med*, 74(2), 167–176.

Ni ZB, Zhang HB, Huang LZ, Yao QR, Wu SC, Huang WF, *et al.* (2025). Albumin-corrected anion gap and risk of mortality among US adults. *Arch Public Health*, 83, 263.

Pandey DG, Sharma S. Biochemistry. (2025). Anion Gap. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; (Accessed: 25 January 2026). Available at: https://www.ncbi.nlm.nih.gov/books/NBK539757/

Pietropaoli AP, Glance LG, Oakes D, Fisher SG. (2010). Gender differences in mortality in patients with severe sepsis or septic shock. *Gend Med*, 7(5), 422–437.

Qin C, Ma D, Pang L, Hu M, Lin S, Zhou Z, Xu X, Ji C. (2025). Prognostic factors of sepsis: a systematic review and meta-analysis. *BMC Infect Dis*, 25(1), 1670.

Rhodes A, Evans LE, Alhazzani W, Levy MM, Antonelli M, Ferrer R, *et al.* (2017). Surviving Sepsis Campaign: international guidelines for management of sepsis and septic shock: 2016. *Intensive Care Med*, 43(3), 304–377.

Rosas-Ballina M, Olofsson PS, Ochani M, Valdés-Ferrer SI, Levine YA, Reardon C, *et al.* (2011). Acetylcholine-synthesizing T cells relay neural signals in a vagus nerve circuit. *Science*, 334(6052), 98–101.

Rudd KE, Johnson SC, Agesa KM, Shackelford KA, Tsoi D, Kievlan DR, *et al.* (2020). Global, regional, and national sepsis incidence and mortality, 1990–2017: analysis for the Global Burden of Disease Study. *Lancet*, 395(10219), 200–211.

UNIVERSITAS
GADJAH MADA
Nilai Anion Gap Terkoreksi ALbumin Sebagai Perdiktor Mortalitas Pasien Sepsis
Nabila Islamiyati, Dr. dr. Umi Solekhah Intansari, M.Kes, Sp.PK (K); dr. Riat El Khair, M.Sc, Sp.PK (K), QHIA, MARS
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Ruf W. (2010). New players in the sepsis-protective activated protein C pathway. *J Clin Invest*, 120(9), 3084–3087.

Seymour CW, Liu VX, Iwashyna TJ, Brunkhorst FM, Rea TD, Scherag A, *et al.* (2016). Assessment of clinical criteria for sepsis: for the Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *JAMA*, 315(8), 762–774.

Shankar-Hari M, Phillips GS, Levy ML, Seymour CW, Liu VX, Deutschman CS, *et al.* (2016). Developing a new definition and assessing new clinical criteria for septic shock: for the Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *JAMA*, 315(8), 775–787.

Sharma S, Hashmi MF, Aggarwal S. (2023). Hyperchloremic Acidosis(Archived). In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; (Accessed: 25 January 2026)
Available at: https://www.ncbi.nlm.nih.gov/books/NBK482340/

Singer M, Deutschman CS, Seymour C, Shankar-Hari M, Annane D, Bauer M, *et al.* (2016). The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *JAMA*, 315(8), 801–810.

Soeters PB, Wolfe RR, Shenkin A. (2019). Hypoalbuminemia: pathogenesis and clinical significance. *JPEN J Parenter Enteral Nutr*, 43(2), 181–193.

Starr ME, Saito H. (2014). Sepsis in old age: review of human and animal studies. *Aging Dis*, 5(2), 126–136.

Torgersen C, Moser P, Luckner G, Mayr V, Jochberger S, Hasibeder WR, Dünser MW. (2009). Macroscopic postmortem findings in 235 surgical intensive care patients with sepsis. *Anesth Analg*, 108(6), 1841–1847.

Van der Poll T, Opal SM. (2008). Host-pathogen interactions in sepsis. *Lancet Infect Dis*, 8(1), 32–43.

Vincent JL, Dubois MJ, Navickis RJ, Wilkes MM. (2003). Hypoalbuminemia in acute illness: is there a rationale for intervention? A meta-analysis of cohort studies and controlled trials. *Ann Surg*, 237(3), 319–334.

Villar J, Short JH, Lighthall G. (2019). Lactate predicts both short- and long-term mortality in patients with and without sepsis. *Infect Dis (Auckl)*, 12, 1178633719862776.

Wang S, Teng H, Han H, Xu Y. (2023). The relationship between albumin corrected anion gap levels and mortality in patients with asthma in the ICU. *Sci Rep*, 13, 16903.

UNIVERSITAS
GADJAH MADA
Nilai Anion Gap Terkoreksi ALbumin Sebagai Perdiktor Mortalitas Pasien Sepsis
Nabila Islamiyati, Dr. dr. Umi Solekhah Intansari, M.Kes, Sp.PK (K); dr. Riat El Khair, M.Sc, Sp.PK (K), QHIA, MARS
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wang D, Shi R, Wang T, Li H, Wang J. (2025). Prognostic value of albumin-corrected anion gap in severe chronic kidney disease with sepsis: association with mortality and clinical outcomes. *Eur J Med Res*, 30, 920.

Wang J, Peng Y, Hu Z, Chen X, Chen S, Yang P, Zeng X, Wang D. (2025). Prognostic value of albumin-corrected anion gap in critically ill patients with sepsis-associated liver injury: a retrospective study. *BMC Infect Dis*, 25, 928.

Wang Q. (2025). Association between albumin-corrected anion gap level and all-cause mortality in patients with gastrointestinal bleeding: a retrospective cohort study of the MIMIC-IV database. *Medicine (Baltimore)*, 104(45), e45877.

Xiao Q, Liu T, Zhang X, Sun Z. (2026). Albumin-corrected anion gap and short-term mortality in patients with sepsis and heart failure: a retrospective cohort study. *Medicine (Baltimore)*, 105(5), e47383.

Xu C, Wang G, Zhang M, Lv L, Chen M, Yang X. (2025). Albumin-corrected anion gap as a predictive marker for mortality in critically ill cirrhosis patients: an analysis based on the MIMIC-IV database. *PLoS One*, 20(9), e0332490.

Xu C, Wang X, Jin D, Sheng Y, He J, Xu Y. (2025). Clinical value of albumin-corrected anion gap combined with lactate dehydrogenase in predicting sepsis-associated liver injury in children: a single-center retrospective cohort study. *BMC Pediatr*, 25, 836.

Xu X, Yang T, An J, Li B, Dou Z. (2025). Liver injury in sepsis: manifestations, mechanisms and emerging therapeutic strategies. *Front Immunol*, 16, 1575554.

Yao H, Tian J, Cheng S. (2025). Association of anion gap and albumin corrected anion gap with acute kidney injury in patients with acute ischemic stroke. *Adv Clin Exp Med*, 34(3), 351–359.

Zhang N, Liu Y, Yang C, Li X. (2024). Review of the predictive value of biomarkers in sepsis mortality. *Emerg Med Int*, 2024, 2715606.

Zhang Q, Raoof M, Chen Y, Sumi Y, Sursal T, Junger W, Brohi K, Itagaki K, Hauser CJ. (2010). Circulating mitochondrial DAMPs cause inflammatory responses to injury. *Nature*, 464, 104–107.

Zhao X, Han J, Hu J, Qiu Z, Lu L, Xia C, Zheng Z, Zhang S. (2024). Association between albumin-corrected anion gap level and the risk of acute kidney injury in intensive care unit. *Int Urol Nephrol*, 56(3), 1117–1127.