UNIVERSITAS
GADJAH MADA
Analisis Karakteristik Habitat Larva dan Populasi Genetik Nyamuk Culex tritaeniorhynchus sebagai Vektor Japanese encephalitis di Kalurahan Ngestiharjo Kapanewon Kasihan Kabupaten Bantul
Miftahul Nurun Nisa, Prof. Dr. Tri Baskoro Tunggul Satoto, M.Sc., Ph.D; Triwibowo Ambar Garjito, S.Si, M.Kes. Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abaza, S., 2020. What is and why do we have to know the phylogenetic tree? *Parasitol. United J.* 13: 68–71. doi:10.21608/puj.2020.35843.1082

Aleksić, J.M., Geburek, T., 2010. Mitochondrial DNA reveals complex genetic structuring in a stenoendemic conifer Picea omorika [(Panč.) Purk.] caused by its long persistence within the refugial Balkan region. *Plant Syst. Evol.* 285: 1–11. doi:10.1007/s00606-009-0250-0

Altschul, S.F., Gish, W., Miller, W., Myers, E.W., Lipman, D.J., 1990. Basic local alignment search tool. *J. Mol. Biol.* 215: 403–410. doi:10.1016/S0022-2836(05)80360-2

Arai, S., Kuwata, R., Higa, Y., Maekawa, Y., Tsuda, Y., Roychoudhury, S., Bertuso, A.G., Phong, T.V., Yen, N.T., Etoh, T., Otuka, A., Matsumura, M., Nabeshima, T., Taya, K.T., Okabe, N., Kobayashi, M., Sawabe, K., 2022. Two hidden taxa in the Japanese encephalitis vector mosquito, Culex tritaeniorhynchus, and the potential for long-distance migration from overseas to Japan. *PLoS Negl. Trop. Dis.* 16: e0010543. doi:10.1371/journal.pntd.0010543

Astuti, R.R.U.N.W., Nurcahyo, R.W., Soesilohadi, R.C.H., Hadisusanto, S., Mulyaningsih, B., 2019. Phylogenetic Analysis of Culex tritaeniorhynchus and Culex vishnui Vector of Japanese Encephalitis Virus Analisis. *Glob. Med. Heal. Commun.* 7: 189–196.

Aure, W., Torno, M.M., Malijan, R.P.B., Cruz, E., Hernandez, L., Baquilod, M., Bangs, M.J., Salazar, F. V, 2016. Investigation of Mosquitoes with Emphasis on Aedes (Finlaya) poicilius, Putative Vector of Bancroftian Filariasis on Panay Island, The Philippines. *Southeast Asian J. Trop. Med. Public Health* 47.

Azari-Hamidian, S., 2007. Larval Habitat Characteristics of Mosquitoes of the Genus Culex (Diptera: Culicidae) in Guilan Province, Iran. *Iran. J. Arthropod. Borne. Dis.* 1: 9–20.

B2P2VRP, 2017. Rikhus Vektora: Pedoman Pengumpulan Data Vektor Nyamuk di Lapangan. Kementerian Kesehatan RI, Jakarta.

Balaban, M., Jiang, Y., Roush, D., Zhu, Q., Mirarab, S., 2022. Fast and accurate distance-based phylogenetic placement using divide and conquer. *Mol. Ecol. Resour.* 22: 1213–1227. doi:10.1111/1755-0998.13527

Bandelt, H.J., Forster, P., Rohl, A., 1999. Median-joining networks for inferring intraspecific phylogenies. *Mol. Biol. Evol.* 16: 37–48. doi:10.1093/oxfordjournals.molbev.a026036

Bashar, K., Rahman, M.S., Nodi, I.J., Howlader, A.J., 2016. Species composition and habitat characterization of mosquito (Diptera: Culicidae) larvae in semi-

UNIVERSITAS
GADJAH MADA
Analisis Karakteristik Habitat Larva dan Populasi Genetik Nyamuk Culex tritaeniorhynchus sebagai Vektor Japanese encephalitis di Kalurahan Ngestiharjo Kapanewon Kasihan Kabupaten Bantul
Miftahul Nurun Nisa, Prof. Dr. Tri Baskoro Tunggul Satoto, M.Sc., Ph.D; Triwibowo Ambar Garjito, S.Si, M.Kes. Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

urban areas of Dhaka, Bangladesh. *Pathog. Glob. Health* 110: 48–61. doi:10.1080/20477724.2016.1179862

Batovska, J., Cogan, N.O.I., Lynch, S.E., Blacket, M.J., 2017. Using Next-Generation Sequencing for DNA Barcoding: Capturing Allelic Variation in ITS2. *G3 Genes|Genomes|Genetics* 7: 19–29. doi:10.1534/g3.116.036145

Beebe, N.W., 2018. DNA barcoding mosquitoes: advice for potential prospectors. *Parasitology* 145: 622–633. doi:10.1017/S0031182018000343

Beebe, N.W., van den Hurk, A.F., Chapman, H.F., Frances, S.P., Williams, C.R., Cooper, R.D., 2002. Development and Evaluation of a Species Diagnostic Polymerase Chain Reaction-Restriction Fragment-Length Polymorphism Procedure for Cryptic Members of the Culex sitiens (Diptera: Culicidae) Subgroup in Australia and the Southwest Pacific. *J. Med. Entomol.* 39: 362–369. doi:10.1603/0022-2585-39.2.362

Bleidorn, C., 2017. Phylogenomics, Phylogenomics: An Introduction. Springer International Publishing, Cham. doi:10.1007/978-3-319-54064-1

BMKG, 2026. Buletin Informasi Iklim Daerah Istimewa Yogyakarta Maret 2026. Sleman.

Boyer, S., Durand, B., Yean, S., Brengues, C., Maquart, P.O., Fontenille, D., Chevalier, V., 2021. Host-feeding preference and diel activity of mosquito vectors of the Japanese encephalitis virus in rural Cambodia. *Pathogens* 10: 1–14. doi:10.3390/pathogens10030376

BPS Bantul, 2025. Kasihan Dalam Angka 2025. Bantul.

Bram, R.A., 1967a. Contributions to the Mosquito Fauna Of Southeast Asia II The genus Culex in Thailand (Diptera: Culicidae). *Contrib. Am. Entomol. Inst.* 2: 1–292.

Bram, R.A., 1967b. Classification of Culex Subgenus Culex in the New World (Diptera: Culicidae). *Proc. United States Natl. Museum* 120: 1–122. doi:10.5479/si.00963801.120-3557.1

Buescher, E.L., Scherer, W.F., 1959. Ecologic Studies of Japanese Encephalitis Virus in Japan. *Am. J. Trop. Med. Hyg.* 8: 719–722. doi:10.4269/ajtmh.1959.8.719

Bursali, F., Simsek, F.M., 2024. Population Genetics of Culex tritaeniorhynchus (Diptera: Culicidae) in Türkiye. *Acta Parasitol.* 69: 1157–1171. doi:10.1007/s11686-024-00844-9

Campbell, G., Hills, S., Fischer, M., Jacobson, J., Hoke, C., Hombach, J., Marfin, A., Solomon, T., Tsai, T., Tsui, V., Ginsburg, A., 2011. Estimated global incidence of Japanese encephalitis: systematic rerview. *Bull. World Health Organ.* 89: 766–774. doi:10.2471/BLT.10.085233

Chan, A., Chiang, L.-P., Hapuarachchi, H.C., Tan, C.-H., Pang, S.-C., Lee, R., Lee,

UNIVERSITAS
GADJAH MADA
Analisis Karakteristik Habitat Larva dan Populasi Genetik Nyamuk Culex tritaeniorhynchus sebagai Vektor Japanese encephalitis di Kalurahan Ngestiharjo Kapanewon Kasihan Kabupaten Bantul
Miftahul Nurun Nisa, Prof. Dr. Tri Baskoro Tunggul Satoto, M.Sc., Ph.D; Triwibowo Ambar Garjito, S.Si, M.Kes. Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

K.-S., Ng, L.-C., Lam-Phua, S.-G., 2014. DNA barcoding: complementing morphological identification of mosquito species in Singapore. *Parasit. Vectors* 7: 569. doi:10.1186/s13071-014-0569-4

Chauhan, L., Pastula, D., Money, K., 2025. Japanese encephalitis, in: Neurobiology of Infectious Diseases. Elsevier, hal. 423–438. doi:10.1016/B978-0-443-19130-5.00026-5

Choudhuri, S., 2014. Phylogenetic Analysis, in: Choudhuri, S.B.T.-B. for B. (Ed.), Bioinformatics for Beginners. Academic Press, Oxford, hal. 209–218. doi:https://doi.org/10.1016/B978-0-12-410471-6.00009-8

Chung, H.-H., Chen, T.-H., Wang, P.-F., Tsuda, Y., Teng, H.-J., Chen, S.-L., 2024. Molecular Identification of Species Belonging to Culex vishnui Subgroup (Diptera: Culicidae), Vectors of Japanese Encephalitis Virus, in Taiwan. *Am. J. Trop. Med. Hyg.* 111: 988–999. doi:10.4269/ajtmh.23-0285

Clark, T.M., Vieira, M.A.L., Huegel, K.L., Flury, D., Carper, M., 2007. Strategies for regulation of hemolymph pH in acidic and alkaline water by the larval mosquito Aedes aegypti (L.) (Diptera; Culicidae). *J. Exp. Biol.* 210: 4359–4367. doi:10.1242/jeb.010694

Coleman, A.W., 2009. Is there a molecular key to the level of "biological species" in eukaryotes? A DNA guide. *Mol. Phylogenet. Evol.* 50: 197–203. doi:10.1016/j.ympev.2008.10.008

Datta Mudi, S., Paul, P., Sarkar, S., Saha, G.K., Aditya, G., 2025. Density and temperature effects on the larval development of Culex tritaeniorhynchus Giles, 1901 (Diptera: Culicidae): validating using ecological models. *Invertebr. Reprod. Dev.* 69: 119–133. doi:10.1080/07924259.2025.2513368

de Queiroz, K., 2013. Nodes, Branches, and Phylogenetic Definitions. *Syst. Biol.* 62: 625–632. doi:10.1093/sysbio/syt027

Demari-Silva, B., Vesgueiro, F.T., Sallum, M.A.M., Marrelli, M.T., 2011. Taxonomic and Phylogenetic Relationships Between Species of the Genus Culex (Diptera: Culicidae) From Brazil Inferred From the Cytochrome c Oxidase I Mitochondrial Gene. *J. Med. Entomol.* 48: 272–279. doi:10.1603/ME09293

Deng, X., Yan, R., Li, Z., Tang, X., Zhou, Y., He, H., 2021. Economic and disease burden of Japanese encephalitis in Zhejiang Province, 2013–2018. *PLoS Negl. Trop. Dis.* 15: e0009505. doi:10.1371/journal.pntd.0009505

Diagana, M., Preux, P.-M., Dumas, M., 2007. Japanese encephalitis revisited. *J. Neurol. Sci.* 262: 165–170. doi:10.1016/j.jns.2007.06.041

Diaz, L.A., Flores, F.S., Beranek, M., Rivarola, M.E., Almiron, W.R., Contigiani, M.S., 2013. Transmission of endemic St Louis encephalitis virus strains by local Culex quinquefasciatus populations in Cordoba, Argentina. *Trans. R. Soc. Trop. Med. Hyg.* 107: 332–334. doi:10.1093/trstmh/trt023

UNIVERSITAS
GADJAH MADA
Analisis Karakteristik Habitat Larva dan Populasi Genetik Nyamuk Culex tritaeniorhynchus sebagai Vektor Japanese encephalitis di Kalurahan Ngestiharjo Kapanewon Kasihan Kabupaten Bantul
Miftahul Nurun Nisa, Prof. Dr. Tri Baskoro Tunggul Satoto, M.Sc., Ph.D; Triwibowo Ambar Garjito, S.Si, M.Kes. Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Dinkes Bantul, 2024. Laporan Pemeriksaan JE di Kabupaten Bantul Tahun 2023. Bantul.

Dinkes DIY, 2024. Laporan Pemeriksaan IgM Japanese Encephalitis Provinsi DIY Tahun 2014-2023. Yogyakarta.

Dinkes DIY, 2016. Laporan Dinas Kesehatan Yogyakarta Tahun 2016. Yogyakarta.

Diptyanusa, A., Herini, E.S., Indarjulianto, S., Satoto, T.B.T., 2022. Estimation of Japanese encephalitis virus infection prevalence in mosquitoes and bats through nationwide sentinel surveillance in Indonesia. *PLoS One* 17: e0275647. doi:10.1371/journal.pone.0275647

Dissanayake, A., Bhunjun, C., Maharachchikumbura, S., Liu, J., 2020. Applied aspects of methods to infer phylogenetic relationships amongst fungi. *Mycosphere* 11: 2652–2676. doi:10.5943/mycosphere/11/1/18

Ditjen P2P Kemenkes RI, 2023. Strategi Nasional Penanggulangan Japanese Encephalitis 2023-2027. Kementerian Kesehatan RI, Jakarta.

Ditjen PP & PK Depkes RI, 2008. Kunci Identifikasi Nyamuk Culex. Departemen Kesehatan RI, Jakarta.

Djoufounna, J., Mayi, M.P.A., Bamou, R., Ningahi, L.G., Magatsing, F.O., Djiappi-Tchamen, B., Djamouko-Djonkam, L., Antonio-Nkondjio, C., Tchuinkam, T., 2022. Larval habitats characterization and population dynamics of Culex mosquitoes in two localities of the Menoua Division, Dschang and Santchou, West Cameroon. *J. Basic Appl. Zool.* 83: 30. doi:10.1186/s41936-022-00290-x

Dong, Z., Wang, Y., Li, C., Li, L., Men, X., 2021. Mitochondrial DNA as a Molecular Marker in Insect Ecology: Current Status and Future Prospects. *Ann. Entomol. Soc. Am.* 114: 470–476. doi:10.1093/aesa/saab020

Donnelly, M.J., Simard, F., Lehmann, T., 2002. Evolutionary studies of malaria vectors. *Trends Parasitol.* 18: 75–80. doi:10.1016/S1471-4922(01)02198-5

DPUPKP Bantul, 2026. Data Curah Hujan Harian Kalurahan Ngestiharjo. Bantul.

Dusadeepong, R., Maquart, P., Hide, M., Boyer, S., 2023. Phylogeny and spatial distribution of Japanese encephalitis virus vector species in Cambodia. *Med. Vet. Entomol.* 37: 737–744. doi:10.1111/mve.12678

Evasco, K.L., Brockway, C., Falkingham, T., Hall, M., Wilson, N.G., 2025. First detection of Culex tritaeniorhynchus in Western Australia using molecular diagnostics and morphological identification. *Parasit. Vectors* 1–13. doi:10.1186/s13071-024-06566-1

Faizah, A.N., Kobayashi, D., Isawa, H., Amoa-Bosompem, M., Murota, K., Higa, Y., Futami, K., Shimada, S., Kim, K.S., Itokawa, K., Watanabe, M., Tsuda, Y., Minakawa, N., Miura, K., Hirayama, K., Sawabe, K., 2020. Deciphering the Virome of Culex vishnui Subgroup Mosquitoes, the Major Vectors of

UNIVERSITAS
GADJAH MADA
Analisis Karakteristik Habitat Larva dan Populasi Genetik Nyamuk Culex tritaeniorhynchus sebagai Vektor Japanese encephalitis di Kalurahan Ngestiharjo Kapanewon Kasihan Kabupaten Bantul
Miftahul Nurun Nisa, Prof. Dr. Tri Baskoro Tunggul Satoto, M.Sc., Ph.D; Triwibowo Ambar Garjito, S.Si, M.Kes. Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Japanese Encephalitis, in Japan. *Viruses* 12: 264. doi:10.3390/v12030264

Fakoorziba, M.R., Vijayan, A., 2008. Breeding habitats of Culex tritaeniorhynchus (Diptera: Culicidae), a Japanese encephalitis vector, and associated mosquitoes in Mysore, India. *J. Entomol. Res. Soc.* 10: 1–9.

Favorgen, 2025. FavorPrep™ Tissue Genomic DNA Extraction HE Mini Kit – General Protocol.

Felsenstein, J., 1985. CONFIDENCE LIMITS ON PHYLOGENIES: AN APPROACH USING THE BOOTSTRAP. *Evolution (N. Y).* 39: 783–791. doi:10.1111/j.1558-5646.1985.tb00420.x

Felsenstein, J., 1981. Evolutionary trees from DNA sequences: A maximum likelihood approach. *J. Mol. Evol.* 17: 368–376. doi:10.1007/BF01734359

Ferraguti, M., Heesterbeek, H., Martínez-de la Puente, J., Jiménez-Clavero, M.Á., Vázquez, A., Ruiz, S., Llorente, F., Roiz, D., Vernooij, H., Soriguer, R., Figuerola, J., 2021. The role of different Culex mosquito species in the transmission of West Nile virus and avian malaria parasites in Mediterranean areas. *Transbound. Emerg. Dis.* 68: 920–930. doi:10.1111/tbed.13760

Ferreira-De-Freitas, L., Thrun, N.B., Tucker, B.J., Melidosian, L., Bartholomay, L.C., 2020. An evaluation of characters for the separation of two Culex species (diptera: culicidae) based on material from the upper midwest. *J. Insect Sci.* 20. doi:10.1093/jisesa/ieaa119

Folmer, O., Black, M., Hoeh, W., Lutz, R., Vrijenhoek, R., 1994. DNA primers for amplification of mitochondrial cytochrome c oxidase subunit I from diverse metazoan invertebrates. *Mol. Mar. Biol. Biotechnol.* 3: 294–9.

Francuski, L., Ludoški, J., Milutinović, A., Krtinić, B., Milankov, V., 2020. Comparative Phylogeography and Integrative Taxonomy of Ochlerotatus caspius (Dipera: Culicidae) and Ochlerotatus dorsalis. *J. Med. Entomol.* 58: 222–240. doi:10.1093/jme/tjaa153

Frankham, R., Ballou, J.D., Briscoe, D.A., McInnes, K.H., 2002. Introduction to Conservation Genetics. Cambridge University Press. doi:10.1017/CBO9780511808999

Fu, Y.-X., 1997. Statistical Tests of Neutrality of Mutations Against Population Growth, Hitchhiking and Background Selection. *Genetics* 147: 915–925. doi:10.1093/genetics/147.2.915

Fu, Y.X., Li, W.H., 1993. Statistical tests of Neutrality of Mutations. *Genet* 133: 693–709. doi:10.1093/genetics/133.3.693

Gao, X., Liu, H., Wang, H., Fu, S., Guo, Z., Liang, G., 2013. Southernmost Asia Is the Source of Japanese Encephalitis Virus (Genotype 1) Diversity from which the Viruses Disperse and Evolve throughout Asia. *PLoS Negl. Trop. Dis.* 7: e2459. doi:10.1371/journal.pntd.0002459

UNIVERSITAS
GADJAH MADA
Analisis Karakteristik Habitat Larva dan Populasi Genetik Nyamuk Culex tritaeniorhynchus sebagai Vektor Japanese encephalitis di Kalurahan Ngestiharjo Kapanewon Kasihan Kabupaten Bantul
Miftahul Nurun Nisa, Prof. Dr. Tri Baskoro Tunggul Satoto, M.Sc., Ph.D; Triwibowo Ambar Garjito, S.Si, M.Kes. Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Garjito, T.A., Widiarti, Anggraeni, Y.M., Alfiah, S., Tunggul Satoto, T.B., Farchanny, A., Samaan, G., Afelt, A., Manguin, S., Frutos, R., Aditama, T.Y., 2018. Japanese encephalitis in Indonesia: An update on epidemiology and transmission ecology. *Acta Trop.* 187: 240–247. doi:10.1016/j.actatropica.2018.08.017

Giles, G.M.J., 1901. A plea for the collective investigation of Indian Culicidae, with suggestions as to moot points for enquiry, and a prodromus of species known to the author. *J. Bombay Nat. Hist. Soc.* 13: 592–610.

Gorrochotegui-Escalante, N., Gomez-Machorro, C., Lozano-Fuentes, S., Fernandez-Salas, L., De Lourdes Munoz, M., Farfan-Ale, J.A., Garcia-Rejon, J., Beaty, B.J., Black, W.C., 2002. Breeding structure of Aedes aegypti populations in Mexico varies by region. *Am. J. Trop. Med. Hyg.* 66: 213–222. doi:10.4269/ajtmh.2002.66.213

Gresser, I., Hardy, J.L., Hu, S.M.K., Scherer, W.F., 1958. Factors Influencing Transmission of Japanese B Encephalitis Virus by a Colonized Strain of Culex Tritaeniorhynchus Giles, from Infected Pigs and Chicks to Susceptible Pigs and Birds. *Am. J. Trop. Med. Hyg.* 7: 365–373. doi:10.4269/ajtmh.1958.7.365

Guindon, S., Gascuel, O., 2003. A Simple, Fast, and Accurate Algorithm to Estimate Large Phylogenies by Maximum Likelihood. *Syst. Biol.* 52: 696–704. doi:10.1080/10635150390235520

Gupta, M.K., Gouda, G., Sabarinathan, S., Donde, R., Rajesh, N., Pati, P., Rathore, S.K., Behera, L., Vadde, R., 2021. Phylogenetic Analysis, in: Bioinformatics in Rice Research. Springer Singapore, Singapore, hal. 179–207. doi:10.1007/978-981-16-3993-7_9

Harbach, R.E., 2011. Classification within the cosmopolitan genus Culex (Diptera: Culicidae): The foundation for molecular systematics and phylogenetic research. *Acta Trop.* 120: 1–14. doi:10.1016/j.actatropica.2011.06.005

Hardy, C.M., Court, L.N., Morgan, M.J., 2016. The complete mitochondrial DNA genome of Aedes vigilax (Diptera: Culicidae). *Mitochondrial DNA Part A* 27: 2552–2553. doi:10.3109/19401736.2015.1038800

Hebert, Paul D. N., Cywinska, A., Ball, S.L., DeWaard, J.R., 2003. Biological identifications through DNA barcodes. *Proc. R. Soc. London. Ser. B Biol. Sci.* 270: 313–321. doi:10.1098/rspb.2002.2218

Hebert, Paul D N, Ratnasingham, S., de Waard, J.R., 2003. Barcoding animal life: cytochrome c oxidase subunit 1 divergences among closely related species, in: Proceedings of the Royal Society of London. Series B: Biological Sciences. doi:10.1098/rsbl.2003.0025

Hernández-Triana, L.M., Brugman, V.A., Nikolova, N.I., Ruiz-Arrondo, I., Barrero, E., Thorne, L., de Marco, M.F., Krüger, A., Lumley, S., Johnson, N., Fooks, A.R., 2019. DNA barcoding of British mosquitoes (Diptera, Culicidae)

UNIVERSITAS
GADJAH MADA
Analisis Karakteristik Habitat Larva dan Populasi Genetik Nyamuk Culex tritaeniorhynchus sebagai Vektor Japanese encephalitis di Kalurahan Ngestiharjo Kapanewon Kasihan Kabupaten Bantul
Miftahul Nurun Nisa, Prof. Dr. Tri Baskoro Tunggul Satoto, M.Sc., Ph.D; Triwibowo Ambar Garjito, S.Si, M.Kes. Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

to support species identification, discovery of cryptic genetic diversity and monitoring invasive species. *Zookeys* 832: 57–76. doi:10.3897/zookeys.832.32257

Hestiningsih, R., Puspitasari, E.G., Martini, M., Mawarni, A., Purwantisari, S., 2019. Populasi Culex .sp Sebagai Vektor Filariasis. *J. Ilm. Permas STIKES Kendal* 9: 165–174.

Hinchliff, C.E., Smith, S.A., Allman, J.F., Burleigh, J.G., Chaudhary, R., Coghill, L.M., Crandall, K.A., Deng, J., Drew, B.T., Gazis, R., Gude, K., Hibbett, D.S., Katz, L.A., Laughinghouse, H.D., McTavish, E.J., Midford, P.E., Owen, C.L., Ree, R.H., Rees, J.A., Soltis, D.E., Williams, T., Cranston, K.A., 2015. Synthesis of phylogeny and taxonomy into a comprehensive tree of life. *Proc. Natl. Acad. Sci.* 112: 12764–12769. doi:10.1073/pnas.1423041112

Hlaing, T., Tun-Lin, W., Somboon, P., Socheat, D., Setha, T., Min, S., Chang, M.S., Walton, C., 2009. Mitochondrial pseudogenes in the nuclear genome of Aedes aegypti mosquitoes: implications for past and future population genetic studies. *BMC Genet.* 10: 11. doi:10.1186/1471-2156-10-11

Hoyochi, I., Padonou, G.G., Tokponnon, T.F., Konkon, A.K., Zoungbédji, D.M., Salako, A.S., Dangnon, B., Akowanou, A.V.O., Sintondji, L.O., Sossoukpe, E., Baba-Moussa, L., Akogbéto, M.C., 2025. Influence of the physicochemical characteristics of mosquito breeding sites in domestic environments on the distributions of Anopheles, Aedes and Culex mosquitoes in Benin. *Trop. Med. Health* 53: 100. doi:10.1186/s41182-025-00786-6

Hug, L.A., Baker, B.J., Anantharaman, K., Brown, C.T., Probst, A.J., Castelle, C.J., Butterfield, C.N., Hernsdorf, A.W., Amano, Y., Ise, K., Suzuki, Y., Dudek, N., Relman, D.A., Finstad, K.M., Amundson, R., Thomas, B.C., Banfield, J.F., 2016. A new view of the tree of life. *Nat. Microbiol.* 1: 16048. doi:10.1038/nmicrobiol.2016.48

IBM Corporation, 2020. IBM SPSS Statistics for Windows (Version 27.0).

ITIS, 2021. Culex Linnaeus, 1758 [WWW Document]. *Integr. Taxon. Inf. Syst.* URL https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=126455#null (diakses 8.2.25).

Jeffries, C.L., Tantely, L.M., Kadriaj, P., Blagrove, M.S.C.C., Lytra, I., Orsborne, J., Al-Amin, H.M., Mohammed, A.R., Alam, M.S., Girod, R., Afrane, Y.A., Bino, S., Robert, V., Boyer, S., Baylis, M., Velo, E., Hughes, G.L., Walker, T., 2024. Mitochondrial and microbial diversity of the invasive mosquito vector species Culex tritaeniorhynchus across its extensive inter-continental geographic range. *Wellcome Open Res.* 9: 18. doi:10.12688/wellcomeopenres.20761.1

Jeon, J., Donnelly, M.J., Choi, K.S., 2026. Mitochondrial genome analysis and molecular identification of two Culex tritaeniorhynchus (Diptera: Culicidae)

UNIVERSITAS
GADJAH MADA
Analisis Karakteristik Habitat Larva dan Populasi Genetik Nyamuk Culex tritaeniorhynchus sebagai Vektor Japanese encephalitis di Kalurahan Ngestiharjo Kapanewon Kasihan Kabupaten Bantul
Miftahul Nurun Nisa, Prof. Dr. Tri Baskoro Tunggul Satoto, M.Sc., Ph.D; Triwibowo Ambar Garjito, S.Si, M.Kes. Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

clades from the Republic of Korea. *J. Med. Entomol.* 63. doi:10.1093/jme/tjaf192

Jetz, W., Thomas, G.H., Joy, J.B., Hartmann, K., Mooers, A.O., 2012. The global diversity of birds in space and time. *Nature* 491: 444–448. doi:10.1038/nature11631

Kalurahan Ngestiharjo, 2019. Wilayah Kalurahan Ngestiharjo [WWW Document]. URL https://ngestiharjo.bantulkab.go.id/first/artikel/109 (diakses 4.28.26).

Karthika, P., Vadivalagan, C., Thirumurugan, D., Kumar, R.R., Murugan, K., Canale, A., Benelli, G., 2018. DNA barcoding of five Japanese encephalitis mosquito vectors (Culex fuscocephala, Culex gelidus, Culex tritaeniorhynchus, Culex pseudovishnui and Culex vishnui). *Acta Trop.* 183: 84–91. doi:10.1016/j.actatropica.2018.04.006

Kemenkes RI, 2023. Petunjuk Teknis Pemberian Imunisasi Japanese Encephalitis. Direktorat Jenderal Pencegahan dan Pengendalian Penyakit, Jakarta.

Kimura, M., 1980. A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences. *J. Mol. Evol.* 16: 111–120. doi:10.1007/BF01731581

Korneliussen, T.S., Moltke, I., Albrechtsen, A., Nielsen, R., 2013. Calculation of Tajima's D and other neutrality test statistics from low depth next-generation sequencing data. *BMC Bioinformatics* 14: 289. doi:10.1186/1471-2105-14-289

Kress, W.J., Erickson, D.L., 2008. DNA barcodes: Genes, genomics, and bioinformatics. *Proc. Natl. Acad. Sci.* 105: 2761–2762. doi:10.1073/pnas.0800476105

Kumar, G., Pasi, S., Kaur, J., Singh, H., 2024. Abiotic and Biotic Interactions of Mosquitoes, in: Mosquitoes. Springer Nature Singapore, Singapore, hal. 223–235. doi:10.1007/978-981-97-4163-2_9

Kumar, K., Arshad, S.S., Selvarajah, G.T., Abu, J., Toung, O.P., Abba, Y., Bande, F., Yasmin, A.R., Sharma, R., Ong, B.L., Rasid, A.A., Hashim, N., Peli, A., Heshini, E.P., Shah, A.K.M.K., 2018. Prevalence and risk factors of Japanese encephalitis virus (JEV) in livestock and companion animal in high-risk areas in Malaysia. *Trop. Anim. Health Prod.* 50: 741–752. doi:10.1007/s11250-017-1490-6

Kumar, S., Nei, M., Dudley, J., Tamura, K., 2008. MEGA: A biologist-centric software for evolutionary analysis of DNA and protein sequences. *Brief. Bioinform.* 9: 299–306. doi:10.1093/bib/bbn017

Leblond-Bourget, N., Philippe, H., Mangin, I., Decaris, B., 1996. 16S rRNA and 16S to 23S Internal Transcribed Spacer Sequence Analyses Reveal Inter- and Intraspecific Bifidobacterium Phylogeny. *Int. J. Syst. Bacteriol.* 46: 102–111. doi:10.1099/00207713-46-1-102

UNIVERSITAS
GADJAH MADA
Analisis Karakteristik Habitat Larva dan Populasi Genetik Nyamuk Culex tritaeniorhynchus sebagai Vektor Japanese encephalitis di Kalurahan Ngestiharjo Kapanewon Kasihan Kabupaten Bantul
Miftahul Nurun Nisa, Prof. Dr. Tri Baskoro Tunggul Satoto, M.Sc., Ph.D; Triwibowo Ambar Garjito, S.Si, M.Kes. Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Leigh, J.W., Bryant, D., 2015. POPART: Full-feature software for haplotype network construction. *Methods Ecol. Evol.* 6: 1110–1116. doi:10.1111/2041-210X.12410

Lessard, B.D., Kurucz, N., Rodriguez, J., Carter, J., Hardy, C.M., 2021. Detection of the Japanese Encephalitis vector mosquito Culex tritaeniorhynchus in Australia using molecular diagnostics and morphology. *Parasit. Vectors* 14: 411. doi:10.1186/s13071-021-04911-2

Lewis, P.O., Crawford, D.J., 1995. Pleistocene refugium endemics exhibit greater allozymic diversity than widespread congeners in the genus Polygonella (Polygonaceae). *Am. J. Bot.* 82: 141–149. doi:10.1002/j.1537-2197.1995.tb11483.x

Li, W., Liu, Z., Tang, X., Liu, C., Wang, L., Deng, K., Liu, L., Wu, J., 2025. Mutation in the knockdown resistance gene and population genetic structure in Culex tritaeniorhynchus from Guizhou Province. *Parasit. Vectors* 18: 481. doi:10.1186/s13071-025-07071-9

Lindahl, J., Chirico, J., Boqvist, S., Thu, H.T.V., Magnusson, U., 2012. Occurrence of Japanese Encephalitis Virus Mosquito Vectors in Relation to Urban Pig Holdings. *Am. Soc. Trop. Med. Hyg.* 87: 1076–1082. doi:10.4269/ajtmh.2012.12-0315

Liu, B., Gao, X., Ma, J., Jiao, Z., Xiao, J., Wang, H., 2018. Influence of Host and Environmental Factors on the Distribution of the Japanese Encephalitis Vector Culex tritaeniorhynchus in China. *Int. J. Environ. Res. Public Health* 15: 1848. doi:10.3390/ijerph15091848

Liu, W., Ding, D., Clemens, J.D., Yen, N.T., Porpit, V., Xu, Z.Y., 2010. Measuring Japanese Encephalitis (JE) Disease Burden in Asia, in: Handbook of Disease Burdens and Quality of Life Measures. Springer Science.

Longbottom, J., Browne, A.J., Pigott, D.M., Sinka, M.E., Golding, N., Hay, S.I., Moyes, C.L., Shearer, F.M., 2017. Mapping the spatial distribution of the Japanese encephalitis vector, Culex tritaeniorhynchus Giles, 1901 (Diptera: Culicidae) within areas of Japanese encephalitis risk. *Parasit. Vectors* 10: 148. doi:10.1186/s13071-017-2086-8

Lorenz, T.C., 2012. Polymerase Chain Reaction: Basic Protocol Plus Troubleshooting and Optimization Strategies. *J. Vis. Exp.* 1–15. doi:10.3791/3998

Lotfi, M., 1976. Key to Culicinae of Iran, genus Culex and their biology (Diptera: Culicidae). *Iran. J. Public Heal.* 5: 71–84.

Lotfi, M., 1970. Iranian species of genus Culex (Diptera: Culicinae). *Bull Soc Pathol Exot* 63: 399–403.

Lucena-Aguilar, G., Sánchez-López, A.M., Barberán-Aceituno, C., Carrillo-Ávila, J.A., López-Guerrero, J.A., Aguilar-Quesada, R., 2016. DNA Source

UNIVERSITAS
GADJAH MADA
Analisis Karakteristik Habitat Larva dan Populasi Genetik Nyamuk Culex tritaeniorhynchus sebagai Vektor Japanese encephalitis di Kalurahan Ngestiharjo Kapanewon Kasihan Kabupaten Bantul
Miftahul Nurun Nisa, Prof. Dr. Tri Baskoro Tunggul Satoto, M.Sc., Ph.D; Triwibowo Ambar Garjito, S.Si, M.Kes. Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Selection for Downstream Applications Based on DNA Quality Indicators Analysis. *Biopreserv. Biobank.* 14: 264–270. doi:10.1089/bio.2015.0064

Luo, Q.-C., Hao, Y.-J., Meng, F., Li, T.-J., Ding, Y.-R., Hua, Y.-Q., Chen, B., 2016. The mitochondrial genomes of Culex tritaeniorhynchus and Culex pipiens pallens (Diptera: Culicidae) and comparison analysis with two other Culex species. *Parasit. Vectors* 9: 406. doi:10.1186/s13071-016-1694-z

Madhav, M., Blasdell, K.R., Trewin, B., Paradkar, P.N., López-Denman, A.J., 2024. Culex-Transmitted Diseases: Mechanisms, Impact, and Future Control Strategies using Wolbachia. *Viruses* 16: 1134. doi:10.3390/v16071134

Magfiroh, U., Siwiendrayanti, A., 2021. Survei nyamuk Culex sp. pada lingkungan sekitar penderita filariasis di Kabupaten Brebes. *J. Heal. Epidemiol. Commun. Dis.* 7: 40–51. doi:10.22435/jhecds.v7i1.4992

Maha, M.S., Moniaga, V.A., Hills, S.L., Widjaya, A., Sasmito, A., Hariati, R., Kupertino, Y., Artastra, I.K., Arifin, M.Z., Supraptono, B., Syarif, I., Jacobson, J.A., Sedyaningsih, E.R., 2009. Outcome and extent of disability following Japanese encephalitis in Indonesian children. *Int. J. Infect. Dis.* 13: e389–e393. doi:10.1016/j.ijid.2009.01.009

Manguin, S., Garros, C., Dusfour, I., Harbach, R.E., Coosemans, M., 2008. Bionomics, taxonomy, and distribution of the major malaria vector taxa of Anopheles subgenus Cellia in Southeast Asia: An updated review. *Infect. Genet. Evol.* 8: 489–503. doi:10.1016/j.meegid.2007.11.004

Marrelli, M.T., Sallum, M.A.M., Marinotti, O., 2006. The second internal transcribed spacer of nuclear ribosomal DNA as a tool for Latin American anopheline taxonomy: a critical review. *Mem. Inst. Oswaldo Cruz* 101: 817–832. doi:10.1590/S0074-02762006000800002

Muharromah, A.F., Astuti, R.R.U.N.W., Watanabe, K., 2025. Impact of peri-urban pig farms on mosquito community structure in Yogyakarta, Indonesia. *Curr. Res. Parasitol. Vector-Borne Dis.* 8: 100310. doi:10.1016/j.crpvbd.2025.100310

Mulvey, P., Duong, V., Boyer, S., Burgess, G., Williams, D.T., Dussart, P., Horwood, P.F., 2021. The Ecology and Evolution of Japanese Encephalitis Virus. *Pathogens* 10: 1534. doi:10.3390/pathogens10121534

Mulyawati, A., Sukesi, T.W., Mulasari, S.A., Setiawan, Y.D., Yuliani, Y., Patmasari, Y., Girsang, T.A., Damayanti, I.L., 2022. Analisis Situasi Luas Wilayah Reseptif Malaria di Kabupaten Gunungkidul Daerah Istimewa Yogyakarta Tahun 2021. *Sanitasi J. Kesehat. Lingkung.* 15: 47–60. doi:10.29238/sanitasi.v15i1.1448

Murugan, K., Vadivalagan, C., Karthika, P., Panneerselvam, C., Paulpandi, M., Subramaniam, J., Wei, H., Aziz, A.T., Alsalhi, M.S., Devanesan, S., Nicoletti, M., Paramasivan, R., Parajulee, M.N., Benelli, G., 2016. DNA barcoding and

UNIVERSITAS
GADJAH MADA
Analisis Karakteristik Habitat Larva dan Populasi Genetik Nyamuk Culex tritaeniorhynchus sebagai Vektor Japanese encephalitis di Kalurahan Ngestiharjo Kapanewon Kasihan Kabupaten Bantul
Miftahul Nurun Nisa, Prof. Dr. Tri Baskoro Tunggul Satoto, M.Sc., Ph.D; Triwibowo Ambar Garjito, S.Si, M.Kes. Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

molecular evolution of mosquito vectors of medical and veterinary importance. *Parasitol. Res.* 115: 107–121. doi:10.1007/s00436-015-4726-2

Mya, M.M., Thaung, S., Tun, T., Min Oo, S.Z., Yee Linn, N.Y., Oo, T., Wai, K.T., Maung Maung, Y.N., Htun, Z.T., 2024. Vector bionomic of Culex species in possible Japanese Encephalitis Transmitted areas of Ein-me Township, Ayayawady Region in Myanmar. *Middle East J. Appl. Sci. Technol.* 07: 141–159. doi:10.46431/MEJAST.2024.7314

Nikookar, S.H., Fazeli-Dinan, M., Azari-Hamidian, S., Mousavinasab, S.N., Aarabi, M., Ziapour, S.P., Esfandyari, Y., Enayati, A., 2017. Correlation between mosquito larval density and their habitat physicochemical characteristics in Mazandaran Province, northern Iran. *PLoS Negl. Trop. Dis.* 11: e0005835. doi:10.1371/journal.pntd.0005835

Nurhayati, B., Darmawati, S., 2017. Biologi Sel dan Molekuler. Pusat Pendidikan Sumber Daya Manusia Kesehatan Kemenkes RI, Jakarta.

Ompusunggu, S., Hills, S.L., Maha, M.S., Moniaga, V.A., Susilarini, N.K., Widjaya, A., Sasmito, A., Suwandono, A., Sedyaningsih, E.R., Jacobson, J.A., 2008. Confirmation of Japanese Encephalitis as an Endemic Human Disease Through Sentinel Surveillance in Indonesia. *Am. J. Trop. Med. Hyg.* 79: 963–970. doi:10.4269/ajtmh.2008.79.963

Pan, X.-L., Liu, H., Wang, H.-Y., Fu, S.-H., Liu, H.-Z., Zhang, H.-L., Li, M.-H., Gao, X.-Y., Wang, J.-L., Sun, X.-H., Lu, X.-J., Zhai, Y.-G., Meng, W.-S., He, Y., Wang, H.-Q., Han, N., Wei, B., Wu, Y.-G., Feng, Y., Yang, D.-J., Wang, L.-H., Tang, Q., Xia, G., Kurane, I., Rayner, S., Liang, G.-D., 2011. Emergence of Genotype I of Japanese Encephalitis Virus as the Dominant Genotype in Asia. *J. Virol.* 85: 9847–9853. doi:10.1128/JVI.00825-11

Paz, A., Crawford, A.J., 2012. Molecular-based rapid inventories of sympatric diversity: A comparison of DNA barcode clustering methods applied to geography-based vs clade-based sampling of amphibians. *J. Biosci.* 37: 887–896. doi:10.1007/s12038-012-9255-x

Pearce, J.C., Learoyd, T.P., Langendorf, B.J., Logan, J.G., 2018. Japanese encephalitis: the vectors, ecology and potential for expansion. *J. Travel Med.* 25: S16–S26. doi:10.1093/jtm/tay009

Peraturan Daerah Kabupaten Bantul Nomor 4 Tahun 2011 tentang Rencana Tata Ruang Wilayah Kabupaten Bantul Tahun 2010-2030, n.d.

Quan, T.M., Thao, T.T.N., Duy, N.M., Nhat, T.M., Clapham, H., 2020. Estimates of the global burden of Japanese encephalitis and the impact of vaccination from 2000-2015. *Elife* 9. doi:10.7554/eLife.51027

Rajendran, R., Reuben, R., 1991. Evaluation of the water fern Azolla microphylla for mosquito population management in the rice-land agro-ecosystem of south India. *Med. Vet. Entomol.* 5: 299–310. doi:10.1111/j.1365-

UNIVERSITAS
GADJAH MADA
Analisis Karakteristik Habitat Larva dan Populasi Genetik Nyamuk Culex tritaeniorhynchus sebagai Vektor Japanese encephalitis di Kalurahan Ngestiharjo Kapanewon Kasihan Kabupaten Bantul
Miftahul Nurun Nisa, Prof. Dr. Tri Baskoro Tunggul Satoto, M.Sc., Ph.D; Triwibowo Ambar Garjito, S.Si, M.Kes. Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

2915.1991.tb00556.x

Rashmi, K., Sharma, M., Chaudhry, S., 2011. DNA Fingerprinting and Phylogenetics of Five Species Of Genus Culex Using ITS2 Sequence (Diptera: Culicidae). *Caryologia* 64: 3–9. doi:10.1080/00087114.2011.10589758

Rattanarithikul, R., Harbach, R.E., Harrison, B.A., Panthusiri, P., Coleman, R.E., Richardson, J.H., 2010. Illustrated keys to the mosquitoes of Thailand. VI. Tribe Aedini. *Southeast Asian J. Trop. Med. Public Health* 41 Suppl 1: 1–225.

Rattanarithikul, R., Harbach, R.E., Harrison, B.A., Panthusiri, P., Jones, J.W., Coleman, R.E., 2005. Illustrated keys to the mosquitoes of Thailand. II. Genera Culex and Lutzia. *Southeast Asian J. Trop. Med. Public Health* 36 Suppl 2: 1–97.

Reuben, R., Tewari, S.C., Hiriyan, J., Akiyama, J., 1994. Illustrated keys to species of Culex (Culex) associated with Japanese Encephalitis in Southeast Asia (Diptera: Culicidae). *Mosq. Syst.* 26: 75–96.

Riandi, M.U., Wahono, T., Ipa, M., Hendri, J., Subangkit, S., 2020. Keragaman Spesies Vektor Japanese encephalitis di Sekitar Kandang Babi Kabupaten Tangerang. *ASPIRATOR - J. Vector-borne Dis. Stud.* 12: 37–44. doi:10.22435/asp.v12i1.2765

Rohmah, N.S., 2025. Evaluasi Program Imunisasi Tambahan Massal Japanese Encephalitis di Kabupaten Bantul Tahun 2024. Universitas Gadjah Mada.

Roy, M., Kundu, M., Chatterjee, S., Aditya, G., 2019. Distribution of mosquito larvae in rice field habitats: a spatial scale analysis in semi-field condition. *Eur. J. Ecol.* 5: 38–48. doi:10.2478/eje-2019-0006

Rozas, J., Ferrer-mata, A., S, J.C., Guirao-rico, S., Librado, P., Ramos-onsins, E., Alejandro, S., Gene, D. De, 2017. DnaSP 6 : DNA Sequence Polymorphism Analysis of Large Data Sets. *Mol. Biol. Evol.* 34: 3299–3302. doi:10.1093/molbev/msx248

Ruangsittichai, C., Apiwathnasorn, C., Sangthong, Pradit Samung, Y., Ruangsittichai, J., 2011. COI Primers for molecular identification of Mansonia annulata. *Southeast Asian J. Trop. Med. Public Health* 42: 1381–1387.

Sallam, M.F., Al Ahmed, A.M., Abdel-Dayem, M.S., Abdullah, M.A.R., 2013. Ecological Niche Modeling and Land Cover Risk Areas for Rift Valley Fever Vector, Culex tritaeniorhynchus Giles in Jazan, Saudi Arabia. *PLoS One* 8: e65786. doi:10.1371/journal.pone.0065786

Satoto, T.B.T., Garjito, T.A., Shinta, S., Landi, S., Frutos, R., Manguin, S., 2025. Anopheles barbirostris in Indonesia: A more complex metapopulation than expected. *PLoS One* 20: e0321707. doi:10.1371/journal.pone.0321707

Schuh, A.J., Guzman, H., Tesh, R.B., Barrett, A.D.T., 2013. Genetic Diversity of Japanese Encephalitis Virus Isolates Obtained from the Indonesian

UNIVERSITAS
GADJAH MADA
Analisis Karakteristik Habitat Larva dan Populasi Genetik Nyamuk Culex tritaeniorhynchus sebagai Vektor Japanese encephalitis di Kalurahan Ngestiharjo Kapanewon Kasihan Kabupaten Bantul
Miftahul Nurun Nisa, Prof. Dr. Tri Baskoro Tunggul Satoto, M.Sc., Ph.D; Triwibowo Ambar Garjito, S.Si, M.Kes. Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Archipelago Between 1974 and 1987. *Vector-Borne Zoonotic Dis.* 13: 479–488. doi:10.1089/vbz.2011.0870

Schuh, A.J., Tesh, R.B., Barrett, A.D.T., 2011. Genetic characterization of Japanese encephalitis virus genotype II strains isolated from 1951 to 1978. *J. Gen. Virol.* 92: 516–527. doi:10.1099/vir.0.027110-0

Scott, A.D., Baum, D.A., 2016. Phylogenetic Tree, in: Encyclopedia of Evolutionary Biology. Elsevier, hal. 270–276. doi:10.1016/B978-0-12-800049-6.00203-1

Shalihah, M., Utomo, B., Yotopranoto, S., Arwati, H., 2020. Fauna of Culex Mosquitoes In Salamwates Village Dongko Subdistrict, Trenggalek City. *Biomol. Heal. Sci. J.* 3: 41. doi:10.20473/bhsj.v3i1.19089

Shoraka, H.R., Sofizadeh, A., Mehravaran, A., 2020. Larval habitat characteristics and predicting the distribution of Culex tritaeniorhynchus using maximum entropy (MaxEnt) modelin Golestan Province (north of Iran). *J. Vector Borne Dis.* 57: 259. doi:10.4103/0972-9062.311780

Simmonds, P., Becher, P., Bukh, J., Gould, E.A., Meyers, G., Monath, T., Muerhoff, S., Pletnev, A., Rico-Hesse, R., Smith, D.B., Stapleton, J.T., 2017. ICTV Virus Taxonomy Profile: Flaviviridae. *J. Gen. Virol.* 98: 2–3. doi:10.1099/jgv.0.000672

Singh, O.P., Chandra, D., Nanda, N., Raghavendra, K., Sunil, S., Sharma, S.K., Dua, V.K., Subbarao, S.K., 2004. Differentiation of members of the Anopheles fluviatilis species complex by an allele-specific polymerase chain reaction based on 28S ribosomal DNA sequences. *Am. J. Trop. Med. Hyg.* 70: 27–32.

Sirivanakarn, S., 1976. Medical entomology studies - A revision of the subgenus Culex in the Oriental region (Diptera: Culicidae). *Contrib. Am. Entomol. Inst.* 12: 1–272.

Smith, S.D., Pennell, M.W., Dunn, C.W., Edwards, S. V, 2020. Phylogenetics is the New Genetics (for Most of Biodiversity). *Trends Ecol. Evol.* 35: 415–425. doi:10.1016/j.tree.2020.01.005

Smyth, J.D., 1990. Foundations of parasitology (4th edn). *Parasitol. Today* 6: 89. doi:10.1016/0169-4758(90)90219-T

Soedarto, 2011. Buku Ajar Parasitologi Kedokteran. CV Agung Seto, Jakarta.

Sofizadeh, A., Reza Shoraka, H., Mesgarian, F., Mohammad Ozbaki, G., Gharaninia, A., Sahneh, E., Dankoob, R., Malaka, A., Fallah, S., Nemani, S., 2018. Fauna and Larval Habitats Characteristics of Mosquitoes (Diptera: Culicidae) in Golestan Province, Northeast of Iran, 2014–2015. *J. Arthropod. Borne. Dis.* 12: 240–251. doi:10.18502/jad.v12i3.76

Solomon, T., 2000. Japanese encephalitis. *J. Neurol. Neurosurg. Psychiatry* 68: 405–415. doi:10.1136/jnnp.68.4.405

UNIVERSITAS
GADJAH MADA
Analisis Karakteristik Habitat Larva dan Populasi Genetik Nyamuk Culex tritaeniorhynchus sebagai Vektor Japanese encephalitis di Kalurahan Ngestiharjo Kapanewon Kasihan Kabupaten Bantul
Miftahul Nurun Nisa, Prof. Dr. Tri Baskoro Tunggul Satoto, M.Sc., Ph.D; Triwibowo Ambar Garjito, S.Si, M.Kes. Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sum, J.-S., Lee, W.-C., Amir, A., Braima, K.A., Jeffery, J., Abdul-Aziz, N.M., Fong, M.-Y., Lau, Y.-L., 2014. Phylogenetic study of six species of Anopheles mosquitoes in Peninsular Malaysia based on inter-transcribed spacer region 2 (ITS2) of ribosomal DNA. *Parasit. Vectors* 7: 309. doi:10.1186/1756-3305-7-309

Sunarti, S., Ali, M., Mudatsir, M., 2019. Kepadatan Fitoplankton dan Larva Nyamuk Aedes albopictus pada Tempat Perindukan di Kecamatan Syiah Kuala Kota Banda Aceh. *Biot. J. Ilm. Biol. Teknol. dan Kependidikan* 6: 125. doi:10.22373/biotik.v6i2.5634

Tamura, K., 1992. Estimation of the number of nucleotide substitutions when there are strong transition-transversion and G+C-content biases. *Mol. Biol. Evol.* doi:10.1093/oxfordjournals.molbev.a040752

Tamura, K., Stecher, G., Kumar, S., 2021. MEGA11: Molecular Evolutionary Genetics Analysis Version 11. *Mol. Biol. Evol.* 38: 3022–3027. doi:10.1093/molbev/msab120

Tan, R., Nalim, S., Suwasono, H., Jennings, G.B., 1993. Japanese Encephalitis Virus Isolated from Seven Species of Mosquitos Collected at Semarang Regency, Central Java. *Indones. Bull. Heal. Res.* 21. doi:10.22435/bpk.v21i1Mar.409

Thankachy, S., Dash, S., Sahu, S.S., 2019. Entomological factors in relation to the occurrence of Japanese encephalitis in Malkangiri district, Odisha State, India. *Pathog. Glob. Health* 113: 246–253. doi:10.1080/20477724.2019.1670926

Thompson, J.D., Higgins, D.G., Gibson, T.J., 1994. CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acids Res.* 22: 4673–4680. doi:10.1093/nar/22.22.4673

Torreias, S.R. da S., Ferreira-Keppler, R.L., Godoy, B.S., Hamada, N., 2010. Mosquitoes (Diptera, Culicidae) inhabiting foliar tanks of Guzmania brasiliensis Ule (Bromeliaceae) in central Amazonia, Brazil. *Rev. Bras. Entomol.* 54: 618–623. doi:10.1590/S0085-56262010000400013

Treves, D.S., 2010. Review of Three DNA Analysis Applications for Use in the Microbiology or Genetics Classroom. *J. Microbiol. Biol. Educ.* 11: 186–187. doi:10.1128/jmbe.v11i2.205

Vadivalagan, C., Karthika, P., Murugan, K., Panneerselvam, C., Paulpandi, M., Madhiyazhagan, P., Wei, H., Aziz, A.T., Alsalhi, M.S., Devanesan, S., Nicoletti, M., Paramasivan, R., Dinesh, D., Benelli, G., 2016. Genetic deviation in geographically close populations of the dengue vector Aedes aegypti (Diptera: Culicidae): influence of environmental barriers in South India. *Parasitol. Res.* 115: 1149–1160. doi:10.1007/s00436-015-4847-7

Vaz, C., Nascimento, M., Carriço, J.A., Rocher, T., Francisco, A.P., 2021.

UNIVERSITAS
GADJAH MADA
Analisis Karakteristik Habitat Larva dan Populasi Genetik Nyamuk Culex tritaeniorhynchus sebagai Vektor Japanese encephalitis di Kalurahan Ngestiharjo Kapanewon Kasihan Kabupaten Bantul
Miftahul Nurun Nisa, Prof. Dr. Tri Baskoro Tunggul Satoto, M.Sc., Ph.D; Triwibowo Ambar Garjito, S.Si, M.Kes. Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Distance-based phylogenetic inference from typing data: a unifying view. *Brief. Bioinform.* 22. doi:10.1093/bib/bbaa147

Verdonschot, P.F.M., Besse-Lototskaya, A.A., 2014. Flight distance of mosquitoes (Culicidae): A metadata analysis to support the management of barrier zones around rewetted and newly constructed wetlands. *Limnologica* 45: 69–79. doi:10.1016/j.limno.2013.11.002

Villarreal, M.R., 2010. Culex mosquito life cycle [WWW Document]. *Wikimedia Commons*. URL https://commons.wikimedia.org/wiki/File:Culex_mosquito_life_cycle_uk.svg#/media/File:Culex_mosquito_life_cycle_en.svg (diakses 8.14.25).

Wang, H., Liang, G.-D., 2015. Epidemiology of Japanese encephalitis: past, present, and future prospects. *Ther. Clin. Risk Manag.* 435. doi:10.2147/TCRM.S51168

Wang, L., Hu, W., Soares Magalhaes, R.J., Bi, P., Ding, F., Sun, H., Li, S., Yin, W., Wei, L., Liu, Q., Haque, U., Sun, Y., Huang, L., Tong, S., Clements, A.C.A., Zhang, W., Li, C., 2014. The role of environmental factors in the spatial distribution of Japanese encephalitis in mainland China. *Environ. Int.* 73: 1–9. doi:10.1016/j.envint.2014.07.004

Wang, Z., Sun, J., Gao, Y., Xue, Y., Zhang, Y., Li, K., Zhang, W., Zhang, C., Zu, J., Zhang, L., 2023. Fusang: a framework for phylogenetic tree inference via deep learning. *Nucleic Acids Res.* 51: 10909–10923. doi:10.1093/nar/gkad805

Wathon, S., Astikaningrum, D., Ardyah, N.P.C., Oktarianti, R., Senjarini, K., 2023. In silico exploration of the potential barcode DNA in Anopheles sp., a malarian vector from Indonesia. *J. Biolokus* 6: 96. doi:10.30821/biolokus.v6i1.1749

WHO, 2024. Japanese Encephalitis Fact Sheet [WWW Document]. *World Heal. Organ.* URL https://www.who.int/news-room/fact-sheets/detail/japanese-encephalitis (diakses 8.8.25).

WHO, 2016. Japanese Encephalitis Vaccines: WHO position paper, February 2015 – Recommendations. *Vaccine* 34: 302–303. doi:10.1016/j.vaccine.2015.07.057

WHO, 2013. Lymphatic filariasis: A handbook of practical entomology. World Health Organization, Geneva.

Wilke, A.B.B., Chase, C., Vasquez, C., Carvajal, A., Medina, J., Petrie, W.D., Beier, J.C., 2019. Urbanization creates diverse aquatic habitats for immature mosquitoes in urban areas. *Sci. Rep.* 9: 15335. doi:10.1038/s41598-019-51787-5

Wu, J., Li, D., Boyd, B., Balan, R.K., George, S., Peacock, L., Pal, C., 2023. Comparative performance of a multi-locus barcoding approach to enhance taxonomic resolution of New Zealand mosquitoes (Diptera: Culicidae).

UNIVERSITAS
GADJAH MADA
Analisis Karakteristik Habitat Larva dan Populasi Genetik Nyamuk Culex tritaeniorhynchus sebagai Vektor Japanese encephalitis di Kalurahan Ngestiharjo Kapanewon Kasihan Kabupaten Bantul
Miftahul Nurun Nisa, Prof. Dr. Tri Baskoro Tunggul Satoto, M.Sc., Ph.D; Triwibowo Ambar Garjito, S.Si, M.Kes. Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Austral Entomol. 62: 77–95. doi:10.1111/aen.12630

Xiao, M., Kong, F., Sorrell, T.C., Cao, Y., Lee, O.C., Liu, Y., Sintchenko, V., Chen, S.C.A., 2010. Identification of Pathogenic Nocardia Species by Reverse Line Blot Hybridization Targeting the 16S rRNA and 16S-23S rRNA Gene Spacer Regions. *J. Clin. Microbiol.* 48: 503–511. doi:10.1128/JCM.01761-09

Xie, G.-L.L., Ma, X.-R.R., Liu, Q.-Y.Y., Meng, F.-X.X., Li, C., Wang, J., Guo, Y.-H.H., 2021. Genetic structure of Culex tritaeniorhynchus (Diptera: Culicidae) based on COI DNA barcodes. *Mitochondrial DNA Part B Resour.* 6: 1411–1415. doi:10.1080/23802359.2021.1911711

Yang, Z., 1994. Maximum likelihood phylogenetic estimation from DNA sequences with variable rates over sites: Approximate methods. *J. Mol. Evol.* 39: 306–314. doi:10.1007/BF00160154

Yang, Z., Rannala, B., 2012. Molecular phylogenetics: principles and practice. *Nat. Rev. Genet.* 13: 303–314. doi:10.1038/nrg3186

Yao, H., Song, J., Liu, C., Luo, K., Han, J., Li, Y., Pang, X., Xu, H., Zhu, Y., Xiao, P., Chen, S., 2010. Use of ITS2 Region as the Universal DNA Barcode for Plants and Animals. *PLoS One* 5: e13102. doi:10.1371/journal.pone.0013102

Yap, G., Lim, X.F., Chan, S., How, C.B., Humaidi, M., Yeo, G., Mailepessov, D., Kong, M., Lai, Y.L., Okumura, C., Ng, L.C., 2019. Serological evidence of continued Japanese encephalitis virus transmission in Singapore nearly three decades after end of pig farming. *Parasit. Vectors* 12: 244. doi:10.1186/s13071-019-3501-0

Ye, J., McGinnis, S., Madden, T.L., 2006. BLAST: improvements for better sequence analysis. *Nucleic Acids Res.* 34: W6–W9. doi:10.1093/nar/gkl164

Yee, D.A., Kneitel, J.M., Juliano, S.A., 2010. Environmental Correlates of Abundances of Mosquito Species and Stages in Discarded Vehicle Tires. *J. Med. Entomol.* 47: 53–62. doi:10.1603/033.047.0107

Zhang, C., Cheng, P., Liu, B., Shi, G., Wang, H., Liu, L., Guo, X., Ren, H., Gong, M., 2014. Measure Post-Bloodmeal Dispersal of Mosquitoes and Duration of Radioactivity by Using the Isotope 32P. *J. Insect Sci.* 14: 1–5. doi:10.1093/jisesa/ieu058

Zhang, Y., Wang, H., Du, J., Wang, Y., Zang, C., Cheng, P., Liu, L., Zhang, C., Lou, Z., Lei, J., Wu, J., Gong, M., Liu, H., 2024. Population genetic structure of Culex tritaeniorhynchus in different types of climatic zones in China. *BMC Genomics* 25: 673. doi:10.1186/s12864-024-10589-4