

DAFTAR PUSTAKA

- Aggarwa, R., & Ranganathan, P. (2018). Conducting real-world evidence studies in India. Study designs: Part 1 – an overview and classification. *Perspectives in Clinical Research*, 10(1), 51–56. <https://doi.org/10.4103/picr.PICR>.
- Ahmed, M. A. K., Fjellvåg, H., & Kjekshus, A. (1998). Synthesis and characterization of tin sulfates and oxide sulfate. *Acta Chemica Scandinavica*, 52(3), 305–311. <https://doi.org/10.3891/acta.chem.scand.52-0305>.
- Ait Layachi, O., Moujib, A., & Khoumri, E. M. (2024). Electrochemical nucleation and growth mechanism of metals. *Electroanalysis*, 36(n/a). <https://doi.org/10.1002/elan.202400115>.
- Allahyarov, E., Sandomirski, K., Egelhaaf, S. U., & Löwen, H. (2015). Crystallization seeds favour crystallization only during initial growth. *Nature Communications*, 6, 7110. <https://doi.org/10.1038/ncomms8110>.
- Al-othman, A., dan Demopoulos, G.P. (2009). Gypsum crystallization and hydrochloric acid regeneration by reaction of calcium chloride solution with sulfuric acid. *Hydrometallurgy*, 96(1-2), 95–102. <http://dx.doi.org/10.1016/j.hydromet.2008.08.010>.
- Akyol, E., & Cedimagar, M. A. (2016). Size and morphology controlled synthesis of barium sulfate. *Crystal Research and Technology*, 51(6), 393–399. <https://doi.org/10.1002/crat.201600046>.
- Amdoun, R., Khelifi, L., Khelifi-Slaoui, M., Amroune, S., Asch, M., Assaf-Ducrocq, C., & Gontier, E. (2018). The desirability optimization methodology; a tool to predict two antagonist responses in biotechnological systems: Case of biomass growth and hyoscyamine content in elicited *Datura stramonium* hairy roots. *Iranian Journal of Biotechnology*, 16(1), 11–19. <https://doi.org/10.21859/ijb.1339>.
- Anggraeni, V. M. P., Purnomo, C. W., & Petrus, H. B. T. M. (2024). Optimization of banten ilmenite leaching using hydrochloric acid. 060002. <https://doi.org/10.1063/5.0200301>.
- Anggraeni, V. M. P., Supriyatna, Y. I., Astuti, W., Sumardi, S., Prasetya, A., Petrus, H. T. B. M., & Purnomo, C. W. (2023). Ilmenite sand direct leaching kinetics in hydrochloric acid solution. *Journal of Sustainable Metallurgy*, 9(4), 1578–1588. <https://doi.org/10.1007/s40831-023-00749-3>.
- Angulo, A., van der Linde, P., Gardeniers, H., Modestino, M., & Fernández Rivas, D. (2020). Influence of bubbles on the energy conversion efficiency of electrochemical reactors. *Joule*, 4(3), 555–579. DOI: 10.1016/j.joule.2020.01.005.
- Antao, S. M. (2012). The crystal structure of tin sulphate, SnSO₄, and comparison with isostructural SrSO₄, PbSO₄, and BaSO₄. *Powder Diffraction*, 27(3), 179–183. <https://doi.org/10.1017/S0885715612000450>.
- Aoun, M. *et al.* (1999) ‘A simultaneous determination of nucleation and growth rates from batch spontaneous precipitation’, *Chemical Engineering Science*, 54(9), pp. 1161–1180. Available at: [https://doi.org/10.1016/S0009-2509\(98\)00488-6](https://doi.org/10.1016/S0009-2509(98)00488-6).
- Astuti, W., Mufakhir, F. R., Setiawan, F. A., Wanta, K. C., & Petrus, H. T. B. M. (2023). Leaching characteristics of lanthanum from a secondary resource using inorganic and organic acids: Emphasizing the citric acid kinetics. *Circular Economy and Sustainability*, 3(1), 241–252. <https://doi.org/10.1007/s43615-022-00183-9>.
- Bard, A. J. and Faulkner, L. R. (2000). Electrochemical Methods: Fundamentals and Applications, 2nd Edition. *John Wiley & Sons, Incorporated*. Available at: <https://books.google.co.id/books?id=hQocAAAQBAJ>.

- Behrens, M. A., Franzén, A., Carlert, S., Skantze, U., Lindfors, L., & Olsson, U. (2025). On the Ostwald ripening of crystalline and amorphous nanoparticles. *Soft Matter*, 21, 2349–2354. <https://doi.org/10.1039/D4SM01544D>.
- Bojinov, M., Salmi, K., & Sundholm, G. (1993). Electrochemical behaviour of the passive tin electrode in H₂SO₄ solutions at very positive potentials. *Journal of Electroanalytical Chemistry*, 358(1–2), 177–191. [https://doi.org/10.1016/0022-0728\(93\)80437-M](https://doi.org/10.1016/0022-0728(93)80437-M).
- Bondue, C. J., Graf, M., Goyal, A., & Koper, M. T. M. (2021). Suppression of hydrogen evolution in acidic electrolytes by electrochemical CO₂ reduction. *Journal of the American Chemical Society*, 143(1), 279–285. <https://doi.org/10.1021/jacs.0c10397>.
- Box, G. E. P., & Behnken, D. W. (1960). Some new three level designs for the study of quantitative variables. *Technometrics*, 2(4), 455–475.
- Box, G. E. P., Hunter, J. S., & Hunter, W. G. (2005). *Statistics for experimenters: Design, innovation, and discovery* (2nd ed.). John Wiley & Sons. <https://www.wiley.com/en-us/Statistics+for+Experimenters%3A+Design%2C+Innovation%2C+and+Discovery%2C+2nd+Edition-p-9780471718130>.
- Budevski, E., Staikov, G., & Lorenz, W. J. (2000). *Electrocrystallization: Nucleation and growth phenomena*. Elsevier. <http://www.elsevier.nl/locate/electacta>.
- Caro, J.A., Woldehaimanot, M. and Rasmuson, Å.C. (2014) ‘Semibatch reaction crystallization of salicylic acid’, *Chemical Engineering Research and Design*, 92(3), 522–533. <https://doi.org/10.1016/j.cherd.2013.09.009>.
- Chabanon, E., Mangin, D., dan Charcosset, C. (2016). Membranes and crystallization processes: State of the art and prospects. *Journal of Membrane Science*, 509, 57–67. doi:10.1016/j.memsci.2016.02.051.
- Charcosset, C. Kieffer, R., Mangin, D., dan Puel, F. (2010). Coupling between membrane processes and crystallization operations. *Industrial & engineering chemistry research*, 49(12), 5489–5495.
- Chen, D., Hickner, M. A., Agar, E., Kumbur, E.C. (2013). Optimizing membrane thickness for vanadium redox flow batteries. *J. Membr. Sci.*, 437:108–13.
- Cho, K. M., Kim, K. H., Park, K., Kim, C., Kim, S., Al-Saggaf, A., Gereige, I., & Jung, H. T. (2021). Hydrodynamic behavior of bubbles at gas-evolving electrodes. *Scientific Reports*, 11, 16985.
- Choi, K. H., Jang, J., Bedrossian, S., & Azimi, G. (2025). Impact of impurities on nickel sulfate crystallization and strategies for removal: Advancing toward battery-grade nickel sulfate production. *Industrial & Engineering Chemistry Research*, 64, 4227–4249. <https://doi.org/10.1021/acs.iecr.4c03711>.
- Chong, B. W., Othman, R., Jaya, R. P., Mohd Hasan, M. R., Sandu, A. V., Nabialek, M., Jež, B., Pietrusiewicz, P., Kwiatkowski, D., Postawa, P., & Abdullah, M. M. A. B. (2021). Design of experiment on concrete mechanical properties prediction: A critical review. *Materials*, 14(8), 1866. <https://doi.org/10.3390/ma14081866>.
- Cypcar, A. D., Bui, K. M., & Yang, J. Y. (2024). Suppressing H₂ evolution with sterically encumbered proton sources to improve the Faradaic efficiency for CO₂ reduction to formate. *ACS Catalysis*, 14, 14517–14523. <https://doi.org/10.1021/acscatal.4c03809>.
- Daniel, M., Luna, G. De, Bellotindos, L.M., Asiao, R.N., dan Lu, M., 2015. Removal and recovery of lead in a fluidized-bed reactor by crystallization process. *Hydrometallurgy*, 155, 6–12.

- Darling, H. E. (1964). Conductivity of sulfuric acid solutions. *Journal of Chemical & Engineering Data*, 9(3), 421–426. <https://doi.org/10.1021/je60022a041>.
- Das, S., & Srivastava, V. C. (2015). Copper succinate nanoparticles synthesis by electrochemical method: Effect of pH on structural, thermal and textural properties. *Materials Letters*, 150, 130–134. <https://doi.org/10.1016/j.matlet.2015.03.018>.
- Dastafkan, K., Li, Y., Zhao, C., & Qiao, S. Z. (2023). Operando monitoring of gas bubble evolution in water electrolysis by single high-frequency impedance. *EES Catalysis*, 1, 82–91. <https://doi.org/10.1039/D3EY00182B>.
- de Riese-Meyer, L., Beaujean, D. H.-J., Bode, J., & Sander, J. (1995). Manufactured tin(II) sulfate granules for electrolytic coloring with metal salts. *US Patent* 5,409,685.
- Derringer, G., & Suich, R. (1980). Simultaneous optimization of several response variables. *Journal of Quality Technology*, 12(4), 214–219. <https://doi.org/10.1080/00224065.1980.11980968>.
- Donaldson, J. D., & Moser, W. (1960). Pure Tin (II) Sulphate. *J. Chem. Soc.*, 0, 4000–4003. <https://doi.org/10.1039/JR9600004000>.
- Donaldson, J. D., & Puxley, D. C. (1972). The Crystal Structure of Tin (II) Sulphate. *Acta Cryst.*, B28, 864–867. <https://doi.org/10.1107/S0567740872003322>.
- Drili, E., Profio, G. Di., dan Curcio, E. (2012). Progress in membrane crystallization. *Current Opinion in Chemical Engineering*, 1(2), pp.178–182. Available at: <http://dx.doi.org/10.1016/j.coche.2012.03.005>.
- Dukovic, J., & Tobias, C. W. (1987). The influence of attached bubbles on potential drop and current distribution at gas-evolving electrodes. *Journal of The Electrochemical Society*, 134(2), 331–343.
- Elgrishi, N. et al. (2017) ‘A Practical Beginner’s Guide to Cyclic Voltammetry’, *Journal of Chemical Education*, 95. doi: 10.1021/acs.jchemed.7b00361.
- Evans, J.W., De Jonghe, L.C. (2016). Hydrometallurgy and electrometallurgy. *The Production and Processing of Inorganic Materials*, 281–320. https://doi.org/10.1007/978-3-319-48163-0_9.
- Fan, X., Shao, J., Xiao, X., Wang, X., Li, S., Ge, H., Chen, L., & Wang, C. (2014). In situ synthesis of SnO₂ nanoparticles encapsulated in micro/mesoporous carbon foam as a high-performance anode material for lithium ion batteries. *Journal of Materials Chemistry A*, 2(43), 18367–18374. <https://doi.org/10.1039/c4ta04278f>.
- Fang, Z. Z., Wang, H., & Kumar, V. (2017). Coarsening, densification, and grain growth during sintering of nano-sized powders—A perspective. *International Journal of Refractory Metals and Hard Materials*, 62, 110–117. <https://doi.org/10.1016/j.jrmhm.2016.09.004>.
- Farmani, A., Fahimi, F., & Nasirpour, F. (2025). Relationship between degradation mechanism and water electrolysis efficiency of electrodeposited nickel electrodes. *NPJ Materials Degradation*, 9, Article 25. <https://doi.org/10.1038/s41529-025-00572-z>.
- Ferreira, S. L. C., Bruns, R. E., Ferreira, H. S., Matos, G. D., David, J. M., Brandão, G. C., da Silva, E. G. P., Portugal, L. A., dos Reis, P. S., Souza, A. S., & dos Santos, W. N. L. (2007). Box–Behnken design: An alternative for the optimization of analytical methods. *Analytica Chimica Acta*, 597(2), 179–186. <https://doi.org/10.1016/j.aca.2007.07.011>.
- Firdharini, C., Yulizar, Y., Wismogroho, A. S., & Widayatno, W. B. (2024). Facile synthesis of tin (II) sulphate using precipitation method: Effect on sulfuric acid concentration,

- heating temperature and time, and effect of oxygen. *Trends in Sciences*, 21, 7871. <https://doi.org/10.48048/tis.2024.7871>.
- Forschner, L., Artmann, E., Jacob, T., & Engstfeld, A. K. (2023). Electric potential distribution inside the electrolyte during high voltage electrolysis. *The Journal of Physical Chemistry C*, 127, 4387–4394. <https://doi.org/10.1021/acs.jpcc.2c07873>.
- Gao J, Xu H, Li QJ, Feng XH, Li S. (2010). Optimization of Medium for One-Step Fermentation of Inulin Extract from Jerusalem Artichoke Tubers using *Paenibacillus Polymyxa* ZJ-9 to Produce R,R-2,3-Butanediol. *Bioresour. Technol*, 101: 7076–7082. <https://doi.org/10.1016/j.biortech.2010.03.143>.
- Gao, Y., Song, Z., & Xu, Q. (2018). Effect of SnSO₄ on physical and chemical properties of cement. *Construction and Building Materials*, 168, 490–500. <https://doi.org/10.1016/j.conbuildmat.2018.02.160>.
- Gervasi, C. A., Palacios, P. A., Alvarez, P. E., Fiori-Bimbi, M. V., & Brandan, S. A. (2013). Electronic structure of tin passive films and its influence on the corrosion of the base metal. *Industrial & Engineering Chemistry Research*, 52(25), 9115–9120. <https://doi.org/10.1021/ie4008216>.
- Giaccherini, A., Montegrossi, G., & Di Benedetto, F. (2016). Stability of naturally relevant ternary phases in the Cu-Sn-S system in contact with an aqueous solution. *Minerals*, 6(3). <https://doi.org/10.3390/min6030079>.
- Gomez-Morales, Torrent-Burgues, J., Rodriguez-Clemente, R. (2001). *Cryst. Res. Technol.*, 36, 1065-1074.
- Grimnes, S., & Martinsen, Ø. G. (2015). Electrodes. In *Bioimpedance and Bioelectricity Basics* (3rd ed., pp. 179–254). Academic Press. <https://doi.org/10.1016/B978-0-12-411470-8.00007-6>.
- Guo, T., You, S., Yang, B., Cao, S., & Zhang, Y. (2018). Crystallization kinetics of Na₂CO₃ in Bayer aluminate solutions during the evaporation process. *CrystEngComm*, 20(26), 3722–3727. <https://doi.org/10.1039/c8ce00363g>.
- Gupta, K., Singh, S., & Rao, M. S. R. (2016). Direct and Facile Room-Temperature Synthesis of Nanocrystalline Calcium Sulfate Dihydrate (Gypsum). *Crystal Growth and Design*, 16(6), 3256–3261. <https://doi.org/10.1021/acs.cgd.6b00216>.
- Hämmer, M., Netzsch, P., Klenner, S., Neuschulz, K., Struckmann, M., Wickleder, M. S., Daub, M., Hillebrecht, H., Pöttgen, R., & Höpfe, H. A. (2021). The tin sulfates Sn(SO₄)₂ and Sn₂(SO₄)₃: Crystal structures, optical and thermal properties. *Dalton Transactions*, 50(37), 12913–12922. <https://doi.org/10.1039/d1dt02189c>.
- Haber, F. (1902). *Trans. Am. Electrochem. Soc.*, 2, 189–196.
- Han, K. N. (2002) Fundamentals of Aqueous Metallurgy. Society for Mining, Metallurgy, and Exploration. Available at: <https://books.google.co.id/books?id=k31ZAgAAQBAJ>.
- Handoko, E., & Prasetya, A. (2021). Effect of electrode type and salt addition to ionized water to prepare alkaline water. *AIP Conference Proceedings*, 2338, 040023. <https://doi.org/10.1063/5.0067065>.
- Harrington, E. (1965). The desirability function. *Industrial Quality Control*, 21(10), 494–498.
- Hersbach, T. J. P., Koper, M. T. M. (2021). *Curr. Opin. Electrochem.*, 26, 100653.
- Hinrichsen, B., Dinnebier, R. E., Liu, H., & Jansen, M. (2008). The high pressure crystal structures of tin sulphate: A case study for maximal information recovery from 2D

- powder diffraction data. *Zeitschrift Fur Kristallographie*, 223(3), 195–203. <https://doi.org/10.1524/zkri.2008.0017>.
- Holm, M., & O'Keefe, T. J. (2000). Electrolyte parameter effects in the electrowinning of nickel from sulfate electrolytes. *Minerals Engineering*, 13(2), 193–204. [https://doi.org/10.1016/S0892-6875\(99\)00165-X](https://doi.org/10.1016/S0892-6875(99)00165-X)
- Hwang, S. M., Park, J. S., Kim, Y., Go, W., Han, J., Kim, Y., Kim, Y. (2019). Rechargeable Seawater Batteries-From Concept to Applications. *Adv. Mater.*, 31: 1804936.
- Hwang, S. H., Kwon, S. H., Wang, Z., Kim, T. H., Kang, Y. H., Lee, J. Y., & Lim, S. S. (2016). Optimization of extraction parameters of PTP1 β (protein tyrosine phosphatase 1 β) inhibitory polyphenols and anthocyanins from *Zea mays* L. using response surface methodology (RSM). *BMC Complementary and Alternative Medicine*, 16, 1–10. <https://doi.org/10.1186/s12906-016-1296-5>.
- Im, S. H., & Park, O. O. (2002). Effect of evaporation temperature on the quality of colloidal crystals at the water–air interface. *Langmuir*, 18(25), 9642–9646. <https://doi.org/10.1021/la025888e>.
- Inocêncio, C. V. M., Holade, Y., Morais, C., Kokoh, K. B., & Napporn, T. W. (2023). Electrochemical hydrogen generation technology: Challenges in electrode materials for sustainable energy. *Electrochemical Science Advances*, 3, e2100206. <https://doi.org/10.1002/elsa.202100206>.
- Istinanda, R., Petrus, H. T. B. M., Prasetya, A. (2021). Optimization of removal impurities from Fe element in concentrate rare earth elements sulfate coal of fly ash with Response Surface Methodology (RSM). *AIP Conference Proceedings*, 2338. <https://doi.org/10.1063/5.0066648>.
- Jati, A. D., Sujoto, V. S. H., Sutijan, Petrus, H. T. B. M., & Mulyono, P. (2023). Lithium extraction from geothermal brine using electrodialysis method. *IOP Conference Series: Earth and Environmental Science*, 1233(1), 012018. <https://doi.org/10.1088/1755-1315/1233/1/012018>
- Jiang, B., Wu, L., Yu, L., Qiu, X., Xi, J. (2016). A comparative study of Nafion series membranes for vanadium redox flow batteries. *J. Membr. Sci.*, 510:18–26.
- Johnson, W.A., Mehl, R.F. (1939). Reaction kinetics in processes of nucleation and growth, *Trans. Am. Inst. Metall. Pet Eng.*, 135, 416–458.
- Jones, A.G. (2002). *Crystallization Process Systems*. Butterworth-Heinemann, Oxford, United Kingdom.
- Kaplan, B. Y., Kırlioğlu, A. C., Alinezhadfar, M., Zabara, M. A., Mojarrad, N. R., Iskandarani, B., Yürüm, A., Ozkan, C. S., Ozkan, M., & Gürsel, S. A. (2023). Hydrogen production via electrolysis: Operando monitoring and analyses. *Chem Catalysis*, 3, 100601. <https://doi.org/10.1016/j.checat.2023.100601>.
- Katiyars, R. S., Dawsons, P., Hargreaves, M. M., & Wilkinson, G. R. (1971). Dynamics of the rutile structure. III. Lattice dynamics, infrared and Raman spectra of SnO₂. *Journal of Physics C: Solid State Physics*, 4(15), 2421–2431. <http://iopscience.iop.org/0022-3719/4/15/027>.
- Kempler, P. A., & Nielander, A. C. (2023). Reliable reporting of Faradaic efficiencies for electrocatalysis research. *Nature Communications*, 14, Article 1158. <https://doi.org/10.1038/s41467-023-36880-8>.
- Kooi, B. J. (2004). Monte Carlo simulations of phase transformations caused by nucleation and subsequent anisotropic growth: Extension of the Johnson–Mehl–Avrami–

Kolmogorov theory. *Physical Review B*, 70, 224108.
<https://doi.org/10.1103/PhysRevB.70.224108>.

- Kuczyński, M., Mikołajczyk, T., Pierożyński, B., Bramowicz, M., & Kulesza, S. (2024). An impact of prolonged electrolysis on the electrochemical performance and surface characteristics of NiFe-modified graphite electrodes for alkaline water electrolysis. *Molecules*, 29, Article 5820. <https://doi.org/10.3390/molecules29245820>.
- Kumar, D. (2018) Metallurgical Thermodynamics & Kinetics.
- Kumar, S., Rukban, A., Sinisi, J., Damle, V. H., & Cahen, D. (2022). Localized heating tailors nucleation for reproducible growth of thin halide perovskite single crystals. *Crystal Growth & Design*, 22, 7160–7167. <https://doi.org/10.1021/acs.cgd.2c00833>.
- Kumar, K. V., Gadipelli, S., Ramisetty, K. A., Heffernan, C., Stewart, A. A., Ranade, V., Howard, C., & Brett, D. (2023). Nonclassical crystal growth and growth rate hysteresis observed during the growth of curcumin in impure solutions. *CrystEngComm*, 25, 3361–3379. <https://doi.org/10.1039/d3ce00051f>.
- Laitinen, T., Salmi, K., Sundholm, G., Viinikka, P., & Yli-Pentti, A. (1992). The anodic behaviour of tin in sulphuric acid solutions. *Electrochimica Acta*, 37(10), 1797–1803. [https://doi.org/10.1016/0013-4686\(92\)85083-W](https://doi.org/10.1016/0013-4686(92)85083-W)
- Lee, D. W., Marasini, N., Poudel, B. K., Kim, J. H., Cho, H. J., Moon, B. K., Choi, H. G., Yong, C. S., & Kim, J. O. (2014). Application of Box–Behnken design in the preparation and optimization of fenofibrate-loaded self-microemulsifying drug delivery system (SMEDDS). *Journal of Microencapsulation*, 31(1), 31–40. <https://doi.org/10.3109/02652048.2013.805837>.
- Lee, C.J., Zhao, B., Lee, J.K., Fahy, K.F., Krause, K., Bazylak, A. (2020). Bubble formation in the electrolyte triggers voltage instability in CO₂ electrolyzers, *Iscience*, 23, <https://doi.org/10.1016/j.isci.2020.101094>.
- Li, H.G. (2008). Metallurgy Principle, Science Press, Beijing.
- Li, Y., Zhang, Y. F., Yang, C., Chen L. B., Zhang, Y. (2010). *Chem. Eng. Sci.*, 65, 4906–4912.
- Li, X., Zhang, H., Mai, Z., Zhang, H., Vankelecom, I. (2011). Ion exchange membranes for vanadium redox flow battery (VRB) applications. *Energy Environ. Sci.*, 4.
- Liu, J. J., Ma, C. Y., Hu, Y. D., & Wang, X. Z. (2010). Effect of seed loading and cooling rate on crystal size and shape distributions in protein crystallization—A study using morphological population balance simulation. *Computers & Chemical Engineering*, 34(12), 1945–1952. <https://doi.org/10.1016/j.compchemeng.2010.06.020>.
- Liu, P., You, S., Tang, J., Wang, B., Shen, B., Liu, Y., Hua, Q., Zhang, Y., Lu, J., Xu, S., & Zhang, X. (2023). Kinetics of zinc oxide from sodium zincate solution by hydrolysis crystallization. *Journal of Crystal Growth*, 621. <https://doi.org/10.1016/j.jcrysgro.2023.127383>.
- Lu, Y., Geng, J., Wang, K., Zhang, W., Ding, W., Zhang, Z., Xie, S., Dai, H., Chen, F.-R., & Sui, M. (2017). Modifying surface chemistry of metal oxides for boosting dissolution kinetics in water by liquid cell electron microscopy. *ACS Nano*, 11(8), 8018–8025. <https://doi.org/10.1021/acsnano.7b02656>.
- Luo, G., Yuan, Y., Cai, J., Yuan, G., & Li, N. (2024). The establishment of current transient of nucleation and growth under diffusion-controlled electrocrystallisation: A microreview. *Coatings*, 14, Article 62. <https://doi.org/10.3390/coatings14010062>.

- Lyu, K., Ma, B., Chen, Y., Wang, C., & Yang, H. (2021). Efficient and clean manganese electrowinning in an anion-exchange membrane electrolyzer by pulse current electrodeposition method. *Journal of Cleaner Production*, 318, 128611. <https://doi.org/10.1016/j.jclepro.2021.128611>.
- Marchal, P. *et al.* (1988) 'Crystallization and precipitation engineering-I. An efficient method for solving population balance in crystallization with agglomeration', *Chemical Engineering Science*, 43(1), pp. 59–67. Available at: [https://doi.org/10.1016/0009-2509\(88\)87126-4](https://doi.org/10.1016/0009-2509(88)87126-4).
- Martens, C., Schmid, B., Tempel, H., Eichel, R.A. (2023). CO₂ flow electrolysis – limiting impact of heat and gas evolution in the electrolyte gap on current density, *Green Chem*, 25, 7794–7806, <https://doi.org/10.1039/d3gc02140h>.
- Mathers, F. C., & Rothrock, H. S. (1931). Preparation of Stannous Sulfate. *Ind. Eng. Chem.*, 23 (7), 831–832. <https://doi.org/10.1021/ie50259a027>.
- Maia Research. (n.d.). Global Stannous Sulfate Market Research Report, Competitive Landscape, and Forecast 2023-2029. Market Research. Retrieved November 29, 2023, from <https://www.marketresearch.com/Maia-Research-v4212/Global-Stannous-Sulfate-Research-Competitive-33701554/>.
- Maulidia, A., Sujoto, V. S. H., Sudarmaja, D. P. A., Putri, J. J. E., Jenie, S. N. A., Astuti, W., Supriyatna, Y. I., Warmada, I. W., Sutijan, Anggara, F., & Petrus, H. T. B. M. (2023). Kinetic study of lithium leaching from Sidoarjo mud using sulfuric acid. *Mining, Metallurgy and Exploration*, 40(4), 1279–1288. <https://doi.org/10.1007/s42461-023-00812-3>.
- Mohammed, E., Mohammed, T., & Mohammed, A. (2018). Optimization of instrument conditions for the analysis for mercury, arsenic, antimony and selenium by atomic absorption spectroscopy. *MethodsX*, 5, 824–833. <https://doi.org/10.1016/j.mex.2018.07.016>.
- Mokabber, T., Lu, L. Q., van Rijn, P., Vakis, A. I., & Pei, Y. T. (2018). Crystal growth mechanism of calcium phosphate coatings on titanium by electrochemical deposition. *Surface and Coatings Technology*, 334, 526–535. <https://doi.org/10.1016/j.surfcoat.2017.12.011>.
- Montgomery, D. C. (2017). *Design and Analysis of Experiments* (9th ed.). John Wiley & Sons.
- Mullin, J.W. (2001). *Crystallization*, 4th edition, Butterworth-Heinemann, Oxford, United Kingdom.
- Murrieta, M.F., Nava, J.L. (2021) Electrosynthesis of hypochlorous acid in a filterpress electrolyzer and its modeling in dilute chloride solutions, *J. Electroanal. Chem.* 892. <https://doi.org/10.1016/j.jelechem.2021.115286>.
- Mustika, P. C. B. W., Suryanaga, E. C., Perdana, I., Sutijan, Astuti, W., Petrus, H. T. B. M., & Prasetya, A. (2023). Optimization of Lithium Separation from NCA Leachate Solution: Investigating the Impact of Feed Concentration, Pressure, and Complexing Agent Concentration. *ASEAN Journal of Chemical Engineering*, 23(3), 343–359. <https://doi.org/10.22146/ajche.83096>.
- Myers, R. H., Montgomery, D. C., & Anderson-Cook, C. M. (2016). *Response Surface Methodology: Process and Product Optimization Using Designed Experiments* (4th ed.). John Wiley & Sons.

- Myerson, A.S. (2002). *Handbook of Industrial Crystallization* (2nd edition). Butterworth-Heinemann, Oxford, United Kingdom.
- Myerson, A.S., Erdemir, D. and Lee, A.Y. (2019) *Handbook of industrial crystallization, Handbook of Industrial Crystallization*. Available at: <https://doi.org/10.1017/9781139026949>.
- Nagayama, M., Morita, T., Ikuta, H., Wakihara, M., Takano, M., & Kawasaki, S. (1998). A new anode material SnSO₄ for lithium secondary battery. *Solid State Ionics*, 106, 33–38.
- Nekouei, R. K., Rashchi, F., & Ravanbakhsh, A. (2013). Copper nanopowder synthesis by electrolysis method in nitrate and sulfate solutions. *Powder Technology*, 250, 91–96. <https://doi.org/10.1016/j.powtec.2013.10.012>.
- Nicholson, S. T., Roberts, K. J., Izumi, T., & Lai, X. (2023). Characterization of mass transfer within the crystal-solution boundary layer of L-alanine {120} faces using laser interferometry during growth and dissolution. *Crystal Growth & Design*, 23(4), 2755–2769. <https://doi.org/10.1021/acs.cgd.2c01541>.
- Nikolić, N. D., Lović, J. D., Maksimović, V. M., & Živković, P. M. (2022). Morphology and structure of electrolytically synthesized tin dendritic nanostructures. *Metals*, 12(7), 1–16. <https://doi.org/10.3390/met12071201>.
- Nývlt, I.J., Hostomsky, D.I.J. (1997). Graphical representation of various models for crystal size distribution in continuous flow crystallizers, *Cryst. Res. Technol.*
- Obasi, L. A., Onukwuli, O. D., & Okoye, C. C. (2021). Performance of microbial fuel cell operating with clay–manihot starch composite proton exchange membrane using RSM. *Current Research in Green and Sustainable Chemistry*, 4, 100117. <https://doi.org/10.1016/j.crgsc.2021.100117>.
- Ouda, A., Bajón-Fernández, Y., & McAdam, E. (2024). Methods to modify supersaturation rate in membrane distillation crystallisation: Control of nucleation and crystal growth kinetics (including scaling). *Journal of Membrane Science*, 691, 122249. <https://doi.org/10.1016/j.memsci.2023.122249>.
- Ovodok, E., Ivanovskaya, M., Kotsikau, D., Kormosh, V., Pylyp, P., & Bilanych, V. (2021). Structural characterization and gas sensing properties of nano-sized tin dioxide material synthesized from tin(II) sulfate. *Ukrainian Journal of Physics*, 66(9), 803–810. <https://doi.org/10.15407/ujpe66.9.803>.
- Paunovic, P. (2011) ‘Electrometallurgy: Electrochemical, economic and environmental (3e) aspects’, *Macedonian Journal of Chemistry and Chemical Engineering*, 13, pp. 75–83. doi: 10.20450/mjce.2011.72.
- Pawar, S. M., Pawar, B. S., Moholkar, A. V., Choi, D. S., Yun, J. H., Moon, J. H., Kolekar, S. S., & Kim, J. H. (2010). Single step electrosynthesis of Cu₂ZnSnS₄ (CZTS) thin films for solar cell application. *Electrochimica Acta*, 55(12), 4057–4061. <https://doi.org/10.1016/j.electacta.2010.02.051>.
- Perdana, D., Wahyudi, S., & Mubarak, M. Z. (2023). Analysis of the Particle Size and Morphology of Tin Powder Synthesized by the Electrolytic Method. *ACS Omega*. <https://doi.org/10.1021/acsomega.3c05179>.
- Pereira, C. O., Portilho, M. F., Henriques, C. A., & Zotin, F. M. Z. (2014). SnSO₄ as catalyst for simultaneous transesterification and esterification of acid soybean oil. *Journal of the Brazilian Chemical Society*, 25, 2409–2416. <https://doi.org/10.5935/0103-5053.20140267>.

- Pérez, T., Nava, J. L. (2014). Numerical simulation of the primary, secondary and tertiary current distributions on the cathode of a rotating cylinder electrode cell. Influence of using plates and a concentric cylinder as counter electrodes. *J. Electroanal. Chem.* 719, 106–112.
- Pervov, A.G., 2015. Precipitation of calcium carbonate in reverse osmosis retentate flow by means of seeded techniques—A tool to increase recovery. *Desalination*, 368, pp.140–151.
- Petrus, H. T. B. M., Sujoto, V. S. H., Suryanaga, C. E., Wirawan, S. K., Anggara, F., Handini, E., Astuti, W., Wanta, K. C., penemu; Universitas Gadjah Mada. 2021 Nov 15. Pembuatan Prototipe Timah (II) Sulfat (SnSO₄) dengan Menggunakan Metode Elektrolisis. *Paten Indonesia*. P00202110047.
- Petrus, H. T. B. M., Putera, A. D. P., Warmada, I. W., Nurjaman, F., Astuti, W., & Prasetya, A. (2022). Investigation on saprolitic laterite ore reduction process using palm kernel shell charcoal: Kinetics and phase transformation. *International Journal of Technology*, 13(3), 565–574. <https://doi.org/10.14716/ijtech.v13i3.470>.
- Pourbaix, M., Zhang, H., & Pourbaix, A. (1997). Presentation of an atlas of chemical and electrochemical equilibria in the presence of a gaseous phase. *Materials Science Forum*, 251–254, 143–148. <https://doi.org/10.4028/www.scientific.net/MSF.251-254.143>
- Prameswara, G., Tyassena, F. Y. P., Pasaribu, M., Trisnawati, I., & Petrus, H. T. B. M. (2023). Nickel Recovery Optimization and Kinetic Study of Morowali Laterite Ore. *Transactions of the Indian Institute of Metals*, 76(5), 1341–1348. <https://doi.org/10.1007/s12666-022-02858-1>.
- Prameswara, G., Trisnawati, I., Handini, T., Poernomo, H., Mulyono, P., Prasetya, A., & Petrus, H. T. B. M. (2023). Recovery of critical elements (dysprosium and ytterbium) from alkaline process of Indonesian zircon tailings: Selective leaching and kinetics study. *International Journal of Technology*, 14(4), 770–779. <https://doi.org/10.14716/ijtech.v14i4.4960>.
- Prameswara, G., Amin, I., Ulfah, A. N., Trisnawati, I., Petrus, H. T. B. M., & Puspita, F. (2024). Atmospheric Leaching Behavior and Kinetics Study of Roasted Laterite Ore. *Mining, Metallurgy and Exploration*. <https://doi.org/10.1007/s42461-024-00947-x>.
- Prasakti, L., Yogihaz, B. D., Subekti, L., Sujarwo, A., & Prasetya, A. (2022). Effect of salt concentration on the properties of electrolyzed reducing water (ERW) and electrolyzed oxidizing water (EOW): An empirical correlation study. *Jurnal Rekayasa Proses*. <https://doi.org/10.22146/jrekpros.69673>
- Putera, A. D. P., Islam, M. S., Avarmaa, K. L., Petrus, H. T. B. M., Brooks, G. A., & Rhamdhani, M. A. (2023). Kinetics of Electrically Enhanced Boron Removal From Silicon Using CaO-SiO₂ and CaO-SiO₂-Al₂O₃ Slag. *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, 54(3), 1228–1244. <https://doi.org/10.1007/s11663-023-02756-x>.
- Qing, Q., & Wang, F. (2020). Effect of sulfuric acid concentration on the quality of copper microcolumns in localized electrochemical deposition. *Materials Research Express*, 7(4), 045501. <https://doi.org/10.1088/2053-1591/ab8f77>.
- Qiu, Y. and Rasmuson, Å.C. (1994) ‘Estimation of crystallization kinetics from batch cooling experiments’, *AIChE Journal*, 40(5), pp. 799–812. Available at: <https://doi.org/10.1002/aic.690400507>.

- Radi, A., Pradhan, D., Sohn, Y., & Leung, K. T. (2010). Nanoscale shape and size control of cubic, cuboctahedral, and octahedral Cu-Cu₂O core-shell nanoparticles on Si(100) by one-step, templateless, capping-agent-free electrodeposition. *ACS Nano*, 4(3), 1553–1560. <https://doi.org/10.1021/nn100023h>.
- Ragipani, R., Bhattacharya, S., & Suresh, A. K. (2019). Kinetics of steel slag dissolution: From experiments to modelling. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 475(2226), 20180830. <http://dx.doi.org/10.1098/rspa.2018.0830>.
- Randolph, A. D., Larson, M. A. (1971) Theory of particulate processes, analysis and techniques of continuous crystallization. New York.
- Randolph, A.D. and White, E.T. (1977) 'Modeling size dispersion in the prediction of crystal-size distribution', *Chemical Engineering Science*, 32(9), pp. 1067–1076. Available at: [https://doi.org/10.1016/0009-2509\(77\)80144-9](https://doi.org/10.1016/0009-2509(77)80144-9).
- Randolph, A.D., Larson, M.A. (1988). Theory of particle processes, seconded, *Academic Press*, San Diego, CA.
- Rathore, S., Madhav, H., & Jaiswar, G. (2019). Efficient nano-filler for the phase transformation in polyvinylidene fluoride nanocomposites by using nanoparticles of stannous sulfate. *Materials Research Innovations*, 23(4), 183–190. <https://doi.org/10.1080/14328917.2017.1406572>.
- Reátegui-Romero, W., et al. (2020). Effect of current density on COD removal efficiency for industrial wastewater using Fe and Al electrodes. *Desalination and Water Treatment*, 184, 15–29.
- Ren, S., Wang, M., Xu, M., Yang, Y., Jia, C., & Hao, C. (2014). Fabrication of high-performance supercapacitors based on hollow SnO₂ microspheres. *Journal of Solid State Electrochemistry*, 18(4), 909–916. <https://doi.org/10.1007/s10008-013-2332-8>.
- Rentzeperis, P. J. (1962). The crystal structure of the anhydrous stannous sulphate. *Zeitschrift für Kristallographie*, 117(5-6), 431-436. <https://doi.org/10.1524/zkri.1962.117.5-6.431>.
- Rezki, A. S., Sumardi, S., Astuti, W., Bendiyasa, I. M., & Petrus, H. T. B. M. (2021). Molybdenum extraction from spent catalyst using citric acid: Characteristic and kinetics study. *IOP Conference Series: Earth and Environmental Science*, 830(1), 012020. <https://doi.org/10.1088/1755-1315/830/1/012020>.
- Rianto, A. K., Prasetya, A., Azis, M. M. (2023). Optimization of Silicon Selective Leaching with Glycerol Using Response Surface Methodology (RSM). *Key Engineering Materials*, 949, 67-74. <https://doi.org/10.4028/p-B4H7lh>.
- Richter, H., & Rahway, N. J. (1955). Manufacture of stannous sulfate from tin and sulfuric acid. *US Patent* 2726929A.
- Rivera, F.F., Pérez, T., Castañeda, L.F., Nava, J.L. (2021). Mathematical modeling and simulation of electrochemical reactors: A critical review, *Chem. Eng. Sci.* 239, <https://doi.org/10.1016/j.ces.2021.116622>.
- Rodrigues, M. I., & Lemma, A. F. (2014). *Planejamento de experimentos e otimização de processos* (3rd ed.). Carita.
- Royal Society of Chemistry. (n.d.). *Tin: Element information, properties and uses*. Royal Society of Chemistry Periodic Table. <https://periodic-table.rsc.org/element/50/tin>.
- Rudnik, E., & Chowaniec, G. (2013). Effect of anions on the electrodeposition of tin from acidic gluconate baths. *Ionics*, 19, 1047–1059. <https://doi.org/10.1007/s11581-012-0819-4>

- Rudnik, E., Chowanec, G. (2018). Effect of organic additives on electrodeposition of tin from acid sulfate solution. *Metallurgy and Foundry Engineering*, 44 (1), 41–52. <http://dx.doi.org/10.7494/mafe.2017.44.1.41>.
- Ruf, E., & Loges, H. (1978). Process for producing tin(II) sulfate. *US Patent* 4,118,293.
- Sakwises, L., Pisitsak, P., Manuspiya, H., & Ummartyotin, S. (2017). Effect of Mn-substituted SnO₂ particle toward photocatalytic degradation of methylene blue dye. *Results in Physics*, 7, 1751–1759. <https://doi.org/10.1016/j.rinp.2017.05.009>.
- Salmi, K., & Sundholm, G. (1992). The anodic behaviour of tin and a lead–tin alloy in sulfuric acid. *Journal of Power Sources*, 40(1–2), 217–224. [https://doi.org/10.1016/0378-7753\(92\)80054-F](https://doi.org/10.1016/0378-7753(92)80054-F).
- Sangwal, K. (2007). *Additives and Crystallization Processes: From Fundamentals to Applications*. Wiley-VCH, Weinheim, Germany.
- Schalenbach, M., Durmus, Y.E., Tempel, H., Kungl, H., Eichel R.A. (2022). Ion transport and limited currents in supporting electrolytes and ionic liquids, *Sci. Rep.* 12, <https://doi.org/10.1038/s41598-022-10183-2>.
- Schneider, M., Langklotz, U., Körsten, O., & Gierth, U. (2023). Passive layer investigation on tin and tin solder alloys. *Materials and Corrosion*, 74(9), 920–928. <https://doi.org/10.1002/maco.202213718>.
- Sen, R., & Swaminathan, T. (2004). Response surface modeling and optimization to elucidate and analyze the effects of inoculum age and size on surfactin production. *Biochemical Engineering Journal*, 21, 141–148. <https://doi.org/10.1016/j.bej.2004.06.004>.
- Seo, S., Jeon, S., & Ha, J. K. (2018). Guidelines for experimental design and statistical analyses in animal studies submitted for publication in the Asian-Australasian Journal of Animal Sciences. *Asian-Australasian Journal of Animal Sciences*, 31(9), 1381–1386. <https://doi.org/10.5713/ajas.18.0468>.
- Shaffei, M., Hussein, H., Khatab, N., Awad, A., Shabaan, N., & Shalaby, M. (2021). A comparative study for selecting more efficient black selective coating in solar water heating system. *Egyptian Journal of Chemistry*, 64(3–4). <https://doi.org/10.21608/ejchem.2021.88962.4272>.
- Shahidzadeh-Bonn, N., Rafaï, S., Bonn, D., & Wegdam, G. (2008). Salt crystallization during evaporation: Impact of interfacial properties. *Langmuir*, 24(16), 8599–8605. <https://doi.org/10.1021/la8005629>
- Sharma, A., Das, K., Fecht, H. J., & Das, S. (2014). Effect of various additives on morphological and structural characteristics of pulse electrodeposited tin coatings from stannous sulfate electrolyte. *Applied Surface Science*, 314, 516–522. <https://doi.org/10.1016/j.apsusc.2014.07.037>
- Sharma, D. K., & Sharma, R. (2015). Reduction of water soluble hexavalent chromium in hydrated Portland cement. *Indian Journal of Science and Technology*, 8(11). <https://doi.org/10.17485/ijst/2015/v8i11/71773>.
- Sharma, N., Sharma, A. K., Pandey, S., & Wu, H. F. (2020). Electrocatalytic synthesis of black tin oxide nanomaterial as photothermal agent for cancer therapy. *Materials Science and Engineering C*, 108. <https://doi.org/10.1016/j.msec.2019.110350>.
- Shi, X., Esan, O. C., Huo, X., Ma, Y., Pan, Z., An, L., & Zhao, T. S. (2021). Polymer electrolyte membranes for vanadium redox flow batteries: Fundamentals and applications. *Progress in Energy and Combustion Science*, 85, 100926. <https://doi.org/10.1016/j.pecs.2021.100926>.

- Shirzad, K., & Viney, C. (2025). Revisiting time-dependent growth and nucleation rates in the Johnson–Mehl–Avrami–Kolmogorov equation. *R. Soc. Open Sci.*, 12, 241696. <https://doi.org/10.1098/rsos.241696>
- Siagian, F. M. H., Maulana, A., Petrus, H. T. B. M., Mulyono, P., Astuti, W. (2024). Iron Recovery from Red Mud as Zero-Valent Iron Metal Powder Using Direct Electrochemical Reduction Method. *International Journal of Materials and Metallurgical Engineering*, 18(1), 1-6.
- Simons, P., Torres, K. P., & Rupp, J. L. M. (2022). Deposition parameters and Raman crystal orientation measurements of ceria thin films deposited by spray pyrolysis. *Journal of Materials Chemistry A*, 10, 8898–8908. <https://doi.org/10.1039/d1ta09115h>.
- Singh, K. P., Gupta, S., Singh, A. K., & Sinha, S. (2011). Optimizing adsorption of crystal violet dye from water by magnetic nanocomposite using response surface modeling approach. *Journal of Hazardous Materials*, 186, 1462–1473. <https://doi.org/10.1016/j.jhazmat.2010.12.045>.
- Spotte-Smith, E. W. C., Vijay, S., Petrocelli, T. B., Rinkel, B. L. D., McCloskey, B. D., & Persson, K. A. (2024). A critical analysis of chemical and electrochemical oxidation mechanisms in Li-ion batteries. *The Journal of Physical Chemistry Letters*, 15, 391–400. <https://doi.org/10.1021/acs.jpcclett.3c03279>.
- Su, Z., Sun, K., Han, Z., Liu, F., Lai, Y., Li, J., & Liu, Y. (2012). Fabrication of ternary Cu–Sn–S sulfides by a modified successive ionic layer adsorption and reaction (SILAR) method. *Journal of Materials Chemistry*, 22(32), 16346–16352. <https://doi.org/10.1039/c2jm31669b>.
- Subbaiah, T., Mallick, S. C., Mishra, K. G., Sanjay, K., & Das, R. P. (2002). Electrochemical precipitation of nickel hydroxide. *Journal of Power Sources*, 112, 562–569.
- Sudarmaja, D. P. A., Sujoto, V. S. H., Suryanaga, C. E., Petrus, H. T. B. M., Sutijan, & Astuti, W. (2023). Separation performance of lithium and calcium from synthetic geothermal brine using electric field-assisted membrane. *IOP Conference Series: Earth and Environmental Science*, 1275(1), 012011. <https://doi.org/10.1088/1755-1315/1275/1/012011>.
- Sujoto, V. S. H., Sutijan, Astuti, W., Mufakhir, F. R., & Petrus, H. T. B. M. (2021). Lithium recovery from synthetic geothermal brine using electrodialysis method. *IOP Conference Series: Earth and Environmental Science*, 882(1), 012003. <https://doi.org/10.1088/1755-1315/882/1/012003>.
- Sujoto, V. S. H., Sutijan, Astuti, W., Sumardi, S., Louis, I. S. Y., & Petrus, H. T. B. M. (2022). Effect of operating conditions on lithium recovery from synthetic geothermal brine using electrodialysis method. *Journal of Sustainable Metallurgy*, 8(1), 274–287. <https://doi.org/10.1007/s40831-021-00488-3>.
- Supriadi, H., Trisnawati, I., Handini, T., Susilowati, S. R., Sujoto, V. S. H., Mulyono, P., & Petrus, H. T. B. M. (2023). Kinetics study of yttrium leaching from zircon tailings using sulfuric acid. *Indonesian Journal of Chemistry*, 23(2), 489–498. <https://doi.org/10.22146/ijc.79966>
- Surianti, S., Wanta, K. C., Astuti, W., Mufakhir, F. R., Perdana, I., & Petrus, H. T. B. M. (2022). Synthesis of Nickel Oxalate from Extract Solution of Nickel Laterite Ore: Optimation and Kinetics Study. *Journal of Mining Science*, 58(3), 476–485. <https://doi.org/10.1134/S1062739122030152>.

- Sutijan, Sutresno Hadi Sujoto, V., Wayan Christ Widhi Herman Tangkas, I., Sumardi, S., Astuti, W., & Himawan Tri Bayu Murti Petrus (2022). Effect of Operating Voltage and Concentration of Electrolyte Solution on the Synthesis of Tin (II) Sulfate by Electrolysis Method. *Metal Indonesia*, 44(2), 42-50. <http://www.jurnalmetal.or.id/index.php/jmi>.
- Subbaiah, T., Mallick, S. C., Mishra, K. G., Sanjay, K., & Das, R. P. (n.d.). *Electrochemical precipitation of nickel hydroxide*.
- Supriyatna, Y. I., Astuti, W., Sumardi, S., Prasetya, A., Petrus, H. T. B. M., & Dida, E. N. (2023). Kinetics study of low-grade ilmenite fusion process using sodium hydroxide: Non-isothermal condition with model-free methods. *Materials Today: Proceedings*. <https://doi.org/10.1016/j.matpr.2023.06.366>.
- Suyanta (2013) 'Potensiometri', Universitas Negeri Yogyakarta Press, pp. 1–157. Available at: <http://staffnew.uny.ac.id/upload/132010438/penelitian/buku-potensiometri.pdf>.
- Tajuddin, C. A., Amal, M. I., Widayatno, W. B., Wulandari, N., Purnomo, D. F. D., & Nasikin, M. (2021). Stannous chloride (SnCl₂) and stannous sulfate (SnSO₄) synthesis from tin powderization waste. *IOP Conference Series: Earth and Environmental Science*, 749(1). <https://doi.org/10.1088/1755-749/1/012025>.
- Tavare, S., Patwardhan, A. V. (1992). *Aiche, J.*, 38, 377-384.
- Tavares Luiz, M., Viegas, J. S. R., Abriata, J. P., Viegas, F., Vicentini, F. T. M. C., Badra Bentley, M. V. L., Chorilli, M., Marchetti, J. M., & Tapia-Blácido, D. R. (2021). Design of experiments (DoE) to develop and to optimize nanoparticles as drug delivery systems. *European Journal of Pharmaceutics and Biopharmaceutics*, 165, 127–148. <https://doi.org/10.1016/j.ejpb.2021.05.011>.
- Team Ministry of Energy and Mineral Resources Republic of Indonesia (2021) 'Grand Strategy Mineral dan Batubara', Direktorat Jenderal Mineral dan Batubara Kementerian Energi dan Sumber Daya Mineral, pp. 1–435.
- Teixeira, C. O. P., Pedro, K. C. N. R., Fernandes, T. L. A. P., Henriques, C. A., & Zotin, F. M. Z. (2019). Esterification of high acidity vegetable oil catalyzed by tin-based catalysts with different sulfate contents: contribution of homogeneous catalysis. *Chemical Engineering Communications*, 206, 169–181. <https://doi.org/10.1080/00986445.2018.1477764>.
- Tunold, R., & Broli, A. (1973). Anodic and cathodic behaviour of tin in acidic sulphate solutions. *Corrosion Science*, 13(5), 361–373. [https://doi.org/10.1016/0010-938X\(73\)90039-5](https://doi.org/10.1016/0010-938X(73)90039-5).
- Tsay, C., & Yang, J. Y. (2016). Electrocatalytic hydrogen evolution under acidic aqueous conditions and mechanistic studies of a highly stable molecular catalyst. *Journal of the American Chemical Society*, 138(43), 14174–14177. <https://doi.org/10.1021/jacs.6b05851>.
- Uekaw, N., Yamashita, R., Wu, Y.J., Kakegawa, K. (2004). Effect of alkali metal hydroxide on formation processes of zinc oxide crystallites from aqueous solutions containing Zn(OH)₄²⁻ ions, *Phys. Chem. Chem. Phys.*, 6, 442–446.
- United States Geological Survey (USGS) (2020) Mineral Commodity Summaries 2020, U.S Department OF The Interior,. U.S. Geological Survey 2020.
- United States Geological Survey. (2021). *Mineral Commodity Summaries 2021: Tin*. U.S. Geological Survey.
- United States Geological Survey (USGS) (2023) Mineral commodity summaries 2023, Mineral Commodity Summaries. Reston, VA. doi: 10.3133/mcs2023.

- Venkatasubramanian, R., He, J., Johnson, M. W., Stern, I., Kim, D. H., & Pesika, N. S. (2013). Additive-mediated electrochemical synthesis of platelike copper crystals for methanol electrooxidation. *Langmuir*, 29(43), 13135–13139. <https://doi.org/10.1021/la4027078>.
- Villalobos-Lara, A. D., Castillo, B., Rivera, F. F., & Vazquez-Arenas, J. (2023). Model accounting for the Cr(III) electroprecipitation kinetics in an electrochemical reactor based on CFD and mass transport contributions. *Journal of Electroanalytical Chemistry*, 928. <https://doi.org/10.1016/j.jelechem.2022.117057>.
- Wahyudi, S., Soepriyanto, S., Mubarak, M. Z., & Sutarno. (2018). Synthesis and applications of copper nanopowder – A review. *IOP Conference Series: Materials Science and Engineering*, 395, 012014. <https://doi.org/10.1088/1757-899X/395/1/012014>
- Walas (1990) *Chemical Process Equipment*. 3th edition. Available at: <https://www.ptonline.com/articles/how-to-get-better-mfi-results>.
- Wang, H.-Y., & Ward, J. D. (2015). Seeding and optimization of batch reactive crystallization. *Industrial & Engineering Chemistry Research*, 54, 9360–9368. <https://doi.org/10.1021/acs.iecr.5b00185>.
- Wang, Q., Liu, J., Yang, D., Yuan, X., Li, L., Zhu, X., Zhang, W., Hu, Y., Sun, X., Liang, S., Hu, J., Kumar, R. V., & Yang, J. (2015). Stannous sulfate as an electrolyte additive for lead acid battery made from a novel ultrafine leady oxide. *Journal of Power Sources*, 285, 485–492. <https://doi.org/10.1016/j.jpowsour.2015.03.125>.
- Wang, Z., Ru, J., Hua, Y., Wang, D., & Bu, J. (2020). Morphology-Controlled Preparation of Sn Powders by Electrodeposition in Deep Eutectic Solvent as Anodes for Lithium Ion Batteries. *Journal of The Electrochemical Society*, 167(8), 082504. <https://doi.org/10.1149/1945-7111/ab8824>.
- Wanta, K. C., Crecentia, I., Simanungkalit, N., Bahri, E. P., Susanti, R. F., Gemilar, G. P., Astuti, W., Tri, H., & Petrus, H. T. B. M. (n.d.). Study of nickel extraction process from spent catalysts with hydrochloric acid solution: Effect of temperature and kinetics study. *International Journal of Applied Sciences and Smart Technologies*, 3(2), 161–170.
- Wei, G.-L., Wang, J.-R. POWER SOURCES electrochemical behaviour of SnSO₄ in sulfuric acid solution, 1994.
- Whitehead, C. B., Özkar, S., & Finke, R. G. (2021). LaMer's 1950 model of particle formation: a review and critical analysis of its classical nucleation and fluctuation theory basis, of competing models and mechanisms for phase changes and particle formation, and of its application to silver halide, semiconductor, metal, and metal-oxide nanoparticles. *Materials Advances*, 2(1), 186–228. <https://doi.org/10.1039/d0ma00439a>.
- Witek-Krowiak, A., Chojnacka, K., Podstawczyk, D., Dawiec, A., & Pokomeda, K. (2014). Application of response surface methodology and artificial neural network methods in modelling and optimization of biosorption process. *Bioresource Technology*, 160, 150–160. <https://doi.org/10.1016/j.biortech.2014.01.021>.
- Wojtaszek, K., Cebula, F., Partyka, B., Deszcz, P., Włoch, G., Socha, R. P., Woźny, K., Żabiński, P., & Wojnicki, M. (2022). Electrochemical method of copper powder synthesis on rotating electrode in the presence of surfactants. *Archives of Metallurgy and Materials*, 67(1), 375–386. <https://doi.org/10.24425/amm.2023.141514>.
- Wu, D., Zhou, J., & Li, Y. (2009). Effect of the sulfidation process on the mechanical properties of a CoMoP/Al₂O₃ hydrotreating catalyst. *Chemical Engineering Science*, 64, 198–206. <https://doi.org/10.1016/j.ces.2008.09.025>.

- Yanson, A. I., Rodriguez, P., Garcia-Araez, N., Mom, R. V., Tichelaar, F. D., Koper, M. T. M. (2011). *Angew. Chem. Int. Ed.*, 50, 6346–6350.
- Yang, T., Liu, J., Dai, J., & Han, Y. (2017). Shaping particles by chemical diffusion and reaction. *CrystEngComm*, 19, 72–79. <https://doi.org/10.1039/c6ce02068b>.
- Yang, S., Li, R., Cai, X., Xue, K., Yang, B., Hua, X., & Dai, C. (2018). Enhanced cycle performance and lifetime estimation of lead-acid batteries. *New Journal of Chemistry*, 42, 8900–8904. <https://doi.org/10.1039/C8NJ00542G>
- Yang, D. R., Wu, Z. L., Ren, K., Dong, P., Zhang, D., Yang, B., & Liang, F. (2023). Recent Advances of The Thermodynamic Behavior of Tin Species In Aqueous Solution. *Journal of Mining and Metallurgy, Section B: Metallurgy*, 59(1), 1–15. <https://doi.org/10.2298/JMMB220617001Y>.
- Yasri, N., Hu, J., Kibria, M. G., & Roberts, E. P. L. (2020). Electrocoagulation separation processes. In *Multidisciplinary Advances in Efficient Separation Processes* (Vol. 1348, Chapter 6, pp. 167–203). ACS Symposium Series. <https://doi.org/10.1021/bk-2020-1348.ch006>.
- Yetilmezsoy, K., & Saral, A. (2007). Stochastic modeling approaches based on neural network and linear–nonlinear regression techniques for the determination of single droplet collection efficiency of countercurrent spray towers. *Environmental Modelling & Assessment*, 12, 13–26. <https://doi.org/10.1007/s10666-006-9068-3>.
- Yetilmezsoy, K., Demirel, S., & Vanderbei, R. J. (2009). Response surface modeling of Pb(II) removal from aqueous solution by *Pistacia vera* L.: Box–Behnken experimental design. *Journal of Hazardous Materials*, 171, 551–562. <https://doi.org/10.1016/j.jhazmat.2009.06.004>.
- Yim, K., Youn, Y., Lee, M., Yoo, D., Lee, J., Cho, S. H., & Han, S. (2018). Computational discovery of p-type transparent oxide semiconductors using hydrogen descriptor. *Computational Materials*, 4, 1–17. <https://doi.org/10.1038/s41524-018-0073-z>.
- You, S.W., Zhang, Y. F., Cao, S. T., Chen F. F., Zhang, Y. (2012). *Ind. Eng. Chem. Res.*, 51, 7736–7741.
- Yu, M., Budiyo, E., & Tüysüz, H. (2022). Principles of water electrolysis and recent progress in cobalt-, nickel-, and iron-based oxides for the oxygen evolution reaction. *Angewandte Chemie International Edition*, 61, e202103824. <https://doi.org/10.1002/anie.202103824>.
- Zafari, M., Tehrani, F. S., Shokouh, S. H. H., Popov, A., & Kordas, K. (2025). The effect of feedstock concentration on the crystal phase, morphology, and optical properties of WO₃ nanostructures. *RSC Advances*, 15(3), 2099–2105. <https://doi.org/10.1039/d4ra07112c>.
- Zhang, H., He, Q., Zhu, X., Pan, D., Deng, X., & Jiao, Z. (2012). Surfactant-free solution phase synthesis of monodispersed SnO₂ hierarchical nanostructures and gas sensing properties. *CrystEngComm*, 14(9), 3169–3176. <https://doi.org/10.1039/c2ce06558d>.
- Zhang, X.Y., Gang, Q., Zhou, X.G. (2017). Kinetic modeling on batch-cooling crystallization of zinc lactate: the influence of malic acid, *J. Cryst. Growth*. 463, 162–167.
- Zhang, B., Stefanidis, G. D., & Van Gerven, T. (2024). Can ultrasound replace seeding in flow reactive crystallization of an aromatic amine? *Organic Process Research & Development*, 28, 4431–4443. <https://doi.org/10.1021/acs.oprd.4c00385>.
- Zhen, C., Riyao, C., & Ying, W. (1996). Producing method for stannous sulfate. *CN1124231A*.

- Zheng, S., Wu, W., Zhang, Y., Zhao, Z., Duan, C., Karki, S., & Ding, H. (2025). Enhancing surface activity and durability in triple conducting electrode for protonic ceramic electrochemical cells. *Nature Communications*, 16, 4146. <https://doi.org/10.1038/s41467-025-59477-9>.
- Zhou, X., Wang, Y., Liang, Z., & Jin, H. (2018). Electrochemical deposition and nucleation/growth mechanism of Ni–Co–Y₂O₃ multiple coatings. *Materials*, 11, Article 1124. <https://doi.org/10.3390/ma11071124>.
- Zhu, Y., Li, L., Cheng, H., & Ma, J. (2024). Alkaline hydrogen evolution reaction electrocatalysts for anion exchange membrane water electrolyzers: Progress and perspective. *JACS Au*, 4(11), 4639–4654. <https://doi.org/10.1021/jacsau.4c00898>.