

DAFTAR PUSTAKA

- Abidin, H. Z. (2001). *Geodesi Satelit*. Pradnya Paramita.
- Agisoft LLC. (2025). *Agisoft Metashape User Manual: Professional Edition, Version 2.2*. https://www.agisoft.com/pdf/metashape-pro_2_2_en.pdf
- Aiger, D., Mitra, N. J., & Cohen-Or, D. (2008). 4-points congruent sets for robust pairwise surface registration. *ACM Transactions on Graphics*, 27(3), Artikel 85. <https://doi.org/10.1145/1360612.1360684>
- Albert, J., Bachmann, M., & Hellmeier, A. (2003). *Zielgruppen und Anwendungen für Digitale Stadtmodelle und Digitale Geländemodelle*. SIG3D/GDI-NRW.
- Alshawabkeh, Y., Baik, A., & Miky, Y. (2021). Integration of laser scanner and photogrammetry for heritage BIM enhancement. *ISPRS International Journal of Geo-Information*, 10(5), 316. <https://doi.org/10.3390/ijgi10050316>
- American Society for Photogrammetry and Remote Sensing. (2014). *ASPRS positional accuracy standards for digital geospatial data* (Edisi 1, Versi 1.0). <https://doi.org/10.14358/PERS.81.3.A1-A26>
- Badan Informasi Geospasial. (2013). *Peraturan Kepala Badan Informasi Geospasial Nomor 15 Tahun 2013 tentang Sistem Referensi Geospasial Indonesia 2013*. Diakses pada 25 Mei 2026 dari <https://peraturan.bpk.go.id/Details/269446/perka-big-no-15-tahun-2013>
- Badan Informasi Geospasial. (2014). *Peraturan Kepala Badan Informasi Geospasial Nomor 15 Tahun 2014 tentang Pedoman Teknis Ketelitian Peta Dasar*. Diakses pada 25 Mei 2026 dari <https://peraturan.bpk.go.id/Details/269446/perka-big-no-15-tahun-2014>
- Barry, P., & Coakley, R. (2013). Field accuracy test of RPAS photogrammetry. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XL-1/W2, 27–31. <https://doi.org/10.5194/isprsarchives-XL-1-W2-27-2013>
- Besl, P. J., & McKay, N. D. (1992). A method for registration of 3-D shapes. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 14(2), 239–256. <https://doi.org/10.1109/34.121791>
- Biljecki, F. (2017). *Level of detail in 3D city models* (Disertasi doctoral, Delft University of Technology). <https://doi.org/10.4233/uuid:f12931b7-5113-47ef-bfd4-688aae3be248>
- BP3 Yogyakarta. (2009). *Membangun Kembali Prambanan*. Balai Pelestarian Peninggalan Purbakala Yogyakarta.
- Brumana, R., Banfi, F., Cantini, L., Previtali, M., & Della Torre, S. (2019). HBIM level of detail-geometry-accuracy and survey analysis for architectural preservation. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XLII-2/W11, 293–299. <https://doi.org/10.5194/isprs-archives-XLII-2-W11-293-2019>
- Cesium GS Inc. (2021). Cesium Ion: 3D tiling and cloud hosting platform. Cesium GS, Inc. <https://cesium.com/platform/cesium-ion/>
- Chetverikov, D., Svirko, D., Stepanov, D., & Krsek, P. (2002). The trimmed iterative closest point algorithm. Dalam *Proceedings of the 16th International Conference on Pattern Recognition* (Vol. 3, hlm. 545–548). IEEE. <https://doi.org/10.1109/ICPR.2002.1047997>

- Cheng, L., Chen, S., Liu, X., Xu, H., Wu, Y., Li, M., & Chen, Y. (2018). Registration of laser scanning point clouds: A review. *Sensors*, 18(5), 1641. <https://doi.org/10.3390/s18051641>
- Cignoni, P., Rocchini, C., & Scopigno, R. (1998). Metro: Measuring error on simplified surfaces. *Computer Graphics Forum*, 17(2), 167–174. <https://doi.org/10.1111/1467-8659.00236>
- Furukawa, Y., & Ponce, J. (2010). Accurate, dense, and robust multiview stereopsis. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 32(8), 1362–1376. <https://doi.org/10.1109/TPAMI.2009.161>
- Ghilani, C. D. (2010). *Adjustment Computations: Spatial Data Analysis* (Edisi ke-5). John Wiley & Sons.
- Girardeau-Montaut, D., Roux, M., Marc, R., & Thibault, G. (2005). Change detection on points cloud data acquired with a ground laser scanner. Dalam *ISPRS WG III/3, III/4, V/3 Workshop "Laser Scanning 2005"*, XXXVI-3/W19. <https://www.isprs.org/proceedings/XXXVI/3-W19/papers/030.pdf>
- Gomez-Lahoz, J., & Gonzalez-Aguilera, D. (2009). Recovering traditions in the digital era: the use of blimps for modelling the archaeological cultural heritage. *Journal of Archaeological Science*, 36(1), 100–109. <https://doi.org/10.1016/j.jas.2008.07.013>
- Grenzdörffer, G. J., Guretzki, M., & Friedlander, I. (2008). Photogrammetric image acquisition and image analysis of oblique imagery. *The Photogrammetric Record*, 23(124), 372–386. <https://doi.org/10.1111/j.1477-9730.2008.00499.x>
- Gröger, G., Kolbe, T. H., Nagel, C., & Häfele, K.-H. (Eds.). (2012). *OGC City Geography Markup Language (CityGML) encoding standard* (Versi 2.0.0, OGC Standard No. 12-019). Open Geospatial Consortium. <https://docs.ogc.org/is/12-019/12-019.pdf>
- Historic England. (2024). *Geospatial survey specifications for cultural heritage*. Historic England. Diakses pada 28 Januari 2025 dari <https://historicengland.org.uk/images-books/publications/geospatial-survey-specifications-cultural-heritage/>
- Hofmann-Wellenhof, B., Lichtenegger, H., & Wasle, E. (2008). *GNSS – Global Navigation Satellite Systems: GPS, GLONASS, Galileo, and more*. Springer Science & Business Media.
- Horn, B. K. P. (1987). Closed-form solution of absolute orientation using unit quaternions. *Journal of the Optical Society of America A*, 4(4), 629–642. <https://doi.org/10.1364/JOSAA.4.000629>
- Khronos Group. (2017). glTF 2.0 specification. Khronos Group. <https://www.khronos.org/registry/glTF/specs/2.0/glTF-2.0.html>
- Kurkela, M., Maksimainen, M., Julin, A., Rantanen, T., Virtanen, J.-P., Hyyppä, J., Vaaja, M. T., & Hyyppä, H. (2021). Utilizing a terrestrial laser scanner for 3D luminance measurement of indoor environments. *Journal of Imaging*, 7(5), 85. <https://doi.org/10.3390/jimaging7050085>

- Lague, D., Brodu, N., & Leroux, J. (2013). Accurate 3D comparison of complex topography with terrestrial laser scanner: Application to the Rangitikei canyon (N-Z). *ISPRS Journal of Photogrammetry and Remote Sensing*, 82, 10–26. <https://doi.org/10.1016/j.isprsjprs.2013.04.009>
- Leica Geosystems AG. (t.t.). *Leica RTC360 3D reality capture solution: Fast, agile, precise* [Dokumen spesifikasi teknis]. <https://leica-geosystems.com/-/media/files/leicageosystems/products/datasheets/leica-rtc360-ds.ashx>
- Lowe, D. G. (2004). Distinctive image features from scale-invariant keypoints. *International Journal of Computer Vision*, 60(2), 91–110. <https://doi.org/10.1023/B:VISI.0000029664.99615.94>
- Muryamto, R., Taftazani, M. I., Yulaikhah, Y., Cahyono, B. K., & Prasidya, A. S. (2018). Development and definition of Prambanan Temple deformation monitoring control points. *JGISE: Journal of Geospatial Information Science and Engineering*, 1(2), 81–86. <https://doi.org/10.22146/jgise.40788>
- Nex, F., & Remondino, F. (2014). UAV for 3D mapping applications: A review. *Applied Geomatics*, 6(1), 1–15. <https://doi.org/10.1007/s12518-013-0120-x>
- Open Geospatial Consortium. (2023). OGC 3D Tiles specification (Version 1.1; OGC Standard No. 22-025r4). Open Geospatial Consortium. <http://www.opengis.net/doc/cs/3D-Tiles/1.1>
- Pollefeys, M., Van Gool, L., Vergauwen, M., Cornelis, K., Verbiest, F., & Tops, J. (2001). *Image-based 3D recording for archaeological field work*. Dalam *Proceedings of the 2001 Conference on Virtual Reality, Archeology, and Cultural Heritage*. Diakses pada 31 Mei 2026 dari <https://www.researchgate.net/publication/220660226>
- Prasidya, A. S., Gumilar, I., Meilano, I., Ikaputra, Muryamto, R., & Arrofiqoh, E. N. (2025). Three-dimensional digital documentation for the conservation of the Prambanan Temple Cluster using guided multi-sensor techniques. *Heritage*, 8(1), 32. <https://doi.org/10.3390/heritage8010032>
- Remondino, F. (2011). Heritage recording and 3D modeling with photogrammetry and 3D scanning. *Remote Sensing*, 3(6), 1104–1138. <https://doi.org/10.3390/rs3061104>
- Rizos, C., Janssen, V., Roberts, C., & Grinter, T. (2012). *Precise point positioning: Is the era of differential GNSS positioning drawing to an end?* Dalam *Proceedings of FIG Working Week 2012* (hlm. 1–17). FIG. Diakses pada 5 Mei 2026 dari <https://www.researchgate.net/publication/277997482>
- Šašák, J., Gallay, M., Kaňuk, J., Hofierka, J., & Minár, J. (2019). Combined use of terrestrial laser scanning and UAV photogrammetry in mapping alpine terrain. *Remote Sensing*, 11(18), 2154. <https://doi.org/10.3390/rs11182154>
- Soudarissanane, S., Lindenbergh, R., Menenti, M., & Teunissen, P. (2011). Scanning geometry: Influencing factor on the quality of terrestrial laser scanning points. *ISPRS Journal of Photogrammetry and Remote Sensing*, 66(4), 389–399. <https://doi.org/10.1016/j.isprsjprs.2011.01.005>

- Suchocki, C. (2020). Comparison of time-of-flight and phase-shift TLS intensity data for the diagnostics measurements of buildings. *Materials*, 13(2), 353. <https://doi.org/10.3390/ma13020353>
- Sugiyono. (2007). *Statistika untuk Penelitian*. CV Alfabeta.
- Suwardhi, D., Menna, F., Remondino, F., Hanke, K., & Akmalia, R. (2015). Digital 3D Borobudur: Integration of 3D surveying and modeling techniques. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XL-5/W7, 417–423. <https://doi.org/10.5194/isprsarchives-XL-5-W7-417-2015>
- Thomson, C., & Boehm, J. (2015). Automatic geometry generation from point clouds for BIM. *Remote Sensing*, 7(9), 11753–11775. <https://doi.org/10.3390/rs70911753>
- Tucci, G., Bonora, V., Conti, A., & Fiorini, L. (2017). High-quality 3D models and their use in a cultural heritage conservation project. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 42(2W5), 687–693. <https://doi.org/10.5194/isprs-archives-XLII-2-W5-687-2017>
- UNESCO. (2003). *Charter on the Preservation of Digital Heritage*. UNESCO.
- Uren, J., & Price, B. (2010). *Surveying for Engineers*. Bloomsbury Visual Arts.
- United States Institute of Building Documentation. (2019). *USIBD level of accuracy (LOA) specification guide* (Versi 3.0). Diakses pada 19 Februari 2026 dari <https://usibd.org/product/usibd-level-of-accuracy-loa-specification-guide-version-3-0-2019/>
- Van Genechten, B., Santana Quintero, M., De Bruyne, M., Poelman, R., Hankar, M., Barnes, S., Caner, H., Budei, L., Heine, E., Reiner, H., Lerma García, J.L., & Biosca Taronger, J.M. (2008). *Theory and Practice on Terrestrial Laser Scanning: Training Material Based on Practical Applications*. 3DRiskMapping Project, Leonardo da Vinci Programme.
- Vinueza-Martinez, J., Correa-Peralta, M., Ramirez-Anormaliza, R., Franco Arias, O., & Vera Paredes, D. (2024). Geographic information systems (GISs) based on WebGIS architecture: Bibliometric analysis of the current status and research trends. *Sustainability*, 16(15), 6439. <https://doi.org/10.3390/su16156439>
- Waechter, M., Moehrle, N., & Goesele, M. (2014). Let there be color! Large-scale texturing of 3D reconstructions. Dalam *Computer Vision: ECCV 2014* (hlm. 836–850). Springer. https://doi.org/10.1007/978-3-319-10602-1_54
- Walpole, R. E., Myers, R. H., Myers, S. L., & Ye, K. (2012). *Probability and Statistics for Engineers and Scientists* (Edisi ke-9). Pearson Education.
- Westoby, M. J., Brasington, J., Glasser, N. F., Hambrey, M. J., & Reynolds, J. M. (2012). Structure-from-Motion photogrammetry: A low-cost, effective tool for geoscience applications. *Geomorphology*, 179, 300–314. <https://doi.org/10.1016/j.geomorph.2012.08.021>
- Wolf, P. R., DeWitt, B. A., & Wilkinson, B. E. (2014). *Elements of Photogrammetry with Application in GIS* (Edisi ke-4). McGraw-Hill.