UNIVERSITAS
GADJAH MADA
Kajian Genetik Perakaran Teh (Camellia sinensis L.) Generasi Vegetatif Hasil Persilangan Sinensis dan Assamica
Titin Setyorini, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Rudi Hari Murti, S.P., M.P.; Rani Agustina Wulandari, S.P., M.P.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Affkhai, A., Nwaogula, C. N., & Alika, J. (2017). Estimation of Combining Ability for Yield and Component Traits in Maize (*Zea mays* L.) Cultivars Using North Carolina Mating Design II. Albanian j. Agric. Sci, 16(4): 192–201. https://ajas.ubt.edu.al/estimation-of-combining-ability-for-yield-and-component-traits-in-maize-zea-mays-l-cultivars-using-north-carolina-mating-design-ii-3/

Ahmad, F., Hamid, F., Waheed, A., Aslam, S., Hussain Shah, B., Islam, S., Sarwar, S., & Ali, I. (2015). Growth Performance of Tea Cultivars. J. Agric. Res, 3 (53): 365-374.

Ahmad, F., Khan, N., Hamid, F. S., Waheed, A., Khan, M. A., Ahmad, I., Islam, S., Shah, B. H., Aslam, S., & Zaman, Q. uz. (2021). Genetic Variability, Heritability, Genetic Advance and Association of Agronomic Traits of Early Flushing Tea (*Camellia sinensis* L) Clones at The Nursery Stage. Pakistan Journal of Agricultural Research, 34(3): 405–416. https://doi.org/10.17582/JOURNAL.PJAR/2021/34.3.405.416

Ahmadi, A. M., Wulandari, R. A., & Taryono, T. (2020). Performance of Three Clones Tea (*Camellia sinensis* L.) Seedling on the Two Different Seedling Media. Vegetalika, 9(2): 359–372. https://doi.org/10.22146/veg.37172

An, Y., Mi, X., Zhao, S., Guo, R., Xia, X., Liu, S., & Wei, C. (2020). Revealing Distinctions in Genetic Diversity and Adaptive Evolution Between Two Varieties of *Camellia sinensis* by Whole-Genome Resequencing. Frontiers in Plant Science, 11(603819): 1-14. https://doi.org/10.3389/fpls.2020.603819

Araya, H. T., Soundy, Puffy, Du Toit, E. S., Fhatuwani, & Mudau, N. (2007). Influence of Cutting Position, Medium, Hormone and Season on Rooting of Bush Tea (*Athrixia phylicoides* DC.) Stem Cuttings. Medicinal and Aromatic Plant Science and Biotechnology, 1(2): 243–252.

Awotedu, B. F., Omolola, T. O., Akala, A. O., Awotedu, O. L., & Olaoti-Laaro, S. O. (2021). Vegetative Propagation: A Unique Technique of Improving Plants Growth. World News of Natural Sciences, 35: 83–101. www.worldnewsnaturalsciences.com

Bansode, P., Shinde, R., & Kambley, V. (2014). Spectrophotometric Determination of Total Phenolic Content of Some Commonly Consumed Teas in India. Bionano Frontier, 7(1): 78–80.

Bao, D., Chang, S., Li, X., & Qi, Y. (2024). Advances in the Study of Auxin Early Response Genes: *Aux/IAA, GH3*, and *SAUR*. The Crop Journal, 12(4): 964–978. https://doi.org/10.1016/j.cj.2024.06.011

Cancé, C., Martin-Arevalillo, R., Boubekeur, K., & Dumas, R. (2022). Auxin Response Factors are Keys to the Many Auxin Doors. New Phytologist, 235(2): 402–419. https://doi.org/10.1111/nph.18159

Cano, A., Sánchez-García, A. B., Albacete, A., González-Bayón, R., Justamante, M. S., Ibáñez, S., Acosta, M., & Pérez-Pérez, J. M. (2018). Enhanced Conjugation of Auxin by *GH3* Enzymes Leads to Poor Adventitious Rooting in Carnation Stem Cuttings. Frontiers in Plant Science, 9 (355044):1-17. https://doi.org/10.3389/FPLS.2018.00566/BIBTEX

Cao, Z., Li, J., Lei, H., Yan, M., Wang, Q., Ji, R., Zhang, S., Min, X., Sun, Z., & Wei, Z. (2025). PCA-Driven Multivariate Trait Integration in *Alfalfa* Breeding: A Selection Model for High-Yield and Stable Progenies. Plants, 14(18): 1-13. https://doi.org/10.3390/PLANTS14182906/S1

Casanova-Sáez, R., & Voß, U. (2019). Auxin Metabolism Controls Developmental Decisions in Land Plants. Trends in Plant Science, 24(8): 741–754. https://doi.org/10.1016/j.tplants.2019.05.006

UNIVERSITAS
GADJAH MADA
Kajian Genetik Perakaran Teh (Camellia sinensis L.) Generasi Vegetatif Hasil Persilangan Sinensis dan Assamica
Titin Setyorini, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Rudi Hari Murti, S.P., M.P.; Rani Agustina Wulandari, S.P., M.P.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Chatse, D. B., Kedar, D. P., & Gawas, I. G. (2020). Studies on Standardization of Season for Stem Cutting in *Hibiscus*. Int. J. Curr. Microbiol. App. Sci (Special Issue), 11: 1175–1179. https://ijcmas.com/special-issue-11.php

Chen, W., Ye, T., Sun, Q., Niu, T and Zhang, J. (2021). Arbuscular Mycorrhizal Fungus Alters Root System Architecture in *Camellia sinensis* L. as Revealed by RNA-Seq Analysis. Front. Plant Sci. 12:777357. https://doi.org/ 10.3389/fpls.2021.777357

Chen, R., Zhao, D., & Huang, X. (2022). Transcriptome Analysis of Easy- and Hard-to-Root Tea Plants Uncovers Roles for *CsGH3.2* and *CsGH3.3* in Adventitious Root Formation. Plant Cell, Tissue and Organ Culture, 150(2): 385–398. https://doi.org/10.1007/S11240-022-02291-8

Chen, W., Shan, W., Niu, T., Ye, T., Sun, Q., & Zhang, J. (2023). Insight Into Regulation of Adventitious Root Formation by Arbuscular Mycorrhizal Fungus and Exogenous Auxin in Tea Plant (*Camellia Sinensis* L.) Cuttings. Frontiers in Plant Science, 14 (1258410): 1-14. https://doi.org/10.3389/FPLS.2023.1258410/BIBTEX

Cheng, Q., Ji, D., Guo, X., Huang, H., & Zhang, L. (2021). Endogenous Metabolic Content of the Cutting Positions and Indole-3-Butyric Acid Influence Rooting of *Toona Ciliata Var. Pubescens* Stem Cuttings. Southern Forests: A Journal of Forest Science, 83(4): 284–293. https://doi.org/10.2989/20702620.2021.1994343

Cheng, Y., Dai, X., & Zhao, Y. (2006). Auxin Biosynthesis by the *YUCCA* Flavin Monooxygenases Controls the Formation of Floral Organs and Vascular Tissues in *Arabidopsis*. Genes & Development, 20(13): 1790. https://doi.org/10.1101/GAD.1415106

da Costa, C. T., de Almeida, M. R., Ruedell, C. M., Schwambach, J., Maraschin, F. S., & Fett-Neto, A. G. (2013). When Stress and Development Go Hand in Hand: Main Hormonal Controls of Adventitious Rooting in Cuttings. Frontiers in Plant Science, 4: 45174. https://doi.org/10.3389/fpls.2013.00133

da Costa Mello, S., Angelotti-Mendonça, J., Riboldi, L. B., Dall'Orto, L. T. C., & Suguino, E. (2016). Impact of Indole-3-Butyric Acid on Adventitious Root Development from Cuttings of Tea. HortTechnology, 26(5): 599–603. https://doi.org/10.21273/HORTTECH03378-16

Das, A., & Ghost, C. (2016). *Camellia sinensis var. lasiocalyx* (G. Watt) A.P. Das & C. Ghost - New Combination Name for the Cambod Variety of Tea. Pleione, 10(1): 167–168.

de Klerk, G. J., Guan, H., Huisman, P., & Marinova, S. (2011). Effects of Phenolic Compounds on Adventitious Root Formation and Oxidative Decarboxylation of Applied Indoleacetic Acid in *Malus "Jork 9*." Plant Growth Regulation, 63(2): 175–185. https://doi.org/10.1007/s10725-010-9555-9

Díaz-Sala, C. (2021). Editorial-Adventitious Root Formation in Tree Species. Plants (Basel, Switzerland), 10: 486. https://doi.org/10.3390/plants10030486

Druege, U., Hilo, A., Pérez-Pérez, J. M., Klopotek, Y., Acosta, M., Shahinnia, F., Zerche, S., Franken, P., & Hajirezaei, M. R. (2019). Molecular and Physiological Control of Adventitious Rooting in Cuttings: Phytohormone Action Meets Resource Allocation. Annals of Botany, 123(6): 929–949. https://doi.org/10.1093/AOB/MCY234

El-Banna, M. F., Kasem, M. M., Hegazy, A. A., Helaly, A. A., Mosa, A., & El-Banna, H. Y. (2024). Bee Honey Improved the Performance of Indole-3-Butyric Acid on Promoting Adventitious Roots Formation of *Cupressus Macrocarpa* L. Var. Goldcrest: Morpho-Biochemical and Histoanatomical Investigation. Industrial Crops and Products, 209 (117971): 1-18.

UNIVERSITAS
GADJAH MADA
Kajian Genetik Perakaran Teh (Camellia sinensis L.) Generasi Vegetatif Hasil Persilangan Sinensis dan Assamica
Titin Setyorini, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Rudi Hari Murti, S.P., M.P.; Rani Agustina Wulandari, S.P., M.P.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1016/J.INDCROP.2023.117971

Fan, K., Shi, Y., Luo, D., Qian, W., Shen, J., Ding, S., Ding, Z., & Wang, · Yu. (2021). Comparative Transcriptome and Hormone Analysis of Mature Leaves and New Shoots in Tea Cuttings (*Camellia sinensis*) among Three Cultivars with Different Rooting Abilities. Journal of Plant Growth Regulation, 41: 2833–2845. https://doi.org/10.1007/s00344-021-10478-0

Fatmala, N., Hermansyah, & Marlin, M. (2020). Stimulasi Pertumbuhan Bibit Teh (*Camellia sinensis*) dengan Pemberian Urin Sapi dan Penggunaan Bahan Stek yang Berbeda. Jurnal Ilmu-Ilmu Pertanian Indonesia, 22(1): 52–57. https://doi.org/10.31186/jipi.22.1.52-57

Feng, S., Li, N., Chen, H., Liu, Z., Li, C., Zhou, R., Zhang, Y., Cao, R., Ma, X., & Song, X. (2024). Large-Scale Analysis of the *ARF* and *Aux/IAA* Gene Families in 406 Horticultural and Other Plants. Molecular Horticulture 2024 4(1): 1-18. https://doi.org/10.1186/s43897-024-00090-7

Fu, H., Wei, X., Chen, Q., Yong, S., Liu, Q., Dang, J., Wu, D., Liang, G., & Guo, Q. (2023). Comparative Transcriptome Analysis of Molecular Mechanisms Underlying Adventitious Root Developments in Huangshan Bitter Tea (*Camellia Gymnogyna* Chang) Under Red Light Quality. Frontiers in Plant Science, 14(1154169): 1-14. https://doi.org/10.3389/FPLS.2023.1154169/BIBTEX

Gao, Y., Zhao, M., Wu, X.-H., Li, D., Borthakur, D., Ye, J.-H., Zheng, X.-Q., & Lu, J.-L. (2019). Analysis of Differentially Expressed Genes in Tissues of *Camellia sinensis* during Dedifferentiation and Root Redifferentiation. Nature Scientific Report, 9(2935): 1-11. https://doi.org/10.1038/s41598-019-39264-5

Geiss, G., Gutierrez, L., & Bellini, C. (2009). Adventitious Root Formation: New Insights and Perspectives. Root Development, 37: 127–156. https://doi.org/10.1002/9781444310023.ch5

Ghimire, B. K., Kim, S. H., Yu, C. Y., & Chung, I. M. (2022). Biochemical and Physiological Changes during Early Adventitious Root Formation in *Chrysanthemum indicum* Linné Cuttings. Plants (Basel, Switzerland), 11(1440): 1-19. https://doi.org/10.3390/plants11111440

Gonin, M., Bergougnoux, V., Nguyen, T. D., Gantet, P., & Champion, A. (2019). What Makes Adventitious Roots? Plants (Basel, Switzerland), 8(240): 1-24. https://doi.org/10.3390/PLANTS8070240

Guniarti, & Sukartiningrum. (2013). Keberhasilan Tumbuh Ragam Stek Tanaman Teh (*Camellia sinensis* L.) pada Penggunaan Lama Simpan Urin Sapi. Agritrop: Jurnal Ilmu-Ilmu Pertanian, 11(1): 68–72. https://doi.org/10.32528/agr.v11i1.672

Hajiboland, R. (2017). Environmental and Nutritional Requirements for Tea Cultivation. Folia Horticulturae, 29(2): 199–220. https://doi.org/10.1515/fhort-2017-0019

Hamasaki, R. T., & Nakamoto, S. T. (2018). In-Tray Procedure for Rooting Tea Cuttings. Soil and Crop Management, SCM-35: 1-4. https://www.ctahr.hawaii.edu/oc/freepubs/pdf/SCM-35.pdf

Hazra, A., Mahadani, P., Das, S., Bhattacharya, S., Kumar, R., Sengupta, C., & Das, S. (2021). Insight to the Ancestral Relations and Varietal Diversity of Indian Tea [*Camellia sinensis* (L.) O. Kuntze] Through Plastid and Nuclear Phylogenetic Markers. Genet Resour Crop Evol, 68: 773–783. https://doi.org/10.1007/s10722-020-01022-2

Hu, S., Liu, X., Xuan, W., Mei, H., Li, J., Chen, X., Zhao, Z., Zhao, Y., Jeyaraj, A., Periakaruppan, R., & Li, X. H. (2023). Genome-Wide Identification and Characterization of *PIN-FORMED (PIN)* and *PIN-LIKES (PILS)* Gene Family Reveals Their Role in Adventitious Root Development in Tea Nodal Cutting

UNIVERSITAS
GADJAH MADA
Kajian Genetik Perakaran Teh (Camellia sinensis L.) Generasi Vegetatif Hasil Persilangan Sinensis dan Assamica
Titin Setyorini, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Rudi Hari Murti, S.P., M.P.; Rani Agustina Wulandari, S.P., M.P.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

(*Camellia sinensis*). International Journal of Biological Macromolecules, 229: 791–802. https://doi.org/10.1016/J.IJBIOMAC.2022.12.230

Hu, S., Zhang, M., Yang, Y., Xuan, W., Zou, Z., Arkorful, E., Chen, Y., Ma, Q., Jeyaraj, A., Chen, X., & Li, X. (2020). A Novel Insight into Nitrogen and Auxin Signaling in Lateral Root Formation in Tea Plant [*Camellia sinensis* (L.) O. Kuntze]. BMC Plant Biology, 20(232): 1-17. https://doi.org/10.1186/s12870-020-02448-7

Huang, F., Duan, J., Lei, Y., Kang, Y., Luo, Y., Chen, Y., Ding, D., & Li, S. (2022). Metabolomic and Transcriptomic Analyses Reveal a *MYB* Gene, *Csan1,* Involved in Anthocyanins Accumulation Separation in F1 Between 'Zijuan' (*Camellia sinensis var. assamica*) and 'Fudingdabaicha' (*C. sinensis var. sinensis*) Tea Plants. Frontiers in Plant Science, 13: 1-13. https://doi.org/10.3389/FPLS.2022.1008588/PDF

Israeli, A., Reed, J. W., & Ori, N. (2020). Genetic Dissection of the Auxin Response Network. Nature Plants, 6(9): 1082–1090. https://doi.org/10.1038/s41477-020-0739-7

Jiang, Y., Chen, J. Y., Gong, H., Li, N. X., Guo, X. M., Yuan, Y. C., Hu, G. X., & Gong, W. F. (2025). Analysis of Foliar-Branch Traits and Flowering Phenology in F1 Progeny of Interspecific Hybridization in *Camellia oleifera*. Forest Research, 38(2): 127–136. https://doi.org/10.12403/J.1001-1498.20240190

Kamal, D., Khan, M. A., Mujtaba-Shah, G., Ahmed, N., Iqbal, M., Shah, B. H., & Ahmed, I. (2023). Morphologial and Anatomical Studies of Tea Varieties and Clones Grown at Nthri, Shinkiari, Mansehra, Pakistan. Pakistan Journal of Agricultural Research, 36(4): 341–349. https://doi.org/10.17582/JOURNAL.PJAR/2023/36.4.341.349

Kottawa-Arachchi, J. D., Ranatunga, M. A. B., & Ranaweera, K. K. (2019). Recent Progress of Intra-specific Hybridization of Tea (*Camellia sinensis*, (L.) O. Kuntze) in Sri Lanka. Sri Lanka Journal of Food and Agriculture, 5(1): 19–26. https://doi.org/10.4038/SLJFA.V5I1.67

Koyuncu, F., & Balta, F. (2004). Adventitious Root Formation In Leaf-Bud Cuttings Of Tea (*Camellia sinensis* L.). Pak. J. Bot, 36(4), 763–768.

Kumarihami, H. M. P. C., Oh, E. U., Nesumi, A., & Song, K. J. (2016). Comparative Study on Cross-Compatibility between *Camellia sinensis var. sinensis* (China type) and *C. sinensis var. assamica* (Assam type) Tea. African Journal of Agricultural Research, 11(12): 1092–1101. https://doi.org/10.5897/AJAR2015.9951

Kunc, P., Medic, A., & Osterc, G. (2024). Involvement of Auxin, Flavonoids and Strigolactones in the Different Rooting Ability of European Chestnut (*Castanea sativa*) and Hybrids (*Castanea crenata* × *Castanea sativa*). Plants, 13(2088): 1-14. https://doi.org/10.3390/plants13152088

Kupina, S., Fields, C., Roman, M. C., & Brunelle, S. L. (2019). Determination of Total Phenolic Content Using the Folin-C Assay: Single-Laboratory Validation, First Action. Journal of AOAC INTERNATIONAL, 102(1): 320–321. https://doi.org/10.1093/JAOAC/102.1.320

Kurzyna-Szklarek, M., Cybulska, J., & Zdunek, A. (2022). Analysis of the Chemical Composition of Natural Carbohydrates – An Overview of Methods. Food Chemistry, 394 (133466): 1-13. https://doi.org/10.1016/J.FOODCHEM.2022.133466

Lakehal, A., & Bellini, C. (2019). Control of Adventitious Root Formation: Insights into Synergistic and Antagonistic Hormonal Interactions. Physiologia Plantarum, 165(1): 90–100. https://doi.org/10.1111/PPL.12823

Lakehal, A., Chaabouni, S., Cavel, E., Le Hir, R., Ranjan, A., Raneshan, Z., Novák, O., Păcurar, D. I., Perrone, I., Jobert, F., Gutierrez, L., Bakò, L., & Bellini, C.

UNIVERSITAS
GADJAH MADA
Kajian Genetik Perakaran Teh (Camellia sinensis L.) Generasi Vegetatif Hasil Persilangan Sinensis dan Assamica
Titin Setyorini, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Rudi Hari Murti, S.P., M.P.; Rani Agustina Wulandari, S.P., M.P.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

(2019). A Molecular Framework for the Control of Adventitious Rooting by TIR1/AFB2-Aux/IAA-Dependent Auxin Signaling in Arabidopsis. Molecular Plant, 12(11): 1499–1514. https://doi.org/10.1016/j.molp.2019.09.001

Li, S.-W. (2021). Molecular Bases for the Regulation of Adventitious Root Generation in Plants. Frontiers in Plant Science, 12(614072): 1-19. https://doi.org/10.3389/fpls.2021.614072

Li, W., Huang, D., Wang, B., Hou, X., Zhang, R., Yan, M., & Liao, W. (2022). Changes of Starch and Sucrose Content and Related Gene Expression During the Growth and Development of Lanzhou Lily Bulb. PloS One, 17(1): 1-12. https://doi.org/10.1371/journal.pone.0262506

Li, Y., Han, S., & Qi, Y. (2022). Advances in Structure and Function of Auxin Response Factor in Plants. Journal of Integrative Plant Biology, 65(3): 617–632. https://doi.org/10.1111/jipb.13392

Lima, J., Bolfatini, A., Silva, S. H., & Moraes, W. (2013). Propagation of *Camellia sinensis*: Effect of Genotype, Cuttings, Substrate, Recipient and Indolebutyric Acid. Hortic. Bras, 31(1): 74–79. DOI:10.1590/S0102-05362013000100012

Linskens, H. F., & Jackson, J. F. (Eds.). (1987). High Performance Liquid Chromatography in Plant Sciences. Springer, Berlin.

Liu, P., Zhang, S., Wang, X., Du, Y., He, Q., Zhang, Y., Shen, L., Hu, H., Zhang, G., & Li, X. (2025). Adventitious Root Formation in Cuttings: Insights from *Arabidopsis* and Prospects for Woody Plants. Biomolecules 2025, 15(1089): 1-12. https://doi.org/10.3390/BIOM15081089

Lubanga, N., Massawe, F., Mayes, S., Gorjanc, G., & Bančič, J. (2023). Genomic Selection Strategies to Increase Genetic Gain in Tea Breeding Programs. The Plant Genome, 16 (e20282): 1-18. https://doi.org/10.1002/TPG2.20282

Luo, C., Liu, X., Zheng, Y., Dai, X., Tang, X., Zhang, T., & Zhang, X. (2024). Physiological and Transcriptomic Analysis Reveal the Regulation of Adventitious Root Formation in *Cinnamomum parthenoxylon* Cuttings. BMC Plant Biology 24(1217); 1-13. https://doi.org/10.1186/S12870-024-05941-5

Luo, P., Li, T. T., Shi, W. M., Ma, Q., & Di, D. W. (2023). The Roles of *Gretchen Hagen3 (GH3)*-Dependent Auxin Conjugation in the Regulation of Plant Development and Stress Adaptation. Plants 12(4111): 1-14. https://doi.org/10.3390/PLANTS12244111

Lynch, J. (1995). Root Architecture and Plant Productivity. Plant Physiology, 109: 7–13. https://doi.org/10.1104/pp.109.1.7

Lynch, J. P. (2019). Root Phenotypes for Improved Nutrient Capture: An Underexploited Opportunity for Global Agriculture. New Phytologist, 223(2): 548–564. https://doi.org/10.1111/nph.15738

Mao, Z., Wang, Y., Mccormack, M. L., Rowe, N., Deng, X., Yang, X., Xia, S., Nespoulous, J., Sidle, R. C., Guo, D., & Stokes, A. (2018). Mechanical Traits of Fine Roots as A Function of Topology and Anatomy. Annals of Botany, 122: 1103–1116. https://doi.org/10.1093/aob/mcy076

Martins, M., Gomes, A. F. G., da Silva, É. M., da Silva, D. F., Peche, P. M., Magalhães, T. A., & Pio, R. (2022). Effects of Anatomical Structures and Phenolic Compound Deposition on the Rooting of Olive Cuttings. Rhizosphere, 23 (100557): 1-8. https://doi.org/10.1016/j.rhisph.2022.100557

Martono, B., Wibowo, N. A., Rubiyo, R., Randriani, E., Hartati, R. S., Ernawati, R., Ibrahim, M. S. D., Purwanto, E. H., Karim, M. A., Marwati, T., Djaafar, T. F., Fajariyah, A., & Ferry, Y. (2026). Tea Clones Performance in Tambi, Central Java, Indonesia: The Yield, Biochemical Composition, and Sensory Quality. Journal of Food Composition and Analysis, 153(109048): 1-11. https://doi.org/10.1016/j.jfca.2026.109048

UNIVERSITAS
GADJAH MADA
Kajian Genetik Perakaran Teh (Camellia sinensis L.) Generasi Vegetatif Hasil Persilangan Sinensis dan Assamica
Titin Setyorini, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Rudi Hari Murti, S.P., M.P.; Rani Agustina Wulandari, S.P., M.P.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mashudi. (2020). Keragaman Sudut Percabangan dan Panjang Internodus Tanaman Uji Keturunan Pulai Gading (*Alstonia scholaris* (L.). R.Br.). Jurnal Hutan Tropis, 8(2): 195–202. https://doi.org/10.20527/JHT.V8I2.9049

Mathew, I., & Shimelis, H. (2022). Genetic Analyses of Root Traits: Implications for Enviromental Adaptation and New Variety Development: A Review. Plant Breeding, 141(6): 1–24. https://doi.org/10.1111/pbr.

Matsushita, K., Honda, C., Nakamura, Y., & Kumazawa, S. (2024). Comparison of Colorimetric Methods for the Analysis of Total Polyphenols in Green Tea Extracts. Bioscience, Biotechnology, and Biochemistry, 88(7): 798–803. https://doi.org/10.1093/BBB/ZBAE054

Meegahakumbura, M. K., Wambulwa, M. C., Thapa, K. K., Li, M. M., Möller, M., Xu, J. C., Yang, J. B., Liu, B. Y., Ranjitkar, S., Liu, J., Li, D. Z., & Gao, L. M. (2016). Indications for Three Independent Domestication Events for the Tea Plant (*Camellia sinensis* (L.) O. Kuntze) and New Insights into the Origin of Tea Germplasm in China and India Revealed by Nuclear Microsatellites. PLoS ONE, 11(5): e0155369 (1-14). https://doi.org/10.1371/journal.pone.0155369

Menteri Pertanian, R. I. (2015). Pedoman Produksi, Sertifikasi, Peredaran dan Pengawasan Benih Tanaman Teh (*Camellia sinensis* (L) O. Kuntze) (Nomor 317/Kpts/KB.020/10/2015). Kementerian Pertanian. https://fungsional.pertanian.go.id/ujikompjf/assets/file/elearning/elearning_72_5f227ad3a34c4.pdf

Mwangi, S., Korir, N., Mose, R., Osei-Kwarteng, M., Akuja, T., & Gweyi-Onyango, J. (2021). Root Development Does Not Antagonize Regeneration of Double Node Vegetatively Propagated Tea (*Camellia sinensis*) Cultivar Propagation. African Journal of Horticulture Science, 18(2): 21–30. https://journal.hakenya.net/index.php/ajhs/article/view/7/5

Nasir, B., Razzaq, H., Sadaqat, H. A., & Wahid, M. A. (2023). Combining Ability Analysis in Soybean through North Carolina Mating Design II Under Varying Water Levels and Temperature at Maturity Stage. Pak. J. Bot, 55(5): 1697–1706. https://doi.org/10.30848/PJB2023-5(8)

Otiende, M. A., & Maimba, F. M. (2020). Endogenous Carbohydrate Content of the Cutting Positions at Time of Severance and IBA Concentration Influence Rooting of Rosa hybrida Rootstocks. Journal of Environmental & Agricultural Science, 22(1): 1–9.

Otiende, M. A., Nyabundi, J. O., Ngamau, K., & Opala, P. (2017). Effects of Cutting Position of Rose Rootstock Cultivars on Rooting and Its Relationship with Mineral Nutrient Content and Endogenous Carbohydrates. Scientia Horticulturae, 225(3): 204–212. https://doi.org/10.1016/j.scienta.2017.07.009

Pimentel, N., Favarin Pedroso, M., Marcelo Santos de Oliveira, J., & Antônio Bisognin, D. (2020). Anatomical Characterization of the Adventitious Roots of Mate (*Ilex paraguariensis* A. St.-Hil.) Mini-cuttings. Brazilian Archives of Biology and Technology, 63 (e20190359): 1-13. https://doi.org/10.1590/1678-4324-2020190359

Pratiwi, Y., Kastono, D., & Indradewa, D. (2019). Perbandingan Perakaran Beberapa Kultivar Kedelai (*Glycine max* L.) yang Mengalami Kekeringan dengan Metode Pengamatan Berbeda. Vegetalika, 8(4): 276–291. https://jurnal.ugm.ac.id/jbp/article/view/42714

Raguraj, S., Kasim, S., Jaafar, N. M., & Nazli, M. H. (2022). Growth of Tea Nursery Plants as Influenced by Different Rates of Protein Hydrolysate Derived from Chicken Feathers. Agronomy, 12(299): 1-14. https://doi.org/10.3390/agronomy12020299

Rahadi, V. P., Khomaeni, H. S., & Sriyadi, B. (2016). The Growth Test of Tea Clones

UNIVERSITAS
GADJAH MADA
Kajian Genetik Perakaran Teh (Camellia sinensis L.) Generasi Vegetatif Hasil Persilangan Sinensis dan Assamica
Titin Setyorini, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Rudi Hari Murti, S.P., M.P.; Rani Agustina Wulandari, S.P., M.P.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

(*Camellia sinensis*) from Cross Pollination First Generation Clones. Jurnal Penelitian Teh dan Kina, 19(2): 124–130. https://doi.org/10.22302/pptk.jur.jptk.v19i2.118

Rieseberg, L. H., Archer, M. A., & Wayne, R. K. (1999). Transgressive Segregation, Adaptation and Speciation. Heredity, 83: 363–372. https://www.nature.com/articles/6886170

Rost, T. L., Barbour, M. G., Stocking, C. R., & Murphy, T. M. 1998. Plant Biology. Wadsworth Publishing Company, Belmont, California.

Roussos, P. A. (2023). Adventitious Root Formation in Plants: The Implication of Hydrogen Peroxide and Nitric Oxide. Antioxidants, 12(862): 1-17. https://doi.org/10.3390/ANTIOX12040862

Santos-Rufo, A., Rodríguez-Solana, R., Fernández-Recamales, M. Á., Sayago-Gómez, A., & Weiland-Ardaiz, C. M. (2024). Comparative Analysis of Anatomical Characteristics and Phenolic Compounds of Two Highbush Blueberry (*Vaccinium corymbosum* L.) Cultivars with Different Rooting Ability of Semi-Hardwood Cuttings. Scientia Horticulturae, 324 (112591): 1-10. https://doi.org/10.1016/j.scienta.2023.112591

Sarkar, P., Das, B., Chakrabarti, A., Das, B., Das, A., Devi, H., Nath, K., Suklabaidya, A., & Daschaudhuru, D. (2022). Stem Cutting: An Important Vegetative Propagation Approch for Multipurpose Tree Species. Indian Farming Digest, 1(4):28–32.

Shao, C., Jiao, H., Chen, J., Zhang, C., Liu, J., Chen, J., Li, Y., Huang, J., Yang, B., Liu, Z., & Shen, C. (2022). Carbon and Nitrogen Metabolism Are Jointly Regulated During Shading in Roots and Leaves of *Camellia sinensis*. Frontiers in Plant Science, 13 (894840): 1-20. https://doi.org/10.3389/FPLS.2022.894840/FULL

Shehasen, M. (2019). Tea Plant (*Camellia sinensis*) Breeding Mechanisms Role in Genetic Improvement and production of Major Producing Countries. International Journal of Research Studies in Science, Engineering and Technology, 6(11): 10–20. https://www.ijrsset.org/pdfs/v6-i11/2.pdf

Shen, Y., Wang, H., Han, X., Fan, K., Shen, J., Li, H., Ding, S., Song, D., Wang, Y., & Ding, Z. (2023). Time-Course Transcriptome and Phytohormonal Analysis of Blue-Light-Induced Adventitious Root Development of Tea Cuttings (*Camellia sinensis* (L.) O. Kuntze). Agronomy, 13(1561): 1-18. https://doi.org/10.3390/agronomy13061561

Shintiavira, H., Sulistyaningsih, E., Purwantoro, A., & Wulandari, R. A. (2020). The Effects of Gibberellic Acid (GA3) on the Harvesting Time of Spray Type Chrysanthemum Cut Flowers in Medium Land. Biodiversitas, 21(4): 1723–1729. https://doi.org/10.13057/BIODIV/D210455

Shraim, A. M., Ahmed, T. A., Rahman, M. M., & Hijji, Y. M. (2021). Determination of Total Flavonoid Content by Aluminum Chloride Assay: A Critical Evaluation. LWT, 150(111932): 1-11. https://doi.org/10.1016/J.LWT.2021.111932

Shrestha, S., & Miles, C. (2025). Timing and Shoot Section Influence Success of Tea-Cutting Propagation in a Temperate Climate. Horticulturae, 11(645): 1-13. https://doi.org/10.3390/horticulturae11060645

Sopha, G., & Hartanto, S. (2016). Kadar Auksin Endogen Lima Varietas Bawang Merah Balitsa. Prosiding Seminar Nasional Perhorti dan Peragi, 130–136.

Sudomo, A., Rachman dan, E., & Mindawati, N. (2010). Mutu Bibit Manglid (*Manglieta glauca* Bl) pada Tujuh Jenis Media Sapih. Jurnal Penelitian Hutan Tanaman, 7(5): 265–272. DOI: 10.20886/jpht.2010.7.5.265-272

Sun, D. Z., Wang, W. X., Huang, Y., Song, S. R., Xie, J. X., Lai, J. G., & Peng, G. (2019). Monitoring and Analysis of Tea Root Parameters Based on CI600 In Situ

UNIVERSITAS
GADJAH MADA
Kajian Genetik Perakaran Teh (Camellia sinensis L.) Generasi Vegetatif Hasil Persilangan Sinensis dan Assamica
Titin Setyorini, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Rudi Hari Murti, S.P., M.P.; Rani Agustina Wulandari, S.P., M.P.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Root Imager. Applied Ecology and Enviromental Research, 17(6) 15301–15309. https://doi.org/10.15666/aeer/1706_1530115309

Suraj, P., Suresh, M., Ranjeeth, B. P., & Varghese, M. (2019). Variation in Rooting Pattern of *Leucaena leucocephala* in Relation to Propagation System and Stock Mother Plants. Journal of Tropical Forestry and Environment, 9(01): 7–18. https://doi.org/10.31357/jtfe.v9i1.3945

Susanti, H., & Kiyan Al-kayyis, H. (2016). Perbandingan Metode Somogyi-Nelson dan Anthrone-Sulfat pada Penetapan Kadar Gula Pereduksi dalam Umbi Cilembu (*Ipomea batatas* L.). Jurnal Farmasi Sains dan Komunitas, 13(2): 81–89. DOI: 10.24071/jpsc.132191

Syahrian, H., Puspitasari Rahadi, V., Ruhaendi, E., & Santoso, B. (2016). Vegetative Growth Ability of Artificial Cross Pollinated of Tea Clones. Jurnal Penelitian Teh Dan Kina, 19(2): 131–137. https://doi.org/10.22302/pptk.jur.jptk.v19i2.119

Tahir, M. M., Mao, J., Li, S., Li, K., Liu, Y., Shao, Y., Zhang, D., & Zhang, X. (2022). Insights into Factors Controlling Adventitious Root Formation in Apples. Horticulturae 8(276): 1-19. https://doi.org/10.3390/HORTICULTURAE8040276

Taryono, Waluyo, S., & Sholehan. (2014). Adventitious Root Characteristics of Some Assamica Tea Clones (*Camellia sinensis* L. Kuntz). Ilmu Pertanian, 17(1): 37–45. https://doi.org/10.22146/ipas.4923

Thuvaraki, B., Ranatunga, M. A. B., Kottawa-Arachchi, J. D., & Sumanasinghe, V. A. (2017). Characterization of New Tea (*Camellia sinensis* L.) Hybrid Progenies Based on Morphological Traits. International Journal of Tea Science, 13(01 and 02): 01–09. https://doi.org/10.20425/ijts.v13i01-02.9980

Tian, Y., Yang, W., Wan, S., & Fang, S. (2024). Insights into the Hormone-Regulating Mechanism of Adventitious Root Formation in Softwood Cuttings of *Cyclocarya paliurus* and Optimization of the Hormone-Based Formula for Promoting Rooting. International Journal of Molecular Sciences 25(1343): 1-19. https://doi.org/10.3390/ijms25021343

Tombesi, S., Palliotti, A., Poni, S., & Farinelli, D. (2015). Influence of Light and Shoot Development Stage on Leaf Photosynthesis and Carbohydrate Status During the Adventitious Root Formation in Cuttings of *Corylus avellana* L. Frontiers in Plant Science, 6(973): 1-13. https://doi.org/10.3389/FPLS.2015.00973

Tracy, S. R., Nagel, K. A., Postma, J. A., Fassbender, H., Wasson, A., & Watt, M. (2020). Crop Improvement from Phenotyping Roots: Highlights Reveal Expanding Opportunities. Trends in Plant Science, 25(1): 105–118. https://doi.org/10.1016/J.TPLANTS.2019.10.015

Trimanto, T., Dwiyanti, D., & Indriyani, S. (2018). Morfologi, Anatomi dan Uji Histokimia Rimpang *Curcuma aeruginosa* Roxb; *Curcuma longa* L. dan *Curcuma heyneana* Valeton dan Zijp. Berita Biologi, 17(2): 123-133. https://doi.org/10.14203/BERITABIOLOGI.V17I2.3086

Vielba, J. M., Vidal, N., Carmen San José, M., Rico, S., & Sánchez, C. (2020). Recent Advances in Adventitious Root Formation in Chestnut. Plants 9(11): 1–28. https://doi.org/10.3390/plants9111543

Wachira, F., Kamunya, S., Karori, S., Chalo, R., & Maritim, T. (2013). The Tea Plants: Botanical Aspects. In Tea in Health and Disease Prevention (pp. 3–17). Elsevier Inc. https://doi.org/10.1016/B978-0-12-384937-3.00001-X

Wamhoff, D., Gündel, A., Wagner, S., Ortleb, S., Borisjuk, L., & Winkelmann, T. (2024). Anatomical Limitations in Adventitious Root Formation Revealed by Magnetic Resonance Imaging, Infrared Spectroscopy, and Histology of Rose Genotypes with Contrasting Rooting Phenotypes. Journal of Experimental Botany, 75(16): 4784–4801. https://doi.org/10.1093/JXB/ERAE158

Wang, M., Li, J., Wu, Y., Zhang, H., Wang, H., & Wang, L. (2025). Effect of Nitric

UNIVERSITAS
GADJAH MADA
Kajian Genetik Perakaran Teh (Camellia sinensis L.) Generasi Vegetatif Hasil Persilangan Sinensis dan Assamica
Titin Setyorini, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Rudi Hari Murti, S.P., M.P.; Rani Agustina Wulandari, S.P., M.P.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Oxide on Adventitious Root Development from Cuttings of Sweetpotato and Associated Biochemical Changes. Plants, 14(3183): 1-18. https://doi.org/10.3390/plants14203183

Wang, Q., De Gernier, H., Duan, X., Xie, Y., Geelen, D., Hayashi, K. ishiro, Xuan, W., Geisler, M., ten Tusscher, K., Beeckman, T., & Vanneste, S. (2023). GH3-Mediated Auxin Inactivation Attenuates Multiple Stages of Lateral Root Development. The New Phytologist, 240(5): 1900–1912. https://doi.org/10.1111/NPH.19284

Wang, S., Sun, G., Luo, Y., Qian, W., Fan, K., Ding, Z., & Hu, J. (2022). Role of IAA and Primary Metabolites in Two Rounds of Adventitious Root Formation in Softwood Cuttings of *Camellia sinensis* (L.). Agronomy, 12(2486): 1-18. https://doi.org/10.3390/AGRONOMY12102486

Wang, T., Pu, Y., Yu, S., Gao, X., Zou, F., Masabni, J., Yuan, D., & Xiong, H. (2026). Accumulation of Trifolin Inhibits Adventitious Root Formation in Mature Cuttings of *Castanea henryi*. Plant Physiology and Biochemistry, 230(110932): 1-14. https://doi.org/10.1016/j.plaphy.2025.110932

Wang, W., Gu, L., Ye, S., Zhang, H., Cai, C., Xiang, M., Gao, Y., Wang, Q., Lin, C., & Zhu, Q. (2017). Genome-Wide Analysis and Transcriptomic Profiling of the Auxin Biosynthesis, Transport and Signaling Family Genes in Moso Bamboo (*Phyllostachys heterocycla*). BMC Genomics, 18(870): 1-16. https://doi.org/10.1186/S12864-017-4250-0

Wang, X., Han, C., Wu, W., Xu, J., Zhang, Q., Chen, M., Hu, Z., & Zheng, Z. (2021). Fundamental Understanding of Tea Growth and Modelling of Precise Tea Shoot Picking Based on 3-D Coordinate Instrument. Processes, 9(1059): 1-19. https://www.mdpi.com/2227-9717/9/6/1059

Wang, Y., Pang, D., Ruan, L., Liang, J., Zhang, Q., Qian, Y., Zhang, Y., Bai, P., Wu, L., Cheng, H., Cui, Q., Wang, L., & Wei, K. (2022). Integrated Transcriptome and Hormonal Analysis of Naphthalene Acetic Acid-Induced Adventitious Root Formation of Tea Cuttings (*Camellia sinensis*). BMC Plant Biology, 22(319): 1-19. https://doi.org/https://doi.org/10.1186/s12870-022-03701-x

Wei, K., Ruan, L., Wang, L., & Cheng, H. (2019). Auxin-Induced Adventitious Root Formation in Nodal Cuttings of *Camellia sinensis*. International Journal of Molecular Sciences, 20(4817): 1-10. https://doi.org/10.3390/ijms20194817

Wen, Q., Gong, Q., Yu, H., & Yang, P. (2025). Aux/IAAs: Specificity and Redundancy. Plant Signaling and Behavior, 20(1): 1-22. https://doi.org/10.1080/15592324.2025.2530541

Wicaksono, I. N. A., & Martono, B. (2020). Penampilan Fenotipik, Keragaman, dan Heritabilitas Sembilan Genotipe Teh [*Camellia sinensis* (L.) O. Kuntze]. Jurnal Tanaman Industri Dan Penyegar, 7(2): 53. https://doi.org/10.21082/JTIDP.V7N2.2020.P53-60

Widhianata, H., Basunanda, P., Supriyadi, S., & Taryono, T. (2022). Transcriptional Comparison of New Hybrid Progenies and Clone-Cultivars of Tea (*Camellia sinensis* L.) Associated to Catechins Content. Plants, 11(1972): 1-17. https://doi.org/10.3390/PLANTS11151972/S1

Widhianata, H., Taryono, T., Basunanda, P., & Supriyadi, S. (2024). Potential Advantages of New Hybrids Tea (*Camellia sinensis* (L.) O. Kuntze) Var Assamica and Var Sinensis [Universitas Gadjah Mada]. https://etd.repository.ugm.ac.id/penelitian/detail/235843

Win, A., Mon Thida Nyo, A., & Mon Lwin, K. (2018). Determination of Total Flavonoid Content of Commonly Consumed Commercial Tea. International Journal of Scientific and Research Publications, 9(5): 802-805. https://doi.org/10.29322/IJSRP.9.05.2019.p89101

UNIVERSITAS
GADJAH MADA
Kajian Genetik Perakaran Teh (Camellia sinensis L.) Generasi Vegetatif Hasil Persilangan Sinensis dan Assamica
Titin Setyorini, Prof. Dr. Ir. Taryono, M.Sc.; Prof. Dr. Rudi Hari Murti, S.P., M.P.; Rani Agustina Wulandari, S.P., M.P.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wingler, A., & Henriques, R. (2022). Sugars and the Speed of Life—Metabolic Signals that Determine Plant Growth, Development and Death. Physiologia Plantarum, 174(2), e13656: 1-10. https://doi.org/10.1111/ppl.13656

Wu, Z.-J., Tian, C., Jiang, Q., Li, X.-H., & Zhuang, J. (2015). Selection of Suitable Reference Genes for Qrt-PCR Normalization during Leaf Development and Hormonal Stimuli in Tea Plant (*Camellia sinensis*). Sci. Rep. 6 (19748): 1-10. https://doi.org/10.1038/srep19748

Xie, F., Wang, J., & Zhang, · Baohong. (2023). RefFinder: a Web-Based Tool for Comprehensively Analyzing and Identifying Reference Genes. Functional & Integrative Genomics, 23(25): 1-5. https://doi.org/10.1007/s10142-023-01055-7

Yamasaki, M. T., Hamasaki, R. T., Sato, D., & Nakamoto, S. T. (2008). In-Ground Procedure for Rooting Tea Cutting. Soil and Crop Management, SCM-23: 1-4. http://www.ctahr.hawaii.edu/freepubs

Zhang, H., Chen, B., Zhao, X., Hu, J., Dong, Z., Xiao, H., Yuan, Y., Guo, F., Wang, Y., Ni, D., & Wang, P. (2023). Novel Insights into the Role of Leaf in the Cutting Process of *Camellia sinensis* Using Physiological, Biochemical and Transcriptome Analyses. Tree Physiology, 43: 2031–2045. https://doi.org/10.1093/treephys/tpad101

Zhang, L., Jin, S., Bai, P., Ge, S., Yan, P., Li, Z., Zhang, L., Han, W., Zeng, J., & Li, X. (2023). Genome-Wide Analysis and Expression Profiling of *YUCCA* Gene Family in Developmental and Environmental Stress Conditions in Tea Plant (*Camellia sinensis*). Forests 14(2185): 1-18. https://doi.org/10.3390/F14112185

Zhang, Q., Bi, G., Li, T., Wang, Q., Xing, Z., LeCompte, J., & Harkess, R. L. (2022). Color Shade Nets Affect Plant Growth and Seasonal Leaf Quality of *Camellia sinensis* Grown in Mississippi, the United States. Frontiers in Nutrition, 9(786421): 1-13. https://doi.org/10.3389/FNUT.2022.786421/TEXT

Zhang, Y., Zhang, T., Zheng, Y., Wang, J., Luo, C., Li, Y., & Liu, X. (2025). Physiological and Transcriptomic Analyses Reveal Regulatory Mechanisms of Adventitious Root Formation in In Vitro Culture of *Cinnamomum camphora*. International Journal of Molecular Sciences, 26(7264): 1-22. https://doi.org/10.3390/IJMS26157264/S1

Zhao, D., de Voil, P., Sadras, V. O., Palta, J. A., & Rodriguez, D. (2025). The Plasticity of Root Traits and Their Effects on Crop Yield and Yield Stability. Plant and Soil 513(1): 367–382. https://doi.org/10.1007/s11104-024-07185-6

Zhao, Y. (2018). Essential Roles of Local Auxin Biosynthesis in Plant Development and in Adaptation to Environmental Changes. Annual Review of Plant Biology, 69: 417–435. https://doi.org/10.1146/annurev-arplant-042817-040226

Zhi, L., & Hu, X. (2023). Adventitious Root Regeneration: Molecular Basis and Influencing Factors. Phyton-International Journal of Experimental Botany, 92(10): 2825–2840. https://doi.org/10.32604/phyton.2023.030912

Zhou, Y., Lu, Z., Li, D., Zhou, H., Tang, S., Zhang, W., Wang, G., & Li, D. (2025). Rooting Efficiency in Tea Plant Varieties: Physiological and Biochemical Determinants. Horticultural Science and Technology, 43(3): 343–356. https://doi.org/10.7235/HORT.20250031

Zhou, Y., Wei, K., Hao, X., Wang, L., Li, N., Zhang, W., Tang, S., Li, D., Zhang, W., Zhou, Y., Wei, K., Hao, X., Wang, L., Li, N., Zhang, W., Tang, S., Li, D., & Zhang, W. (2025). Differential Rooting Efficacy of Growth Regulators in *Camellia sinensis* Cuttings: A Physiological and Biochemical Analysis. Horticulturae 11(289): 1-17. https://doi.org/10.3390/HORTICULTURAE11030289