

REFERENCES

- Abo, B. O., Gao, M., Wang, Y., Wu, C., Ma, H., & Wang, Q. (2019). Lignocellulosic biomass for bioethanol: An overview on pretreatment, hydrolysis and fermentation processes. *Reviews in Environmental Health*, 34(1), 57–68. <https://doi.org/10.1515/reveh-2018-0054>
- Akshaya, V., Akila, I., Murali, R., Raajasubramanian, D., Kuppan, N., & Srinivasan, S. (2023). Rice straw biomass and agricultural residues as strategic bioenergy: Effects on the environment and economy path with new directions. In P. K. Ramanujam, B. Parameswaran, B. Bharathiraja, & A. Magesh (Eds.), *Bioenergy: Impacts on environment and economy* (pp. 139–164). Springer Nature. https://doi.org/10.1007/978-981-99-3002-9_9
- Amore, A., Giacobbe, S., & Faraco, V. (2013). Regulation of cellulase and hemicellulase gene expression in fungi. *Current Genomics*, 14(4), 230–249. <https://doi.org/10.2174/1389202911314040002>
- Andlar, M., Rezić, T., Mardetko, N., Kracher, D., Ludwig, R., & Šantek, B. (2018). Lignocellulose degradation: An overview of fungi and fungal enzymes involved in lignocellulose degradation. *Engineering in Life Sciences*, 18(11), 768–778. <https://doi.org/10.1002/elsc.201800039>
- Bai, H., Wang, H., Sun, J., Irfan, M., Han, M., Huang, Y., Han, X., & Yang, Q. (2013). Production, purification and characterization of novel beta glucosidase from newly isolated *Penicillium simplicissimum* H-11 in submerged fermentation. *EXCLI Journal*, 12, 528–540.
- Berlemont, R., Fuller, D. A., & Sudarshan, A. (2022). Modularity of cellulases, xylanases, and other glycosyl hydrolases relevant for biomass degradation. In V. Bisaria (Ed.), *Handbook of biorefinery research and technology* (pp. 1–35). Springer. https://doi.org/10.1007/978-94-007-6724-9_24-1
- Bischof, R. H., Ramoni, J., & Seiboth, B. (2016). Cellulases and beyond: The first 70 years of the enzyme producer *Trichoderma reesei*. *Microbial Cell Factories*, 15, Article 106. <https://doi.org/10.1186/s12934-016-0507-6>
- Book, A. J., Lewin, G. R., McDonald, B. R., Takasuka, T. E., Wendt-Pienkowski, E., Doering, D. T., Suh, S., Raffa, K. F., Fox, B. G., & Currie, C. R. (2016). Evolution of high cellulolytic activity in symbiotic *Streptomyces* through selection of expanded gene content and coordinated gene expression. *PLOS Biology*, 14(6), Article e1002475. <https://doi.org/10.1371/journal.pbio.1002475>
- Bott, R., Saldajeno, M., Cuevas, W., Ward, D., Scheffers, M., Aehle, W., Karkehabadi, S., Sandgren, M., & Hansson, H. (2008). Three-dimensional

structure of an intact glycoside hydrolase family 15 glucoamylase from
Hypocrea jecorina. *Biochemistry*, 47(21), 5746–5754.
<https://doi.org/10.1021/bi702413k>

Chundawat, S. P. S., Beckham, G. T., Himmel, M. E., & Dale, B. E. (2011).
Deconstruction of lignocellulosic biomass to fuels and chemicals. *Annual
Review of Chemical and Biomolecular Engineering*, 2, 121–145.
<https://doi.org/10.1146/annurev-chembioeng-061010-114205>

Davies, G., & Henrissat, B. (1995). Structures and mechanisms of glycosyl
hydrolases. *Structure*, 3(9), 853–859. [https://doi.org/10.1016/S0969-2126\(01\)00220-9](https://doi.org/10.1016/S0969-2126(01)00220-9)

de Mojana di Cologna, N., Gómez-Mendoza, D. P., Zanoelo, F. F., Giannesi, G. C.,
de Alencar Guimarães, N. C., de Souza Moreira, L. R., Ferreira Filho, E. X.,
& Ricart, C. A. O. (2018). Exploring *Trichoderma* and *Aspergillus*
secretomes: Proteomics approaches for the identification of enzymes of
biotechnological interest. *Enzyme and Microbial Technology*, 109, 1–10.
<https://doi.org/10.1016/j.enzmictec.2017.08.007>

Derntl, C., Gudynaite-Savitch, L., Calixte, S., White, T., Mach, R. L., & Mach-
Aigner, A. R. (2013). Mutation of the xylanase regulator 1 causes a glucose
blind hydrolase expressing phenotype in industrially used *Trichoderma*
strains. *Biotechnology for Biofuels*, 6, Article 62.
<https://doi.org/10.1186/1754-6834-6-62>

Dohmen, E., Klasberg, S., Bornberg-Bauer, E., Perrey, S., & Kemena, C. (2020).
The modular nature of protein evolution: Domain rearrangement rates
across eukaryotic life. *BMC Evolutionary Biology*, 20, Article 30.
<https://doi.org/10.1186/s12862-020-1591-0>

Drula, E., Garron, M.-L., Dogan, S., Lombard, V., Henrissat, B., & Terrapon, N.
(2022). The carbohydrate-active enzyme database: Functions and literature.
Nucleic Acids Research, 50(D1), D571–D577.
<https://doi.org/10.1093/nar/gkab1045>

Druzhinina, I. S., Seidl-Seiboth, V., Herrera-Estrella, A., Horwitz, B. A., Kenerley,
C. M., Monte, E., Mukherjee, P. K., Zeilinger, S., Grigoriev, I. V., &
Kubicek, C. P. (2011). *Trichoderma*: The genomics of opportunistic success.
Nature Reviews Microbiology, 9(10), 749–759.
<https://doi.org/10.1038/nrmicro2637>

FAOSTAT. (2023). FAOSTAT. <https://www.fao.org/faostat/en/#home>

- Fiedler, M. R. M., Nitsche, B. M., & Wanka, F. (2013). *Aspergillus*: A cell factory with unlimited prospects. In *Applications of microbial engineering*. CRC Press.
- Fischer, M. S., & Glass, N. L. (2019). Communicate and fuse: How filamentous fungi establish and maintain an interconnected mycelial network. *Frontiers in Microbiology*, 10, Article 619. <https://doi.org/10.3389/fmicb.2019.00619>
- Fonseca, B. G., Moutta, R. O., Ferraz, A., & Milagres, A. M. (2020). Lignocellulolytic enzymes production by *Aspergillus* and *Trichoderma* using agro-industrial residues. *Biomass and Bioenergy*, 141, Article 105697.
- Gavande, P. V., Basak, A., Sen, S., Lepcha, K., Murmu, N., Rai, V., Mazumdar, D., Saha, S. P., Das, V., & Ghosh, S. (2021). Functional characterization of thermotolerant microbial consortium for lignocellulolytic enzymes with central role of Firmicutes in rice straw depolymerization. *Scientific Reports*, 11, Article 3032. <https://doi.org/10.1038/s41598-021-82163-x>
- Gilmore, S. P., Lillington, S. P., Haitjema, C. H., de Groot, R., & O'Malley, M. A. (2020). Designing chimeric enzymes inspired by fungal cellulosomes. *Synthetic and Systems Biotechnology*, 5(1), 23–32. <https://doi.org/10.1016/j.synbio.2020.01.003>
- Gómez-Gaviria, M., Vargas-Macías, A. P., García-Carnero, L. C., Martínez-Duncker, I., & Mora-Montes, H. M. (2021). Role of protein glycosylation in interactions of medically relevant fungi with the host. *Journal of Fungi*, 7(10), Article 875. <https://doi.org/10.3390/jof7100875>
- Gudynaite-Savitch, L., & White, T. C. (2016). Fungal biotechnology for industrial enzyme production: Focus on (hemi)cellulase production strategies, advances and challenges. In M. Schmoll & C. Dattenböck (Eds.), *Gene expression systems in fungi: Advancements and applications* (pp. 395–439). Springer International Publishing. https://doi.org/10.1007/978-3-319-27951-0_19
- Hidayati, F. L. N., Suroto, D. A., Sardjono, Cahyanto, M. N., & Widada, J. (2022). Whole-genome sequence data of cellulase-producing fungi *Trichoderma asperellum* PK1J2, isolated from palm empty fruit bunch in Riau, Indonesia. *Data in Brief*, 45, Article 108607. <https://doi.org/10.1016/j.dib.2022.108607>
- Huang, X.-F., Nazarian, F., Vincken, J.-P., Visser, R. G. F., & Trindade, L. M. (2017). A tandem CBM25 domain of α -amylase from *Microbacterium aurum* as potential tool for targeting proteins to starch granules during starch biosynthesis. *BMC Biotechnology*, 17, Article 86. <https://doi.org/10.1186/s12896-017-0406-x>

- Isikgor, F. H., & Becer, C. R. (2015). Lignocellulosic biomass: A sustainable platform for the production of bio-based chemicals and polymers. *Polymer Chemistry*, 6(25), 4497–4559. <https://doi.org/10.1039/C5PY00263J>
- Jeoh, T., Wilson, D. B., & Walker, L. P. (2006). Effect of cellulase mole fraction and cellulose recalcitrance on synergism in cellulose hydrolysis and binding. *Biotechnology Progress*, 22(1), 270–277. <https://doi.org/10.1021/bp050266f>
- Kaur, R., Salwan, R., & Sharma, V. (2022). Structural properties, genomic distribution of laccases from *Streptomyces* and their potential applications. *Process Biochemistry*, 118, 133–144. <https://doi.org/10.1016/j.procbio.2022.04.015>
- Kračun, S. K., Schückel, J., Westereng, B., Thygesen, L. G., Monrad, R. N., Eijsink, V. G. H., & Willats, W. G. T. (2015). A new generation of versatile chromogenic substrates for high-throughput analysis of biomass-degrading enzymes. *Biotechnology for Biofuels*, 8, Article 70. <https://doi.org/10.1186/s13068-015-0250-y>
- Lee, H. V., Hamid, S. B. A., & Zain, S. K. (2014). Conversion of lignocellulosic biomass to nanocellulose: Structure and chemical process. *The Scientific World Journal*, 2014, Article 631013. <https://doi.org/10.1155/2014/631013>
- Liu, G., & Qu, Y. (2019). Application of *Trichoderma* in biorefinery: From enzyme production to lignocellulose degradation. *Biotechnology Advances*, 37(8), Article 107412.
- Liu, Z., Wang, K., Chen, C., & Sun, R. (2020). Recent advances in the application of *Trichoderma* enzymes for lignocellulosic biomass degradation. *Bioresource Technology*, 299, Article 122584.
- Lübeck, M., & Lübeck, P. S. (2018). Fungal cell factories for efficient and sustainable production of proteins and peptides. *Microorganisms*, 10(4), Article 753. <https://doi.org/10.3390/microorganisms10040753>
- Marecik, R., Błaszczyk, L., Biegańska-Marecik, R., & Piotrowska-Cyplik, A. (2018). Screening and identification of *Trichoderma* strains isolated from natural habitats with potential to cellulose and xylan degrading enzymes production. *Polish Journal of Microbiology*, 67(2), 173–182.
- Miller, G. L. (1959). Use of dinitrosalicylic acid reagent for determination of reducing sugar. *Analytical Chemistry*, 31(3), 426–428. <https://doi.org/10.1021/ac60147a030>

- Molina, G., Contesini, F. J., de Melo, R. R., Sato, H. H., & Pastore, G. M. (2016). Chapter 11 - β -glucosidase from *Aspergillus*. In V. K. Gupta (Ed.), *New and future developments in microbial biotechnology and bioengineering* (pp. 155–169). Elsevier. <https://doi.org/10.1016/B978-0-444-63505-1.00011-7>
- Mujtaba, M., Fernandes Fraceto, L., Fazeli, M., Mukherjee, S., Savassa, S. M., Araujo de Medeiros, G., do Espírito Santo Pereira, A., Mancini, S. D., Lipponen, J., & Vilaplana, F. (2023). Lignocellulosic biomass from agricultural waste to the circular economy: A review with focus on biofuels, biocomposites and bioplastics. *Journal of Cleaner Production*, 402, Article 136815. <https://doi.org/10.1016/j.jclepro.2023.136815>
- Murphy, L., Breen, P. A., & Breen, A. (2013). Microbial enzymes in the biorefinery: Opportunities and challenges for lignocellulosic degradation. *Microbiology*, 159(3), 421–433.
- Ordaz-Díaz, L. A., Rojas-Contreras, J. A., Flores-Vichi, F., Flores-Villegas, M. Y., Álvarez-Álvarez, C., Velasco-Vázquez, P., & Bailón-Salas, A. M. (2016). Quantification of endoglucanase activity based on carboxymethyl cellulose in four fungi isolated from an aerated lagoon in a pulp and paper mill. *BioResources*, 11(3), 7781–7789. <https://doi.org/10.15376/biores.11.3.7781-7789>
- Paës, G., Berrin, J.-G., & Beaugrand, J. (2012). GH11 xylanases: Structure/function/properties relationships and applications. *Biotechnology Advances*, 30(3), 564–592. <https://doi.org/10.1016/j.biotechadv.2011.10.003>
- Pérez, J., Muñoz-Dorado, J., de la Rubia, T., & Martínez, J. (2002). Biodegradation and biological treatments of cellulose, hemicellulose and lignin: An overview. *International Microbiology*, 5(2), 53–63. <https://doi.org/10.1007/s10123-002-0062-3>
- Popoola-Akinola, O. O., Raji, T. J., & Olawoye, B. (2022). Lignocellulose, dietary fibre, inulin and their potential application in food. *Heliyon*, 8(8), Article e10459. <https://doi.org/10.1016/j.heliyon.2022.e10459>
- Punt, P. J., van Biezen, N., Conesa, A., Albers, A., Mangnus, J., & van den Hondel, C. (2002). Filamentous fungi as cell factories for heterologous protein production. *Trends in Biotechnology*, 20(5), 200–206. [https://doi.org/10.1016/s0167-7799\(02\)01933-9](https://doi.org/10.1016/s0167-7799(02)01933-9)
- Ravindran, R., & Jaiswal, A. K. (2016). Microbial enzyme production using lignocellulosic food industry wastes as a biorefinery approach. *Frontiers in Microbiology*, 7, Article 928.

- Rini, J. M., Moremen, K. W., Davis, B. G., & Esko, J. D. (2022). Glycosyltransferases and glycan-processing enzymes. In A. Varki, R. D. Cummings, & J. D. Esko (Eds.), *Essentials of glycobiology* (4th ed.). Cold Spring Harbor Laboratory Press. <https://www.ncbi.nlm.nih.gov/books/NBK579908/>
- Roth, C., Moroz, O. V., Ariza, A., Skov, L. K., Ayabe, K., Davies, G. J., & Wilson, K. S. (2018). Structural insight into industrially relevant glucoamylases: Flexible positions of starch-binding domains. *Acta Crystallographica Section D: Structural Biology*, 74(5), 463–470. <https://doi.org/10.1107/S2059798318004989>
- Sandgren, M., Stahlberg, J., & Mitchinson, C. (2005). Structural and biochemical studies of GH family 12 cellulases. *Progress in Biophysics and Molecular Biology*, 89(3), 246–291.
- Satlewal, A., Agrawal, R., Bhagia, S., Das, P., & Ragauskas, A. J. (2018). Rice straw as a feedstock for biofuels: Availability, recalcitrance, and chemical properties. *Biofuels, Bioproducts and Biorefining*, 12(1), 83–107. <https://doi.org/10.1002/bbb.1818>
- Setter-Lamed, E., Morais, S., Stern, J., Lamed, R., & Bayer, E. A. (2017). Modular organization of the *Thermobifida fusca* exoglucanase Cel6B impacts cellulose hydrolysis and designer cellulosome efficiency. *Biotechnology Journal*, 12(10), Article 1700205. <https://doi.org/10.1002/biot.201700205>
- Sharma, A., Thakur, V. V., Shrivastava, A., Jain, R. K., Mathur, R. M., Gupta, R., & Kuhad, R. C. (2016). Xylanase and laccase based enzymatic kraft pulp bleaching reduces roastable AOX in effluents. *Biochemical Engineering Journal*, 114, 182–189.
- Sharma, N., Allardyce, B. J., Rajkhowa, R., & Agrawal, R. (2023). Rice straw-derived cellulose: A comparative study of various pre-treatment technologies and its conversion to nanofibres. *Scientific Reports*, 13, Article 16327. <https://doi.org/10.1038/s41598-023-43535-7>
- Shimokawa, T., Yamaguchi, M., & Murata, H. (2017). Agar plate assays using dye-linked substrates differentiate members of *Tricholoma* sect. *Caligata*, ectomycorrhizal symbionts represented by *Tricholoma matsutake*. *Mycoscience*, 58(6), 432–437. <https://doi.org/10.1016/j.myc.2017.06.005>
- Sidar, A., Albuquerque, E. D., Voshol, G. P., Ram, A. F. J., Vijgenboom, E., & Punt, P. J. (2020). Carbohydrate binding modules: Diversity of domain architecture in amylases and cellulases from filamentous microorganisms. *Frontiers in Bioengineering and Biotechnology*, 8, Article 871. <https://doi.org/10.3389/fbioe.2020.00871>

- Sidar, A., Voshol, G. P., Vijgenboom, E., & Punt, P. J. (2023). Novel design of an α -amylase with an N-terminal CBM20 in *Aspergillus niger* improves binding and processing of a broad range of starches. *Molecules*, 28(13), Article 5033. <https://doi.org/10.3390/molecules28135033>
- Sidar, A., Voshol, G. P., El-Masoudi, A., Vijgenboom, E., & Punt, P. J. (2024). Highly variable domain architecture in carbohydrate-active enzymes highlights *Streptomyces* as promising resource for rice straw bioconversion. *Bioresource Technology Reports*, 25, Article 101775. <https://doi.org/10.1016/j.biteb.2024.101775>
- Sørensen, A., Lübeck, M., Lübeck, P. S., & Ahring, B. K. (2013). Fungal beta-glucosidases: A bottleneck in industrial use of lignocellulosic materials. *Biomolecules*, 3(3), 612–631. <https://doi.org/10.3390/biom3030612>
- Srivastava, N., Rathour, R., Jha, S., Pandey, K., Srivastava, M., Thakur, V. K., Sengar, R. S., Gupta, V. K., Mazumder, P. B., Khan, A. F., & Mishra, P. K. (2019). Microbial beta glucosidase enzymes: Recent advances in biomass conversation for biofuels application. *Biomolecules*, 9(6), Article 220. <https://doi.org/10.3390/biom9060220>
- Stricker, A. R., Trefflinger, P., Aro, N., Penttilä, M., & Mach, R. L. (2008). Role of Ace2 (activator of cellulases 2) within the xyn2 transcriptosome of *Hypocrea jecorina*. *Fungal Genetics and Biology*, 45(4), 436–445.
- Suto, M., & Tomita, F. (2001). Induction and catabolite repression mechanisms of cellulase in fungi. *Journal of Bioscience and Bioengineering*, 92(4), 305–311. [https://doi.org/10.1016/S1389-1723\(01\)80231-0](https://doi.org/10.1016/S1389-1723(01)80231-0)
- Suzuki, K., Sumitani, J.-I., Nam, Y.-W., Nishimaki, T., Tani, S., Wakagi, T., Kawaguchi, T., & Fushinobu, S. (2013). Crystal structures of glycoside hydrolase family 3 β -glucosidase 1 from *Aspergillus aculeatus*. *Biochemical Journal*, 452(2), 211–221. <https://doi.org/10.1042/BJ20130054>
- Teather, R. M., & Wood, P. J. (1982). Use of Congo red-polysaccharide interactions in enumeration and characterization of cellulolytic bacteria from the bovine rumen. *Applied and Environmental Microbiology*, 43(4), 777–780. <https://doi.org/10.1128/aem.43.4.777-780.1982>
- Telke, A. A., Ghatge, S. S., Kang, S.-H., Thangapandian, S., Lee, K.-W., Shin, H.-D., Um, Y., & Kim, S.-W. (2012). Construction and characterization of chimeric cellulases with enhanced catalytic activity towards insoluble cellulosic substrates. *Bioresource Technology*, 112, 10–17. <https://doi.org/10.1016/j.biortech.2012.02.066>

- Teo, S. C., Liew, K. J., Shamsir, M. S., Chong, C. S., Bruce, N. C., Chan, K.-G., & Goh, K. M. (2019). Characterizing a halo-tolerant GH10 xylanase from *Roseithermus sacchariphilus* strain RA and its CBM-truncated variant. *International Journal of Molecular Sciences*, 20(9), Article 2284. <https://doi.org/10.3390/ijms20092284>
- Teufel, F., Almagro Armenteros, J. J., Johansen, A. R., Gíslason, M. H., Pihl, S. I., Tsirigos, K. D., Winther, O., Brunak, S., von Heijne, G., & Nielsen, H. (2022). SignalP 6.0 predicts all five types of signal peptides using protein language models. *Nature Biotechnology*, 40(7), 1023–1025. <https://doi.org/10.1038/s41587-021-01156-3>
- Tomme, P., Van Tilbeurgh, H., Pettersson, G., Van Damme, J., Vandekerckhove, J., Knowles, J., Teeri, T., & Claeyssens, M. (1988). Studies of the cellulolytic system of *Trichoderma reesei* QM 9414. *European Journal of Biochemistry*, 170(3), 575–581. <https://doi.org/10.1111/j.1432-1033.1988.tb13736.x>
- Tong, L., Huang, H., Zheng, J., Wang, X., Bai, Y., Wang, X., Wang, Y., Tu, T., Yao, B., Qin, X., & Luo, H. (2022). Engineering a carbohydrate-binding module to increase the expression level of glucoamylase in *Pichia pastoris*. *Microbial Cell Factories*, 21, Article 95. <https://doi.org/10.1186/s12934-022-01833-1>
- Tseng, C.-W., Ko, T.-P., Guo, R.-T., Huang, J.-W., Wang, H.-C., Huang, C.-H., Cheng, Y.-S., Wang, A. H.-J., & Liu, J.-R. (2011). Substrate binding of a GH5 endoglucanase from the ruminal fungus *Piromyces rhizinflata*. *Acta Crystallographica Section F: Structural Biology and Crystallization Communications*, 67(10), 1189–1194. <https://doi.org/10.1107/S1744309111032428>
- Van Hung, N., Maguyon-Detras, M. C., Migo, M. V., Quilloy, R., Balingbing, C., Chivenge, P., & Gummert, M. (2020). Rice straw overview: Availability, properties, and management practices. In M. Gummert, N. V. Hung, P. Chivenge, & B. Douthwaite (Eds.), *Sustainable rice straw management* (pp. 1–13). Springer International Publishing. https://doi.org/10.1007/978-3-030-32373-8_1
- Van Tilbeurgh, H., Tomme, P., Claeyssens, M., Bhikhabhai, R., & Pettersson, G. (1986). Limited proteolysis of the cellobiohydrolase I from *Trichoderma reesei*. *FEBS Letters*, 204(2), 223–227. [https://doi.org/10.1016/0014-5793\(86\)80816-X](https://doi.org/10.1016/0014-5793(86)80816-X)
- Ventorino, V., Ionata, E., Birolo, L., Montella, S., Marcolongo, L., de Chiaro, A., Espresso, F., Faraco, V., & Pepe, O. (2016). Lignocellulose-adapted endo-cellulase producing *Streptomyces* strains for bioconversion of cellulose-

based materials. *Frontiers in Microbiology*, 7, Article 2061.
<https://doi.org/10.3389/fmicb.2016.02061>

Wei, H., Wu, M., Fan, A., & Su, H. (2021). Recombinant protein production in the filamentous fungus *Trichoderma*. *Chinese Journal of Chemical Engineering*, 30, 74–81. <https://doi.org/10.1016/j.cjche.2020.11.006>

Yaniv, O., Petkun, S., Shimon, L. J. W., Bayer, E. A., Lamed, R., & Frolow, F. (2012). A single mutation reforms the binding activity of an adhesion-deficient family 3 carbohydrate-binding module. *Acta Crystallographica Section D: Biological Crystallography*, 68(7), 819–828. <https://doi.org/10.1107/S0907444912013133>

Zerva, A., Pentari, C., Ferousi, C., Nikolaivits, E., Karnaouri, A., & Topakas, E. (2021). Recent advances on key enzymatic activities for the utilisation of lignocellulosic biomass. *Bioresource Technology*, 342, Article 126058. <https://doi.org/10.1016/j.biortech.2021.126058>

Zhang, J., Qu, Y., Xiao, P., Wang, X., Wang, T., & He, F. (2012). Improved biomass saccharification by *Trichoderma reesei* through heterologous expression of lacA gene from *Trametes* sp. AH28-2. *Journal of Bioscience and Bioengineering*, 113(6), 697–703. <https://doi.org/10.1016/j.jbiosc.2012.01.016>

Zheng, J., Ge, Q., Yan, Y., Zhang, X., Huang, L., & Yin, Y. (2023). dbCAN3: Automated carbohydrate-active enzyme and substrate annotation. *Nucleic Acids Research*, 51(W1), W115–W121. <https://doi.org/10.1093/nar/gkad328>

Zoghalmi, A., & Paës, G. (2019). Lignocellulosic biomass: Understanding recalcitrance and predicting hydrolysis. *Frontiers in Chemistry*, 7, Article 874. <https://doi.org/10.3389/fchem.2019.00874>