

DAFTAR PUSTAKA

- Abedi-Firoozjah, R., Yousefi, S., Heydari, M., Seyedfatehi, F., Jafarzadeh, S., Mohammadi, R., Rouhi, M., & Garavand, F. (2022). Application of Red Cabbage Anthocyanins as pH-Sensitive Pigments in Smart Food Packaging and Sensors. *Polymers*, 14(8), 1629. <https://doi.org/10.3390/polym14081629>
- Aowpitaya, T., & Sasanatayart, R. (2024). Properties of Gelatin-based Films Incorporated with Anthocyanins and Curcuminoids and Stability of Antioxidant Activity during In Vitro Digestion. *Current Applied Science and Technology*, 24(4), 1–15. <https://doi.org/10.55003/cast.2024.259441>
- Azizah, F., Nursakti, H., Ningrum, A., & Supriyadi. (2023). Development of Edible Composite Film from Fish Gelatin–Pectin Incorporated with Lemongrass Essential Oil and Its Application in Chicken Meat. *Polymers*, 15(9). <https://doi.org/10.3390/polym15092075>
- Azlim, N. A., Mohammadi Nafchi, A., Oladzadabbasabadi, N., Ariffin, F., Ghalambor, P., Jafarzadeh, S., & Al-Hassan, A. A. (2022). Fabrication and characterization of a pH-sensitive intelligent film incorporating dragon fruit skin extract. *Food Science and Nutrition*, 10(2), 597–608. <https://doi.org/10.1002/fsn3.2680>
- Azlim, N. A., Nafchi, A. M., Oladzadabbasabadi, N., Ariffin, F., Ghalambor, P., Jafarzadeh, S., & Al-Hassan, A. A. (2021). Fabrication and Characterization of a pH-sensitive Intelligent Film Incorporating Dragon Fruit Skin Extract. *Food Science & Nutrition*, 10(2), 597–608. <https://doi.org/10.1002/fsn3.2680>
- Badan Pusat Statistik. (2022). *Produksi dan Nilai Produksi Perikanan Budidaya Menurut Provinsi dan Komoditas Utama*. <https://www.bps.go.id/id/statistics-table/3/TkdGeFN5OUJVVmxVTjBSclZrbFROalUzVW5KQmR6MDkjMw%3D%3D/volume-produksi-dan-nilai-produksi-perikanan-budidaya-menurut-provinsi-dan-komoditas-utama1--2021.html?year=2022>
- Badan Pusat Statistik. (2024). *Produksi Perikanan Tangkap di Laut Menurut Komoditas Utama*. <https://www.bps.go.id/id/statistics-table/2/MTUxNSMy/produksi-perikanan-tangkap-di-laut-menurut-komoditas-utama.html>
- Badan Pusat Statistik. (2025). *Produksi Tanaman Buah-buahan dan Sayuran Tahunan Menurut Provinsi dan Jenis Tanaman*. <https://www.bps.go.id/id/statistics-table/3/U0dKc1owczVSalJ5VFdOMWVETnlVRVJ6YlRJMfP6MDkjMw%3D%3D/produksi-tanaman-buah-buahan-dan-sayuran-tahunan-menurut-provinsi-dan-jenis-tanaman--2024.html?year=2025>
- Badan Standardisasi Nasional. (2006). *Udang segar - Bagian 1: Spesifikasi*.
- Badan Standardisasi Nasional. (2009). *Cara uji kimia – Bagian 8: Penentuan kadar*

Total Volatile Base Nitrogen (TVB-N) dan Trimetil Amin Nitrogen (TMA-N) pada produk perikanan.

- Bao, Y., Cui, H., Si, X., Li, J., Huang, T., & Li, B. (2026a). Anthocyanin-based indicator labels for intelligent food packaging: Mechanisms, multiscale regulation, and future perspectives for enhancing color-response performance. *Trends in Food Science and Technology*, 168(October 2025). <https://doi.org/10.1016/j.tifs.2025.105495>
- Bao, Y., Cui, H., Si, X., Li, J., Huang, T., & Li, B. (2026b). Anthocyanin-based indicator labels for intelligent food packaging: Mechanisms, multiscale regulation, and future perspectives for enhancing color-response performance. *Trends in Food Science and Technology*, 168(December 2025). <https://doi.org/10.1016/j.tifs.2025.105495>
- Boonsiriwit, A., Lee, M., Kim, M., Inthamat, P., Siripatrawan, U., & Lee, Y. S. (2021). Hydroxypropyl methylcellulose/microcrystalline cellulose biocomposite film incorporated with butterfly pea anthocyanin as a sustainable pH-responsive indicator for intelligent food-packaging applications. *Food Bioscience*, 44. <https://doi.org/10.1016/j.fbio.2021.101392>
- Boonsumrej, S., Chaiwanichsiri, S., Tantratian, S., Suzuki, T., & Takai, R. (2007). Effects of freezing and thawing on the quality changes of tiger shrimp (*Penaeus monodon*) frozen by air-blast and cryogenic freezing. *Journal of Food Engineering*, 80(1), 292–299. <https://doi.org/10.1016/j.jfoodeng.2006.04.059>
- Cazon, P., Velazquez, G., Ramírez, J. A., & Vazquez, M. (2017). *Food Hydrocolloids Polysaccharide-based films and coatings for food packaging: A review*. 68, 136–148. <https://doi.org/10.1016/j.foodhyd.2016.09.009>
- Cerqueira, M. A., Lima, Á. M., Souza, B. W. S., Teixeira, J. A., Moreira, R. A., & Vicente, A. A. (2009). Functional polysaccharides as edible coatings for cheese. *Journal of Agricultural and Food Chemistry*, 57(4), 1456–1462. <https://doi.org/10.1021/jf802726d>
- Che Wan, B., Nafchi, A. M., & Huda, N. (2018). Tensile Strength, Elongation at Breaking Point and Surface Color of a Biodegradable Film Based on a Duck Feet Gelatin and Polyvinyl Alcohol Blend Asia Pacific Journal of Sustainable Agriculture Food and Energy (APJSAFE) Tensile Strength, Elongation at Bre. *Asia Pacific Journal of Sustainable Agriculture Food and Energy*, 6 (2)(December 2018), 16–21. <http://journal.bakrie.ac.id/index.php/APJSAFE>
- Chen, L., Jiao, D., Zhou, B., Zhu, C., Liu, J., Dali, Z., & Liu, H. (2022). Shrimp (*Penaeus Monodon*) Preservation by Using Chitosan and Tea Polyphenol Coating Combined With High-pressure Processing. *Food Science & Nutrition*, 10(10), 3395–3404. <https://doi.org/10.1002/fsn3.2939>
- Chen, S., Tao, F., Pan, C., Hu, X., Ma, H., Li, C., Zhao, Y., & Wang, Y. (2020).

Modeling Quality Changes in Pacific White Shrimp (*Litopenaeus Vannamei*) During Storage: Comparison of the Arrhenius Model and Random Forest Model. *Journal of Food Processing and Preservation*, 45(1). <https://doi.org/10.1111/jfpp.14999>

Civancik-Uslu, D., Puig, R., Voigt, S., Walter, D., & Fullana-i-Palmer, P. (2019). Improving the Production Chain With LCA and Eco-Design: Application to Cosmetic Packaging. *Resources Conservation and Recycling*, 151, 104475. <https://doi.org/10.1016/j.resconrec.2019.104475>

Embuscado, M. E., & Huber, K. C. (2009). Edible Films and Coatings for Food Applications. In *Edible Films and Coatings for Food Applications* (Issue March). <https://doi.org/10.1007/978-0-387-92824-1>

Floegel, A., Kim, D. O., Chung, S. J., Koo, S. I., & Chun, O. K. (2011). Comparison of ABTS/DPPH assays to measure antioxidant capacity in popular antioxidant-rich US foods. *Journal of Food Composition and Analysis*, 24(7), 1043–1048. <https://doi.org/10.1016/j.jfca.2011.01.008>

Gençdağ, E., Özdemir, E. E., Demirci, K., Görgüç, A., & Yılmaz, F. M. (2022). Copigmentation and stabilization of anthocyanins using organic molecules and encapsulation techniques. *Current Plant Biology*, 29(August 2021). <https://doi.org/10.1016/j.cpb.2022.100238>

Giusti, M. M., & Wrolstad, R. E. (2001). Characterization and Measurement of Anthocyanins by UV-Visible Spectroscopy. *Current Protocols in Food Analytical Chemistry*, 00(1), F1.2.1-F1.2.13. <https://doi.org/10.1002/0471142913.faf0102s00>

Go, E. J., & Song, K. Bin. (2020). Development and characterization of Citrus Junos Pomace pectin films incorporated with Rambutan (*Nephelium Lappaceum*) peel extract. *Coatings*, 10(8), 1–15. <https://doi.org/10.3390/COATINGS10080714>

Guevara-Viejó, F., Valenzuela-Cobos, J. D., Grijalva-Endara, A., Vicente-Galindo, P., & Galindo-Villardón, P. (2022). Data Mining Techniques: New Method to Identify the Effects of Aquaculture Binder with Sardine on Diets of Juvenile *Litopenaeus vannamei*. *Sustainability (Switzerland)*, 14(7). <https://doi.org/10.3390/su14074203>

Guo, H., Shao, C., Ma, Y., Zhang, Y., & Lu, P. (2023). Development of active and intelligent pH food packaging composite films incorporated with litchi shell extract as an indicator. *International Journal of Biological Macromolecules*, 226(December 2022), 77–89. <https://doi.org/10.1016/j.ijbiomac.2022.11.325>

Gupta, R. K., Pipliya, S., Karunanithi, S., U, G. M. E., Kumar, S., Mandliya, S., Srivastav, P. P., Suthar, T., Shaikh, A. M., Harsányi, E., & Kovács, B. (2024). *Migration of Chemical Compounds from Packaging Materials into Packaged Foods: Interaction, Mechanism, Assessment, and Regulations*.

- He, H., Wang, L., Huang, H., & Li, Y. (2024). A Novel Gallic Acid-Based Anthocyanin Electrospun Sensor for Monitoring Shrimp Freshness. *Food Analytical Methods*, 17(5), 689–700. <https://doi.org/10.1007/s12161-024-02604-x>
- Hematian, F., Baghaei, H., Mohammadi Nafchi, A., & Bolandi, M. (2023). Preparation and characterization of an intelligent film based on fish gelatin and *Coleus scutellarioides* anthocyanin to monitor the freshness of rainbow trout fish fillet. *Food Science and Nutrition*, 11(1), 379–389. <https://doi.org/10.1002/fsn3.3068>
- Huang, Y. R., Zelaya, M. F. G., & Shiau, C. Y. (2016). Changes in Biochemical Compositions and Quality of White Shrimp (*Litopenaeus vannamei*) During Storage. *Journal of Aquatic Food Product Technology*, 25(1), 35–45. <https://doi.org/10.1080/10498850.2013.824944>
- Imran, A., Chawalit, J. Somrote, K. (2013). *Characterization of quality degradation during chilled shrimp (Litopenaeus vannamei) supply chain*. 20(4), 1833–1842.
- Jeyakumari, A., Remya, S., Debbarma, J., Nagarajarao, R. C., Aliyamveetil, Z. A., Ninan, G., Ronda, V., & Velayudhanelayadom, L. K. (2015). Effect of Delayed Icing on the Quality of White Shrimp (*Litopenaeus Vannamei*) During Chilled Storage. *Journal of Food Processing and Preservation*, 39(6), 2878–2885. <https://doi.org/10.1111/jfpp.12539>
- Kaewprachu, P., Jaisan, C., Rawdkuen, S., & Osako, K. (2024). Colorimetric indicator films based on carboxymethyl cellulose and anthocyanins as a visual indicator for shrimp freshness tracking. *Heliyon*, 10(11), e31527. <https://doi.org/10.1016/j.heliyon.2024.e31527>
- Kementerian Kelautan dan Perikanan. (2025). *KKP Pamerkan Potensi Udang Indonesia di Shrimp Summit 2025 Bali*. https://www.kkp.go.id/news/news-detail/kkp-pamerkan-potensi-udang-indonesia-di-shrimp-summit-2025-bali-BrmY.html?utm_source=chatgpt.com
- Khoo, H. E., Azlan, A., Tang, S. T., & Lim, S. M. (2017). Anthocyanidins and Anthocyanins: Colored Pigments as Food, Pharmaceutical Ingredients, and the Potential Health Benefits. *Food & Nutrition Research*, 61(1), 1361779. <https://doi.org/10.1080/16546628.2017.1361779>
- Kuswandi, B., Hasanah, F., Pratoko, D. K., & Kristiningrum, N. (2022). Colorimetric Paper-Based Dual Indicator Label for Real-Time Monitoring of Fish Freshness. *Food Technology and Biotechnology*, 60(4), 499–508. <https://doi.org/10.17113/ftb.60.04.22.7588>
- Kwak, M., & Min, S. C. (2024). Monitoring Meat Freshness with Intelligent Colorimetric Labels Containing Red Cabbage Anthocyanins Copigmented with Gelatin and Gallic Acid. *Foods*, 13(21).

<https://doi.org/10.3390/foods13213464>

- Li, B., Kennedy, J. ., Jiang, Q. ., & Xie, B. . (2006). *Quick dissolvable , edible and heatsealable blend films based on konjac glucomannan – Gelatin*. 39, 544–549. <https://doi.org/10.1016/j.foodres.2005.10.015>
- Li, C., Yun, D., Wang, Z., Xu, F., Tang, C., & Liu, J. (2022). Development of Shrimp Freshness Indicating Films by Embedding Anthocyanins-Rich Rhododendron Simsii Flower Extract in Locust Bean Gum/Polyvinyl Alcohol Matrix. *Materials*, 15(21), 7557. <https://doi.org/10.3390/ma15217557>
- Li, X., Wang, Y., Li, H., Jiang, X., Ji, L., Liu, T., & Sun, Y. (2021). Chemical and quality evaluation of Pacific white shrimp *Litopenaeus vannamei*: Influence of strains on flesh nutrition. *Food Science and Nutrition*, 9(10), 5352–5360. <https://doi.org/10.1002/fsn3.2457>
- Li, Y., Yang, Z., & Li, J. (2016). Shelf-life Extension of Pacific White Shrimp Using Algae Extracts During Refrigerated Storage. *Journal of the Science of Food and Agriculture*, 97(1), 291–298. <https://doi.org/10.1002/jsfa.7730>
- Liu, Z., Liu, Q., Zhang, D., Wei, S., Sun, Q., Xia, Q., Shi, W., Ji, H., & Liu, S. (2021). Comparison of the proximate composition and nutritional profile of byproducts and edible parts of five species of shrimp. *Foods*, 10(11), 1–16. <https://doi.org/10.3390/foods10112603>
- Long, J., Zhang, W., Zhao, M., & Ruan, C. (2023). The reduce of water vapor permeability of polysaccharide-based films in food packaging: A comprehensive review. *Carbohydrate Polymers*, 321(June), 121267. <https://doi.org/10.1016/j.carbpol.2023.121267>
- Ma, Y., Yang, W., Xia, Y., Xue, W., Wu, H., Li, Z., Zhang, F., Qiu, B., & Fu, C. (2022). Properties and Applications of Intelligent Packaging Indicators for Food Spoilage. *Membranes*, 12(5), 1–17. <https://doi.org/10.3390/membranes12050477>
- Mali, S., Sakanaka, L. S., Yamashita, F., & Grossmann, M. V. E. (2005). Water sorption and mechanical properties of cassava starch films and their relation to plasticizing effect. *Carbohydrate Polymers*, 60(3), 283–289. <https://doi.org/10.1016/j.carbpol.2005.01.003>
- Mohammadalinejad, S., Kurek, M., Jensen, I. J., & Lerfall, J. (2023). The potential of anthocyanin-loaded alginate hydrogel beads for intelligent packaging applications: Stability and sensitivity to volatile amines. *Current Research in Food Science*, 7(August). <https://doi.org/10.1016/j.crfs.2023.100560>
- Mohseni-Shahri, F. S., & Moeinpour, F. (2023). Development of a pH-sensing Indicator for Shrimp Freshness Monitoring: Curcumin and Anthocyanin-loaded Gelatin Films. *Food Science & Nutrition*, 11(7), 3898–3910. <https://doi.org/10.1002/fsn3.3375>

- Mokrzycki, W., & Tatol, M. (2011). *Color difference Delta E - A survey Colour difference ΔE - A survey. April 2011.*
- Muangrat, R. (2023). Optimizing ultrasound probe extraction for anthocyanin and phenolic content from purple waxy corn's dried cobs: Impact of extraction temperatures and times. *Current Research in Nutrition and Food Science*, 11(2), 830–843. <https://doi.org/10.12944/CRNFSJ.11.2.32>
- MURRIETA-MARTÍNEZ, C. L., Soto-Valdez, H., Pacheco-Aguilar, R., Torres-Areola, W., Rodríguez-Félix, F., & Márquez-Ríos, E. (2018). Edible Protein Films: Sources and Behavior. *Packaging Technology and Science*, 31(3), 113–122. <https://doi.org/10.1002/pts.2360>
- Naghdi, S., Rezaei, M., & Abdollahi, M. (2021). A starch-based pH-sensing and ammonia detector film containing betacyanin of paperflower for application in intelligent packaging of fish. *International Journal of Biological Macromolecules*, 191, 161–170. <https://doi.org/10.1016/j.ijbiomac.2021.09.045>
- Ningrum, A., Widyastuti Perdani, A., Supriyadi, Siti Halimatul Munawaroh, H., Aisyah, S., & Susanto, E. (2021). Characterization of Tuna Skin Gelatin Edible Films with Various Plasticizers-Essential Oils and Their Effect on Beef Appearance. *Journal of Food Processing and Preservation*, 45(9). <https://doi.org/10.1111/jfpp.15701>
- Nirmal, N. P., & Benjakul, S. (2009). Melanosis and quality changes of pacific white shrimp (*litopenaeus vannamei*) treated with catechin during iced storage. *Journal of Agricultural and Food Chemistry*, 57(9), 3578–3586. <https://doi.org/10.1021/jf900051e>
- Nisar, S., Pandit, A. H., Nadeem, M., Pandit, A. H., Rizvi, M. M. A., & Rattan, S. (2021). γ -Radiation induced L-glutamic acid grafted highly porous, pH-responsive chitosan hydrogel beads: A smart and biocompatible vehicle for controlled anti-cancer drug delivery. *International Journal of Biological Macromolecules*, 182, 37–50. <https://doi.org/10.1016/j.ijbiomac.2021.03.134>
- Nurlatifah, I., & Amyranti, M. (2023). The Utilization from Glucomannan of Porang Flour (*Amorphophallus Muelleri* Blume) as a Raw Material for Making an Edible Film. *Berkala Sainstek*, 11(3), 138. <https://doi.org/10.19184/bst.v11i3.38122>
- Nurlela, N., Ariesta, N., Santosa, E., & Muhandri, T. (2022). Physicochemical properties of glucomannan isolated from fresh tubers of *Amorphophallus muelleri* Blume by a multilevel extraction method. *Food Research*, 6(4), 345–353. [https://doi.org/10.26656/fr.2017.6\(4\).580](https://doi.org/10.26656/fr.2017.6(4).580)
- Okpala, C. O. R., Choo, W. S., & Dykes, G. A. (2014). Quality and shelf life assessment of Pacific white shrimp (*Litopenaeus vannamei*) freshly harvested and stored on ice. *Lwt*, 55(1), 110–116.

<https://doi.org/10.1016/j.lwt.2013.07.020>

- Palanisamy, Y., Kadirvel, V., & Ganesan, N. D. (2024). Recent technological advances in food packaging: sensors, automation, and application. *Sustainable Food Technology*, 3(1), 161–180. <https://doi.org/10.1039/d4fb00296b>
- Perdani, A. W., Setiowati, A. D., Purwono, B., & Supriyadi, S. (2025a). Color Enhancement of Rambutan Peel Anthocyanins Extracts using Co-Pigmentation with Gallic Acid for pH-Sensitives Dye. *Trends in Sciences*, 22(4). <https://doi.org/10.48048/tis.2025.9518>
- Perdani, A. W., Setiowati, A. D., Purwono, B., & Supriyadi, S. (2025b). Pectin and Chitosan Film Composites Enriched with Rambutan (*Nephelium lappaceum*) Peel Anthocyanins Extracts for Colorimetric Intelligent Food Packaging. *Materials Science Forum*, 1152, 23–28. <https://doi.org/10.4028/p-5dRslQ>
- Ponnusamy, A., Khan, A., Prodpran, T., Rhim, J. W., & Benjakul, S. (2024). Multifunctional fish gelatin film incorporated with chitosan carbon dots and butterfly pea flower anthocyanins for active/smart packaging of Pacific white shrimp. *Food Bioscience*, 62(August), 105483. <https://doi.org/10.1016/j.fbio.2024.105483>
- Pramitasari, R., Gunawicahya, L. N., & Anugrah, D. S. B. (2022). Development of an Indicator Film Based on Cassava Starch–Chitosan Incorporated With Red Dragon Fruit Peel Anthocyanin Extract. *Polymers*, 14(19), 4142. <https://doi.org/10.3390/polym14194142>
- Pranoto, Y., Lee, C. M., & Park, H. J. (2007). Characterizations of fish gelatin films added with gellan and κ -carrageenan. *Lwt*, 40(5), 766–774. <https://doi.org/10.1016/j.lwt.2006.04.005>
- Qin, Y., Liu, Y., Yong, H., Liu, J., Zhang, X., & Liu, J. (2019). Preparation and characterization of active and intelligent packaging films based on cassava starch and anthocyanins from *Lycium ruthenicum* Murr. *International Journal of Biological Macromolecules*, 134, 80–90. <https://doi.org/10.1016/j.ijbiomac.2019.05.029>
- Rahman, M. M., Bui, M. V., Shibata, M., Nakazawa, N., Rithu, M. N. A., Yamashita, H., Sadayasu, K., Tsuchiyama, K., Nakauchi, S., Hagiwara, T., Osako, K., & Okazaki, E. (2021). Rapid noninvasive monitoring of freshness variation in frozen shrimp using multidimensional fluorescence imaging coupled with chemometrics. *Talanta*, 224. <https://doi.org/10.1016/j.talanta.2020.121871>
- Rai Widarta, I. W., Rukmini, A., Santoso, U., Supriyadi, & Raharjo, S. (2022). Optimization of oil-in-water emulsion capacity and stability of octenyl succinic anhydride-modified porang glukomannan (*Amorphophallus muelleri* Blume). *Heliyon*, 8(5). <https://doi.org/10.1016/j.heliyon.2022.e09523>

- Ramadhani. (2024). *Pengaruh Sinar UV-C Terhadap Derajat Keasaman, Kadar Protein Dan Kadar Histamin Pada Udang Vannamei (Litopenaeus vannamei)* (p. Skripsi).
- Ran, R., Zheng, T., Tang, P., Xiong, Y., Yang, C., Gu, M., & Li, G. (2023). Antioxidant and antimicrobial collagen films incorporating Pickering emulsions of cinnamon essential oil for pork preservation. *Food Chemistry*, 420(December 2022), 136108. <https://doi.org/10.1016/j.foodchem.2023.136108>
- Rawdkuen, S., Faseha, A., Benjakul, S., & Kaewprachu, P. (2020). Application of anthocyanin as a color indicator in gelatin films. *Food Bioscience*, 36(February 2018), 100603. <https://doi.org/10.1016/j.fbio.2020.100603>
- Rosales-Murillo, S. S., Sánchez-Bodón, J., Hernández Olmos, S. L., Ibarra-Vázquez, M. F., Guerrero-Ramírez, L. G., Pérez-Álvarez, L., & Vilas-Vilela, J. L. (2024). Anthocyanin-Loaded Polymers as Promising Nature-Based, Responsive, and Bioactive Materials. In *Polymers* (Vol. 16, Issue 1). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/polym16010163>
- Roy, S., & Rhim, J. (2020). Preparation of Gelatin/Carrageenan-Based Color-Indicator Film Integrated With Shikonin and Propolis for Smart Food Packaging Applications. *Acs Applied Bio Materials*, 4(1), 770–779. <https://doi.org/10.1021/acsabm.0c01353>
- Roy, S., & Rhim, J. W. (2021). Anthocyanin food colorant and its application in pH-responsive color change indicator films. In *Critical Reviews in Food Science and Nutrition* (Vol. 61, Issue 14, pp. 2297–2325). Taylor and Francis Ltd. <https://doi.org/10.1080/10408398.2020.1776211>
- Shi, M., Jiang, S., Shi, J., Yang, Q., Huang, J., Li, Y., Yang, L., & Zhou, F. (2024). Evaluation of Genetic Parameters and Comparison of Stress Tolerance Traits in Different Strains of *Litopenaeus vannamei*. *Animals*, 14(4), 1–11. <https://doi.org/10.3390/ani14040600>
- Tavassoli, M., Khezerlou, A., Firoozy, S., Ehsani, A., & Bangar, S. P. (2023). Chitosan-based Film Incorporated With Anthocyanins of Red Poppy (*Papaver Rhoeas* L.) as a Colorimetric Sensor for the Detection of Shrimp Freshness. *International Journal of Food Science & Technology*, 58(6), 3050–3057. <https://doi.org/10.1111/ijfs.16432>
- Téllez-Rangel, E. R.-H. E. C., & Totosa, A. (2018). Effect of Gellan, Xanthan or Locust Bean Gum and/or Emulsified Maize Oil on Proteins Edible Films Properties. *Emirates Journal of Food and Agriculture*, 404. <https://doi.org/10.9755/ejfa.2018.v30.i5.1644>
- Tingting, Z., Xiuli, Z., Kun, W., Liping, S., & Yongliang, Z. (2022). A review: extraction, phytochemicals, and biological activities of rambutan (*Nephelium*

lappaceum L) peel extract. *Heliyon*, 8(11), e11314.
<https://doi.org/10.1016/j.heliyon.2022.e11314>

Wang, J., Zhao, Y., Sun, B., Yang, Y., Wang, S., Feng, Z., & Li, J. (2024). The structure of anthocyanins and the copigmentation by common micromolecular copigments: A review. *Food Research International*, 176(November 2023), 113837. <https://doi.org/10.1016/j.foodres.2023.113837>

Wang, M., Li, Y. C., Meng, F. B., Wang, Q., Wang, Z. W., & Liu, D. Y. (2023). Effect of honeysuckle leaf extract on the physicochemical properties of carboxymethyl konjac glucomannan/konjac glucomannan/gelatin composite edible film. *Food Chemistry: X*, 18. <https://doi.org/10.1016/j.fochx.2023.100675>

Warkoyo, W., Haris, M. A., & Wahyudi, V. A. (2022). The Physical, Mechanical, Barrier Characteristics, and Application of Edible Film from Yellow Sweet Potato and Aloe Vera Gel. *AgriTECH*, 42(4), 390. <https://doi.org/10.22146/agritech.68633>

Wu, K., Wang, H., Zhang, Z., Cai, H., Qian, K., Ma, W., Fan, M., & Li, L. (2025). pH-Responsive Gelatin/Diatomite/Rose Anthocyanin Composite Films by Melt Extrusion: Physicochemical Properties and Application in Monitoring Freshness of *Litopenaeus vannamei*. *Packaging Technology and Science*, 38(9), 739–751. <https://doi.org/10.1002/pts.2913>

Wu, Y., Du, Q., Dong, R., Liao, Y., Li, C., Benjakul, S., & Zhang, B. (2024). Role of the intestines on the muscle quality of Pacific white shrimp (*Litopenaeus vannamei*) during chilled storage: Physicochemical and label-free-based peptidomics analyses. *Food Chemistry*, 460(1), 1–11. <https://doi.org/10.1016/j.foodchem.2024.140507>

Xue, H., Zhao, J., Wang, Y., Shi, Z., Xie, K., Liao, X., & Tan, J. (2024). Factors affecting the stability of anthocyanins and strategies for improving their stability: A review. *Food Chemistry: X*, 24(October), 101883. <https://doi.org/10.1016/j.fochx.2024.101883>

Yang, D., Yuan, Y., Wang, L., Wang, X., Mu, R., Pang, J., Xiao, J., & Zheng, Y. (2017). A review on konjac glucomannan gels: Microstructure and application. *International Journal of Molecular Sciences*, 18(11). <https://doi.org/10.3390/ijms18112250>

Yong, H., & Liu, J. (2020). Recent advances in the preparation, physical and functional properties, and applications of anthocyanins-based active and intelligent packaging films. In *Food Packaging and Shelf Life* (Vol. 26). Elsevier Ltd. <https://doi.org/10.1016/j.fpsl.2020.100550>

You, P., Wang, L., Zhou, N., Yang, Y., & Pang, J. (2022). A pH-intelligent response fish packaging film: Konjac glucomannan/carboxymethyl cellulose/blackcurrant anthocyanin antibacterial composite film. *International*

Journal of Biological Macromolecules, 204(November 2021), 386–396.
<https://doi.org/10.1016/j.ijbiomac.2022.02.027>

Yun, D., Qin, Y., Zhang, J., Zhang, M., Qian, C., & Liu, J. (2021). Development of chitosan films incorporated with rambutan (*Nephelium lappaceum* L.) peel extract and their application in pork preservation. *International Journal of Biological Macromolecules*, 189(April), 900–909.
<https://doi.org/10.1016/j.ijbiomac.2021.08.171>

Zhai, X., Shi, J., Zou, X., Wang, S., Jiang, C., Zhang, J., Huang, X., Zhang, W., & Holmes, M. (2017). Novel colorimetric films based on starch/polyvinyl alcohol incorporated with roselle anthocyanins for fish freshness monitoring. *Food Hydrocolloids*, 69, 308–317.
<https://doi.org/10.1016/j.foodhyd.2017.02.014>

Zhai, X., Xue, Y., Sun, Y., Ma, X., Ban, W., Marappan, G., Tahir, H. E., Huang, X., Wu, K., Chen, Z., Zou, W., Liu, B., Zhang, L., Yang, Z., & Katona, J. (2025). Colorimetric Food Freshness Indicators for Intelligent Packaging: Progress, Shortcomings, and Promising Solutions. *Foods*, 14(16), 1–34.
<https://doi.org/10.3390/foods14162813>

Zhang, Z., Sun, Y., Sang, S., Jia, L., & Ou, C. (2022). Emerging Approach for Fish Freshness Evaluation: Principle, Application and Challenges. *Foods*, 11(13).
<https://doi.org/10.3390/foods11131897>

Zhao, Y., Qiu, J., Xu, J., Gao, X., & Fu, X. (2017). Effects of crosslinking modes on the film forming properties of kelp mulching films. *Algal Research*, 26(July), 74–83. <https://doi.org/10.1016/j.algal.2017.07.006>

Zhou, S., Li, N., Peng, H., Yang, X., & Lin, D. (2023). The Development of Highly pH-Sensitive Bacterial Cellulose Nanofibers/Gelatin-Based Intelligent Films Loaded with Anthocyanin/Curcumin for the Fresh-Keeping and Freshness Detection of Fresh Pork. *Foods*, 12(20).
<https://doi.org/10.3390/foods12203719>