UNIVERSITAS GADJAH MADA
Pengaruh Pemberian Eksosom Human Wharton's Jelly Pada Proses Regenerasi Cedera Nervus Ischiadicus
(Kajian In Vivo: Polarisasi Makrofag, Pertumbuhan Akson, Remielinisasi, Fungsi Nervus Ischiadicus dan Luas Serat Musculus Gastrocnemius)
Anita Soraya Soetoko, Prof. Dr. dr. Dwi Cahyani Ratna Sari, M. Kes.PA(K); dr. Arta Farmawati, Ph. D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aldali, F., Yang, Y., Deng, C., Li, X., Cao, X., Xu, J., *et al.* (2025). Induced pluripotent stem cell-derived exosomes promote peripheral nerve regeneration in a rat sciatic nerve crush injury model: A safety and efficacy study. *Cells.* 14: 529.

Alvites, R., Caseiro, A. R., Pedrosa, S. S., Branquinho, M. V., Ronchi, G., Geuna, S., et al. (2018). Peripheral nerve injury and axonotmesis: State of the art and recent advances. Cogent Med. 5: 1–45.

Bauder, A. R., & Ferguson, T. A. (2012). Reproducible mouse sciatic nerve crush and subsequent assessment of regeneration by whole mount muscle analysis. *J Vis Exp.* 60: 1–7.

Bazira, P. J. (2024). An overview of the nervous system. *Surg (Oxford).* 42: 525–535.

Bucan, V., Vaslaitis, D., Peck, C. T., Strauß, S., Vogt, P. M., Radtke, C., *et al.* (2019). Effect of exosomes from rat adipose-derived mesenchymal stem cells on neurite outgrowth and sciatic nerve regeneration after crush injury. *Mol Neurobiol.* 56: 1812–1824.

Caillaud, M., Richard, L., Vallat, J. M., Desmoulière, A., & Billet, F. (2019). Peripheral nerve regeneration and intraneural revascularization. *Neural Regen Res.* 14: 24–33.

Chaney, B., & Nadi, M. (2023). Axonotmesis. In *StatPearls*. Treasure Island (FL): *StatPearls Publishing.*

Chen, J., Yang, R., Li, H., & Lao, J. (2020). Green tea polyphenols promote functional recovery from peripheral nerve injury in rats. *Med Sci Monit.* 26: e919452.

Chen, J., Zhu, Y., Gao, H., Chen, X., Yi, D., Li, M., *et al.* (2024a). HucMSCs delay muscle atrophy after peripheral nerve injury through exosomes by repressing muscle-specific ubiquitin ligases. *Stem Cells.* 42: 460–474.

Chen, P., Cescon, M., Zuccolotto, G., Nobbio, L., Colombelli, C., Filaferro, M., *et al.* (2015a). Collagen VI regulates peripheral nerve regeneration by modulating macrophage recruitment and polarization. *Acta Neuropathol.* 129: 97–113.

Chen, P., Piao, X., & Bonaldo, P. (2015b). Role of macrophages in Wallerian degeneration and axonal regeneration after peripheral nerve injury. *Acta Neuropathol.* 130: 605–618.

Chen, Y., Qi, W., Wang, Z., & Niu, F. (2025). Exosome source matters: A comprehensive review from the perspective of diverse cellular origins. *Pharmaceutics.* 17: 147.

Chen, Z., Xiong, M., Tian, J., Song, D., Duan, S., Zhang, L., *et al.* (2024b). Encapsulation and assessment of therapeutic cargo in engineered exosomes: A systematic review. *J Nanobiotechnol.* 22: 18.

Chinnici, C. M., Iannolo, G., Cittadini, E., Carreca, A. P., Nascari, D., Timoneri, F., *et al.* (2021). Extracellular vesicle-derived microRNAs of human Wharton's Jelly mesenchymal

Pengaruh Pemberian Eksosom Human Wharton's Jelly Pada Proses Regenerasi Cedera Nervus Ischiadicus
(Kajian In Vivo: Polarisasi Makrofag, Pertumbuhan Akson, Remielinisasi, Fungsi Nervus Ischiadicus dan Luas Serat Musculus Gastrocnemius)
Anita Soraya Soetoko, Prof. Dr. dr. Dwi Cahyani Ratna Sari, M. Kes.PA(K); dr. Arta Farmawati, Ph. D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

stromal cells may activate endogenous VEGF-A to promote angiogenesis. *Int J Mol Sci.* 22: 2045.

Chiu, Y. S., Wu, K. J., Yu, S. J., Wu, K. L., Hsieh, C. Y., Chou, Y. S., *et al.* (2024). Transplantation of exosomes derived from human Wharton's Jelly mesenchymal stromal cells enhances functional improvement in stroke rats. *Cell Transplant.* 33: 9636897241296366.

Cruz-Méndez, J. S., Herrera-Sánchez, M. P., Céspedes-Rubio, Á. E., & Rondón-Barragán, I. S. (2022). Molecular characterization of myelin basic protein a (mbpa) gene from red-bellied pacu (*Piaractus brachypomus*). *J Genet Eng Biotechnol.* 20: 1–13.

Dahlan, M. S. (2019). *Besar sampel dalam penelitian kedokteran dan kesehatan* (5th ed.). Jakarta: Epidemiologi Indonesia.

Dai, J. C., Yang, J. Y., Chang, R. Q., Liang, Y., Hu, X. Y., Li, H., *et al.* (2022). GAS6-mediated dialogue between decidual stromal cells and macrophages is essential for early pregnancy maintenance by inducing M2-like polarization and cell proliferation of decidual macrophages. *Mol Hum Reprod.* 28: 1–14.

Davies, J. E., Walker, J. T., & Keating, A. (2017). Concise review: Wharton's Jelly: The rich, but enigmatic, source of mesenchymal stromal cells. *Stem Cells Transl Med.* 6: 1620–1630.

Dun, X. P., & Parkinson, D. (2020). Classic axon guidance molecules control correct nerve bridge tissue formation and precise axon regeneration. *Neural Regen Res.* 15: 6–9.

Dong, C., & Lv, Y. (2016). Application of collagen scaffold in tissue engineering: Recent advances and new perspectives. *Polymers (Basel).* 8: 42.

Dong, R., Liu, Y., Yang, Y., Wang, H., Xu, Y., Zhang, Z., *et al.* (2019). MSC-derived exosomes-based therapy for peripheral nerve injury: A novel therapeutic strategy. *Biomed Res Int.* 18: 1–12.

Drobiova, H., Sindhu, S., Ahmad, R., Haddad, D., Al-Mulla, F., & Al Madhoun, A. (2023). Wharton's Jelly mesenchymal stem cells: A concise review of their secretome and prospective clinical applications. *Front Cell Dev Biol.* 11: 1–20.

Esmaeili, A., Alini, M., Baghaban Eslaminejad, M., & Hosseini, S. (2022). Engineering strategies for customizing extracellular vesicle uptake in a therapeutic context. *Stem Cell Res Ther.* 13: 129.

Farahzadi, R., Fathi, E., Vandghanooni, S., & Valipour, B. (2024). Hydrogel encapsulation of mesenchymal stem cells-derived extracellular vesicles as a novel therapeutic approach in cancer therapy. *Biochim Biophys Acta Rev Cancer.* 1879: 189177.

Flamant, S., Loinard, C., & Tamarat, R. (2023). MSC beneficial effects and limitations, and MSC-derived extracellular vesicles as a new cell-free therapy for tissue regeneration in irradiated condition. *Environ Adv.* 13: 1–7.

UNIVERSITAS GADJAH MADA
Pengaruh Pemberian Eksosom Human Wharton's Jelly Pada Proses Regenerasi Cedera Nervus Ischiadicus
(Kajian In Vivo: Polarisasi Makrofag, Pertumbuhan Akson, Remielinisasi, Fungsi Nervus Ischiadicus dan Luas Serat Musculus Gastrocnemius)
Anita Soraya Soetoko, Prof. Dr. dr. Dwi Cahyani Ratna Sari, M. Kes.PA(K); dr. Arta Farmawati, Ph. D
Universitas Gadjah Mada | 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Gafson, A. R., Barthelemy, N. R., Bomont, P., Carare, R. O., Durham, H. D., Julien, J. P., *et al.* (2020). Neurofilaments: Neurobiological foundations for biomarker applications. *Brain.* 143: 1975–1998.

Gordon, T. (2020). Peripheral nerve regeneration and muscle reinnervation. *Int J Mol Sci.* 21: 1–24.

Guedan-Duran, A., Jemni-Damer, N., Orueta-Zenarruzabeitia, I., Guinea, G. V., Perez-Rigueiro, J., Gonzalez-Nieto, D., *et al.* (2020). Biomimetic approaches for separated regeneration of sensory and motor fibers in amputee people: Necessary conditions for functional integration of sensory–motor prostheses with the peripheral nerves. *Front Bioeng Biotechnol.* 8: 1–22.

Gurung, S., Perocheau, D., Touramanidou, L., & Baruteau, J. (2021). The exosome journey: From biogenesis to uptake and intracellular signalling. *Cell Commun Signal.* 19: 1–19.

Hallal, S., Tűzesi, Á., Grau, G. E., Buckland, M. E., & Alexander, K. L. (2022). Understanding the extracellular vesicle surface for clinical molecular biology. *J Extracell Vesicles.* 11: 1–25.

Hercher, D., Nguyen, M. Q., & Dworak, H. (2022). Extracellular vesicles and their role in peripheral nerve regeneration. *Exp Neurol.* 350: 1–9.

Hsu, J. M., Shiue, S. J., Yang, K. D., Shiue, H. S., Hung, Y. W., Pannuru, P., *et al.* (2020). Locally applied stem cell exosome-scaffold attenuates nerve injury-induced pain in rats. *J Pain Res.* 13: 3257–3268.

Hu, T., Chang, S., Qi, F., Zhang, Z., Chen, J., Jiang, L., *et al.* (2023). Neural grafts containing exosomes derived from Schwann cell-like cells promote peripheral nerve regeneration in rats. *Burns Trauma.* 11: tkad013.

Huang, J., Zhang, G., Li, S., Li, J., Wang, W., Xue, J., *et al.* (2023). Endothelial cell-derived exosomes boost and maintain repair-related phenotypes of Schwann cells via miR199-5p to promote nerve regeneration. *J Nanobiotechnol.* 21: 10.

Huang, J., Li, J., Li, S., Yang, X., Huo, N., Chen, Q., *et al.* (2024). Netrin-1-engineered endothelial cell exosomes induce the formation of pre-regenerative niche to accelerate peripheral nerve repair. *Sci Adv.* 10: eadm8454.

Huo, Y., Xiao, B., Yu, H., Xu, Y., Zheng, J., Huang, C., *et al.* (2026). Small extracellular vesicles derived from hair follicle neural crest stem cells enhance perineurial cell proliferation and migration via the TGF-β/SMAD/HAS2 pathway. *Neural Regen Res.* 21: 2060–2072.

Jeppesen, D. K., Zhang, Q., Franklin, J. L., & Coffey, R. J. (2023). Extracellular vesicles and nanoparticles: Emerging complexities. *Trends Cell Biol.* 33: 667–681.

Ji, Q., Shan, F., Zhang, B., Chen, Y., Yang, X., Gao, F., *et al.* (2023). Acupuncture on “Huantiao” (GB30) and “Yanglingquan” (GB34) acupoints promotes nerve regeneration in mice model of peripheral nerve injury. *IBRO Neurosci Rep.* 15: 158–164.

UNIVERSITAS GADJAH MADA
Pengaruh Pemberian Eksosom Human Wharton's Jelly Pada Proses Regenerasi Cedera Nervus Ischiadicus
(Kajian In Vivo: Polarisasi Makrofag, Pertumbuhan Akson, Remielinisasi, Fungsi Nervus Ischiadicus dan Luas Serat Musculus Gastrocnemius)
Anita Soraya Soetoko, Prof. Dr. dr. Dwi Cahyani Ratna Sari, M. Kes.PA(K); dr. Arta Farmawati, Ph. D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Juckett, L., Saffari, T. M., Ormseth, B., Senger, J. L., & Moore, A. M. (2022). The effect of electrical stimulation on nerve regeneration following peripheral nerve injury. *Biomolecules.* 12: 1–18.

Kabatas, S., Civelek, E., Savrunlu, E. C., Kaplan, N., Akkoc, T., Küçükçakır, N., *et al.* (2025). Efficacy and safety of exosomes from Wharton's Jelly-derived mesenchymal stem cells in traumatic brain injury. *World J Crit Care Med.* 14: 103782.

Kaplan, H. M., Mishra, P., & Kohn, J. (2015). The overwhelming use of rat models in nerve regeneration research may compromise designs of nerve guidance conduits for humans. *J Mater Sci Mater Med.* 26: 1–5.

Khu, K. J. O., Omar, A. T., & Pedro, K. M. (2025). Traumatic peripheral nerve injury in the Philippines: A retrospective study. *Acta Med Philipp.* 59: 16–21.

Kiani, A. K., Pheby, D., Henehan, G., Brown, R., Sieving, P., & Sykora, P. (2022). Ethical considerations regarding animal experimentation. *Altern Lab Anim.* 63: 255–266.

Kornfeld, T., & Radtke, C. (2026). Update on peripheral nerve injuries in Germany 2019–2023. *Injury.* 57: 113025.

Klimovich, P., Rubina, K., Sysoeva, V., & Semina, E. (2021). New frontiers in peripheral nerve regeneration: Concerns and remedies. *Int J Mol Sci.* 22: 1–14.

Li, C., Li, X., Shi, Z., Wu, P., Fu, J., Tang, J., *et al.* (2022a). Exosomes from LPS-preconditioned bone marrow MSCs accelerated peripheral nerve regeneration via M2 macrophage polarization: Involvement of TSG-6/NF-κB/NLRP3 signaling pathway. *Exp Neurol.* 356: 114139.

Li, C., Liu, S. Y., Zhang, M., Pi, W., Wang, B., Li, Q. C., *et al.* (2022b). Sustained release of exosomes loaded into polydopamine-modified chitin conduits promotes peripheral nerve regeneration in rats. *Neural Regen Res.* 17: 2050–2057.

Li, N. Y., Onor, G. I., Lemme, N. J., & Gil, J. A. (2021). Epidemiology of peripheral nerve injuries in sports, exercise, and recreation in the United States, 2009–2018. *Phys Sportsmed.* 49: 355–362.

Liu, Z., Tong, H., Li, J., Wang, L., Fan, X., Song, H., *et al.* (2022). Low-stiffness hydrogels promote peripheral nerve regeneration through the rapid release of exosomes. *Front Bioeng Biotechnol.* 10: 922570.

Livak, K. J., & Schmittgen, T. D. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the 2(−ΔΔC(T)) method. *Methods.* 25: 402–408.

Liu, Q., Wang, X., & Yi, S. (2018). Pathophysiological changes of physical barriers of peripheral nerves after injury. *Front Neurosci.* 12: 597.

Lopes, B., Sousa, P., Alvites, R., Branquinho, M., Sousa, A. C., Mendonça, C., *et al.* (2022). Peripheral nerve injury treatments and advances: One health perspective. *Int J Mol Sci.*

Pengaruh Pemberian Eksosom Human Wharton's Jelly Pada Proses Regenerasi Cedera Nervus Ischiadicus
(Kajian In Vivo: Polarisasi Makrofag, Pertumbuhan Akson, Remielinisasi, Fungsi Nervus Ischiadicus dan Luas Serat Musculus Gastrocnemius)
Anita Soraya Soetoko, Prof. Dr. dr. Dwi Cahyani Ratna Sari, M. Kes.PA(K); dr. Arta Farmawati, Ph. D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

23: 1–27.

Lopez-Verrilli, M. A., Picou, F., & Court, F. A. (2013). Schwann cell-derived exosomes enhance axonal regeneration in the peripheral nervous system. *Glia.* 61: 1795–1806.

Luan, X., Sansanaphongpricha, K., Myers, I., Chen, H., Yuan, H., & Sun, D. (2017). Engineering exosomes as refined biological nanoplatforms for drug delivery. *Acta Pharmacol Sin.* 38: 754–763.

Lucas, A., Arfian, N., Yuniarthe, R., Chistian, G. P., Wahyudi, R. B., & Desita, E. A. N.*, et al*. (in press). Exosome from human Wharton's Jelly-derived MSC alleviates vascular remodeling in the acute phase of renal ischemia-reperfusion injury in association with upregulation of eNOS and ETBR mRNA expressions in rats. *Trends Sci.*

Luo, M., Zhao, F., Cheng, H., Su, M., & Wang, Y. (2024). Macrophage polarization: An important role in inflammatory diseases. *Front Immunol.* 15: 1–16.

Ma, Y., Dong, L., Zhou, D., Li, L., Zhang, W., Zhen, Y., *et al.* (2019). Extracellular vesicles from human umbilical cord mesenchymal stem cells improve nerve regeneration after sciatic nerve transection in rats. *J Cell Mol Med.* 23: 2822–2835.

Maita, K. C., Garcia, J. P., Avila, F. R., Torres-Guzman, R. A., Ho, O., Chini, C. C. S., *et al.* (2023). Evaluation of the aging effect on peripheral nerve regeneration: A systematic review. *J Surg Res.* 288: 329–340.

Malekzadeh, H., Otto-Moudry, R., & Moore, A. M. (2025). The role of vascularization in nerve regeneration: Mechanistic and therapeutic perspectives. *Int J Mol Sci.* 26: 8395.

Melikov, Z. K., & Medvediev, V. V. (2024). The rat's sciatic nerve functional index dynamics after its transection and recovery by means of epineural neurorrhaphy. *Ukr Neurosurg J.* 30: 30–42.

Menorca, R. M. G., Fussell, T. S., & Elfar, J. C. (2013). Nerve physiology: Mechanisms of injury and recovery. *Hand Clin.* 29: 317–330.

Michailov, G. V., Sereda, M. W., Brinkmann, B. G., Fischer, T. H., Haug, B., Birchmeier, C., *et al.* (2004). Axonal neuregulin-1 regulates myelin sheath thickness. *Science.* 304: 700–703.

Müller, C., Bauer, N. M., Schäfer, I., & White, R. (2013). Making myelin basic protein – From mRNA transport to localized translation. *Front Cell Neurosci.* 7: 1–7.

Murphy, R. N. A., de Schoulepnikoff, C., Chen, J. H. C., Columb, M. O., Bedford, J., Wong, J. K., *et al.* (2023). The incidence and management of peripheral nerve injury in England (2005–2020). *J Plast Reconstr Aesthet Surg.* 80: 75–85.

Nasiry, D., & Khalatbary, A. R. (2023). Stem cell-derived extracellular vesicle-based therapy for nerve injury: A review of the molecular mechanisms. *World Neurosurg X.* 19: 1–6.

Pan, D., Chang, X., Xu, M., Zhang, M., Zhang, S., Wang, Y., *et al.* (2019). UMSC-derived

Pengaruh Pemberian Eksosom Human Wharton's Jelly Pada Proses Regenerasi Cedera Nervus Ischiadicus
(Kajian In Vivo: Polarisasi Makrofag, Pertumbuhan Akson, Remielinisasi, Fungsi Nervus Ischiadicus dan Luas Serat Musculus Gastrocnemius)
Anita Soraya Soetoko, Prof. Dr. dr. Dwi Cahyani Ratna Sari, M. Kes.PA(K); dr. Arta Farmawati, Ph. D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

exosomes promote retinal ganglion cells survival in a rat model of optic nerve crush. *J Chem Neuroanat.* 96: 134–139.

Pan, J., Zhao, M., Yi, X., Tao, J., Li, S., & Jiang, Z. (2021). Acellular nerve grafts supplemented with induced pluripotent stem cell-derived exosomes promote peripheral nerve reconstruction and motor function recovery. *Bioact Mater.* 15: 272–287.

Park, S. H., Lee, E. K., Yim, J., Lee, M. H., Lee, E., Lee, Y. S., *et al.* (2023). Exosomes: Nomenclature, isolation, and biological roles in liver diseases. *Biomol Ther.* 31: 253–263.

Pegtel, D. M., & Gould, S. J. (2019). Exosomes. *Annu Rev Biochem.* 88: 487–514.

Percie du Sert, N., Hurst, V., Ahluwalia, A., Alam, S., Avey, M. T., Baker, M., *et al.* (2020). The ARRIVE guidelines 2.0: Updated guidelines for reporting animal research. *PLoS Biol.* 18: e3000410.

Qu, W., Zhu, Z., Liu, J., Song, D., Tian, H., Chen, B., *et al.* (2021). Interaction between Schwann cells and other cells during repair of peripheral nerve injury. *Neural Regen Res.* 16: 93–98.

Rani, S., Ryan, A. E., Griffin, M. D., & Ritter, T. (2015). Mesenchymal stem cell-derived extracellular vesicles: Toward cell-free therapeutic applications. *Mol Ther.* 23: 812–823.

Reier, P. J., Zholudeva, L. V., & Lane, M. A. (2017). Axonal degeneration and regeneration in the peripheral and central nervous systems. In *Conn's Translational Neuroscience* (pp. 553–575). Elsevier.

Ren, J., Zhu, B., Gu, G., Zhang, W., Li, J., Wang, H., *et al.* (2023). Schwann cell-derived exosomes containing MFG-E8 modify macrophage/microglial polarization for attenuating inflammation via the SOCS3/STAT3 pathway after spinal cord injury. *Cell Death Dis.* 14: 1–17.

Rios, R., Jablonka-Shariff, A., Broberg, C., & Snyder-Warwick, A. K. (2021). Macrophage roles in peripheral nervous system injury and pathology: Allies in neuromuscular junction recovery. *Mol Cell Neurosci.* 111: 1–18.

Rodemer, W., Gallo, G., & Selzer, M. E. (2020). Mechanisms of axon elongation following CNS injury: What is happening at the axon tip? *Front Cell Neurosci.* 14: 1–11.

Semenova, E. A., Kikuchi, N., Homma, H., Kozuma, A., Saito, M., Zempo, H., *et al.* (2024). Identification of genomic predictors of muscle fiber size. *Cells.* 13: 1–13.

Sengupta, P. (2013). The Laboratory Rat: Relating Its Age With Human's. *Int J Prev Med*. 4: 624–630.

Sidharta, V. M. (2014). Perubahan jumlah dan diameter serat otot gastroknemius dan soleus pada tikus berusia 1 hari, 3 bulan, dan 12 bulan. *Damianus J Med.* 13: 39–49.

Shen, M., Ye, X., Zhou, Q., Zheng, M., Du, M., Wang, L., *et al.* (2025). Angiogenesis-promoting effect of SKP-SC-EVs-derived miRNA-30a-5p in peripheral

Pengaruh Pemberian Eksosom Human Wharton's Jelly Pada Proses Regenerasi Cedera Nervus Ischiadicus
(Kajian In Vivo: Polarisasi Makrofag, Pertumbuhan Akson, Remielinisasi, Fungsi Nervus Ischiadicus dan Luas Serat Musculus Gastrocnemius)
Anita Soraya Soetoko, Prof. Dr. dr. Dwi Cahyani Ratna Sari, M. Kes.PA(K); dr. Arta Farmawati, Ph. D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

nerve regeneration. *Cell Commun Signal.* 50: 1–16.

Shin, Y. H., Choi, S. J., & Kim, J. K. (2023). Mechanisms of Wharton's Jelly-derived MSCs in enhancing peripheral nerve regeneration. *Sci Rep.* 13: 21214.

Shurin, M. R., Wheeler, S. E., Zhong, H., & Zhou, Y. (2025). Pathologic and therapeutic Schwann cells. *Cells.* 14: 1–92.

Siwei, Q., Wang, W., Chen, S., Wu, Q., Li, Y., & Yang, Z. (2022). Construction and effect evaluation of different sciatic nerve injury models in rats. *Transl Neurosci.* 13: 38–51.

Soetoko, A. S., Sari, D. C. R., Farmawati, A., Arfian, N., & Nugroho, D. B. (2026). Exploring the Regenerative Role of Exosomes as a Potential Therapy for Peripheral Nerve Injury: A Systematic Review. *Biomol Ther.* 34: 1103–1118.

Song, X., Li, R., Chu, X., Li, Q., Li, R., Li, Q., Tong, K. Y., Gu, X., & Ming, D. (2025). Multilevel analysis of the central-peripheral-target organ pathway: Contributing to recovery after peripheral nerve injury. *Neural Regen Res.* 20: 2807–2822.

Steinhoff, G. (2016). *Regenerative medicine – From protocol to patient* (3rd ed.). Stem Cell Science and Technology. Springer, Cham, Switzerland.

Stratton, J. A., Holmes, A., Rosin, N. L., Sinha, S., Vohra, M., Burma, N. E., *et al.* (2018). Macrophages regulate Schwann cell maturation after nerve injury. *Cell Rep.* 24: 2561–2572.

Sun, J., Liao, Z., Li, Z., Li, H., Wu, Z., Chen, C., *et al.* (2023). Down-regulation of miR-146a-5p in Schwann cell-derived exosomes induced macrophage M1 polarization by impairing inhibition on TRAF6/NF-κB pathway after peripheral nerve injury. *Exp Neurol.* 362: 1–16.

Sun, J., Zeng, Q., Wu, Z., Li, Z., Gao, Q., Liao, Z., *et al.* (2024). Enhancing intraneural revascularization following peripheral nerve injury through hypoxic Schwann cell-derived exosomes: An insight into endothelial glycolysis. *J Nanobiotechnol.* 22: 283.

Sumarwoto, T., Poetera, C. Y., & Abimanyu, D. (2021). Peripheral nerve injury and its regeneration processes: A biomolecular point of view. *Bali Med J.* 10: 927–934.

Tang, H., Li, J., Wang, H., Ren, J., Ding, H., Shang, J., *et al.* (2024). Human umbilical cord mesenchymal stem cell-derived exosomes loaded into a composite conduit promote functional recovery after peripheral nerve injury in rats. *Neural Regen Res.* 19: 900–907.

Thakkar, V., Mehdipour, M., & Chang, S. (2025). Unlocking nerve regeneration: Electrical stimulation and bioscaffolds to enhance peripheral nerve regeneration. *Front Neurosci.* 19: 1594435.

Thomi, G., Surbek, D., Haesler, V., Joerger-Messerli, M., & Schoeberlein, A. (2019a). Exosomes derived from umbilical cord mesenchymal stem cells reduce microglia-mediated neuroinflammation in perinatal brain injury. *Stem Cell Res Ther.* 10: 105.

UNIVERSITAS GADJAH MADA
Pengaruh Pemberian Eksosom Human Wharton's Jelly Pada Proses Regenerasi Cedera Nervus Ischiadicus
(Kajian In Vivo: Polarisasi Makrofag, Pertumbuhan Akson, Remielinisasi, Fungsi Nervus Ischiadicus dan Luas Serat Musculus Gastrocnemius)
Anita Soraya Soetoko, Prof. Dr. dr. Dwi Cahyani Ratna Sari, M. Kes.PA(K); dr. Arta Farmawati, Ph. D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Thomi, G., Joerger-Messerli, M., Haesler, V., Muri, L., Surbek, D., & Schoeberlein, A. (2019b). Intranasally administered exosomes from umbilical cord stem cells have preventive neuroprotective effects and contribute to functional recovery after perinatal brain injury. *Cells.* 8: 855.

Ullah, M., Liu, D. D., Rai, S., Razavi, M., Choi, J., Wang, J., *et al.* (2020). A novel approach to deliver therapeutic extracellular vesicles directly into the mouse kidney via its arterial blood supply. *Cells.* 9: 937.

Umansky, D., Hagen, K. M., Chu, T. H., Pathiyil, R. K., Alzahrani, S., Ousman, S. S., & Midha, R. (2022). Functional gait assessment using manual, semi-automated and deep learning approaches following standardized models of peripheral nerve injury in mice. *Biomolecules.* 12: 1355.

van Asperen, J. V., Kotaich, F., Caillol, D., & Bomont, P. (2024). Neurofilaments: Novel findings and future challenges. *Curr Opin Cell Biol.* 87: 1–12.

Viezuină, D. M., Burlacu, I. M., Greșiță, A., Matache, I. M., Târtea, E. A., Mușat, M. I., *et al.* (2025). Phase-specific evaluation of sciatic nerve regeneration in preclinical studies: A review of functional assessment, emerging therapies, and translational value. *Int J Mol Sci.* 27: 419.

Wang, A. Y. L., Loh, C. Y. Y., Shen, H. H., Hsieh, S. Y., Wang, I. K., Chuang, S. H., *et al.* (2019). Topical application of human Wharton's Jelly mesenchymal stem cells accelerates mouse sciatic nerve recovery and is associated with upregulated neurotrophic factor expression. *Cell Transplant.* 28: 1560–1572.

Wang, A. Y. L., Loh, C. Y. Y., Shen, H. H., Hsieh, S. Y., Wang, I. K., Lee, C. M., *et al.* (2020). Human Wharton's Jelly mesenchymal stem cell-mediated sciatic nerve recovery is associated with the upregulation of regulatory T cells. *Int J Mol Sci.* 21: 1–14.

Wang, B. B., Guo, C., Sun, S. Q., Zhang, X. N., Li, Z., Li, W. J., *et al.* (2023). Comparison of the nerve regeneration capacity and characteristics between sciatic nerve crush and transection injury models in rats. *Biomed Environ Sci.* 36: 160–173.

Wang, J., Huang, Q., Hu, D., & Zhang, W. (2024). Therapeutic effect of exosomes derived from Schwann cells in the repair of peripheral nerve injury. *Life Sci.* 357: 123086.

Wang, Y., Yu, T., & Hu, F. (2022). Hypocapnia stimuli-responsive engineered exosomes delivering miR-218 facilitate sciatic nerve regeneration. *Front Bioeng Biotechnol.* 10: 825146.

Welsh, J. A., Goberdhan, D. C. I., O'Driscoll, L., Buzas, E. I., Blenkiron, C., Bussolati, B., *et al.* (2024). Minimal information for studies of extracellular vesicles (MISEV2023): From basic to advanced approaches. *J Extracell Vesicles.* 13: e12404.

Wofford, K. L., Shultz, R. B., Burrell, J. C., & Cullen, D. K. (2022). Neuroimmune interactions and immunoengineering strategies in peripheral nerve repair. *Prog Neurobiol.* 208: 1–34.

Pengaruh Pemberian Eksosom Human Wharton's Jelly Pada Proses Regenerasi Cedera Nervus Ischiadicus
(Kajian In Vivo: Polarisasi Makrofag, Pertumbuhan Akson, Remielinisasi, Fungsi Nervus Ischiadicus dan Luas Serat Musculus Gastrocnemius)
Anita Soraya Soetoko, Prof. Dr. dr. Dwi Cahyani Ratna Sari, M. Kes.PA(K); dr. Arta Farmawati, Ph. D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wu, G., Wen, X., Kuang, R., Lin, K. W., He, B., Li, C., *et al.* (2023). Roles of macrophages and their interactions with Schwann cells after peripheral nerve injury. *Cell Mol Neurobiol.* 44: 11.

Xie, Q., Liu, R., Jiang, J., Peng, J., Yang, C., Zhang, W., *et al.* (2020). What is the impact of human umbilical cord mesenchymal stem cell transplantation on clinical treatment? *Stem Cell Res Ther.* 11: 1–13.

Xue, R., Xie, M., Wu, Z., Wang, S., Zhang, Y., Han, Z., *et al.* (2024). Mesenchymal stem cell-derived exosomes promote recovery of the facial nerve injury through regulating macrophage M1 and M2 polarization by targeting the P38 MAPK/NF-κB pathway. *Aging Dis.* 15: 851–868.

Yadav, A., & Dabur, R. (2024). Skeletal muscle atrophy after sciatic nerve damage: Mechanistic insights. *Eur J Pharmacol.* 970: 1–18.

Yang, X., Xue, P., Yuan, M., Xu, X., Wang, C., Li, W., Machens, H. G., & Chen, Z. (2021b). SESN2 protects against denervated muscle atrophy through unfolded protein response and mitophagy. *Cell Death Dis.* 12: 805.

Yang, Z., Yang, Y., Xu, Y., Jiang, W., Shao, Y., Xing, J., *et al.* (2021a). Biomimetic nerve guidance conduit containing engineered exosomes of adipose-derived stem cells promotes peripheral nerve regeneration. *Stem Cell Res Ther.* 12: 442.

Yeo, H., Kim, Y. J., Seok, J., Kwak, Y., Jang, S. B., Lim, N. H., Song, K., Lee, J., Cho, M. C., Kim, S. W., & Cho, S. G. (2025). Therapeutic potential of NGF-enriched extracellular vesicles in modulating neuroinflammation and enhancing peripheral nerve remyelination. *Acta Neuropathol Commun.* 13: 118.

Yildiran, H., Macit, M. S., & Özata Uyar, G. (2020). New approach to peripheral nerve injury: Nutritional therapy. *Nutr Neurosci.* 23: 744–755.

Yin, G., Yu, B., Liu, C., Lin, Y., Xie, Z., Hu, Y., *et al.* (2021). Exosomes produced by adipose-derived stem cells inhibit Schwann cells autophagy and promote the regeneration of the myelin sheath. *Int J Biochem Cell Biol.* 132: 105921.

Zeng, X., Bian, W., Liu, Z., Li, J., Ren, S., Zhang, J., *et al.* (2023). Muscle-derived stem cell exosomes with overexpressed miR-214 promote the regeneration and repair of rat sciatic nerve after crush injury to activate the JAK2/STAT3 pathway by targeting PTEN. *Front Mol Neurosci.* 16: 1146329.

Zhao, J., Ding, Y., He, R., Huang, K., Liu, L., Jiang, C., *et al.* (2020). Dose-effect relationship and molecular mechanism by which BMSC-derived exosomes promote peripheral nerve regeneration after crush injury. *Stem Cell Res Ther.* 11: 360.

Zhao, Y., Liu, J., Liu, S., Yang, P., Liang, Y., Ma, J., *et al.* (2023). Fibroblast exosomal TFAP2C induced by chitosan oligosaccharides promotes peripheral axon regeneration via the miR-132-5p/CAMKK1 axis. *Bioact Mater.* 26: 249–263.

Zhang, Y., Bi, J., Huang, J., Tang, Y., Du, S., & Li, P. (2020). Exosome: A review of its

Pengaruh Pemberian Eksosom Human Wharton's Jelly Pada Proses Regenerasi Cedera Nervus Ischiadicus
(Kajian In Vivo: Polarisasi Makrofag, Pertumbuhan Akson, Remielinisasi, Fungsi Nervus Ischiadicus dan Luas Serat Musculus Gastrocnemius)
Anita Soraya Soetoko, Prof. Dr. dr. Dwi Cahyani Ratna Sari, M. Kes.PA(K); dr. Arta Farmawati, Ph. D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

classification, isolation techniques, storage, diagnostic and targeted therapy applications. *Int J Nanomedicine.* 15: 6917–6934.

Zhang, Y., Ye, G., Zhao, J., Chen, Y., Kong, L., Sheng, C., *et al.* (2022). Exosomes carried miR-181c-5p alleviates neuropathic pain in CCI rat models. *An Acad Bras Cienc.* 94: e20210564.

Zhu, Z., Zhang, Y., Huang, Z., Hao, H., & Yan, M. (2023). Hypoxic culture of umbilical cord mesenchymal stem cell-derived sEVs prompts peripheral nerve injury repair. *Front Cell Neurosci.* 16: 897224.

Zeng, X., Bian, W., Liu, Z., Li, J., Ren, S., Zhang, J., *et al.* (2023). Muscle-derived stem cell exosomes with overexpressed miR-214 promote the regeneration and repair of rat sciatic nerve after crush injury to activate the JAK2/STAT3 pathway by targeting PTEN. *Front Mol Neurosci.* 16: 1146329.