UNIVERSITAS GADJAH MADA
VALIDITAS DIAGNOSTIK INDEKS TERKAIT LIPID DAN OBESITAS UNTUK DETEKSI SINDROM METABOLIK PADA TENAGA MEDIS
Auliya Nisa, Pembimbing Utama: Dr. dr. Tri Ratnaningsih, M.Kes, Sp.PK. Subsp.B.D.K.T (K), Subsp.H.K (K); Pembim
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Daftar Pustaka

Adams-Huet, B., Zubirán, R., Remaley, A.T., & Jialal, I. (2024). The triglyceride-glucose index is superior to homeostasis model assessment of insulin resistance in predicting metabolic syndrome in an adult population in the United States. *J. Clin. Lipidol.* 18 : e518–e524.

Alberti, K.G.M.M., Eckel, R.H., Grundy, S.M., Zimmet, P.Z., Cleeman, J.I., Donato, K.A., *et al.* (2009). Harmonizing the Metabolic Syndrome: A Joint Interim Statement of the International Diabetes Federation Task Force on Epidemiology and Prevention; National Heart, Lung, and Blood Institute; American Heart Association; World Heart Federation; International Atherosclerosis Society; and International Association for the Study of Obesity. *Circulation* 120 : 1640–1645.

Alvitananda, A.A., Noer, E.R., Syauqy, A., Limijadi, E.K.S., & Pramono, A. (2026). Comparative diagnostic accuracy of the triglyceride/HDL-c ratio and lipid accumulation product index for the early detection of metabolic syndrome among adults with obesity in Indonesia: findings from the 2023 Health Survey. *Arch. Endocrinol. Metab.* 72 : 1–13.

Bowman, C.F., & Nichols, J.H. (2020). Comparison of Accuracy Guidelines for Hospital Glucose Meters. *J. Diabetes Sci. Technol.* 14 : 546–552.

Cao, J., Donato, L., El-Khoury, J.M., Goldberg, A., Meeusen, J.W., & Remaley, A.T. (2024). ADLM Guidance Document on the Measurement and Reporting of Lipids and Lipoproteins. *J. Appl. Lab. Med.* 9 : 1040–1056.

Chary, A., & Hedayati, M. (2022). Review of Laboratory Methods to Determine HDL and LDL Subclasses and Their Clinical Importance. *Rev. Cardiovasc. Med.* 23 : 147.

Chen, R., Li, J., He, D., & Pan, S. (2025). Predictive value of adiposity measures and lipid-related indices for metabolic syndrome in Chinese elderly people at high risk of stroke. *PLOS One* 20 : e0328275.

Chen, X., Zhao, Y., Sun, J., Jiang, Y., & Tang, Y. (2024). Identification of metabolic syndrome using lipid accumulation product and cardiometabolic index based on NHANES data from 2005 to 2018. *Nutr. Metab.* 21 : 96.

Chen, Z., Liu, L., Zhuang, X., Zhang, Y., Ma, Y., Liu, Y., *et al.* (2023). Lipid accumulation product is a better predictor of metabolic syndrome in Chinese adolescents: a cross-sectional study. *Front. Endocrinol.* 14 : 1179990.

Codazzi, V., Frontino, G., Galimberti, L., Giustina, A., & Petrelli, A. (2023). Mechanisms and risk factors of metabolic syndrome in children and adolescents. *Endocrine* 84 : 16–28.

Couto, A.N., Pohl, H.H., Bauer, M.E., & Schwanke, C.H.A. (2023). Accuracy of the triglyceride-glucose index as a surrogate marker for identifying metabolic syndrome in non-diabetic individuals. *Nutrition* 109 : 111978.

Dele-Ojo, B.F., Raimi, T.H., Fadare, J.O., Dada, S.A., Ajayi, E.A., Ajayi, D.D., *et al.* (2021). Association between metabolic syndrome and healthcare work status in Ekiti State, Nigeria. *2021*.

UNIVERSITAS GADJAH MADA
VALIDITAS DIAGNOSTIK INDEKS TERKAIT LIPID DAN OBESITAS UNTUK DETEKSI SINDROM METABOLIK PADA TENAGA MEDIS
Auliya Nisa, Pembimbing Utama: Dr. dr. Tri Ratnaningsih, M.Kes, Sp.PK. Subsp.B.D.K.T (K), Subsp.H.K (K); Pembim
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Dewi, D.I., Puspodewi, D., & Farabi, M.F. (2025). PERBEDAAN KADAR TRIGLISERIDA TIDAK PUASA DENGAN PUASA 8 JAM DAN PUASA 12 JAM.

Di Gioia, G., Ferrera, A., Celeski, M., Mistrulli, R., Lemme, E., Mango, F., *et al.* (2024). Lipid Accumulation Product and Cardiometabolic Index as Effective Tools for the Identification of Athletes at Risk for Metabolic Syndrome. *Life* 14 : 1452.

Dieny, F.F., Tsani, A.F.A., & Suryawati, S. (2022). Visceral Adiposity Index and Lipid Accumulation Product Related to Insulin Resistance and Metabolic Syndrome in Obese College Students. *Open Access Maced. J. Med. Sci.* 10 : 667–673.

El-Sehrawy, A.A.M.A., Bahriz, R., Abduljawad, S., Abdelrahim, I.M., Alanazi, M.A., Maashi, M.S., *et al.* (2026). Lipid accumulation product (LAP): a key indicator for metabolic dysregulation and inflammatory status in obesity. *Sci. Rep.* 16 : 24452.

Fahed, G., Aoun, L., Bou Zerdan, Morgan, Allam, S., Bou Zerdan, Maroun, Bouferraa, Y., *et al.* (2022). Metabolic Syndrome: Updates on Pathophysiology and Management in 2021. *Int. J. Mol. Sci.* 23 : 786.

Farmanfarma, K., Ansari-Moghaddam, A., Kaykhaei, M., Mohammadi, M., Adineh, H., & Aliabd, H. (2021). Incidence of and factors associated with metabolic syndrome, south-east Islamic Republic of Iran. *East. Mediterr. Health J.* 27 : 1084–1091.

Ferreira, J.R.S., Libardi, M.C., Do Prado, C.B., Zandonade, E., Bezerra, O.M.D.P.A., & Salaroli, L.B. (2025). Predicting metabolic syndrome by lipid accumulation product, visceral adiposity index and body roundness index in Brazilian rural workers. *BMC Public Health* 25 : 544.

França, C.N., Mendes, C.C., & Ferreira, C.E.S. (2018). Time collection and storage conditions of lipid profile. *Braz. J. Med. Biol. Res.* 51 : e6955.

Gounden, V., Devaraj, S., & Jialal, I. (2024). The role of the triglyceride-glucose index as a biomarker of cardio-metabolic syndromes. *Lipids Health Dis.* 23 : 416.

Gui, J., Li, Y., Liu, H., Guo, L., Li, Jinlong, Lei, Y., *et al.* (2023). Obesity- and lipid-related indices as a predictor of obesity metabolic syndrome in a national cohort study. *Front. Public Health* 11 : 1073824.

Haidar, S., Mahboub, N., Papandreou, D., Abboud, M., & Rizk, R. (2024). Triglyceride and Glucose Index as an Optimal Predictor of Metabolic Syndrome in Lebanese Adults. *Nutrients* 16 : 3718.

Hamooya, B.M., Siame, L., Muchaili, L., Masenga, S.K., & Kirabo, A. (2025). Metabolic syndrome: epidemiology, mechanisms, and current therapeutic approaches. *Front. Nutr.* 12 : 1661603.

Hassanein, S., Al Khatib, A., AlMoosa, O., & Abdrbo, A. (2025). Obesity Among Healthcare Workers in Al Ahsa, Saudi Arabia: Prevalence, Predictors, and Workplace Health Implications. *Healthcare* 13 : 528.

Herningtyas, E.H., & Ng, T.S. (2019). Prevalence and distribution of metabolic syndrome and its components among provinces and ethnic groups in Indonesia. *BMC Public Health* 19 : 377.

UNIVERSITAS GADJAH MADA
VALIDITAS DIAGNOSTIK INDEKS TERKAIT LIPID DAN OBESITAS UNTUK DETEKSI SINDROM METABOLIK PADA TENAGA MEDIS
Auliya Nisa, Pembimbing Utama: Dr. dr. Tri Ratnaningsih, M.Kes, Sp.PK. Subsp.B.D.K.T (K), Subsp.H.K (K); Pembim
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hosseini, A., Ebrahimzadehkour, B., & Jowshan, M.-R. (2025). Association of surrogate indices of insulin resistance with hypertension: a cross-sectional analysis from PERSIAN Dena cohort study (PDCS). *Sci. Rep.* 15 : 44723.

Huang, P.L. (2009). A comprehensive definition for metabolic syndrome. *Dis. Model. Mech.* 2 : 231–237.

Indrayani, A.A.S.M. (2019). Analisis Kadar Trigliserida dan HDL (High Density Lipoprotein) Pada Tenaga Farmasi di Apotek Indobat Denpasar. *J. MUHAMMADIYAH Med. Lab. Technol.* 2 : 18.

International Diabetes Federation (2005). The IDF consensus worldwide definition of the metabolic syndrome. *Obes. Metab.* 2 : 47–49.

Islam, Md.S., Wei, P., Suzauddula, M., Nime, I., Feroz, F., Acharjee, M., *et al.* (2024). The interplay of factors in metabolic syndrome: understanding its roots and complexity. *Mol. Med.* 30 : 279.

Islam, S.M.T., Osa-Andrews, B., Jones, P.M., Muthukumar, A.R., Hashim, I., & Cao, J. (2022). Methods of low-density lipoprotein-cholesterol measurement: analytical and clinical applications. *2022*.

Kahn, S.E., Hull, R.L., & Utzschneider, K.M. (2006). Mechanisms linking obesity to insulin resistance and type 2 diabetes. *Nature* 444 : 840–846.

Li, Y., Gui, J., Liu, H., Guo, L., Li, Jinlong, Lei, Y., *et al.* (2023). Predicting metabolic syndrome by obesity- and lipid-related indices in mid-aged and elderly Chinese: a population-based cross-sectional study. *Front. Endocrinol.* 14 : 1201132.

Liang, Z., Jin, W., Huang, L., & Chen, H. (2024). Body mass index, waist circumference, hip circumference, abdominal volume index, and cognitive function in older Chinese people: a nationwide study. *BMC Geriatr.* 24 : 925.

Liu, W., Xu, L., Yu, Y., Qiao, L., Zhang, L., Chu, X., *et al.* (2025). Correlation Between Lipid Accumulation Product and Metabolic Dysfunction-Associated Steatotic Liver Disease in Chinese Adults with Type 2 Diabetes Mellitus. *Diabetes Metab. Syndr. Obes.* Volume 18 : 2007–2017.

Mirr, M., Skrypnik, D., Bogdański, P., & Owecki, M. (2021a). Newly proposed insulin resistance indexes called TyG-NC and TyG-NHtR show efficacy in diagnosing the metabolic syndrome. *J. Endocrinol. Invest.* 44 : 2831–2843.

Mohamed, S.M., Shalaby, M.A., El-Shiekh, R.A., El-Banna, H.A., Emam, S.R., & Bakr, A.F. (2023). Metabolic syndrome: risk factors, diagnosis, pathogenesis, and management with natural approaches. *Food Chem. Adv.* 3 : 100335.

Musa, A.H., N, I., I., & M, D., M. (2023). Evaluation of Metabolic Syndrome Using Lipid Accumulation Products, Visceral Adiposity Index and Body Mass Index in Apparently Healthy Students of University of Maiduguri. *East Afr. Sch. J. Med. Sci.* 6 : 100–107.

Nabipoorashrafi, S.A., Seyedi, S.A., Rabizadeh, S., Ebrahimi, M., Ranjbar, S.A., Reyhan, S.K., *et al.* (2022). The accuracy of triglyceride-glucose (TyG) index for the screening of metabolic syndrome in adults: A systematic review and meta-analysis. *Nutr. Metab. Cardiovasc. Dis.* 32 : 2677–2688.

UNIVERSITAS GADJAH MADA
VALIDITAS DIAGNOSTIK INDEKS TERKAIT LIPID DAN OBESITAS UNTUK DETEKSI SINDROM METABOLIK PADA TENAGA MEDIS
Auliya Nisa, Pembimbing Utama: Dr. dr. Tri Ratnaningsih, M.Kes, Sp.PK. Subsp.B.D.K.T (K), Subsp.H.K (K); Pembim
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Nakajima, Y., Yamanishi, H., & Matsuura, N. (2013). Present Status of the Standardization of HDL-C, LDL-C, and TG Measurement Values Available in Japan: Present Status of the Standardization of Lipid Assays. *J. Clin. Lab. Anal.* 27 : 195–203.

Nakamura, M., Iso, H., Kitamura, A., Imano, H., Noda, H., Kiyama, M., *et al.* (2016). Comparison between the triglycerides standardization of routine methods used in Japan and the chromotropic acid reference measurement procedure used by the CDC Lipid Standardization Programme. *Ann. Clin. Biochem. Int. J. Lab. Med.* 53 : 632–639.

Ning Sulistiyowati, Sudikno Sudikno, Olwin Nainggolan, Christiana Rialine Titaley, Windy Pradita Adyarani, & Dwi Hapsari (2022). Risk factors for the metabolic syndrome in non-obese older Indonesians. *Asia Pac. J. Clin. Nutr.* 31.

Noubiap, J.J., Nansseu, J.R., Lontchi-Yimagou, E., Nkeck, J.R., Nyaga, U.F., Ngouo, A.T., *et al.* (2022). Geographic distribution of metabolic syndrome and its components in the general adult population: A meta-analysis of global data from 28 million individuals. *Diabetes Res. Clin. Pract.* 188 : 109924.

Noubiap, J.J., Nansseu, J.R., Nyaga, U.F., Ndoadoumgue, A.L., Ngouo, A.T., Tounouga, D.N., *et al.* (2025). Worldwide trends in metabolic syndrome from 2000 to 2023: a systematic review and modelling analysis. *Nat. Commun.* 17 : 573.

Nwankwo, M., Okamkpa, C.J., & Danborno, B. (2022). Comparison of diagnostic criteria and prevalence of metabolic syndrome using WHO, NCEP-ATP III, IDF and harmonized criteria: A case study from urban southeast Nigeria. *Diabetes Metab. Syndr. Clin. Res. Rev.* 16 : 102665.

Paramanathan, T., Sandrasegarampillai, B., Arasaratnam, V., & Thirunavukarasu, K. (2024). The discriminative ability of the triglyceride-glucose index to identify metabolic syndrome among adults of the northern Sri Lankan population. *BMC Endocr. Disord.* 24 : 101.

Pietroiusti, A., Neri, A., Somma, G., Coppeta, L., Iavicoli, I., Bergamaschi, A., *et al.* (2010). Incidence of metabolic syndrome among night-shift healthcare workers. *Occup. Environ. Med.* 67 : 54–57.

Ranasinghe, P., Mathangasinghe, Y., Jayawardena, R., Hills, A.P., & Misra, A. (2017). Prevalence and trends of metabolic syndrome among adults in the asia-pacific region: a systematic review. *BMC Public Health* 17 : 101.

Rochlani, Y., Pothineni, N.V., Kovelamudi, S., & Mehta, J.L. (2017). Metabolic syndrome: pathophysiology, management, and modulation by natural compounds. *Ther. Adv. Cardiovasc. Dis.* 11 : 215–225.

Rus, M., Crisan, S., Andronie-Cioara, F.L., Indries, M., Marian, P., Pobirci, O.L., *et al.* (2023). Prevalence and Risk Factors of Metabolic Syndrome: A Prospective Study on Cardiovascular Health. *Medicina (Mex.)* 59 : 1711.

Russell, J.B.W., Koroma, T.R., Sesay, S., Samura, S.K., Lakoh, S., Bockarie, A., *et al.* (2024). Prevalence and correlates of metabolic syndrome among adults in Freetown, Sierra Leone: A comparative analysis of NCEP ATP III, IDF

UNIVERSITAS GADJAH MADA
VALIDITAS DIAGNOSTIK INDEKS TERKAIT LIPID DAN OBESITAS UNTUK DETEKSI SINDROM METABOLIK PADA TENAGA MEDIS
Auliya Nisa, Pembimbing Utama: Dr. dr. Tri Ratnaningsih, M.Kes, Sp.PK. Subsp.B.D.K.T (K), Subsp.H.K (K); Pembim
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

and harmonized ATP III criteria. *Int. J. Cardiol. Cardiovasc. Risk Prev.* 20 : 200236.

Sigit, F.S., Tahapary, D.L., Trompet, S., Sartono, E., Willems Van Dijk, K., Rosendaal, F.R., *et al.* (2020). The prevalence of metabolic syndrome and its association with body fat distribution in middle-aged individuals from Indonesia and the Netherlands: a cross-sectional analysis of two population-based studies. *Diabetol. Metab. Syndr.* 12 : 2.

Soewondo, P., Purnamasari, D., Oemardi, M., Waspadji, S., & Soegondo, S. (2010). Prevalence of Metabolic Syndrome Using NCEP/ATP III Criteria in Jakarta, Indonesia: The Jakarta Primary Non-communicable Disease Risk Factors Surveillance 2006 42.

Son, D.-H., Lee, H.S., Lee, Y.-J., Lee, J.-H., & Han, J.-H. (2022). Comparison of triglyceride-glucose index and HOMA-IR for predicting prevalence and incidence of metabolic syndrome. *Nutr. Metab. Cardiovasc. Dis.* 32 : 596–604.

Sonagra AD, Zubair M, & Motiani A (2024). Hexokinase Method., in: *StatPearls*. Treasure Island (FL) : Treasure Island (FL): StatPearls Publishing.

Sooriyaarachchi, P., Jayawardena, R., Pavey, T., & King, N.A. (2022). Shift work and the risk for metabolic syndrome among healthcare workers: A systematic review and meta-analysis. *Obes. Rev.* 23 : e13489.

Sun, Y., Ji, H., Sun, W., An, X., & Lian, F. (2025). Triglyceride glucose (TyG) index: A promising biomarker for diagnosis and treatment of different diseases. *Eur. J. Intern. Med.* 131 : 3–14.

Tabassum, M., Mozaffor, M., Rahman, M.M., & Huda, R.M. (2022). Lipid Accumulation Product: An Effective Obesity Index to Predict Metabolic Syndrome. *J. Bangladesh Coll. Physicians Surg.* 40 : 5–9.

Tamini, S., Bondesan, A., Caroli, D., & Sartorio, A. (2024). The Lipid Accumulation Product Index (LAP) and the Cardiometabolic Index (CMI) Are Useful for Predicting the Presence and Severity of Metabolic Syndrome in Adult Patients with Obesity. *J. Clin. Med.* 13 : 2843.

Tsai, H.-J., & Tsou, M.-T. (2022). Age, Sex, and Profession Difference Among Health Care Workers With Burnout and Metabolic Syndrome in Taiwan Tertiary Hospital—A Cross-Section Study. *Front. Med.* 9 : 854403.

Wei, X., Min, Y., Song, G., Ye, X., & Liu, L. (2024). Association between triglyceride-glucose related indices with the all-cause and cause-specific mortality among the population with metabolic syndrome. *Cardiovasc. Diabetol.* 23 : 134.

Widjaja, N.A., Arifani, R., & Irawan, R. (2023). Value of waist-to-hip ratio as a predictor of metabolic syndrome in adolescents with obesity: Cut-off value of waist-to-hip ratio. *Acta Biomed. Atenei Parm.* 94 : e2023076.

Widyaningsih, sri, Anniwati, L., & Soemarsono, J. (2012). Perbandingan Pemeriksaan Trigliserida Metode Glycerol Blanking dan Non Glycerol Blanking pada Sirosis Hepatis. *Indones. J. Clin. Pathol. Med. Lab.* 19 : 14–18.

Witarto, B.S., Witarto, A.P., Visuddho, V., Wungu, C.D.K., Maimunah, U., Rejeki, P.S., *et al.* (2024). Gender-specific accuracy of lipid accumulation product

UNIVERSITAS GADJAH MADA
VALIDITAS DIAGNOSTIK INDEKS TERKAIT LIPID DAN OBESITAS UNTUK DETEKSI SINDROM METABOLIK PADA TENAGA MEDIS
Auliya Nisa, Pembimbing Utama: Dr. dr. Tri Ratnaningsih, M.Kes, Sp.PK. Subsp.B.D.K.T (K), Subsp.H.K (K); Pembim
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

index for the screening of metabolic syndrome in general adults: a meta-analysis and comparative analysis with other adiposity indicators. *Lipids Health Dis.* 23 : 198.

Wulandari, S.R., Permatasari, L., Dewi, A.S., Ruella, N., & Utami, W. (2024). Review: Metode-Metode Pemeriksaan Glukosa Darah. *Benzena Pharm. Sci. J.* 3 : 85–95.

Yashavanth, Y.H., & Bharath, B.M. (2017). Comparison of body mass index and lipid accumulation product as a better indicator of metabolic syndrome. *Int. J. Adv. Med.* 4 : 728.

Yeh, W.-C., Chuang, H.-H., Lu, M.-C., Tzeng, I.-S., & Chen, J.-Y. (2018). Prevalence of metabolic syndrome among employees of a taiwanese hospital varies according to profession. *Medicine (Baltimore)* 97 : e11664.

Yousefzadeh, G., Sayyadi, A., Najafipour, H., Sabaghnejad, V., & Pezeshki, S. (2024). Comparing the association of two metabolic syndrome definitions, NCEP ATP III and IDF , with the risk of developing atherosclerotic cardiovascular disease: An analytical CROSS-SECTIONAL study. *Endocrinol. Diabetes Metab.* 7 : e468.

Zahid, M.A., Abdelrahman, A., Raïq, H., Kerkadi, A., & Agouni, A. (2025). Assessing the diagnostic accuracy of biochemical, anthropometric, and combined indices for metabolic syndrome prediction in a cohort from Qatar Biobank. *PLOS One* 20 : e0339340.

Zhang, X., Jia, S., Zhang, Z., Ye, R., Yang, X., & Chen, X. (2022). Association of metabolic syndrome with TyG index and TyG-related parameters in an urban Chinese population: a 15-year prospective study.