UNIVERSITAS
GADJAH MADA
Pengembangan Proses Analisis Citra Podoskop Semiotomatis Berbasis Python untuk Ekstraksi Area Kontak Plantar dan Arch Index
Evelyn Alicia Silaban, Prof. Dr.Eng. Ir. Herianto, S.T., M.Eng., IPU., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Balkó, Š., Tufano, J. J., Jelínek, M., Svoboda, Z., Błaszczyszyn, M., & Vaverka, F. (2022). Influence of school backpack load on plantar foot pressure during walking in 9–11 years old girls. *Central European Journal of Public Health, 30*(3), 185–189. https://doi.org/10.21101/cejph.a7109

Cavanagh, P. R., & Rodgers, M. M. (1987). The arch index: A useful measure from footprints. *Journal of Biomechanics, 20*(5), 547–551. https://doi.org/10.1016/0021-9290(87)90255-7

Deshmukh, A. A., Gujar, L. A., Savarkar, T. S., Deshpande, M. S., & Dhote, P. R. (2025). Intra-rater and inter-rater reliability of novel photographic foot print glass box (PFPGB) method in young healthy adults: An observational, cross-sectional study. *Journal of Orthopaedic Reports, 4*(3), Article 100462. https://doi.org/10.1016/j.jorep.2024.100462

Gates, L. S., Arden, N. K., Hannan, M. T., Roddy, E., Gill, T. K., Hill, C. L., Dufour, A. B., Rathod-Mistry, T., Thomas, M. J., Menz, H. B., Bowen, C. J., & Golightly, Y. M. (2019). Prevalence of foot pain across an international consortium of population-based cohorts. *Arthritis Care & Research, 71*(5), 661–670. https://doi.org/10.1002/acr.23829

Gonzalez, R. C., & Woods, R. E. (2018). *Digital image processing* (4th ed.). Pearson.

Gulle, H., Morrissey, D., Tan, X. L., Cotchett, M., Miller, S. C., Jeffrey, A. B., & Prior, T. (2023). Predicting the outcome of plantar heel pain in adults: A systematic review of prognostic factors. *Journal of Foot and Ankle Research, 16*(1), Article 28. https://doi.org/10.1186/s13047-023-00626-y

Harithasan, D., Singh, D. K. A., & Omar, B. (2017). Changes in plantar pressure, force and contact area when carrying incremental loads among adults with and without low back pain. *Jurnal Sains Kesihatan Malaysia, 15*(2), 83–89. https://doi.org/10.17576/JSKM-2017-1502-11

UNIVERSITAS
GADJAH MADA
Pengembangan Proses Analisis Citra Podoskop Semiotomatis Berbasis Python untuk Ekstraksi Area Kontak Plantar dan Arch Index
Evelyn Alicia Silaban, Prof. Dr.Eng. Ir. Herianto, S.T., M.Eng., IPU., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Heravi, H., Ebrahimi, A., Nikzad, S., Olyaee, E., & Salek Zamani, Y. (2020). Low price foot pressure distribution screening technique: Optical podoscope with accurate footprint segmentation using hidden Markov random field model. *Journal of Biomedical Physics and Engineering, 10*(4), 523–536. https://doi.org/10.31661/jbpe.v0i0.618

La Cruz, A., Zeas P., A. L., Quishpi M., E. A., Campoverde V., J. L., Guamán B., H. K., & Morocho, V. (2014). Clinical validation of footprint analysis using the low cost photo-podoscope JHECA NAWE. *Maskana, 5*, 95–102. https://publicaciones.ucuenca.edu.ec/ojs/index.php/maskana/article/view/541

Maestre-Rendon, J. R., Rivera-Roman, T. A., Sierra-Hernandez, J. M., Cruz-Aceves, I., Contreras-Medina, L. M., Duarte-Galvan, C., & Fernandez-Jaramillo, A. A. (2017). Low computational-cost footprint deformities diagnosis sensor through angles, dimensions analysis and image processing techniques. *Sensors, 17*(11), Article 2700. https://doi.org/10.3390/s17112700

Maharita, A. R., Roza, S., & Izzuna, M. M. G. (2024). *Podoscope for footprint analysis* (Technology Review No. 013/2024). Malaysian Health Technology Assessment Section, Ministry of Health Malaysia. https://www.moh.gov.my/images/04-penerbitan/penerbitan-klinikal/mahtas/FR%20-%20Podoscope_compressed.pdf

Medina, R., Zeas, A. L., Morocho, V., & Bautista, S. (2017). Footprint analysis using a low cost photo-podoscope. In *2017 IEEE Second Ecuador Technical Chapters Meeting (ETCM)* (pp. 1–6). IEEE. https://doi.org/10.1109/ETCM.2017.8247497

Musaid, R., Ghazwan, A., & Al-Saadan, W. A. (2023). A low-cost podoscope for extracting morphological features of the foot. *Periodicals of Engineering and Natural Sciences, 11*(3), 269–280. https://doi.org/10.21533/pen.v11.i3.152

UNIVERSITAS
GADJAH MADA
Pengembangan Proses Analisis Citra Podoskop Semiotomatis Berbasis Python untuk Ekstraksi Area Kontak Plantar dan Arch Index
Evelyn Alicia Silaban, Prof. Dr.Eng. Ir. Herianto, S.T., M.Eng., IPU., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Pau, M., Corona, F., Leban, B., & Pau, M. (2011). Effects of backpack carriage on foot-ground relationship in children during upright stance. *Gait & Posture, 33*(2), 195–199. https://doi.org/10.1016/j.gaitpost.2010.10.096

Pita-Fernández, S., González-Martín, C., Seoane-Pillado, T., López-Calviño, B., Pértega-Díaz, S., & Gil-Guillén, V. (2015). Validity of footprint analysis to determine flatfoot using clinical diagnosis as the gold standard in a random sample aged 40 years and older. *Journal of Epidemiology, 25*(2), 148–154. https://doi.org/10.2188/jea.JE20140082

Qureshi, Y., & Shamus, E. (2012). Unilateral shoulder bags: Can they be worn in a way to reduce postural asymmetry? *The Internet Journal of Allied Health Sciences and Practice, 10*(4), Article 5. https://doi.org/10.46743/1540-580X/2012.1415

Ramírez-Rios, L. Y., Olguín-Tiznado, J. E., Ramos-Acosta, E. R., Inzunza-Gonzalez, E., Cano-Gutiérrez, J. C., García-Guerrero, E. E., & Camargo-Wilson, C. (2025). Toward smarter orthopedic care: Classifying plantar footprints from RGB images using vision transformers and CNNs. *Journal of Imaging, 11*(11), Article 414. https://doi.org/10.3390/jimaging11110414

Raspovic, A., Landorf, K. B., Gazarek, J., & Stark, M. (2012). Reduction of peak plantar pressure in people with diabetes-related peripheral neuropathy: An evaluation of the DH Pressure Relief Shoe™. *Journal of Foot and Ankle Research, 5*(1), Article 25. https://doi.org/10.1186/1757-1146-5-25

Schneider, C. A., Rasband, W. S., & Eliceiri, K. W. (2012). NIH Image to ImageJ: 25 years of image analysis. *Nature Methods, 9*(7), 671–675. https://doi.org/10.1038/nmeth.2089

Schroeder, A. B., Dobson, E. T. A., Rueden, C. T., Tomancak, P., Jug, F., & Eliceiri, K. W. (2021). The ImageJ ecosystem: Open-source software for image visualization, processing, and analysis. *Protein Science, 30*(1), 234–249. https://doi.org/10.1002/pro.3993

UNIVERSITAS
GADJAH MADA
**Pengembangan Proses Analisis Citra Podoskop Semiotomatis Berbasis Python untuk Ekstraksi Area Kontak
Plantar dan Arch Index**
Evelyn Alicia Silaban, Prof. Dr.Eng. Ir. Herianto, S.T., M.Eng., IPU., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Swedler, D. I., Knapik, J. J., Grier, T., & Jones, B. H. (2010). Validity of plantar surface visual assessment as an estimate of foot arch height. *Medicine & Science in Sports & Exercise, 42*(2), 375–380. https://doi.org/10.1249/MSS.0b013e3181b47f01

Szeliski, R. (2022). *Computer vision: Algorithms and applications* (2nd ed.). Springer. https://doi.org/10.1007/978-3-030-34372-9

Toledo, A. de O., Rodrigues, B. K. M. M., Maciel, M. A. M., Lima, P. O. de P., Porto, M. A., & Abdon, A. P. V. (2023). Effect of unilateral bag use on plantar pressures and static balance in women. *Fisioterapia em Movimento, 36*, Article e36109. https://doi.org/10.1590/fm.2023.36109

Trede Filho, R. G., Rodrigues, T. C. P., Brant, A. C., Rodrigues, N. L. M., Mazuquim, B. F., & Richard, J. (2023). Classification of foot type from podography: Correlation of results between six quantitative assessment methods. *Journal of the Foot & Ankle, 17*(1), 29–33. https://doi.org/10.30795/jfootankle.2023.v17.1690

Tse, C. T. F., Ryan, M. B., Dien, J., Scott, A., & Hunt, M. A. (2021). An exploration of changes in plantar pressure distributions during walking with standalone and supported lateral wedge insole designs. *Journal of Foot and Ankle Research, 14*(1), Article 55. https://doi.org/10.1186/s13047-021-00493-5

Ulrich, K. T., & Eppinger, S. D. (2008). *Product design and development* (4th ed.). McGraw-Hill Higher Education.

Vijayakumar, K., Subramanian, R., Senthilkumar, S., & Dineshkumar, D. (2021). An analysis of arches of foot: A comparison between ink foot print method and custom made podoscope device method. *Journal of Pharmaceutical Research International, 33*(34B), 249–256. https://doi.org/10.9734/jpri/2021/v33i34B31866

UNIVERSITAS
GADJAH MADA
Pengembangan Proses Analisis Citra Podoskop Semiotomatis Berbasis Python untuk Ekstraksi Area Kontak Plantar dan Arch Index
Evelyn Alicia Silaban, Prof. Dr.Eng. Ir. Herianto, S.T., M.Eng., IPU., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wibowo, D. B., Haryadi, G. D., & Pratomo, A. W. (2019). Pengembangan pemindai dokumen menjadi pemindai telapak kaki untuk identifikasi *flat foot*. *Jurnal Rekayasa Mesin, 14*(3), 104–112. https://doi.org/10.32497/jrm.v14i3.1639

Wibowo, D. B., Suprihanto, A., Caesarendra, W., Khoeron, S., Glowacz, A., & Irfan, M. (2020). A simple foot plantar pressure measurement platform system using force-sensing resistors. *Applied System Innovation, 3*(3), Article 33. https://doi.org/10.3390/asi3030033

Wicaksono, A., Farmawati, A., Rahmawati, N. T., & Herianto. (2025). Foot arch in Indonesia: A narrative review. *Journal of Hunan University Natural Sciences, 52*(11), 114–120. https://doi.org/10.55463/issn.1674-2974.52.11.10

Xu, L., Gu, H., Zhang, Y., Sun, T., & Yu, J. (2022). Risk factors of flatfoot in children: A systematic review and meta-analysis. *International Journal of Environmental Research and Public Health, 19*(14), Article 8247. https://doi.org/10.3390/ijerph19148247

Zheng, T., Yu, Z., Wang, J., & Lu, G. (2020). A new automatic foot arch index measurement method based on a flexible membrane pressure sensor. *Sensors, 20*(10), Article 2892. https://doi.org/10.3390/s20102892