UNIVERSITAS
GADJAH MADA
Analisis Keragaman Genetik Dan Struktur Populasi Hirschmanniella oryzae Berdasarkan Data Sekuens Di Indonesia Dan GenBank
Valiza Mevianita Hagi Kusuma, Prof. Dr. Ir. Siwi Indarti, M.P. ; Dr. Adyatma Irawan Santosa, S.P., M.Sc. ; Dr. Muham
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Allendorf, F.W., Luikart, G. H., & Aitken, S. N. 2013. *Conservation and the genetics of populations* (2nd ed). Wiley-Blackwell.

Altschul, S. F., Gish, W., Miller., Myers, E. W., & Lipman, D.J. 1990. Basic local alignment search tool. *Journal of Molecular Biology*, 215 (3), 403-410.

Amir, F., Widajati, W., Rahmadhini, N., & Imanadi, L. 2024. Nematoda yang berasosiasi dengan tanaman padi (*Oryza sativa L.*) di Desa Sumberngepoh, Lawang, Kabupaten Malang. Jurnal Agrotek Tropika, 12(4), 757-768.

Archidona-Yuste, A., Navas-Cortés, J.A., Cantalapiedra-Navarrete, C., Palomares-Rius, J.E., & Castillo, P. 2016. Unravelling the biodiversity and molecular phylogeny of needle nematodes of the genus Longidorus (Nematoda: Longidoridae) in olive and a description of six new species. PLOS ONE, 11(1), e0147689.

Beesa, N., Sasnarukkit, A., Jindapunnapat, K., Chinnasri, B. & Chairin, T. 2021. Incidence and characterization of rice root nematodes, *Hirschmanniella mucronata*, from rice fields in Pathum Thani province, Thailand. *Trends in Sciences*, 18(22), 486.

Benson, D. A. 2013. GenBank. Nucleic Acids Research, 41(D1). D36-D42.

Benson, D.A., Cavanaugh, M., Clark, K., Karsch-Mizrachi, I., Lipman, D. J., Ostell, J., & Sayers, E. W. 2018. GenBank. *Nucleic Acids Research*, 4; 46 (D1), D41-D47.

Biek, R., & Real, L.A. 2010. The landscape genetics of infectious disease emergence and spread. Molecular Ecology, 19(17), 3515-3531.

Carneiro, R. M., Almeida, M. R., & Gomes, A. C. 2017. Molecular characterization and phylogenetic relationships among Meloidogyne species from Brazil based on conserved genes. *European Journal of Plant Pathology*, 147(4), 889-907.

Castagnone-Sereno, P., & Danchin, E. G. J. 2014. Diversity and evolution of root-knot nematodes, genus Meloidogyne. *Annual Review of Phytopathology*, 52, 557-581.

Crossley, B. M., J. Bai, A. Glaser, R. Maes, E. Porter, M.L. Killian, T. Clement, & K. Toohey-Kurth. 2020. Guidelines for Sanger sequencing and molecular assay monitoring. Journal of Veterinary Diagnostic Investigation, 32(6): 767-775.

Derycke, S., Backeljau, T., & Moens, T. 2013. Dispersal and gene flow in free-living marine nematodes. *Frontiers in zoology.-London*, *10*(1), 1.

Derycke, S., Vanaverbeke, J., Rigaux, A., Backeljau, T., & Moens, T. 2010. Exploring the use of cytochrome oxidase c subunit 1 (COI) for DNA barcoding of free-living marine nematodes. PLoS ONE, 5(10), e13716.

EFSA Panel on Plant Health (PLH), Jeger, M., Bragard, C., Caffier, D., Candresse, T., Chatzivassiliou, E., & Niere, B. 2018. Pest categorisation of Hirschmanniella spp. EFSA Journal, 16(6), e05297.

Espada, M., Vicente, C.S.L. & Vieira, P. 2025. Molecular insights into migratory plant-parasitic nematodes. *Annual Review of Phytopathology*, 63, 319-344.

Fanelli, E., Troccoli, A., Vovlas, N., Scarcia, G., Mincuzzi, A., Sanzani, S. M., ... & De Luca, F. 2017. Occurrence of Sheraphelenchus sucus (Nematoda: Aphelenchoidinae) and Panagrellus sp.(Rhabditida: Panagrolaimidae)

UNIVERSITAS
GADJAH MADA
Analisis Keragaman Genetik Dan Struktur Populasi Hirschmanniella oryzae Berdasarkan Data Sekuens Di Indonesia Dan GenBank
Valiza Mevianita Hagi Kusuma, Prof. Dr. Ir. Siwi Indarti, M.P. ; Dr. Adyatma Irawan Santosa, S.P., M.Sc. ; Dr. Muham
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

associated with decaying pomegranate fruit in Italy. *Journal of Nematology*, *49*(4), 418.

Fitrianingrum, K., Supramana, S., Kusumah, Y. M., Sobikhin, S., & Quamilla, D. S. 2025. Molecular characterization of the rice root nematode *Hirschmanniella oryzae* from Sukabumi, West Java, Indonesia. IOP Conference Series: Earth and Environmental Science, 1528(1), 012020.

Frankham, R., Ballou, J. D., Ralls, K., Eldridge, M., Dudash, M. R., Fenster, C. B., ... & Sunnucks, P. 2017. *Genetic management of fragmented animal and plant populations*. Oxford University Press.

Hodgetts, J., Ostojá-Strarzewski, J. C., Prior, T., Lawson, R., Hall, J., & Boonham, N. 2016. DNA barcoding for biosecurity: case studies from the UK plant protection program. Genome, 59(11), 1033-1048.

Holsinger, K. E., & Weir, B. S. 2009. Genetics in geographically structured populations: defining, estimating and interpreting F ST. *Nature Reviews Genetics*, *10*(9), 639-650.

Imamura, S. 1931. Nematodes in the paddy field, with notes on their relation to the rice plant. *Journal of the College of Agriculture, Imperial University of Tokyo*, *11*(2), 193-240.

Jones, J. T., Haegeman, A., Danchin, E. G., Gaur, H. S., Helder, J., Jones, M. G., & Perry, R. N. 2013. Top 10 plant-parasitic nematodes in molecular plant pathology. *Molecular plant pathology*, *14*(9), 946-961.

Karssen, G., & Hallmann, J. K. 2022. PM 7/94 (2) Hirschmanniella spp. *EPPO Bulletin*, *52*(2), 314-325.

Katsuta, A., Toyota, K., & Min, Y. Y. 2016. Development of real-time PCR primers for the quantification of Meloidogyne graminicola, *Hirschmanniella oryzae* and *Heterodera cajani*, pests of the major crops in Myanmar. *Nematology*, *18*(3), 257-263.

Kenmotsu, H., Ishikawa, M., Nitta, T., Hirose, Y., & Eki, T. 2021. Distinct community structures of soil nematodes from three ecologically different sites revealed by high-throughput amplicon sequencing of four 18S ribosomal RNA gene regions. PLoS ONE, 16(4), e0249571.

Kenmotsu, H., Takabayashi, E., Takase, A., Hirose, Y., & Eki, T. 2021. Use of universal primers for the 18S ribosomal RNA gene and whole soil DNAs to reveal the taxonomic structures of soil nematodes by high-throughput amplicon sequencing. *PloS one*, *16*(11), e0259842.

Khun, K., Decraemer, W., Couvreur, M., Karssen, G., Steel, H., & Bert, W. 2015. Deceptive morphological variation in *Hirschmanniella mucronata* (Nematoda: Pratylenchidae) and polytomous key to the genus. Nematology, 17(4), 377-400.

Knot, I. E., Zouganelis, G. D., Weedall, G. D., Wich, S. A., & Rae, R. 2020. DNA barcoding of nematodes using the MinION. *Frontiers in Ecology and Evolution*, *8*, 100.

Kumar, S., Stecher, G., & Tamura, K. 2016. MEGA7: Molecular Evolutionary Genetics Analysis Version 7.0 for Bigger Datasets. Molecular Biology and Evolution, 33(7), 1870–1874.

Kurniawati, F., Muchtar, P. A., & Munif, A. 2025. Molecular characterization of the

UNIVERSITAS GADJAH MADA
Analisis Keragaman Genetik Dan Struktur Populasi Hirschmanniella oryzae Berdasarkan Data Sekuens Di Indonesia Dan GenBank
Valiza Mevianita Hagi Kusuma, Prof. Dr. Ir. Siwi Indarti, M.P. ; Dr. Adyatma Irawan Santosa, S.P., M.Sc. ; Dr. Muham
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

rice root nematode *Hirschmanniella oryzae* from Sukabumi, West Java Indonesia. *IOP Conference Series*: *Earth and Environmental Science*, *1528* (1), 012020.

Maw, H. H., & Kyi, A. Biology of Rice Root Nematode *Hirschmanniella oryzae* (Luc & Godey, 1964) in Hlaing Tharyar Township. 2019. University of Yangon Research Journal 9(2), 492-498.

Meldal, B. H., Debenham, N. J., De Ley, P., De Ley, I. T., Vanfleteren, J. R., Vierstraete, A. R., & Blaxter, M. L. 2007. An improved molecular phylogeny of the Nematoda with special emphasis on marine taxa. Molecular Phylogenetics and Evolution, 42(3), 622-636.

Montarry, J., Mimee, B., Danchin, E. G. J. & Favery, B. 2021. Recent advences in population genomics of plant-parasitic nemtodes. *Phytopathology*, 111(8), 1314-1327.

Mundt, C. C. 2014. Durable resistance: A key to sustainable management of pathogens and pests. Infection, Genetics and Evolution, 27, 446-455.

Mwamula, A. O., Lim, T. H., Kim, Y., Lee, H. W., Kim, Y. H., & Lee, D. W. 2022. Morphological Variation in the Rice Root Nematode, *Hirschmanniella oryzae* (van Breda de Haan, 1902) Luc & Goodey, 1964 from Korea, with Inferences from its Ribosomal and Mitochondrial DNA. Journal of Nematology, 54(1), 20220055.

Nahar, K., Kyndt, T., Nzogela, Y. B., & Gheysen, G. 2012. Abscisic acid interacts antagonistically with classical defense pathways in rice–migratory nematode interaction. *New Phytologist*, *196*(3), 901-913.

National Center for Biotechnology Information (NCBI). (2026). GenBank Nucleotide Database. US National Library of Medicine. Diakses dari https://www.ncbi.nlm.nih.gov/ dengan nomor akses: LC928503, LC902553, LC902552, LC902551, LC902550, LC902549, LC902548, MK205364, LC906615, EU722286, DQ309588.

Ndirangu, K. J., Pili, N. N., Chelal, J., Biwot, J., & Kandie, F. 2024. Occurrence of plant-parasitic nematodes on rice (*Oryza sativa*) in Kenya with a focus on *Hirschmanniella oryzae*. Nematology, 26(10), 1179-1194.

Nei, M., & Kumar, S. 2000. Molecular evolution and phylogenetics. Oxford university press.

Nurfaatiha, R. A. 2024. Sebaran nematoda akar padi (*Hirschmanniella oryzae*) pada tiga kecamatan di kabupaten Gunung Kidul, pada musim kemarau tahun 2023. Skripsi. Program Studi Proteksi Tanaman, Fakultas Pertanian, Universitas Gadjah Mada, Yogyakarta.

Oliveira, C, M. G., Monteiro, A. R., & Blok, V. C. 2011. Morphological and molecular diagnostics for plant-parasitic nematodes: working together to get the identification done. Tropical Plant Pathology, 36, 6-14.

Özbek, Ö. 2024. Molecular markers used to reveal genetic diversity and phylogenetic relationships in crop plants. *OBM Genetics*, *8*(4), 1-25

Palomares-Rius, J. E., Guesmi, I., Horrigue-Raouani, N., Cantalapiedra-Navarrete, C., Liébanas, G., & Castillo, P. 2014. Morphological and molecular characterisation of Pratylenchus oleae n. sp.(Nematoda: Pratylenchidae) parasitizing wild and cultivated olives in Spain and Tunisia. *European Journal of Plant Pathology*, *140*(1), 53-67.

UNIVERSITAS
GADJAH MADA
Analisis Keragaman Genetik Dan Struktur Populasi Hirschmanniella oryzae Berdasarkan Data Sekuens Di Indonesia Dan GenBank
Valiza Mevianita Hagi Kusuma, Prof. Dr. Ir. Siwi Indarti, M.P. ; Dr. Adyatma Irawan Santosa, S.P., M.Sc. ; Dr. Muham
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Panjerrino, Y. G., Dewi, B. S., & Swibawa, I. G. 2019. Keanekaragaman Nematoda Tanah di Blok Pemanfaatan Hutan Pendidikan Konservasi Terpadu Taman Hutan Raya Wan Abdul Rachman (Diversity of Soil Nematode in Utilization Block Integrated Educational Conservation Forest, Wan Abdul Rachman Great Forest Park). *Jurnal Sylva Lestari*, *7*(2), 214-224.

Powers, T. 2004. Nematode molecular diagnostics: from bands to barcodes. Annual Review of Phytopathology, 42(1), 367-383.

Rambaut, A. 2018. How to read phylogenetic tree. <https:/artic network/how-to-read-a-tree.html>. Diakses online pada 5 Mei 2026.

Rozas, J., Ferrer-Mata, A., Sánchez-DelBarrio, J. C., Guirao-Rico, S., Librado, P., Ramos-Onsins, S. E., & Sánchez-Gracia, A. 2017. DnaSP 6: DNA sequence polymorphism analysis of large data sets. *Molecular biology and evolution*, *34*(12), 3299-3302.

Rusinque, L., Maleita, C., Abrantes, I., Palomares-Rius, J. E. & Inácio, M. L. 2021. *Meloidogyne graminicola* a threat to rice production: review update on distribution, biology, identification, and management. *Biology*, 10(11), 1163.

Sanderson, M. J., Boss, D., Chen, D., Cranston, K. A., & Wehe, A. 2008. The PhyLoTA Browser: processing GenBank for molecular phylogenetics research. *Systematic Biology*, *57*(3), 335-346.

Singh, P. R., Karssen, G., Couvreur, M., Subbotin, S. A., & Bert, W. 2021. Integrative taxonomy and molecular phylogeny of the plant-parasitic nematode genus Paratylenchus (Nematoda: Paratylenchinae): Linking species with molecular barcodes. *Plants*, *10*(2), 408.

Subbotin, S. A., Ragsdale, E. J., Mullens, T., Roberts, P. A., Mundo-Ocampo, M., & Baldwin, J. G. 2008. A phylogenetic framework for root lesion nematodes of the genus Pratylenchus (Nematoda): Evidence from 18S and D2–D3 expansion segments of 28S ribosomal RNA genes and morphological characters. *Molecular phylogenetics and evolution*, *48*(2), 491-505.

Supajariyapong, S. 2025. Genetic Structure and Diversity of Rice Root Nematode *Hirschmanniella* spp. in Thailand. Agronomy.

Suwanngam, A., Schiffer, P. H., Sasnarukkit, A., & Chinnasari, B. 2025. Diagnosis of plant parasitic nematodes in aquatic plants using molecular methods. *EPPO Reporting Service*, (7), Report on new pest records and nematode detections in export aquatic plants.

Taheri, Z. M., Maafi, Z. T., Subbotin, S. A., Pourjam, E., & Eskandari, A. 2013. Molecular and phylogenetic studies on Pratylenchoides from Iran with additional data on *Pratylenchus delattrei*, *Pratylenchoides alkani* and two unknown species of *Hirschmanniella* and *Pratylenchus*. Nematology, 15 (6), 633-651.

Takagi, M., Sekimoto, S., Mizukubo, T., Wari, D., Akiba, M., Perry, R. N., & Toyota, K. 2022. Geographical distribution and phylogenic relationships of Hirschmanniella diversa Sher (Nematoda: Pratylenchidae) in Japan. *Nematology*, *25*(1), 45-58.

Tamura, K., Stecher, G., & Kumar, S. 2021. MEGA11: Molecular Evolutionary Genetics Analysis Version 11. Molecular Biology and Evolution, 38(7),

UNIVERSITAS
GADJAH MADA
Analisis Keragaman Genetik Dan Struktur Populasi Hirschmanniella oryzae Berdasarkan Data Sekuens Di Indonesia Dan GenBank
Valiza Mevianita Hagi Kusuma, Prof. Dr. Ir. Siwi Indarti, M.P. ; Dr. Adyatma Irawan Santosa, S.P., M.Sc. ; Dr. Muham
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

3022-3027.

Topalović, O., & Geisen, S. 2023. Nematodes as suppressors and facilitators of plant performance. *New Phytologist*, *238*(6), 2305-2312.Trevisan, R., de Souza, J. T., & Tsai, S.M. 2022. Metagenomic insights into *Hirschmanniella oryzae* biodiversity and rhizospere interactions in flooded rice fields.

Venkadesh, G., Islam, M. N., Mondal, S., Somvanshi, V. S., & Khan, M. R. 2026. Morphological and molecular characterisation of *Hirschmanniella paramucronata n.sp*. associated with rice from India. Scientific Reports, 16, 13764.

Yang, Z. 2014. *Molecular evolution: a statistical approach*. Oxford University Press.