UNIVERSITAS
GADJAH MADA
**Analisis Perbandingan Kualitas Pembuatan Flashcard Berbasis Large Language Model Dari Video Youtube
Dan Dokumen Pada Sistem Pembelajaran Spaced Repetition**
Devrangga Hazza Mahiswara, Dinar Nugroho Pratomo, S.Kom., M.IM., M.Cs.
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

# DAFTAR PUSTAKA

[1] IMARC Group, "Indonesia Edtech Market Size, Share, Trends and Forecast by Sector, Type, Deployment Mode, End User, and Region, 2026-2034," IMARC Group, 2026. [Online]. Available: https://www.imarcgroup.com/indonesia-edtech-market

[2] MarketGrowthReports, "Education Technology (Ed Tech) Market Size, Share, Growth, and Industry Analysis, Regional Insights and Forecast to 2035," MarketGrowthReports, 2026.

[3] J. M. J. Murre and J. Dros, "Replication and Analysis of Ebbinghaus' Forgetting Curve," *PLOS ONE*, vol. 10, no. 7, p. e0120644, 2015, doi: 10.1371/journal.pone.0120644.

[4] N. J. Cepeda, H. Pashler, E. Vul, J. T. Wixted, and D. Rohrer, "Distributed Practice in Verbal Recall Tasks: A Review and Quantitative Synthesis," *Psychol. Bull.*, vol. 132, no. 3, pp. 354–380, 2006, doi: 10.1037/0033-2909.132.3.354.

[5] H. L. Roediger and J. D. Karpicke, "Test-Enhanced Learning: Taking Memory Tests Improves Long-Term Retention," *Psychol. Sci.*, vol. 17, no. 3, pp. 249–255, 2006, doi: 10.1111/j.1467-9280.2006.01693.x.

[6] J. D. Karpicke and H. L. Roediger, "The Critical Importance of Retrieval for Learning," *Science*, vol. 319, no. 5865, pp. 966–968, 2008, doi: 10.1126/science.1152408.

[7] D. W. Price *et al.*, "The effect of spaced repetition on learning and knowledge transfer in a large cohort of practicing physicians," *Acad. Med.*, vol. 100, no. 1, pp. 94–102, 2025, doi: 10.1097/ACM.0000000000005856.

[8] P. Woźniak and E. Gorzelańczyk, "Optimization of repetition spacing in the practice of learning," *Acta Neurobiol. Exp. (Warsz.)*, vol. 54, no. 1, pp. 59–62, 1994.

[9] H. Nour, D. M. Harris, and H. S. Nour, "Utilization Patterns and Perceptions of a Spaced Repetition Flashcard Program, Anki, Among First-Year Medical Students," *Cureus*, vol. 17, no. 10, p. e95674, 2025, doi: 10.7759/cureus.95674.

[10] A. Vaswani *et al.*, "Attention Is All You Need," in *Advances in Neural Information Processing Systems*, 2017. [Online]. Available: https://arxiv.org/abs/1706.03762

[11] G. Kurdi, J. Leo, B. Parsia, U. Sattler, and S. Al-Emari, "A Systematic Review of Automatic Question Generation for Educational Purposes," *Int. J. Artif. Intell. Educ.*, vol. 30, no. 1, pp. 121–204, 2020, doi: 10.1007/s40593-019-00186-y.

[12] N. Nair, S. Pikle, and S. Save, "FlashMe: Automatic Flashcard Generation," in *Proc. 14th International Conference on Computing Communication and Networking Technologies (ICCCNT)*, IEEE, 2023. doi: 10.1109/ICCCNT56998.2023.10308164.

[13] Y. Cheng, Y. Ding, D. Pascual, O. Richter, M. Volk, and R. Wattenhofer, "WikiFlash: Generating Flashcards from Wikipedia Articles," in *Neural Information Processing (ICONIP 2021)*, in Lecture Notes in Computer

UNIVERSITAS
GADJAH MADA
**Analisis Perbandingan Kualitas Pembuatan Flashcard Berbasis Large Language Model Dari Video Youtube
Dan Dokumen Pada Sistem Pembelajaran Spaced Repetition**
Devrangga Hazza Mahiswara, Dinar Nugroho Pratomo, S.Kom., M.IM., M.Cs.
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Science, vol. 13111. Springer, 2021, pp. 138–149. doi: 10.1007/978-3-030-92273-3_12.

[14] J. Doughty *et al.*, "A comparative study of AI-generated (GPT-4) and human-crafted MCQs in programming education," in *Proceedings of the 26th Australasian Computing Education Conference*, ACM, 2024, pp. 114–123. doi: 10.1145/3636243.3636256.

[15] J. Su, J. Ye, L. Nie, Y. Cao, and Y. Chen, "Optimizing Spaced Repetition Schedule by Capturing the Dynamics of Memory," *IEEE Trans. Knowl. Data Eng.*, vol. 35, no. 10, pp. 10085–10097, 2023, doi: 10.1109/TKDE.2023.3251721.

[16] Y. Tomikawa, A. Suzuki, and M. Uto, "Adaptive Question–Answer Generation With Difficulty Control Using Item Response Theory and Pretrained Transformer Models," *IEEE Trans. Learn. Technol.*, vol. 17, pp. 2186–2198, 2024, doi: 10.1109/TLT.2024.3492214.

[17] D. Rohrer, R. F. Dedrick, and K. Burgess, "The benefit of interleaved mathematics practice is not limited to superficially similar kinds of problems," *Psychon. Bull. Rev.*, vol. 21, no. 5, pp. 1323–1330, 2014, doi: 10.3758/s13423-014-0588-3.

[18] D. Rohrer, R. F. Dedrick, and S. Stershic, "Interleaved practice improves mathematics learning," *J. Educ. Psychol.*, vol. 107, no. 3, pp. 900–908, 2015, doi: 10.1037/edu0000001.

[19] J. Dunlosky, K. A. Rawson, E. J. Marsh, M. J. Nathan, and D. T. Willingham, "Improving students' learning with effective learning techniques: Promising directions from cognitive and educational psychology," *Psychol. Sci. Public Interest*, vol. 14, no. 1, pp. 4–58, 2013, doi: 10.1177/1529100612453266.

[20] N. Kornell and R. A. Bjork, "Learning concepts and categories: Is spacing the 'enemy of induction'?," *Psychol. Sci.*, vol. 19, no. 6, pp. 585–592, 2008, doi: 10.1111/j.1467-9280.2008.02127.x.

[21] Y. Dudai, A. Karni, and J. Born, "The consolidation and transformation of memory," *Neuron*, vol. 88, no. 1, pp. 20–32, 2015, doi: 10.1016/j.neuron.2015.09.040.

[22] J. D. Karpicke and J. R. Blunt, "Retrieval Practice Produces More Learning than Elaborative Studying with Concept Mapping," *Science*, vol. 331, no. 6018, pp. 772–775, 2011, doi: 10.1126/science.1199327.

[23] H. L. Roediger III, A. L. Putnam, and M. A. Smith, "Ten Benefits of Testing and Their Applications to Educational Practice," in *Psychology of Learning and Motivation*, vol. 55, J. P. Mestre and B. H. Ross, Eds., Academic Press, 2011, pp. 1–36. doi: 10.1016/B978-0-12-387691-1.00001-6.

[24] R. A. Bjork, "Memory and Metamemory Considerations in the Training of Human Beings," in *Metacognition: Knowing about Knowing*, J. Metcalfe and A. P. Shimamura, Eds., Cambridge, MA: MIT Press, 1994, pp. 185–205.

[25] M. A. Pyc and K. A. Rawson, "Testing the Retrieval Effort Hypothesis: Does Greater Difficulty Correctly Recalling Information Lead to Higher Levels of Memory?," *J. Mem. Lang.*, vol. 60, no. 4, pp. 437–447, 2009, doi: 10.1016/j.jml.2009.01.004.

UNIVERSITAS
GADJAH MADA
**Analisis Perbandingan Kualitas Pembuatan Flashcard Berbasis Large Language Model Dari Video Youtube
Dan Dokumen Pada Sistem Pembelajaran Spaced Repetition**
Devrangga Hazza Mahiswara, Dinar Nugroho Pratomo, S.Kom., M.IM., M.Cs.
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

[26] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, "BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding," in *Proc. Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (NAACL-HLT)*, ACL, 2019, pp. 4171–4186. doi: 10.18653/v1/N19-1423.

[27] C. Raffel *et al.*, "Exploring the Limits of Transfer Learning with a Unified Text-to-Text Transformer," *J. Mach. Learn. Res.*, vol. 21, no. 140, pp. 1–67, 2020.

[28] M. Shao, A. Basit, R. Karri, and M. Shafique, "Survey of Different Large Language Model Architectures: Trends, Benchmarks, and Challenges," *IEEE Access*, vol. 12, pp. 188664–188706, 2024, doi: 10.1109/ACCESS.2024.3482107.

[29] T. B. Brown *et al.*, "Language Models are Few-Shot Learners," in *Advances in Neural Information Processing Systems*, 2020, pp. 1877–1901. [Online]. Available: https://proceedings.neurips.cc/paper/2020/hash/1457c0d6bfcb4967418bfb8ac142f64a-Abstract.html

[30] P. F. Christiano, J. Leike, T. Brown, M. Martic, S. Legg, and D. Amodei, "Deep Reinforcement Learning from Human Preferences," in *Advances in Neural Information Processing Systems*, 2017. [Online]. Available: https://proceedings.neurips.cc/paper/2017/hash/d5e2c0adad503c91f91df240d0cd4e49-Abstract.html

[31] L. Ouyang *et al.*, "Training language models to follow instructions with human feedback," in *Advances in Neural Information Processing Systems*, 2022, pp. 27730–27744. [Online]. Available: https://proceedings.neurips.cc/paper_files/paper/2022/hash/b1efde53be364a73914f58805a001731-Abstract-Conference.html

[32] N. Houlsby *et al.*, "Parameter-Efficient Transfer Learning for NLP," in *Proc. 36th International Conference on Machine Learning (ICML)*, PMLR, 2019, pp. 2790–2799. [Online]. Available: https://proceedings.mlr.press/v97/houlsby19a.html

[33] P. Liu, W. Yuan, J. Fu, Z. Jiang, H. Hayashi, and G. Neubig, "Pre-train, Prompt, and Predict: A Systematic Survey of Prompting Methods in Natural Language Processing," *ACM Comput. Surv.*, vol. 55, no. 9, pp. 1–35, 2023, doi: 10.1145/3560815.

[34] J. Wei *et al.*, "Chain-of-Thought Prompting Elicits Reasoning in Large Language Models," in *Advances in Neural Information Processing Systems*, 2022, pp. 24824–24837. [Online]. Available: https://proceedings.neurips.cc/paper_files/paper/2022/hash/9d5609613524ecf4f15af0f7b31abca4-Abstract-Conference.html

[35] H. Kumar *et al.*, "Impact of Guidance and Interaction Strategies for LLM Use on Learner Performance and Perception," *Proc ACM Hum-Comput Interact*, vol. 8, no. CSCW2, p. Article 499, 2024, doi: 10.1145/3687038.

[36] D. De Silva, N. Mills, M. El-Ayoubi, M. Manic, and D. Alahakoon, "ChatGPT and Generative AI Guidelines for Addressing Academic Integrity and Augmenting Pre-Existing Chatbots," in *Proc. 24th IEEE International*

UNIVERSITAS
GADJAH MADA
**Analisis Perbandingan Kualitas Pembuatan Flashcard Berbasis Large Language Model Dari Video Youtube**
**Dan Dokumen Pada Sistem Pembelajaran Spaced Repetition**
Devrangga Hazza Mahiswara, Dinar Nugroho Pratomo, S.Kom., M.IM., M.Cs.
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

*Conference on Industrial Technology (ICIT)*, IEEE, 2023. doi: 10.1109/ICIT58465.2023.10143123.

[37] M. Heilman and N. A. Smith, "Good Question! Statistical Ranking for Question Generation," in *Proc. NAACL-HLT*, 2010, pp. 609–617.

[38] X. Du, J. Shao, and C. Cardie, "Learning to Ask: Neural Question Generation for Reading Comprehension," in *Proc. 55th Annual Meeting of the Association for Computational Linguistics (ACL)*, 2017, pp. 1342–1352. doi: 10.18653/v1/P17-1123.

[39] M. M. Henry and N. A. Heryanto, "Automatic Multiple Choice Question Generation: A Systematic Literature Review," in *Proc. 9th International Conference on Information Technology and Digital Applications (ICITDA)*, IEEE, 2024. doi: 10.1109/ICITDA64560.2024.10810102.

[40] L. Huang *et al.*, "A Survey on Hallucination in Large Language Models: Principles, Taxonomy, Challenges, and Open Questions," *ACM Trans. Inf. Syst.*, vol. 43, no. 2, p. Article 42, 2025, doi: 10.1145/3703155.

[41] P. Lewis *et al.*, "Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks," in *Advances in Neural Information Processing Systems*, 2020, pp. 9459–9474. [Online]. Available: https://proceedings.neurips.cc/paper/2020/hash/6b493230205f780e1bc26945df7481e5-Abstract.html

[42] P. P.-S. Chen, "The Entity-Relationship Model—Toward a Unified View of Data," *ACM Trans. Database Syst.*, vol. 1, no. 1, pp. 9–36, Mar. 1976, doi: 10.1145/320434.320440.

[43] International Organization for Standardization, "Information processing — Documentation symbols and conventions for data, program and system flowcharts, program network charts and system resources charts," ISO, Geneva, Switzerland, ISO 5807:1985, 1985.

[44] M. R. Lynn, "Determination and Quantification Of Content Validity:," *Nurs. Res.*, vol. 35, no. 6, p. 382???386, Nov. 1986, doi: 10.1097/00006199-198611000-00017.

[45] L. R. Aiken, "Three Coefficients for Analyzing the Reliability and Validity of Ratings," *Educ. Psychol. Meas.*, vol. 45, no. 1, pp. 131–142, Mar. 1985, doi: 10.1177/0013164485451012.

[46] K. Schwaber and J. Sutherland, "The Scrum Guide: The Definitive Guide to Scrum: The Rules of the Game," Scrum.org. [Online]. Available: https://scrumguides.org/docs/scrumguide/v2020/2020-Scrum-Guide-US.pdf

[47] N. F. Liu *et al.*, "Lost in the Middle: How Language Models Use Long Contexts," *Trans. Assoc. Comput. Linguist.*, vol. 12, pp. 157–173, Feb. 2024, doi: 10.1162/tacl_a_00638.

[48] U. Lee *et al.*, "Few-shot is enough: exploring ChatGPT prompt engineering method for automatic question generation in english education," *Educ. Inf. Technol.*, vol. 29, no. 9, pp. 11483–11515, Jun. 2024, doi: 10.1007/s10639-023-12249-8.

[49] J. Nielsen and T. K. Landauer, "A mathematical model of the finding of usability problems," in *Proceedings of the SIGCHI conference on Human*

UNIVERSITAS
GADJAH MADA
**Analisis Perbandingan Kualitas Pembuatan Flashcard Berbasis Large Language Model Dari Video Youtube
Dan Dokumen Pada Sistem Pembelajaran Spaced Repetition**
Devrangga Hazza Mahiswara, Dinar Nugroho Pratomo, S.Kom., M.IM., M.Cs.
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

*factors in computing systems - CHI '93*, Amsterdam, The Netherlands: ACM Press, 1993, pp. 206–213. doi: 10.1145/169059.169166.

[50] W. Hwang and G. Salvendy, "Number of People Required for Usability Evaluation: The 10\pm2 Rule," *Commun. ACM*, vol. 53, no. 5, pp. 130–133, 2010, doi: 10.1145/1735223.1735255.