UNIVERSITAS
GADJAH MADA
Analisis dan Eksperimen Rangkaian Penguat Biopotensial Berbasis Operational Transconductance Amplifier (OTA) Dua Tingkat sebagai Elemen Penyusun Larik Akuisisi Biopotensial pada CMOS 45 nm
Yudhistira Tampati, Ir. Prapto Nugroho, S.T., M.Eng., D.Eng., IPM. ; Enas Dhuhri Kusuma, S.T., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

[1] N. V. Thakor, "Biopotentials and electrophysiology measurement," *The Measurement, Instrumentation, and Sensors Handbook*, vol. 74, 1999.

[2] A. Macy, "The handbook of human physiological recording," *Referenced*, vol. 7, p. 2017, 2015.

[3] M. B. I. Reaz, M. S. Hussain, and F. Mohd-Yasin, "Techniques of emg signal analysis: detection, processing, classification and applications," *Biological procedures online*, vol. 8, no. 1, pp. 11–35, 2006.

[4] Z. Olson, "Optimizing cmrr in differential amplifier circuits with precision matched resistor divider pairs," *Texas Instrum. Appl. Note.[Online]. Available: https://www. ti. com/lit/an/sboa582/sboa582. pdf*, 2023.

[5] D. Prutchi and M. Norris, *Design and development of medical electronic instrumentation: a practical perspective of the design, construction, and test of medical devices*. John Wiley & Sons, 2005.

[6] R. Pallas-Areny and J. Webster, "Common mode rejection ratio in differential amplifiers," *IEEE Transactions on Instrumentation and Measurement*, vol. 40, no. 4, pp. 669–676, 1991.

[7] L. Liu, B. Wang, Y. Xu, X. Lin, W. Yang, and Y. Ding, "A 35 nv/$\sqrt{}$ hz analog front-end circuit with adjustable bandwidth and gain in umc 40 nm cmos for biopotential signal acquisition," *Sensors*, vol. 24, no. 24, p. 7994, 2024.

[8] N. Pérez-Prieto and M. Delgado-Restituto, "Recording strategies for high channel count, densely spaced microelectrode arrays," *Front. Neurosci.*, vol. 15, p. 681085, Jul. 2021.

[9] R. Pallas-Areny and J. G. Webster, *Sensors and signal conditioning*. New York, NY: John Wiley & Sons, Jun. 2006.

[10] N. Girinath, C. Visvesvaran, and G. Babu C., "Current-feedback instrumentation amplifier for bio-potential signal acquisition applications," in *2019 International Conference on Advances in Computing and Communication Engineering (ICACCE)*, 2019, pp. 1–4.

[11] Z. Hoseini, M. Nazari, K.-S. Lee, and H. Chung, "Current feedback instrumentation amplifier with built-in differential electrode offset cancellation loop for ecg/eeg sensing frontend," *IEEE Transactions on Instrumentation and Measurement*, vol. 70, pp. 1–11, 2021.

[12] S. Lee and J. Kruse, "Biopotential electrode sensors in ecg/eeg/emg systems," *Analog Devices*, vol. 200, pp. 1–2, 2008.

[13] N. Koo, "Design of low power and low noise instrumentation amplifier for biopotential acquisition: A review," *IEEE Access*, vol. 13, pp. 23 359–23 370, 2025.

UNIVERSITAS
GADJAH MADA
Analisis dan Eksperimen Rangkaian Penguat Biopotensial Berbasis Operational Transconductance Amplifier (OTA) Dua Tingkat sebagai Elemen Penyusun Larik Akuisisi Biopotensial pada CMOS 45 nm
Yudhistira Tampati, Ir. Prapto Nugroho, S.T., M.Eng., D.Eng., IPM. ; Enas Dhuhri Kusuma, S.T., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[14] J. P. Martinez Brito and S. Bampi, "A dc offset and cmrr analysis in a cmos 0.35m operational transconductance amplifier using pelgrom's area/accuracy tradeoff," *Microelectronics Journal*, vol. 40, no. 9, pp. 1281–1292, 2009, quality in Electronic Design 2nd IEEE International Workshop on Advances in Sensors and Interfaces Thermal Investigations of ICs and Systems. [Online]. Available: https://www.sciencedirect.com/science/article/pii/S0026269208001663

[15] D. Xue, R. Cai, and Y. Liu, "Design of amplifier for wearable human ecg sensor with low power and low noise," *Journal of Physics: Conference Series*, vol. 1907, no. 1, p. 012058, may 2021. [Online]. Available: https://doi.org/10.1088/1742-6596/1907/1/012058

[16] H.-S. Lee, K. Eom, M. Park, S.-B. Ku, K. Lee, and H.-M. Lee, "High-density neural recording system design," *Biomed. Eng. Lett.*, vol. 12, no. 3, pp. 251–261, Aug. 2022.

[17] J. Kim, H. Ouh, and M. L. Johnston, "Multi-channel biopotential acquisition system using frequency-division multiplexing with cable motion artifact suppression," *IEEE Transactions on Biomedical circuits and systems*, vol. 15, no. 6, pp. 1419–1429, 2021.

[18] R. Harrison and C. Charles, "A low-power low-noise cmos amplifier for neural recording applications," *IEEE Journal of Solid-State Circuits*, vol. 38, no. 6, pp. 958–965, 2003.

[19] P. Kinget and M. Steyaert, "Impact of transistor mismatch on the speed-accuracy-power trade-off of analog cmos circuits," in *Proceedings of Custom Integrated Circuits Conference*. IEEE, 1996, pp. 333–336.

[20] M. Abdullah-Al-Kaiser and I. Jarin, "High gain low offset faster two stage cmos op-amp and effects of aspect ratios on gain," in *2017 IEEE International WIE Conference on Electrical and Computer Engineering (WIECON-ECE)*, 2017, pp. 253–256.

[21] N. N. Prakash, S. Arora, A. M. Sanjay, S. L. Tripathi, and S. Saxena, "Design of low-power, high-gain 45nm differential bio-amplifier for healthcare application," in *2025 IEEE 4th International Conference on Technology, Engineering, Management for Societal impact using Marketing, Entrepreneurship and Talent (TEMSMET)*, 2025, pp. 1–6.

[22] A. Batsukh, B. Dalanbayar, and B. Damdin, "Ultra-low-power two-stage CMOS operational amplifier for electrocardiogram/electroencephalogram applications," in *Fourth International Conference on Electrical, Electronics, and Information Engineering (EEIE 2025)*, Y. Xu, Ed., vol. 14130, International Society for Optics and Photonics. SPIE, 2026, p. 141300C. [Online]. Available: https://doi.org/10.1117/12.3107407

[23] N. Sahu, "Design of instrumentation amplifier for pacemaker using 180nm cmos technology," in *2025 3rd International Conference on Device Intelligence, Computing and Communication Technologies (DICCT)*, 2025, pp. 291–294.

UNIVERSITAS
GADJAH MADA
Analisis dan Eksperimen Rangkaian Penguat Biopotensial Berbasis Operational Transconductance Amplifier (OTA) Dua Tingkat sebagai Elemen Penyusun Larik Akuisisi Biopotensial pada CMOS 45 nm
Yudhistira Tampati, Ir. Prapto Nugroho, S.T., M.Eng., D.Eng., IPM. ; Enas Dhuhri Kusuma, S.T., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[24] P. E. Allen and D. R. Holberg, *CMOS analog circuit design*. Oxford university press, 2012.

[25] J. Ruiz-Amaya, M. Delgado-Restituto, and A. Rodríguez-Vázquez, "Accurate settling-time modeling and design procedures for two-stage miller-compensated amplifiers for switched-capacitor circuits," *Trans. Cir. Sys. Part I*, vol. 56, no. 6, p. 1077–1087, Jun. 2009. [Online]. Available: https://doi.org/10.1109/TCSI.2008.2008509

[26] N. Weste and D. Harris, *CMOS VLSI Design*, 4th ed. Upper Saddle River, NJ: Pearson, Mar. 2010.

[27] R. J. Baker, *CMOS: circuit design, layout, and simulation*. John Wiley & Sons, 2019.

[28] T. Skotnicki, J. A. Hutchby, T.-J. King, H.-S. Wong, and F. Boeuf, "The end of cmos scaling: toward the introduction of new materials and structural changes to improve mosfet performance," *IEEE Circuits and Devices Magazine*, vol. 21, no. 1, pp. 16–26, 2005.

[29] B. Razavi, *Design of analog CMOS integrated circuits*. McGraw-Hill Education, 2017.

[30] R. L. Geiger and E. Sánchez-Sinencio, "Active filter design using operational transconductance amplifiers: A tutorial," *IEEE Circuits and Devices Magazine*, vol. 1, no. 2, pp. 20–32, 1985.

[31] S. Shovon, M. J. Islam, and M. I. B. Chowdhury, "Design and analysis of a low-power two-stage miller-compensated ota in 45 nm technology for ecg signal acquisition," *International Journal of Image Processing and Smart Sensors*, vol. 1, no. 1, pp. 30–46, 2025.

[32] F. Moulahcene, N.-E. Bouguechal, I. Benacer, and S. Hanfoug, "Design of cmos two-stage operational amplifier for ecg monitoring system using 90nm technology," in *Bio-Science and Bio-Technology*, 2014. [Online]. Available: https://api.semanticscholar.org/CorpusID:27593011

[33] M. Z. A. Emon, K. M. Salim, and M. I. B. Chowdhury, "Design and analysis of a high-gain, low-noise, and low-power analog front end for electrocardiogram acquisition in 45 nm technology using gm/id method," *Electronics*, vol. 13, no. 11, 2024. [Online]. Available: https://www.mdpi.com/2079-9292/13/11/2190

[34] M. Z. A. Emon, R. Apu, and M. B. Elamien, "A 0.9 v, ultra-low-power ota with low nef and high cmrr for batteryless biomedical front-ends," *Electronics*, vol. 14, no. 22, p. 4520, 2025.

[35] S. Nitundil, N. Singh, R. Balaji, and P. Arora, "Design and comparative analysis of a two-stage ultra-low-power subthreshold operational amplifier in 180nm, 90nm, and 45nm technology," in *2021 Devices for Integrated Circuit (DevIC)*. IEEE, 2021, pp. 36–40.

UNIVERSITAS
GADJAH MADA
Analisis dan Eksperimen Rangkaian Penguat Biopotensial Berbasis Operational Transconductance Amplifier (OTA) Dua Tingkat sebagai Elemen Penyusun Larik Akuisisi Biopotensial pada CMOS 45 nm
Yudhistira Tampati, Ir. Prapto Nugroho, S.T., M.Eng., D.Eng., IPM. ; Enas Dhuhri Kusuma, S.T., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[36] H.-S. Lee, V. N. Nguyen, X. L. Pham, J.-W. Lee, and H.-K. Park, "A 250-w, 18-nv/rthz current-feedback chopper instrumentation amplifier in 180-nm cmos for high-performance bio-potential sensing applications," *Analog Integr. Circuits Signal Process.*, vol. 90, no. 1, p. 137–148, Jan. 2017. [Online]. Available: https://doi.org/10.1007/s10470-016-0853-7

[37] J. Kim and H. Ko, "A dynamic instrumentation amplifier for low-power and low-noise biopotential acquisition," *Sensors*, vol. 16, no. 3, p. 354, 2016.

[38] C.-M. Wu, H.-C. Chen, M.-Y. Yen, and S.-C. Yang, "Chopper-stabilized instrumentation amplifier with automatic frequency tuning loop," *Micromachines*, vol. 9, no. 6, p. 289, 2018.

[39] J. Magri, I. Grech, O. Casha, E. Gatt, and J. Micallef, "Design of cmos front-end circuitry for the acquisition of biopotential signals," in *2016 IEEE International Conference on Electronics, Circuits and Systems (ICECS)*, 2016, pp. 161–164.

[40] M. Gharaei Jomehei and S. Sheikhaei, "A low-power low-noise cmos bio-potential amplifier for multi-channel neural recording with active dc-rejection and current sharing," *Microelectronics Journal*, vol. 83, pp. 197–211, 2019. [Online]. Available: https://www.sciencedirect.com/science/article/pii/S0026269218304476

[41] T. Tang, W. L. Goh, L. Yao, J. H. Cheong, and Y. Gao, "An integrated multi-channel biopotential recording analog front-end ic with area-efficient driven-right-leg circuit," *IEEE transactions on biomedical circuits and systems*, vol. 14, no. 2, pp. 297–304, 2019.

[42] L. Xie, Z. Li, Y. Zhou, Y. He, and J. Zhu, "Computational diagnostic techniques for electrocardiogram signal analysis," *Sensors*, vol. 20, no. 21, p. 6318, 2020.

[43] E. Ranjbar Koleibi, W. Lemaire, K. Koua, M. Benhouria, R. Bostani, M. Serri Mazandarani, L.-P. Gauthier, M. Besrour, J. Ménard, M. Majdoub *et al.*, "Design and implementation of a low-power biopotential amplifier in 28 nm cmos technology with a compact die-area of 2500 μm2 and an ultra-high input impedance," *Sensors*, vol. 25, no. 7, p. 2320, 2025.

[44] A. Sedra and K. Smith, *Microelectronic Circuits 7th Edition, International Edition*. Oxford University Press, 2015. [Online]. Available: https://books.google.co.id/books?id=GnUazgEACAAJ

[45] J. Huijsing, *Operational amplifiers*. Springer, 2011.

[46] X. Ramus, "Demystifying the operational transconductance amplifier," *Application Report SBOA117A*, pp. 1–12, 2013.

[47] P. R. Gray, P. J. Hurst, S. H. Lewis, and R. G. Meyer, *Analysis and design of analog integrated circuits*. John Wiley & Sons, 2024.

[48] J. M. Rabaey, A. Chandrakasan, and B. Nikolic, *Digital integrated circuits*. Prentice hall Englewood Cliffs, 2002, vol. 2.

UNIVERSITAS
GADJAH MADA
Analisis dan Eksperimen Rangkaian Penguat Biopotensial Berbasis Operational Transconductance Amplifier (OTA) Dua Tingkat sebagai Elemen Penyusun Larik Akuisisi Biopotensial pada CMOS 45 nm
Yudhistira Tampati, Ir. Prapto Nugroho, S.T., M.Eng., D.Eng., IPM. ; Enas Dhuhri Kusuma, S.T., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[49] Y. Liu, "Advantages of cmos technology in very large scale integrated circuits," in *Proceedings of the 2021 2nd International Conference on Artificial Intelligence in Electronics Engineering*, ser. AIEE '21. New York, NY, USA: Association for Computing Machinery, 2021, p. 82–88. [Online]. Available: https://doi.org/10.1145/3460268.3460280

[50] S. M. Sze and K. K. Ng, *MOSFETs*. John Wiley & Sons, Ltd, 2006, pp. 293–373. [Online]. Available: https://onlinelibrary.wiley.com/doi/abs/10.1002/9780470068328.ch6

[51] R. F. Pierret, *Semiconductor device fundamentals*. Pearson Education India, 1996.

[52] Y. Tsividis and C. McAndrew, *Operation and Modeling of the MOS Transistor*. Oxford university press, 2011.

[53] R. Keim, "The basic mosfet constant-current source - technical articles," 2016. [Online]. Available: https://www.allaboutcircuits.com/technical-articles/the-basic-mosfet-constant-current-source/

[54] N. Mendiratta and S. L. Tripathi, "A review on performance comparison of advanced MOSFET structures below 45 nm technology node," *J. Semicond.*, vol. 41, no. 6, p. 061401, Jun. 2020.

[55] M. Bansal and I. Sagar, "Low noise amplifier for ecg signals," in *2020 Fourth International Conference on Inventive Systems and Control (ICISC)*. IEEE, 2020, pp. 304–310.

[56] D. Sharma and V. Nath, "Cmos operational amplifier design for industrial and biopotential applications: Comprehensive review and circuit implementation," *Results in Engineering*, vol. 22, p. 102357, 2024. [Online]. Available: https://www.sciencedirect.com/science/article/pii/S2590123024006121

[57] J. Parthasarathy, A. G. Erdman, A. D. Redish, and B. Ziaie, "An integrated cmos bio-potential amplifier with a feed-forward dc cancellation topology," in *2006 International Conference of the IEEE Engineering in Medicine and Biology Society*. IEEE, 2006, pp. 2974–2977.

[58] H. Aminzadeh and D. M. Colombo, "Analysis and design procedures of cmos otas based on settling time," *Journal of Integrated Circuits and Systems*, vol. 17, no. 1, pp. 1–11, 2022.