UNIVERSITAS
GADJAH MADA
**Jumlah Minimum Individu Terdeteksi dan Persebaran Titik Deteksi Komodo (Varanus komodoensis) di
Cagar Alam Riung dan Pulau Ontoloe, Nusa Tenggara Timur**
Gabriel Caesar Prastiwo, Dr. drh. Subeno, M.Sc.
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

# DAFTAR PUSTAKA

Abidin, H.Z., Andreas, H., Maulana, D., Hendrasto, M., Gamal, M., dan Suganda, O.K. (2004). Penentuan Tinggi Orthometrik Gunung Semeru Berdasarkan Data Survei GPS dan Model Geoid EGM 1996. *ITB Sains & Tek*. 36(2) : 145 - 157.

Alikodra, H. S. (1990). *Pengelolaan satwa liar*. Bogor: Pusat Antar Universitas Ilmu Hayati, IPB.

Alikodra, H. S. (2002). *Teknik pengelolaan satwa liar*. Bogor: IPB Press.

ANTARA News. (2026). *Akademisi UGM usulkan perluasan habitat komodo di Flores*. https://www.antaranews.com/berita/5465827/akademisi-ugm-usulkan-perluasan-habitat-komodo-di-flores. Diakses 24 Juli 2026

Ariefiandy, A., Purwandana, D., Seno, A., Ciofi, C., dan Jessop, T. S. (2013). Can camera traps monitor Komodo dragons a large ectothermic predator?. *Plos one*, 8(3), e58800.

Ariefiandy, A., Purwandana, D., Seno, A., Ciofi, C., dan Jessop, T. S. (2014). Evaluation of three field monitoring protocols for Komodo dragons. *Biodiversity and Conservation*, 23, 1749–1762.

Ariefiandy, A., Purwandana, D., Seno, A., Chrismiawati, M., Ciofi, C., dan Jessop, T. S. (2014). Evaluation of three field monitoring-density estimation protocols and their relevance to Komodo dragon conservation. Biodiversity and Conservation, 23, 2473–2490.

Auffenberg, W. (1981). *The behavioral ecology of the Komodo monitor*. University Presses of Florida.

Babo, P. P., Sondak, C. F., Paulus, J. J., Schaduw, J. N., Angmalisang, P. A., dan Wantasen, A. S. (2020). Struktur Komunitas Mangrove Di Desa Bone Baru, Kecamatan Banggai Utara, Kabupaten Banggai Laut, Sulawesi Tengah. *Jurnal Pesisir dan Laut Tropis*, 8(2), 92-103.

Begon, M., dan Townsend, C. R. (2020). Ecology: from individuals to ecosystems. *John Wiley & Sons*.

Blegur, W. A., Djohan, T. S., dan Ritohardoyo, S. (2017). Vegetasi Habitat Komodo dalam Bentang Alam Riung dan Pulau Ontoloe di Nusa Tenggara Timur. *Majalah Geografi Indonesia*, 31(1), 95-111.

Boitani, L. (2016). *Camera trapping for wildlife research*. Pelagic Publishing Ltd.

Boyce, M. S., dan McDonald, L. L. (1999). Relating populations to habitats using resource selection functions. *Trends in Ecology & Evolution*, 14(7), 268–272.

UNIVERSITAS
GADJAH MADA
**Jumlah Minimum Individu Terdeteksi dan Persebaran Titik Deteksi Komodo (Varanus komodoensis) di
Cagar Alam Riung dan Pulau Ontoloe, Nusa Tenggara Timur**
Gabriel Caesar Prastiwo, Dr. drh. Subeno, M.Sc.
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Buckland, S. T., Anderson, D. R., Burnham, K. P., Laake, J. L., Borchers, D. L., dan Thomas, L. (2001). *Introduction to distance sampling: Estimating abundance of biological populations*. Oxford University Press.

Burgman, M. A., dan Fox, J. C. (2003). Bias in species range estimates from minimum convex polygons. *Diversity and Distributions*, 9(6), 451–460.

Christian, K. A., Tracy, C. R., dan Porter, W. P. (1999). Seasonal shifts in body temperature and use of microhabitats by Komodo dragons (*Varanus komodoensis*) in the field. *Journal of Thermal Biology*, 24(5–6), 429–437.

Ciofi, C. (1999). The Komodo dragon. *Scientific American*, 280(3), 84-91.

Ciofi, C., Beaumont, M. A., Swingland, I. R., dan Bruford, M. W. (1999). Genetic divergence and units for conservation in the Komodo dragon (*Varanus komodoensis*). *Proceedings of the Royal Society B: Biological Sciences*, 266(1435), 2269–2274.

Ciofi, C., dan De Boer, M. E. (2004). Distribution and conservation of the Komodo monitor (*Varanus komodoensis*). *Herpetological Journal*, 14(2), 99-107.

Ciofi, C., Puswati, J., Winana, D., de Boer, M. E., Chelazzi, G., dan Sastrawan, P. (2007). Preliminary analysis of home range structure in the Komodo monitor, *Varanus komodoensis*. *Copeia*, 2007(2), 462-470.

Cushman, S. A., dan Huettmann, F. (2010). *Spatial complexity, informatics, and wildlife conservation*. Springer.

Davison, A., Birks, J. D. S., Brookes, R. C., Braithwaite, T. C., dan Messenger, J. E. (2002). On the origin of faeces: Morphological versus molecular methods for surveying rare carnivores from their scats. *Journal of Zoology*, 257(2), 141–143.

Del Monte-Luna, P., Brook, B. W., Zetina-Rejón, M. J., dan Cruz-Escalona, V. H. (2004). The carrying capacity of ecosystems. *Global ecology and biogeography*, *13*(6), 485-495.

Fachrul, M. F. (2007). *Metode sampling bioekologi*. Jakarta: Bumi Aksara.

Fahrig, L. (2003). Effects of habitat fragmentation on biodiversity. *Annual Review of Ecology, Evolution, and Systematics*, 34, 487–515.

Fisher, R. A. (1999). *The genetical theory of natural selection: a complete variorum edition*. Oxford University Press.

Fortin, M. J., dan Dale, M. R. T. (2005). *Spatial analysis: A guide for ecologists*. Cambridge University Press.

Franklin, J. (2010). *Mapping species distributions: Spatial inference and prediction*. Cambridge University Press.

UNIVERSITAS
GADJAH MADA
**Jumlah Minimum Individu Terdeteksi dan Persebaran Titik Deteksi Komodo (Varanus komodoensis) di
Cagar Alam Riung dan Pulau Ontoloe, Nusa Tenggara Timur**
Gabriel Caesar Prastiwo, Dr. drh. Subeno, M.Sc.
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Haidul. (2021). Rancang Bangun Klinometer sebagai Pendukung Praktikum Fisika Kelautan dan Geofisika. *Indonesian Journal of Laboratory*. Vol 4(1) : 8 - 14.

Hall, L. S., Krausman, P. R., dan Morrison, M. L. (1997). The habitat concept and a plea for standard terminology. *Wildlife Society Bulletin*, 25(1), 173–182.

Hanski, I. (1998). Metapopulation dynamics. *Nature*, 396, 41–49.

Hanski, I., dan Gilpin, M. E. (1997). *Metapopulation Biology: Ecology, Genetics, and Evolution*. Academic Press.

Haryono, E., dan Labib, M. A. (2016). *Pedoman Praktis Survei Terintegrasi Kawasan Karst*. Yogyakarta: Badan Penerbit Fakultas Geografi (BPFG).

Imansyah, M. J., Jessop, T. S., Ciofi, C., dan Akbar, Z. (2008). Ontogenetic differences in the spatial ecology of immature Komodo dragons. *Journal of Zoology*, 274(2), 107-115.

Innadya, A., Pratama, S., Khotimah, H.K., Ridwana, R., dan Somantri, L. (2022). Analisis Kerapatan Vegetasi untuk Perencanaan Wilayah di Desa Cihideung Kabupaten Bandung Barat Menggunakan Citra Sentinel-2A dengan Metode M-SARVI. *Jurnal Planologi*. 19(2) : 192 - 206.

Intari, L.D., Kanan, M., dan Dwicahya, B. (2023). Analisis Kesehatan Udara di Rumah Sakit Umum Daerah Banggai Kabupaten Banggai Laut. Jurnal Kesmas Untika Luwuk : *Public Health Journal*. Vol 14(1) : 31 - 40.

Iskandar, S. D. H., Bramasta, D., Kamala, N., dan Basrowi, M. (2021). Komposisi Jenis Dan Struktur Vegetasi Tepi Hutan, Taman Nasional Gunung Ciremai, Jawa Barat. *Jurnal Sumberdaya Hayati*, 7(1), 17-24.

Jessop, T. S., Sumner, J., Rudiharto, H., Purwandana, D., Imansyah, M. J., dan Phillips, J. A. (2004). Distribution, use and selection of nest type by Komodo Dragons. *Biological Conservation*, *117*(5), 463-470.

Jessop, T. S., Madsen, T., Sumner, J., Rudiharto, H., Phillips, J. A., & Ciofi, C. (2006). Maximum body size among insular Komodo dragon populations covaries with large prey density. *Oikos*, 112(2), 422–429.

Jessop, T. S., Ariefiandy, A., Purwandana, D., Ciofi, C., Imansyah, J., Benu, Y. J., dan Phillips, B. L. (2018). Exploring mechanisms and origins of reduced dispersal in island Komodo dragons. *Proceedings of the Royal Society B: Biological Sciences*, 285(1891), 20181829.

Karanth, K. U., & Nichols, J. D. (1998). Estimation of tiger densities in India using photographic captures and recaptures. *Ecology*, 79(8), 2852–2862.

Kesaulya, E. R., Latupapua, L., dan Puttileihalat, M. (2023). Karakteristik Sarang Burung Gosong di Suaka Margasatwa Pulau Kasa. *Jurnal Hutan Tropis*, *11*(1), 54-67.

UNIVERSITAS GADJAH MADA
**Jumlah Minimum Individu Terdeteksi dan Persebaran Titik Deteksi Komodo (Varanus komodoensis) di Cagar Alam Riung dan Pulau Ontoloe, Nusa Tenggara Timur**
Gabriel Caesar Prastiwo, Dr. drh. Subeno, M.Sc.
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Konservasi Sumber Daya Alam dan Ekosistem. (2018). URL: https://ksdae.kehutanan.go.id/berita/3885/Begini-Peran-Camera-Trap-dalam-Pengamatan-Satwa-Liar. Diakses 19 Februari 2026

Konservasi Sumber Daya Alam dan Ekosistem. (2019). URL: https://ksdae.menlhk.go.id/berita/6085/komodo-di-luar-taman-nasional-komodo-terancam.html. Diakses 13 Juni 2025

Krebs CJ. (1989). *Ecological Methodology*. New York (US): Harper & Row Publisher.

Krebs, C. J. (2009). *Ecology: The experimental analysis of distribution and abundance*. San Francisco, CA: Benjamin Cummings.

Levins, R. (1969). Some demographic and genetic consequences of environmental heterogeneity for biological control. *Bulletin of the Entomological Society of America*, 15(3), 237–240.

MacKenzie, D. I., Nichols, J. D., Lachman, G. B., Droege, S., Andrew Royle, J., dan Langtimm, C. A. (2002). Estimating site occupancy rates when detection probabilities are less than one. *Ecology*, 83(8), 2248–2255.

MacKenzie, D. I., Nichols, J. D., Royle, J. A., Pollock, K. H., Bailey, L. L., dan Hines, J. E. (2006). *Occupancy estimation and modeling: Inferring patterns and dynamics of species occurrence*. Academic Press.

Meek, P. D., Ballard, G. A., Claridge, A. W., Kays, R., Moseby, K., O'Brien, T., dan Swann, D. E. (2014). Camera trapping: Wildlife research and management. *CSIRO Publishing*.

Mohr, C. O. (1947). Tabel of equivalent populations of North American small mammals. *The American Midland Naturalist*, 37(1), 223–249.

Morisita, M. (1961). Measuring of dispersion of individuals and analysis of the distributional patterns. *Japanese Journal of Ecology*, 11(6), 215–235. Retrieved from

Morrison, M. L., Marcot, B. G., dan Mannan, R. W. (2006). *Wildlife–habitat relationships: Concepts and applications*. Island Press.

Nathan, R., Getz, W. M., Revilla, E., Holyoak, M., Kadmon, R., Saltz, D., dan Smouse, P. E. (2008). A movement ecology paradigm for unifying organismal movement research. *Proceedings of the National Academy of Sciences*, 105(49), 19052–19059.

Noon, B.R. (1981). Techniques for Sampling Avian Habitats. The Use of Multivariate Statistics in Studies of Wildlife Habitat (DE Capen, ed). *USDA Forest Service*. RM-87, 42-52.

Nuswantari, D.S. (2015). Pengaruh Keanekaragaman Vegetasi, Jumlah Strata, dan Kepadatan Semak terhadap Keanekaragaman Jenis Burung di Hutan Pendidikan Wanagama I. *Jurnal Riset dan Manajemen Satwa Liar*. 1 - 10.

UNIVERSITAS GADJAH MADA
**Jumlah Minimum Individu Terdeteksi dan Persebaran Titik Deteksi Komodo (Varanus komodoensis) di Cagar Alam Riung dan Pulau Ontoloe, Nusa Tenggara Timur**
Gabriel Caesar Prastiwo, Dr. drh. Subeno, M.Sc.
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

O'Connell, A. F., Nichols, J. D., dan Karanth, K. U. (2011). Camera traps in animal ecology: Methods and analyses. *Springer Science & Business Media*.

Odum, E. P. (1993). *Fundamentals of ecology*. Philadelphia, PA: Saunders College Publishing.

Ouwens, P. A. (1912). On a large *Varanus* species from the Island of Komodo. *Bulletin du Jardin Botanique de Buitenzorg*, Series II, 6, 1–3.

Pearson, A.L. (2016). Comparison of Methods to Estimate Water Access a Pilot Study of a GPS-based Approach in Low Resource Setting. International *Journal of Health Geographics*.

Purwandana, D., Ariefiandy, A., Ciofi, C., Joshi, J., Surahman, F., & Jessop, T. S. (2014). Demographic status and conservation of the Komodo dragon *Varanus komodoensis* within Komodo National Park. *Biological Conservation*, 171, 299–308.

Rovero, F., & Zimmermann, F. (2016). *Camera trapping for wildlife research*. Pelagic Publishing.

Samuel, M. D., Pierce, D. J., dan Garton, E. O. (1985). Identifying areas of concentrated use within the home range. *The Journal of Animal Ecology*, 711-719.

Santosa, Y., Muhammad, R. Y. Z., dan Rahman, D. A. (2012). Pendugaan parameter demografi dan bentuk sebaran spasial biawak komodo di pulau rinca, taman nasional komodo. *Jurnal Ilmu Pertanian Indonesia*, 17(2), 126-131.

Schindler, B. Y., Vasl, A., Blaustein, L., Gurevich, D., Kadas, G. J., & Seifan, M. (2019). Fine-scale substrate heterogeneity does not affect arthropod communities on green roofs. *PeerJ*, 7, e6445.

Subhan., Hanafi, I., Rosalinda, P., Muslih, A.M., dan Hayati, D. (2023). Estimasi Simpanan Karbon Hutan d Resort Pengelolaan Hutan (RPH) Alue Geulima Tahura Pocut Meurah Intan Aceh Besar. *Jurnal Sumberdaya Hayati*. Vol 9(1) : 30 - 38.

Sukarno, A., dan Rahardjo, P. P. (2023). Jenis Pakan Burung Elang Jawa (Nisaetus bartelsi Stresemann, 1924) Di Ranu Darungan Taman Nasional Bromo Tengger Semeru. *Jurnal Green House*, 1(2), 20-26.

Thomas, L., Buckland, S. T., Rexstad, E. A., Laake, J. L., Strindberg, S., Hedley, S. L., dan Burnham, K. P. (2010). Distance software: design and analysis of distance sampling surveys for estimating population size. *Journal of Applied Ecology*, 47(1), 5-14.

Thompson, W. L., White, G. C., dan Gowan, C. (1998). *Monitoring vertebrate populations*. Academic Press.

UNIVERSITAS
GADJAH MADA
**Jumlah Minimum Individu Terdeteksi dan Persebaran Titik Deteksi Komodo (Varanus komodoensis) di
Cagar Alam Riung dan Pulau Ontoloe, Nusa Tenggara Timur**
Gabriel Caesar Prastiwo, Dr. drh. Subeno, M.Sc.
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Turner, M. G., Gardner, R. H., dan O'Neill, R. V. (2001). *Landscape ecology in theory and practice: Pattern and process*. Springer.

Universitas Gadjah Mada. (2025). *Populasinya tinggal 3000-an ekor, Guru Besar UGM ingatkan konservasi "naga purba" perlu perhatian serius.* https://ugm.ac.id/id/berita/populasinya-tinggal-3000an-ekor-guru-besar-ugm-ingatkan-konservasi-naga-purba-perlu-perhatian-serius/. Diakses 24 Juli 2024

Universitas Gadjah Mada. (2026). *Habitat Degradation and Poaching Threaten Indonesia's Komodo Dragon Population*. https://ugm.ac.id/en/news/habitat-degradation-and-poaching-threaten-indonesias-komodo-dragon-population/. Diakses 24 Juli 2026.

Wearn, O. R., dan Glover-Kapfer, P. (2019). *Camera trapping for conservation: A guide to best-practices*. WWF-UK.

Widayani, D.P., dan Usodri, K.S. (2020). Kajian Kesesuaian Lahan Perkebunan Kopi Rakyat Kawasan Lereng Gunung Arjuna Kabupaten Malang. *Jurnal Agrinika*. Vol 4(2) : 108 - 118.

Worton, B. J. (1989). Kernel methods for estimating the utilization distribution in home-range studies. *Ecology*, 70(1), 164–168.