UNIVERSITAS
GADJAH MADA
Analisis Keragaman Genetik 20 Aksesi Mangga (Mangifera spp.) Menggunakan Penanda Molekuler IRAP (Inter-Retrotransposon Amplified Polymorphism)
Nidaul Hasanah, Agus Budi Setiawan, S.P., M.Sc., Ph.D.; Prof. Dr. Ir. Aziz Purwantoro, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aljumaili, J. S., M. Y. Rafii, M. A. Latif, S. Z. Sakimin, I. W. Arolu, and G. Miah. 2018. Genetic diversity of aromatic rice germplasm revealed by SSR Markers. BioMed Research International. 658032: 1-11.

Amiryousefi, A., J. Hyvonen, and P. Poczai. 2018. iMEC: Online marker efficiency calculator. Aplications in Plant Sciences. 6(6): 1-4.

Amom, T., and P. Nongdam. 2017. The use of molecular marker methods in plants: a review. International Journal of Current Research and Review. 9(17): 1-7.

Amom T., L. Tikendra, A. M. Potshangbam, N. Bidyananda, R. S. Devi, A. Dey, M. R. Sahoo, W. A. Vendrame, I. Jamir, and P. Nongdam. 2023. Conservation strategies for endemic *Dendrocalamus manipureanus*: A study on genetic diversity and population structure based on molecular and phytochemical markers. South African Journal of Botany. 152: 106-123.

Ariel, F. D., and P. A. Manavella. 2021. When junk DNA turns functional: transposon-derived non-coding RNAs in plants. J. Exp. Bot. 72: 4132–4143.

Arora, V., D. S. Rawat, A. K. Singh, and P. Chaturvedi. Taxonomical identification of mango (*Mangifera indica* L.) varieties using leaf morphological characteristics. Plant Archives. 24(1): 983-990.

Ariffin Z., M. S. M. Sah, S. Idris, and N. Hashim. 2015. Genetic diversity of selected mangifera species revealed by inter simple sequence repeats markers. Hindawi Publishing Corporation. 1: 1-8.

Ashraf, H., A. M. Husaini, M. B. Ashraf, G. Parray, S. Khan, and N. A. Ganai. 2016. SSR based genetic diversity of pigmented and aromatic rice (*Oryza sativa* L.) genotypes of the western Himalayan region of India. Physiology and Molecular Biology of Plants. 22(4): 547–555.

Aulia, N., Y. Ahda, A. Achyar, dan D. H. Putri. 2023. Desain primer dan optimasi suhu annealing untuk amplifikasi gen RET. Jurnal Biology Science & Education. 12(1): 70-77.

Avise, J. C. 2012. Molecular markers, natural history and evolution. Sunderland: Springer Science & Business Media.

Ayyun, K., Y. K. I. Rosydah, N. Atikah, S. P.Arianti, C. Maulidini, F. Agustino, N. K. Putri, A. A. Seran, I. C. S. Klau, dan A. W. Ningsih. 2023. Artikel Riview: Profil studi fitokimia dan aktivitas farmakologi buah mangga (*Mangifera Indica* L.). Jurnal Sains Farmasi dan Kesehatan. 1(2): 60-68.

Bhandari, H. R., Bhanu, A. N., Srivastava, K., Singh, M. N., & Shreya, H. A. 2017. Assessment of genetic diversity in crop plants-an overview. Adv. Plants Agric. Res 7(3): 279-286.

UNIVERSITAS
GADJAH MADA
**Analisis Keragaman Genetik 20 Aksesi Mangga (Mangifera spp.) Menggunakan Penanda Molekuler IRAP
(Inter-Retrotransposon Amplified Polymorphism)**
Nidaul Hasanah, Agus Budi Setiawan, S.P., M.Sc., Ph.D.; Prof. Dr. Ir. Aziz Purwantoro, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Bennetzen, J. L., and H. Wang. 2014. The contributions of transposable elements to the structure, function, and evolution of plant genomes. Annual Review of Plant Biology. 65(1): 505-530.

Biswas, M. K., Q. Xu, Q., and X. X. Deng. 2010. Utility of RAPD, ISSR, IRAP and REMAP markers for the genetic analysis of *Citrus* spp. Scientia Horticulturae. 124(2): 254-261.

Bo W, S. Wang, G. Xing and Y. Wang. 2025. Genetic diversity analysis of Iris germanica cultivars based on ISSR and SRAP molecular markers. Front. Plant Sci. 16:1629234.

Botstein, D., R. L. White, M. Skolnick, and R. W. Davis. 1980. Construction of a genetic linkage map in man using restriction fragment length polymor phisms. American Journal of Human Genetics 32: 314–331.

Branco, C. J., E. A. Vieira, G. Malone, M. M. Kopp, E. Malone, A. Bernardes, C. C. Mistura, F. I. Carvalho, and C. A. Oliveira. 2007. IRAP and REMAP assessments of genetic similarity in rice. Journal of Applied Genetics. 48 (2): 107–113.

Brhane, H. and C. Hammenhag. 2024. Genetic diversity and population structure analysis of a diverse panel of pea (*Pisum sativum*). Front. Genet. 15:1396888.

Chen, M., X. He, Y. Zhang, T. Lu, W. He, J. Yang, X. Huang, J. Zhu, H. Yu, C. Luo. 2022. Genetic diversity and relationship analyses of mango (*Mangifera indica* L.) germplasm resources with ISSR, SRAP, CBDP and CEAP markers. Scientia Horticulturae. 301: 1-9.

Cheraghi A, F. Rahmani, and A. Hassanzadeh-Ghorttapeh. 2018. IRAP and REMAP based genetic diversity among varieties of *Lallemantia iberica*. Mol Biol Res Commun. 7(3):125-132.

Dewanta, P.A. dan M. Mushlih. 2021. Differences in DNA purity test using UV-Vis Spectrophotometer and Nanodrop Spectrophotometer in type 2 diabetes mellitus patients. Indonesian Journal of Innovation Studies. Vol 5.

Dillon, N. L., I. S. E. Bally, C. L. Wright, L. Hucks, D. J. Innes, and R. G. Dietzgen. 2015. Genetic diversity of the Australian National Mango Genebank. Scientia Horticulturae. 150(4): 213-226.

Elfianis, R., Zulfahmi, dan Rowmaina. 2017. Kekerabatan genetik antar jenis kantong semar (*Nepenthes* spp.) berdasarkan penanada RAPD (random amplified polymorphic DNA). AGROISTA Journal Agroteknologi. 1(2): 123-139.

Excoffier, L., P. E. Smouse, and J. M. Quattro. 1992. Analysis of molecular variance inferred from metric distances among DNA haplotypes: Application to human mitochondrial DNA restriction data. Genetics. 131(2): 479–491.

UNIVERSITAS
GADJAH MADA
Analisis Keragaman Genetik 20 Aksesi Mangga (Mangifera spp.) Menggunakan Penanda Molekuler IRAP (Inter-Retrotransposon Amplified Polymorphism)
Nidaul Hasanah, Agus Budi Setiawan, S.P., M.Sc., Ph.D.; Prof. Dr. Ir. Aziz Purwantoro, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Fan F., B. Cui, T. Zhang, G. Ding, and X. Wen. 2014. LTR-retrotransposon activation, IRAP marker development and its potential in genetic diversity assessment of masson pine (*Linus massoniana*). Tree Genet Genomics. 10: 2013–2222.

Flavell, A. J., M. R. Knox, S. R. Pearce, and T. H. Ellis. 1998. Retrotransposon-based insertion polymorphisms (RBIP) for high throughput marker analysis. The Plant Journal: For Cell and Molecular Biology. 16 (5): 643–650.

Gallagher, S.R., and P. Desjardins. 2011. Quantitation of nucleic acids and proteins. Current Protocols Essential Laboratory Techniques. 5(1): 1-36.

Garrido-Cardenas, J. A., C. Mesa-Valle, and F. Manzano-Agugliaro. 2018. Trends in plant research using molecular markers. Planta. 247(3): 543-557.

Golkar, P., and N. Mokhtari. 2018. Molecular diversity assessment of a world collection of safflower genotypes by SRAP and SCoT molecular markers. Physiology and molecular biology of plants: An international journal of functional plant biology. 24(6): 1261–1271.

Gusmiaty, G., Sari, N. A., Safira, T. N., Budiman, A., dan Larekeng, S. H. 2021. Polimorfisme penanda RAPD untuk analisis keragaman genetik kemiri (*Aleurites mollucana*) di Kabupaten Maros. Bioma: Jurnal Biologi Makassar. 6(1): 22–30.

Jena, R. C., and P. K. Chand. 2021. Multiple DNA marker-assisted diversity analysis of Indian mango (*Mangifera indica* L.) populations. Scientific Reports. 11 (10345): 1-15.

Kusumadewi, Y., Y. S. Purba dan T. Partomihardjo. 2010. Keragaman genetika ramin (*Gonystylus bancanus* (Miq.) Kurz) dari Provinsi Riau berdasarkan profil random amplified polymorphic DNA. Jurnal Biologi Indonesia 6(2): 173-183.

Handayani, F., R. A. Wulandari, and R. H. Murti. 2015. Genomic DNA extraction method from mature leaf of lai (*Durio kutejensis* Becc.). AGRIVITA. 18(1): 73-79.

Hashemipetroudi S. H, G. Nematzadeh, G. Ahmadian, A. Yamchi, M. Kuhlmann. 2018. Assessment of DNA Contamination in RNA Samples Based on Ribosomal DNA. J Vis Exp. (131):55451.

Kalendar, R., T. Grob, M. Regina, A. Suoniemi, and A. Schulman. 1999. IRAP and REMAP: two new retrotransposon-based DNA fingerprinting techniques. 98 (5): 704–711.

Kalendar, R., A. J. Flavell, T. H. N. Ellis, T. Sjakste, C. Moisy, and A. H. Schulman. 2010. Analysis of plant diversity with retrotransposon-based molecular markers. Heredity. 106(4): 520-530.

UNIVERSITAS
GADJAH MADA
Analisis Keragaman Genetik 20 Aksesi Mangga (Mangifera spp.) Menggunakan Penanda Molekuler IRAP (Inter-Retrotransposon Amplified Polymorphism)
Nidaul Hasanah, Agus Budi Setiawan, S.P., M.Sc., Ph.D.; Prof. Dr. Ir. Aziz Purwantoro, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kalendar, R., O. Raskina, A. Belyayev, and A. H. Schulman. 2020. Long tandem arrays of cassandra retroelements and their role in genome dynamics in plants. Int. J. Mol. Sci. 21:2931.

Kalendar, R., F. Sabot, F. Rodriguez, G. I. Karlov, L. Natali, and K. Alix. 2021. Mobile elements and plant genome evolution, comparative analyzes and computational tools. Frontiers in Plant Science. 12: 735134.

Khosravinia H, and Ramesha K. P. 2007. Influence of EDTA and magnesium on DNA extraction from blood samples and specifi city of polymerase chain reaction. African Journal of Biotechnology. 6(3): 184-7.

Kiew, R. 2002. Mangifera odorata (Anacardiaceae) is a hybrid. Gardens' Bulletin Singapore. 54: 205–206.

Konan, N. O., M. A. Akaffou, L. Kouadio, D. S. Akaffou, and G. Mergea. 2020. Genetic diversity of exotic and local eggplants (*Solanum* spp.). Biodiversitas. 21(8): 3650-3657.

Kuspriyanto. 2015. Upaya konservasi keanekaragaman hayati di kawasan lindung di Indonesia. Metofora. 1(2): 134-142.

Lestari, W., Jumari, J., dan Ferniah, R. S. 2018. Identification and Cluster Analysis of Pitcher Plant (*Nepenthes* spp.) from South Sumatera Indonesia. Biosaintifika: Journal of Biology & Biology Education. 10(2): 245-251.

Mahdiyah, L. L., dan P. Husni. 2019. Aktivitas farmakologi tanaman mangga (*Mangifera Indica* L.). Farmaka. 17(2): 187-194.

Mokhtar, M. M, A. M. Alsamman, and A. El Allali. 2023. PlantLTRdb: An interactive database for 195 plant species LTR-retrotransposons. Front. Plant Sci. 14:1134627

Mullis, K. B. 1990. The unusual origin of the polymerase chain reaction. Scientific American. 262(4): 56–61.

Nadeem, M. A., M. A. Nawaz, M. Q. Shahid, Y. Doğan, G. Comertpay, M. Yıldız, R. Hatipoğlu, F. Ahmad, A. Alsaleh, N. Labhane, and H. Özkan. 2018. DNA molecular markers in plant breeding: Current status and recent advancements in genomic selection and genome editing. Biotechnology & Biotechnological Equipment. 32(2): 261-285.

Nashima, K., A. Terakami, M. Kunihisa, C. Nishitani, M. Shoda. M. Matsumura, Y. Onoune-Makishi, N. Urasaki, K. Tarora, T. Ogata, and T. Yamamoto. 2017. Retrotransposon-based insertion polymorphism markers in mango. Three Genetics & Genomes. 13(110): 1-10.

Nasution, I., T. Wardiyati, dan M. Nawawi. 2014. Karakterisasi bunga mangga (*Mangifera indica* L.) hasil persilangan Arumanis-143 dan Podang Urang. Jurnal Produksi Tanaman. 2(3): 180-189.

UNIVERSITAS
GADJAH MADA
Analisis Keragaman Genetik 20 Aksesi Mangga (Mangifera spp.) Menggunakan Penanda Molekuler IRAP (Inter-Retrotransposon Amplified Polymorphism)
Nidaul Hasanah, Agus Budi Setiawan, S.P., M.Sc., Ph.D.; Prof. Dr. Ir. Aziz Purwantoro, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Nemli, S., T. Kianoosh, and M. B. Tanyolac. 2015. Genetic diversity and population structure of common bean (*Phaseolus vulgaris* L.) accessions through Retrotransposon-based Interprimer Binding Sites (iPBSs) markers. Turkish Journal of Agriculture and Forestry. 39(6): 940-948.

Nilasari, A. N., J. B. S. Hendy, dan T. Wardiyati. 2013. Identifikasi keragaman morfologi daun mangga (*Mangifera indica* L.) pada tanaman hasil persilangan antara varietas arumanis143 dengan podang urang umur 2 tahun. Jurnal Produksi Tanaman. 1(1): 61-69.

Paux, E., S. Faure, F. Choulet, D. Roger, V. Gauthier, J. P. Martinant, P. Sourdille, F. Balfourier, M. C. Le Paslier, A. Chauveau, M. Cakir, B. Gandon, and C. Feuillet. 2010. Insertion site-based polymorphism markers open new perspectives for genome saturation and marker-assisted selection in wheat. Plant Biotechnology Journal. 8(2): 196–210.

Piegu, B., R. Guyot, N. Picault, A. Roulin, A. Saniyal, H. Kim, K. Collura, D. S. Brar, S. Jackson, R. A. Wing, and O. Panaud. 2006. Doubling genome size without polyploidization: dynamics of retrotransposition-driven genomic expansions in Oryza australiensis, a wild relative of rice. Genome Research. 16(10): 1262-1269.

Poczai, P., I. Varga, M. Laos, A. Cseh, N. Bell, J. P. T. Valkonen, and J. Hyvonen. 2013. Advances in plant gene-targeted and functional markers: a review. Plant Methods. 9(6): 1-31.

Pojskić, N. 2019. ALRATIO: R script for the analysis of relation between the effective and teh detected number of alleles. Genetics & Applications. 3(1): 77-80.

Pratami M. P, T. Chikmawati, and Rugaya. 2020. Genetic diversity of Cucumis and Mukia (*Curcubitaceae*) based on ISSR Markers. SABRAO J. Breed. Genet. 52(2): 127-143.

Prevost, A., and M. J. Wilkinson. 1999. A new system of comparing PCR prim ers applied to ISSR fingerprinting of potato cultivars. Theoretic and Applied Genetics 98: 107–112

Sari, V. K., H. Sa'diyah, R. Y. Rusdiana, K. Hariyono, dan S. Hartatik. 2024. Keragaman mangga (*Mangifera indica* L.) di Jawa Timur berdasarkan karakter morfologi: Studi kasus di Kabupaten Jember. Vegetalika. 12(1): 90-103.

Segura-Alabart, N., F. Serratosa, S. Gómez, and A. Fernández. 2022. Nonunique UPGMA clusterings of microsatellite markers. Briefings in bioinformatics 23(5): 312.

Serrote, C. M. L., Reiniger, L. R. S., Silva, K. B., dos Santos Rabaiolli, S. M., and Stefanel, C. M. 2020. Determining the polymorphism information content of a molecular marker. Gene 726(1): 144175.

UNIVERSITAS
GADJAH MADA
Analisis Keragaman Genetik 20 Aksesi Mangga (Mangifera spp.) Menggunakan Penanda Molekuler IRAP (Inter-Retrotransposon Amplified Polymorphism)
Nidaul Hasanah, Agus Budi Setiawan, S.P., M.Sc., Ph.D.; Prof. Dr. Ir. Aziz Purwantoro, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Shah, K. A, M. B. Patel, S. S. Shah, K. N. Chauhan, P. K. Parmar and N. M. Patel. 2010. Antihyperlipidemic activity of *Mangifera indica* L. leaf extract on rats fed with high cholesterol diet. Der Pharmacia Sinica. 1(2): 156-161.

Shah, N. J. 2019. Polymerase Chain Reaction. In: Raj, G., Raveendran, R. (eds) Introduction to Basics of Pharmacology and Toxicology. Springer, Singapore.

Singh, J., N. Birbian, S. Sinha, and A. Goswami. 2014. A critical review on PCR, its types and applications. International Journal of Advance Research in Biological Science. 1(7): 65-80.

Song, X., and X. Cao. 2017. Transposon-mediated epigenetic regulation contributes to phenotypic diversity and environmental adaptation in rice. Current Opinion in Plant Biology. 36: 111-118.

Sulistyawati, P., dan Widyatmoko, A. Y. P. B. C. 2017. Keragaman genetik spesies kayu merah (Pterocarpus indicus Willd) menggunakan penanda Random Amplified Polymorphism DNA. Jurnal Pemuliaan Tanaman Hutan 11(1): 67-76.

Sulistyorini, I., Rubiyo, and Sudarsono. 2018. Evaluasi keseragaman klonal pada enam klon kakao unggul. Jurnal Tanaman Industri dan Penyegar. 5 (3): 135–144.

Tahir, M., S. Iram, D. Potter, R. M. Rana, and A. Szekacs. 2026. Genetic diversity and population structure analysis of mango (*Mangifera indica* L.) germplasm using microsatellite markers. BMC Plant Biology. 26(998): 1-15.

Teixeira, J. C. and C. D. Huber. 2021. The inflated significance of neutral genetic diversity in conservation genetics. Proc Natl Acad Sci USA. 118(10): 1-10.

Teo, L. L., R. Kiew, O. Set, S. K. Lee, and Y. Y. Gan. 2002. Hybrid status of kuwini, *Mangifera odorata* Giff. (Anacardiaceae) verified by amplified fragment length polymorphism. Molecular Ecology. 11: 1465-1469.

Terryana, R. T., K. Nugroho, H. Rijzaani, dan P. Lestari. 2018. Karakterisasi keragaman genetic 27 genotipe cabai berdasarkan marka SSR (Simple Repeat Sequence). Jurnal Ilmu-ilmu Hayati 17(20): 183-194.

Tessier, C., J. David, P. This, J. M. Boursiquot, and A. Charrier. 1999. Optimization of the choice of molecular markers for varietal identification in Vitis vinifera L. Theoretical and Applied Genetics 98: 171–177.

Utami, S., K. Baskoro, L. Khotimperwati, dan Murningsih. 2019. Keragaman varietas mangga (*Mangifera indica* L.) di Kotamadya Semarang Jawa Tengah. Bioma. 21(2): 121-125.

UNIVERSITAS
GADJAH MADA
Analisis Keragaman Genetik 20 Aksesi Mangga (Mangifera spp.) Menggunakan Penanda Molekuler IRAP (Inter-Retrotransposon Amplified Polymorphism)
Nidaul Hasanah, Agus Budi Setiawan, S.P., M.Sc., Ph.D.; Prof. Dr. Ir. Aziz Purwantoro, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Vitte, C., M. A. Fustier, K. Alix, and M. I. Tenaillon. 2014. The bright side of transposons in crop evolution. Briefings in Functional Genomics. 13(4): 276-295.

Vitte C., T. Ishii, F. Lamy, D. Brar, and O. Panaud. 2004. Genomic paleontology provides evidence for two distinct origins of Asian rice (*Oryza sativa* L). Mol Genet Genomics. 272: 504–511.

Wicker, T., F. Sabot, A. Hua-Van, J. L. Bennetzen, P. Capy, B. Chalhoub, A. Falvell, P. Leroy, M. Morgante, O. Panaud, and E. Paux. 2007. A unified classification system for eukaryotic transposable elements. Nature Reviews Genetics. 8(12): 973–982.

Widjaja, E. A., Y. Rahayuningsih, J. S. Rahajoe, R. Ubaidah, I. Maryanto, E. B. Waluyo, Waluyo dan G. Semiadi. 2014. Kekinian Keanekaragaman Hayati Indonesia. Jakarta: LIPI Press.

Yamanaka, S., F. Hosaka, M. Matsumura, Y. Onoue-Makishi, K. Nashima, N. Urasaki, T. Ogata, M. Shoda, and T. Yamamoto. 2019.

Zhang, S., Han, S., Bi, D., Yang, J., Ge, W., Ye, Y., Gao, J., Dai, C., and Kan, X. 2024. Intraspecific and intrageneric genomic variation across three sedum species (Crassulaceae): A Plastomic Perspective. Genes 15(4): 1-14.

Zuur, A. F., E. N. Ieno, and G. M. Smith. 2007. Analysing Ecological Data. Springer, United Kingdom.