UNIVERSITAS
GADJAH MADA
**Effects of Black Soldier Fly and Mealworm Frass Fertilizer on Red Radish as A Potential Crop for Agroforestry**
Gregorius Rinaldy Bagus candra Yunda Prasetya, Dr. Ir. Daryono Prehaten, S.Hut., M.Sc., IPM; Prof. Dr. Satoru Sato
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**


# REFERENCES

Ågren, G. I., & Franklin, O. (2003). Root: shoot ratios, optimization and nitrogen productivity. *Annals of botany*, *92*(6), 795-800.

Alam, M. K., Farooque, A. M., Nuruzzaman, M., & Uddin, A. F. M. J. (2010). Effect of sowing time on growth and yield of three radish (Raphanus sativus L.) varieties. *Bangladesh Res. Pub. J*, 3(3), 998-1006.

Alghifari, F. A. (2023). *Aplikasi Pupuk Kotoran Hewan terhadap Pertumbuhan dan Hasil Kedelai (Glycine max L.) pada Sistem Agroforestri Pinus.* Universitas Sebelas Maret.

Almaramah, S. B., Abu-Elsaoud, A. M., Alteneiji, W. A., Albedwawi, S. T., El-Tarabily, K. A., & Al Raish, S. M. (2024). The impact of food waste compost, vermicompost, and chemical fertilizers on the growth measurement of red radish (Raphanus sativus): A sustainability perspective in the United Arab Emirates. *Foods*, 13(11), 1608.

Ashman, M. R., & Puri, G. (2001). Essential soil science A clear and concise introduction to soil science. *Blackwell Publishing*.

Barragán-Fonseca, K. Y., Nurfikari, A., Van De Zande, E. M., Wantulla, M., Van Loon, J. J., De Boer, W., & Dicke, M. (2022). Insect frass and exuviae to promote plant growth and health. *Trends in Plant Science*, 27(7), 646-654.

Beesigamukama, D., Mochoge, B., Korir, N., Musyoka, M. W., Fiaboe, K. K., Nakimbugwe, D., ... & Tanga, C. M. (2020). Nitrogen fertilizer equivalence of black soldier fly frass fertilizer and synchrony of nitrogen mineralization for maize production. *Agronomy*, 10(9), 1395.

Beesigamukama, D., Tanga, C. M., Fiaboe, K. K. M., Sevgan, S., Nakimbugwe, D., Khamis, F. M., ... & Ekesi, S. (2020). Low-cost technology for recycling agro-industrial waste into nutrient-rich organic fertilizer using black soldier fly larvae. *Waste Management*, 115, 93-101.

Beesigamukama, D., Mochoge, B., Korir, N., Ghemoh, C., Subramanian, S., & Tanga, C. (2021). In situ nitrogen mineralization and nutrient release by soil amended with black soldier fly frass fertilizer. *Scientific Reports*, 11(1), 14799.

Bloom, A. J., Chapin, F. S., & Mooney, H. A. (1985). Resource limitation in plants an economic analogy. *Annual Review of Ecology and Systematics*, 16(1), 363–392.

Boussadia, O., Steppe, K., Zgallai, H., El Hadj, S. B., Braham, M., Lemeur, R., & Van Labeke, M. C. (2010). Nondestructive determination of nitrogen and

UNIVERSITAS
GADJAH MADA
**Effects of Black Soldier Fly and Mealworm Frass Fertilizer on Red Radish as A Potential Crop for Agroforestry**
Gregorius Rinaldy Bagus candra Yunda Prasetya, Dr. Ir. Daryono Prehaten, S.Hut., M.Sc., IPM; Prof. Dr. Satoru Sato
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**


chlorophyll content in olive leaves using the SPAD-502 chlorophyll meter. *Journal of Plant Nutrition*, 33(10), 1489–1497.

Brouwer, R. (1962). Distribution of dry matter in the plant. *Netherlands Journal of Agricultural Science*, 10(5), 361–376.

Bruno, D., Bonelli, M., Cadamuro, A. G., Reguzzoni, M., Grimaldi, A., Casartelli, M., & Tettamanti, G. (2019). The digestive system of the adult Hermetia illucens (Diptera: Stratiomyidae): morphological features and functional properties. *Cell and Tissue Research*, 378(2), 221-238. https://doi.org/10.1007/s00441-019-03025-7.

Budiastuti, M. T. S., Purnomo, D., & Setyaningrum, D. 2021. Agroforestry systems as the best vegetation management to face forest degradation in Indonesia. *Reviews in Agricultural Science* 10: 14-23.

Burgess, S. S., Adams, M. A., Turner, N. C., White, D. A., & Ong, C. K. (2001). Tree roots: conduits for deep recharge of soil water. *Oecologia*, 126(2), 158-165.

Cannell, M. G., & Dewar, R. C. (1994). Carbon allocation in trees: a review of concepts for modelling. *Advances in Ecological Research*, 25, 59–109.

De Foresta, H. & Michon, G. (1997). The agroforest alternative to Imperata grasslands: when smallholder agriculture and forestry reach sustainability. *Agroforestry Systems* 36:105-120.

Drechsel, P., Gyiele, L., Kunze, D., & Cofie, O. (2001). Population density, soil nutrient depletion, and economic growth in sub-Saharan Africa. *Ecological Economics*, 38(2), 251–258. https://doi.org/10.1016/S0921-8009(01)00167-7.

El-Beltagi, H. S., Maraei, R. W., Shalaby, T. A., & Aly, A. A. (2022). Metabolites, nutritional quality and antioxidant activity of red radish roots affected by gamma rays. *Agronomy*, 12(8), 1916.

Evizal R, Tohari T, Prijambada I D, Widada J. 2020. Peranan pohon pelindung dalam menentukan produktivitas kopi. *J agrotropika* 17(1): 19-23.

Ferdous, J., Ahamed, T., Miah, M. M. U., & Rahman, M. M. (2022). Performance of radish in aonla based multistoried agroforestry system. *European Journal of Agriculture and Food Sciences*, 4(3), 9-16.

Forbes, H., Peacock, E., Abbot, N., & Jones, M. (2024). *Think Eat Save: tracking progress to halve global food waste*. Food Waste Index Report 2024. United Nations Environment Programme.

UNIVERSITAS
GADJAH MADA
**Effects of Black Soldier Fly and Mealworm Frass Fertilizer on Red Radish as A Potential Crop for Agroforestry**
Gregorius Rinaldy Bagus candra Yunda Prasetya, Dr. Ir. Daryono Prehaten, S.Hut., M.Sc., IPM; Prof. Dr. Satoru Sato
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**


Gachene, C. K. K., & Kimaru, G. (2003). *Soil fertility and land productivity A guide for extension workers in the eastern Africa region*. Regional Land Management Unit (RELMA). http://www.fao.org/family-farming/detail/en/c/317343/.

Gamba, M., Asllanaj, E., Raguindin, P. F., Glisic, M., Franco, O. H., Minder, B., ... & Muka, T. (2021). Nutritional and phytochemical characterization of radish (Raphanus sativus): A systematic review. *Trends in Food Science & Technology*, 113, 205-218.

Garrett, H.E. (ed.) (2009). *North American agroforestry: An integrated science and practice (2nd ed.).* ASA, Madison, WI.

Gliessman, S. R. (2015). *Agroecology*: *The Ecology of Sustainable Food Systems (3rd ed.)*. CRC Press.

Guo, R. et al. (2019) "Effect of photoperiod on the formation of cherry radish root," *Scientia Horticulturae*, 244, pp. 193–199.

Henao, J., & Baanante, C. (2006). *Agricultural production and soil nutrient mining in Africa: Implications for resource conservation and policy development*. IFDC. https://vtechworks.lib.vt.edu/handle/10919/68832.

Hodge, A. (2004). The plastic plant: root responses to heterogeneous supplies of nutrients. *New Phytologist*, 162(1), 9–24.

Houben, D., Daoulas, G., Faucon, M., & Dulaurent, A. (2020). Potential use of mealworm frass as a fertilizer: Impact on crop growth and soil properties. *Scientific Reports*, 10(1), 1-9. https://doi.org/10.1038/s41598-020-61765-x.

Ingelaere, A. M. (2023). *The potential use of black soldier fly larvae residue as a fertilizer*.

Irmasari, I., Edy, N., & Ramli, R. 2018. Pengelolaan hutan rakyat berbasis agroforestri untuk meningkatkan kesejahteraan petani di sekitar kawasan Taman Nasional Lore Lindu, Sulawesi Tengah. *J Pengabdian Pada Masyarakat* 6(10): 89-100.

Kotsou, K., Chatzimitakos, T., Athanasiadis, V., Bozinou, E., & Lalas, S. I. (2023). Exploiting Agri-Food Waste as Feed for Tenebrio molitor Larvae Rearing: A Review. *Foods*, 13(7), 1027. https://doi.org/10.3390/foods1307102.

Lemoine, R., La Camera, S., Atanassova, R., Dédaldéchamp, F., Allario, T., Pourtau, N., ... & Durand, M. (2013). Source-to-sink transport in plants: how is it regulated? *Frontiers in Plant Science*, 4, 177.

Liu, H., Xu, W., Li, J., Yu, Z., Zeng, Q., Tan, W., & Mi, W. (2021). Short-term effect of manure and straw application on bacterial and fungal community

UNIVERSITAS
GADJAH MADA
**Effects of Black Soldier Fly and Mealworm Frass Fertilizer on Red Radish as A Potential Crop for Agroforestry**
Gregorius Rinaldy Bagus candra Yunda Prasetya, Dr. Ir. Daryono Prehaten, S.Hut., M.Sc., IPM; Prof. Dr. Satoru Sato
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**


compositions and abundances in an acidic paddy soil. *Journal of Soils and Sediments*, *21*(9), 3057-3071. doi:10.1007/s11368-021-03005-x.

Mansyur, N. I., Pudjiwati, E. H., & Murtilaksono, A. (2021). *Pupuk dan pemupukan*. Syiah Kuala University Press.

Marcelis, L. F. M. (1996). Sink strength as a determinant of dry matter partitioning in the whole plant. *Journal of Experimental Botany*, 47(Special_Issue), 1281–1291.

McIntyre, B. D., Riha, S. J., & Ong, C. K. (1997). Competition for water in a hedge-understory crop system. *Field Crops Research*. 52(1-2), 151-160.

Mendizábal, T. F., Salcedo, I., Huérfano, X., Riga, P., Estavillo, J. M., Ávila Blanco, D., & Duñabeitia, M. K. (2023). Mealworm frass as a potential organic fertilizer in synergy with PGP-based biostimulant for lettuce plants. *Agronomy*, 13(5), 1258. https://doi.org/10.3390/agronomy13051258.

Nair, P. K. R. (1993). An Introduction to Agroforestry Kluwer academic publishers. *The Netherlands*.

Nair, P. R. (2011). Agroforestry systems and environmental quality: introduction. *Journal of Environmental Quality*, 40(3), 784-790.

Nair, P.K.R., A.M. Gordon, and M.-R. Mosquera-Losada. (2008). Agroforestry. p. 101–110. In S.E. Jorgensen and B.D. Faith (ed.) *Encyclopedia of ecology*. Vol. 1. Elsevier, Oxford, UK.

Nash, M. A., Brubaker, T. P., & Hipp, B. W. (1990). Expanded shale as a potting medium component for bedding plants. *HortScience*, *25*(9), 1163d-1163.

Nyambo, P., Motsi, H., Chiduza, C., & Malobane, M. E. (2023). Biochar ageing improves soil properties, growth and yield of red radish (Raphanus sativus) in a Haplic Cambisol. *PloS One*, 18(7), e0288709.

Omotayo, O., & Chukwuka, K. S. (2009). Soil fertility restoration technique in sub-Saharan Africa using organic resources. *African Journal of Agricultural Research*, 4(3), 144 150.

Pannico, A., El-Nakhel, C., Kyriacou, M. C., Giordano, M., Stazi, S. R., De Pascale, S., & Rouphael, Y. (2019). Combating micronutrient deficiency through microgreen biofortification. *Frontiers in Plant Science*, 10, 1060.

Park C.H., Baskar T.B., Park S.Y., Kim S.J., Valan Arasu M., Al-Dhabi N.A., Kim J.K., & Park S.U. (2016). Metabolic profiling and antioxidant assay of metabolites from three radish cultivars (Raphanus sativus). *Molecules*, 21(2), 157.

UNIVERSITAS
GADJAH MADA
**Effects of Black Soldier Fly and Mealworm Frass Fertilizer on Red Radish as A Potential Crop for Agroforestry**
Gregorius Rinaldy Bagus candra Yunda Prasetya, Dr. Ir. Daryono Prehaten, S.Hut., M.Sc., IPM; Prof. Dr. Satoru Sato
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**


Patel, R. (2016). *Effect of different doses of nitrogen and gibberellic acid on growth, yield and quality of radish (Raphanus sativus L.)* (Doctoral dissertation, thesis submitted to the Rajmata vijayaraje scandia krishi Vishwa Vidyalaya, in partial fulfilment of the requirements for the degree of master of science in horticulture, vegetable Science).

Poorter, H., & Nagel, O. (2000). The role of biomass allocation in the growth response of plants to different levels of light, CO2, nutrients and water: a review of basic principles and methodology. *Plant and Soil*, 226(1), 39–56.

Poorter, H., Niinemets, Ü., Poorter, L., Wright, I. J., & Villar, R. (2009). Causes and consequences of variation in leaf mass per area (LMA): a meta-analysis. *New Phytologist*, 182(3), 565-588.

Poorter, H., Niklas, K. J., Reich, P. B., Oleksyn, J., Poot, P., & Mommer, L. (2012). Biomass allocation to leaves, stems and roots: meta-analyses of interspecific variation and environmental control. *New Phytologist*, 193(1), 30–50.

Poveda, J. (2021). Insect frass in agriculture: a review on its potential as a sustainable biofertilizer and biopesticide. *Agronomy for Sustainable Development*, 41(3), 1-18.

Puri, S., Wijayanto, N., & Wulandari, A. S. (2016). *Dimensi pohon sentang (Azadirachta excelsa Jack.) dan produksi kedelai (Glycine max (L.) Merril) di dalam sistem agroforestri* [tesis]. Bogor: IPB.

Rao, M. R., Nair, P. K. R., & Ong, C. K. (1997). Biophysical interactions in tropical agroforestry systems. *Agroforestry systems*, 38(1), 3-50.

Rimbawati, D. E., Fatchiya, A., & Sugihen, B. G. (2018). Dinamika kelompok tani hutan agroforestry di Kabupaten Bandung. *J Penyuluhan* 14(1): 92-103.

Rowe, A. (2025). Effect of drainage layers on water retention of potting media in containers. *PloS one*, 20(2), e0318716.

Salomon, M. J., Cavagnaro, T. R., & Burton, R. A. (2025). Potential of black soldier fly larvae frass (BSFL) as a novel fertilizer: impacts on tomato growth, nutrient uptake, and mycorrhizal formation. *Plant and Soil*, 513(1), 417-434.

Shahi, R., Kumar, J., Silas, V. J., Kumar, S., & Srivastava, A. (2024). Effect of nitrogen level on growth and yield attributing characters of radish (Raphanus sativus L.) cv. Pusa Chetki. *International Journal of Advanced Biochemistry Research*. https://doi.org/10.33545/26174693.2024.v8.i5i.1164.

UNIVERSITAS
GADJAH MADA
**Effects of Black Soldier Fly and Mealworm Frass Fertilizer on Red Radish as A Potential Crop for Agroforestry**
Gregorius Rinaldy Bagus candra Yunda Prasetya, Dr. Ir. Daryono Prehaten, S.Hut., M.Sc., IPM; Prof. Dr. Satoru Sato
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**


Sharma, A., Singh, S., & Rathore, M. S. (2014). Nutritional and medicinal properties of radish (Raphanus sativus). *Asian Journal of Science and Technology*, 5(12), 804–807.

Shrestha, A., & Thapa, B. (2018). Effect of different doses of nitrogen on growth and yield parameters of radish (Raphanus sativus L.) in mid-hills of Nepal. *Horticulture International Journal*, 2(6), 483-485.

Sileshi, G. W., Mafongoya, P., Akinnifesi, F. K., Phiri, E., Chirwa, P., Beedy, T., Makumba W., Nyamadzawo G., Njoloma J., Wuta M., Nyamugafata P., & Jiri, O. (2014). *Agroforestry: fertilizer trees*.

Sitompul, S. M. (2016). *Analisa Pertumbuhan Tanaman*. Malang: Fakultas Pertanian Brawijaya.

Subedi, S., Srivastava, A., Sharma, M. D., & Shah, S. C. (2018). Effect of organic and inorganic nutrient sources on growth, yield and quality of radish (Raphanus sativus L.) varieties in Chitwan, Nepal. *SAARC Journal of Agriculture*, *16*(1), 61-69.

Sugiura, D., Watanabe, C. K. A., Betsuyaku, E., & Terashima, I. (2017). Sink–source balance and down-regulation of photosynthesis in Raphanus sativus: Effects of grafting, N and CO2. *Plant and Cell Physiology*, 58(12), 2043–2056. https://doi.org/10.1093/pcp/pcx132.

Surendra, K., Olivier, R., Tomberlin, J. K., Jha, R., & Khanal, S.K. (2016). Bioconversion of organic wastes into biodiesel and animal feed via insect farming. *Renewable Energy*, 98, 197-202. https://doi.org/10.1016/j.renene.2016.03.022.

Song, S., Ee, A. W. L., Tan, J. K. N., Cheong, J. C., Chiam, Z., Arora, S., Lam, W. N., & Tan, H. T. W. (2021). Upcycling food waste using black soldier fly larvae: Effects of further composting on frass quality, fertilizing effect, and its global warming potential. *Journal of Cleaner Production*, 288, 125664. doi:10.1016/j.jclepro.2021.125664.

Taisaku, K. (2023). Japanese Swidden Agriculture (yakihata): Environmental History of Grassland, Forest and Fire. *Handbook of Environmental History in Japan. Netherlands: Amsterdam University Press, Amsterdam*, 213-32.

Tsuruoka Gastronomy. (n.d.). *Tsuruoka's famous Atsumi turnip field-to-table*. Retrieved from https://www.tsuruokagastronomy.com/post/tsuruoka-s-famous-atsumi-turnip-field-to-table

Tully, K., Sullivan, C., Weil, R., & Sanchez, P. (2015). The State of Soil Degradation in Sub-Saharan Africa: Baselines, Trajectories, and Solutions. *Sustainability*, 7, 6523–6552. https://doi.org/10.3390/su7066523.

UNIVERSITAS
GADJAH MADA
**Effects of Black Soldier Fly and Mealworm Frass Fertilizer on Red Radish as A Potential Crop for Agroforestry**
Gregorius Rinaldy Bagus candra Yunda Prasetya, Dr. Ir. Daryono Prehaten, S.Hut., M.Sc., IPM; Prof. Dr. Satoru Sato
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**


Uddling, J., Gelang-Alfredsson, J., Piikki, K., & Pleijel, H. (2007). Evaluating the relationship between chlorophyll meter readings and chlorophyll content in leaves of different plant species. *Journal of Plant Physiology*, 164(8), 1033–1036.

White, A. C., Rogers, A., Murchie, E. H., & Paul, M. J. (2016). Expanding the limits in plant formulation: source–sink carbon flux and yield determination. *Journal of Experimental Botany*, 67(14), 4035–4045.

Wijayanto, N., & Araujo, J. D. 2011. Pertumbuhan tanaman pokok cendana (Santalum album Linn.) pada sistem agroforestri di Desa Sanirin, Kecamatan Balibo, Kabupaten Bobonaro, Timor Leste. *J Silvikultur Tropika* 3(1): 119-123.

Worldometer. (n.d.). *World population by year*. Retrieved November 13, 2025, from https://www.worldometers.info/world-population/world-population-by-year/.

Wu, N., Yu, X., Liang, J., Mao, Z., Ma, Y., Wang, Z., ... & Xu, X. (2023). A full recycling chain of food waste with straw addition mediated by black soldier fly larvae: Focus on fresh frass quality, secondary composting, and its fertilizing effect on maize. *Science of The Total Environment*, 885, 163386.

Wulandari, A. S., Wardani, A., & Wijayanto, N. 2020. Respon fisiologi mindi (Melia azedarach L.) dan kedelai (Glycine max (L.) Merrill) dalam agroforestri secara organik. *J Tropical Silviculture* 11(1): 11-17.

Yousaf, M., Bashir, S., Raza, H., Shah, A. N., Iqbal, J., Arif, M., ... & Hu, C. (2021). Role of nitrogen and magnesium for growth, yield and nutritional quality of radish. *Saudi Journal of Biological Sciences*, *28*(5), 3021-3030.

Yudistira, D. H., Sandi, Y. U., Wirabumi, B. A., Damayanti, A., Wikandari, P., & Sato, S. (2025). Effects of different application doses of black soldier fly frass, Hermetia illucens (Diptera: Stratiomydae) on soybean plant performances and arthropod abundance. *Asian Journal of Agriculture*, 9(1). https://doi.org/10.13057/asianjagric/g090105.

Yusran, Y., Erniwati, E., Sustri, S., & Risnawati, R. 2018. Peningkatan pengetahuan, keterampilan dan pendapatan masyarakat berbasis konservasi dan ekowisata di lereng Pegunungan Gawalise Desa Uwemanje Kecamatan Kinovaro Kabupaten Sigi Sulawesi Tengah. *J Pengabdian Kepada Masyarakat* 24(4): 923-932.

Zhang, J., Zhang, J., Li, J., Tomerlin, J., Xiao, X., Rehman, K., Cai, M., Zheng, L., & Yu, Z. (2021). Black soldier fly: A new vista for livestock and poultry manure management. *Journal of Integrative Agriculture*, 20(4), 857-868. doi:10.1016/S2095-3119(20)63423-2.

UNIVERSITAS
GADJAH MADA
**Effects of Black Soldier Fly and Mealworm Frass Fertilizer on Red Radish as A Potential Crop for Agroforestry**
Gregorius Rinaldy Bagus candra Yunda Prasetya, Dr. Ir. Daryono Prehaten, S.Hut., M.Sc., IPM; Prof. Dr. Satoru Sato
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**


Zheng, M., Chen, J., Shi, Y., Li, Y., Yin, Y., Yang, D., ... & Ni, Y. (2017). Manipulation of plant height to enhance lodging resistance and crop yield. *Field Crops Research*, 200, 71–78.

Zunzunegui, I., Martín-García, J., Santamaría, Ó., & Poveda, J. (2025). Insect frass as an agricultural resource against abiotic and biotic crop stresses: Mechanisms of action and possible negative effects. *Applied Sciences*, 15(7), 3606.