INKORPORASI ANTOSIANIN DARI EKSTRAK BUNGA TELANG (Clitoria ternatea L.) KE DALAM ZEOLITIC
IMIDAZOLATE FRAMEWORK-8 (ZIF-8) DAN APLIKASINYA SEBAGAI INDIKATOR KESEGARAN UDANG
Annisa Nur Mayka Safitri, Dr. Sri Sudiono, S.Si. M.Si., Yogi Angga Swasono, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adisakwattana, S., Pasukamonset, P., and Chusak, C., 2020, *Pathology: Oxidative Stress and Dietary Antioxidants*, Academic Press, Cambridge.

Ahmed, I., Lin, H., Zou, L., Li, Z., Brody, A.L., Qazi, I.M., Lv, L., Pavase, T.R., Khan, M.U., Khan, S., and Sun, L., 2018, An Overview of Smart Packaging Technologies for Monitoring Safety and Quality of Meat and Meat Products, *Packaging Technology and Science.*, 31, 449–471.

Chen, B., Bai, F., Zhu, Y., and Xia, Y., 2014, Hofmeister Anion Effect on the Formation of ZIF-8 with Tuneable Morphologies and Textural Properties from Stoichiometric Precursors in Aqueous Ammonia Solution, *RSC Adv.*, 4, 47421–47428.

Cunha, R., Trigueiro, P., Orta Cuevas, M. del M., Medina-Carrasco, S., Duarte, T.M., Honório, L.M. de C., Damacena, D.H.L., Fonseca, M.G., da Silva-Filho, E.C., and Osajima, J.A., 2023, The Stability of Anthocyanins and Their Derivatives through Clay Minerals: Revising the Current Literature, *Minerals.*, 13.

Dudnyk, I., Janeček, E., Joset, V,. Joanne., and Francesco, S., 2018, Edible Sensors for Meat and Seafood Freshness, *Chemical.,* 259.

Emam, H.E. and Abdelhameed, R.M., 2022, Separation of Anthocyanin from Roselle Extract by Cationic Nano-Rode ZIF-8 Constructed Using Removable Template, *J. Mol. Struct.*, 1267.

Fang, H., Cao, L., Sui, J., Wang, X., Lin, H., Wang, K., and Li, J., 2026, Dual-Modulated Anthocyanin-Based Freshness Indicators with Improved Stability Using 2,5-Dihydroxybenzoic Acid and UiO-66-NH_2, *Food Chem.*, 516.

Gao, J., Chu, W., Ding, X., Ding, L., Guo, Q., and Fu, Y., 2023, Degradation Kinetic Studies of BSA@ZIF-8 Nanoparticles with Various Zinc Precursors, Metal to Ligand Ratios, and pH Conditions, *ACS Omega.*, 8, 44601–44610.

Ghorbani, M., Divsalar, E., Molaei, R., Ezati, P., Moradi, M., Tajik, H., and Abbaszadeh, M., 2021, A Halochromic Indicator Based on Polylactic Acid and Anthocyanins for Visual Freshness Monitoring of Minced Meat, Chicken Fillet, Shrimp, and Fish Roe, *Innovative Food Science & Emerging Technologies.*, 74, 102864.

Guo, B., Sun, Y., Guan, Q., Luo, Z., Zhou, L., Xu, Z., Han, J., and Qu, D., 2024, Fabrication and Characterization of Sodium Alginate/Blueberry Anthocyanins/Hinokitiol Loaded ZIF-8 Nanoparticles Composite Films with Antibacterial Activity for Monitoring Pork Freshness, *Food Chem.*, 440, 138200.

Huang, X., Zhang, K., Li, Z., Zhang, J., Zhai, X., Zhang, N., Du, L., and Qin, Z., 2025, Exploring the Integration of Anthocyanins with Functional Materials in Smart Food Packaging: From Stabilization to Application, *Foods.,* 14, 2896.

UNIVERSITAS GADJAH MADA
INKORPORASI ANTOSIANIN DARI EKSTRAK BUNGA TELANG (Clitoria ternatea L.) KE DALAM ZEOLITIC IMIDAZOLATE FRAMEWORK-8 (ZIF-8) DAN APLIKASINYA SEBAGAI INDIKATOR KESEGARAN UDANG
Annisa Nur Mayka Safitri, Dr. Sri Sudiono, S.Si. M.Si., Yogi Angga Swasono, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Huang, Y., Zhou, S., Zhao, G., and Ye, F., 2021, Destabilisation and Stabilisation of Anthocyanins in Purple-Fleshed Sweet Potatoes: A review, *Trends Food Sci. Technol.*, 116, 1141–1154.

Ionescu, C., Samide, A., and Tigae, C., 2025, Trend in Detection of Anthocyanins from Fresh Fruits and the Influence of Some Factors on Their Stability Impacting Human Health: Kinetic Study Assisted by UV–Vis Spectrophotometry, *Antioxidants.*, 14, 227.

Jain, R.A. and Shukla, S.H., 2011, Pharmacognostic Evaluation and Phytochemical Studies on Stem of Clitoria ternatea linn., *Pharmacognosy Journal.*, 3, 62–66.

Jeyaraj, E.J., Lim, Y.Y., and Choo, W.S., 2022, Antioxidant, Cytotoxic, and Antibacterial Activities of Clitoria ternatea Flower Extracts and Anthocyanin-rich Fraction, *Scientific Reports.*, 12, 14890.

Jing, H.P., Wang, C.C., Zhang, Y.W., Wang, P., and Li, R., 2014, Photocatalytic Degradation of Methylene Blue in ZIF-8, *RSC Adv.*, 4, 54454–54462.

Kaewprachu, P., Sai-Ut, S., and Rawdkuen, S., 2022, Smart Freshness Indicator for Animal-Based Product Packaging, *Food Packaging: The Smarter Way.*, 107–125.

Khajavian, M., Salehi, E., and Vatanpour, V., 2020, Nanofiltration of Dye Solution Using Chitosan/Poly(vinyl alcohol)/ZIF-8 Thin Film Composite Adsorptive Membranes with PVDF Membrane Beneath as Support, *Carbohydr. Polym.*, 247, 116693.

Kim, D., Park, Jinhyeon, Park, Jisoo, Jang, J., Han, M., Lim, S.H., Ryu, D.Y., You, J., Zhu, W., Yamauchi, Y., and Kim, J., 2024, Surfactant-Free, Size-Controllable, and Scalable Green Synthesis of ZIF-8 Particles with Narrow Size Distribution by Tuning Key Reaction Parameters in Water Solvent, *Small Methods.*, 8, 2400236.

Kinoshita, M., Yanagida, S., Gessei, T., and Monkawa, A., 2022, Precursor Concentration Effects on Crystallite Size and Enzyme Immobilization Efficiency of Enzyme@ZIF-8 Composite, *J. Cryst. Growth.*, 600, 126877.

Kranpukdee, P., Somsongkul, V., and Shawaphun, S., 2025, Effects of Metal Ions on the Stabilization of Anthocyanin Pigments Powder from Butterfly Pea Flowers, *E3S Web of Conferences*, 679, 01017.

Kwartiningsih, E., Ramadhani, A.N., Shafa, T.F., and Pramesthi, D.A., 2024, Utilization of Anthocyanin Extract from Clitoria ternatea as a Natural Colorant in Eyeshadow Formulation, *The 13th Engineering International Conference "Sustainable Development Through Green Engineering and Technology",* Juli, Jakarta.

Lewis, A., Mazlan, N.A., Butt, F.S., Chen, Z., Yang, S., and Huang, Y., 2024, Aqueous Co-solvent Synthesis of Zeolitic Imidazolate Frameworks: The Impact of Co-solvents in the Crystal Growth Kinetics, *Mater. Today Chem.*, 40, 102256.

Li, W., Zhang, Y., Deng, H., Yuan, H., Fan, X., Yang, H., and Tan, S., 2023, In Vitro and in Vivo Bioaccessibility, Antioxidant Activity, and Color of Red Radish Anthocyanins as Influenced by Different Drying Methods, *Food Chem. X.*, 18.

UNIVERSITAS GADJAH MADA
INKORPORASI ANTOSIANIN DARI EKSTRAK BUNGA TELANG (Clitoria ternatea L.) KE DALAM ZEOLITIC IMIDAZOLATE FRAMEWORK-8 (ZIF-8) DAN APLIKASINYA SEBAGAI INDIKATOR KESEGARAN UDANG
Annisa Nur Mayka Safitri, Dr. Sri Sudiono, S.Si. M.Si., Yogi Angga Swasono, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

López Prado, A.S., Shen, Y., Ardoin, R., Osorio, L.F., Cardona, J., Xu, Z., and Prinyawiwatkul, W., 2019, Effects of Different Solvents on Total Phenolic and Total Anthocyanin Contents of Clitoria ternatea L. Petal and their Anti-Cholesterol Oxidation Capabilities, *Int. J. Food Sci. Technol.*, 2, 54.

Ma, Q., Du, L., and Wang, L., 2017, Tara Gum/Polyvinyl Alcohol-Based Colorimetric NH_3 Indicator Films Incorporating Curcumin for Intelligent Packaging, *Sens. Actuators B Chem.*, 244, 759–766.

Nguyen, K.D., Nguyen, N.A.T., and Dong, T.A.D., 2025, Optimization of Extraction Conditions for Anthocyanin and Phenolic Compounds From Clitoria ternatea L. Assisted by Microwave and Enzyme Hydrolysis, *J. Food Biochem.*, 1101732.

Oktay, C., Kahyaoglu, L.N., and Moradi, M., 2023, Food Freshness Monitoring Using Poly(vinyl alcohol) and Anthocyanins Doped Zeolitic Imidazolate Framework-8 Multilayer Films with Bacterial Nanocellulose Beneath as Support, *Carbohydr. Polym.*, 319, 121184.

Rosli, N.N.B., Raslan, R.B., and Pradnya, N., 2026, Effects of Different Solvents on Natural Dye Extraction from Clitoria ternatea, *ASEAN Journal of Chemical Engineering.*, 26, 71–81.

Shao, P., Liu, L., Yu, J., Lin, Y., Gao, H., Chen, H., and Sun, P., 2021, An Overview of Intelligent Freshness Indicator Packaging for Food Quality and Safety Monitoring, *Trends Food Sci. Technol.*, 118, 285–296.

Song, J., Yu, Y., Chen, M., Ren, Z., Chen, L., Fu, C., Ma, Z. feei, and Li, Z., 2022, Advancement of Protein and Polysaccharide-Based Biopolymers for Anthocyanin Encapsulation, *Front. Nutr.*, 9, 938829.

Vidana Gamage, G.C. and Choo, W.S., 2023, Hot Water Extraction, Ultrasound, Microwave and Pectinase-Assisted Extraction of Anthocyanins From Blue Pea Flower, *Food Chemistry Advances.*, 2, 100209.

Wang, X., Yi, F., Hong, G., Zhao, H., Zhang, D., Wang, J., and Ma, Y., 2022, Preparation of Curcumin Stabilized Pigment Coated by Zeolitic Imidazolate Framework Material ZIF-8, *J. Mater. Sci.*, 57, 21583–21590.

Wei, Y.C., Cheng, C.H., Ho, Y.C., Tsai, M.L., and Mi, F.L., 2017, Active Gellan Gum/Purple Sweet Potato Composite Films Capable of Monitoring pH Variations, *Food Hydrocoll.*, 69, 491–502.

Wu, C., Sun, J., Zheng, P., Kang, X., Chen, M., Li, Y. Ge., Y.Hu., and J. Pang., 2019, Preparation of An Intelligent Film Based on Chitosan/Oxidized Chitin Nanocrystals Incorporating Black Rice Bran Anthocyanins for Seafood Spoilage Monitoring, *Carbohydrate Polymers*., 222, 115006

Xiong, G., Zhou, X., Zhang, C., and Xu, X., 2024, A Comprehensive Review of Intelligent Packaging Materials Based on Biopolymers: Role of Anthocyanins, Type and Properties of Materials, and their Application In Monitoring Meat Freshness, *Int. J. Biol. Macromol.*, 282, 137462.

Yang, L., Zhu, J., Zhang, L., Xu, S., Jiang, L., Tian, W., Wu, T., Yu, M., Yuan, L., and Li, Z., 2025, A Bifunctional Film Based on Carboxymethyl Cellulose/Polyvinyl Alcohol Integrated With Anthocyanins Doped Zeolitic Imidazolate Framework-8 for Monitoring and Maintaining Fruit Freshness, *Int. J. Biol. Macromol.*, 314.

UNIVERSITAS
GADJAH MADA
INKORPORASI ANTOSIANIN DARI EKSTRAK BUNGA TELANG (Clitoria ternatea L.) KE DALAM ZEOLITIC IMIDAZOLATE FRAMEWORK-8 (ZIF-8) DAN APLIKASINYA SEBAGAI INDIKATOR KESEGARAN UDANG
Annisa Nur Mayka Safitri, Dr. Sri Sudiono, S.Si. M.Si., Yogi Angga Swasono, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Yang, M., Lin, J., Zhang, M., Zhuang, Y., Li, Y., Wang, B., Zhang, Z., Liu, J., and Fei, P., 2025, Recent Advances In the Development and Application of Anthocyanin-Based Intelligent Active Food Packaging: A Review, *Food Chem.*, 492, 145309.

Yang, M., Zhang, M., Wang, B., Zhang, Z., Zhuang, Y., Liu, J., Zhang, Q., and Fei, P., 2025, Mechanism-Driven Stabilization of Anthocyanins: Comparative Copigmentation and Encapsulation for Food Applications, *Food Chem.*, 495.

Zhai, X., Shi, J., Zou, X., Wang, S., Jiang, C., Zhang, J., Huang, X., Zhang, W., and Holmes, M., 2017, Novel Colorimetric Films Based On Starch/Polyvinyl Alcohol Incorporated with roselle anthocyanins for Fish Freshness Monitoring, *Food Hydrocoll.*, 69.

Zhang, X., Lu, S., and Chen, X., 2014, A Visual pH Sensing Film Using Natural Dyes from Bauhinia Blakeana Dunn, *Sens. Actuators B Chem.*, 198, 268–273.

Zhang, Y., Jia, Y., Li, M., and Li'an Hou, 2018, Influence of the 2-Methylimidazole/Zinc Nitrate Hexahydrate Molar Ratio on the Synthesis of Zeolitic Imidazolate Framework-8 Crystals at Room Temperature, *Scientific Reports*, 8 (1), 9597.