UNIVERSITAS
GADJAH MADA
Pengaruh Jenis Bahan Finishing berbasis Natural Resin dan Metode Aplikasi terhadap Kualitas Finishing Papan Laminasi Bambu Betung (Dendrocalamus asper)
Muhammad Ghossani Alwan, Ir. Muhammad Navis Rofii, S.Hut., M.Sc., Ph.D. IPM. ; Dr. Jajang Sutiawan, S.Hut., M.S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

REFERENSI

Afifah, A.S., Rembe, F. R. 2024. Pengaruh Jenis Top Coat terhadap Ketahanan Finishing pada Pembuatan Coffe Table. *Jurnal Industri dan Pengolahan Kayu,* 2 (2)

ASTM E10-01. 2004, *Standard Test Method for Brinell Hardness of Metallic*. ASTM International, West Conshohocken.

ASTM D4541-02. 2009. *Standard Test Methods for Pull-Off Strength of Coating Using Portable Adhesion Testers*. ASTM International, West Conshohocken.

Badan Standardisasi Nasional. 2013. *Damar Mata Kucing - SNI 2900.2-2013*. Jakarta: Badan Standardisasi Nasional.

Badan Standardisasi Nasional. 2013. *Kemenyan - SNI 7940:2013*. Jakarta: Badan Standardisasi Nasional.

Badan Standardisasi Nasional. 2020. *Gondorukem - SNI 7636: 2020*. Jakarta: : Badan Standardisasi Nasional.

Bagehorn, Wehr J, Maier H.J. 2017. Application of Mechanical Surface Finishing Processes For Roughness Reduction and Fatigue Improvement of Additively Manufactured Ti-6Al-4V Parts. *International Journal of Fatigue*. 102: 135-142.

BPS. 2025. *Statistik Indonesia 2025*. Badan Pusat Statistik, Jakarta.

Choi, J.H., Kim, H.J. 2006. Three hardness test methods and their relationship on UV-curable epoxy acrylate coatings for wooden flooring systems. *Journal of Industrial and Engineering Chemistry*, 12(3): 412-417.

Copak, A., Jirouš-Rajković, V., Španić, N., Mikleĉić, J. 2021. The impact of post manufacture treatments on the surface characteristics important for finishing of OSB and particleboard, *Forests* 12(8), article 975. DOI: 10.3390/f12080975

Darmono. (2010). Aplikasi Teknik Finishing Mebel Dengan Bahan Berbasis Ramah Lingkungan. *Inotek*, 14(2): 208-223.

Edriana, E., Dahlian, E., Sumadiwangsa, E. S. 2004. Teknik Pembuatan Pernis dari Damar untuk Usaha Kecil. *Jurnal Penelitian Hasil Hutan*. 22(4):205-213.

Eratodi, I.G.L.B. (2017). *Struktur dan rekayasa Bambu*. Universitas Pendidikan Nasional, Denpasar.

Firdani, I.A., Chanan, M.C., Prakosa, G.G. 2021. Kelayakan Perubahan Kelas Perusahaan: Studi Kasus di Bagian Hutan Ngantang Pujon, KPH Malang (*Feasibility of change in Enterprise Class: Case Study in the Forest Section of Ngantang Pujon, KPH Malang*). *Jurnal Penelitian Hutan Tanaman* 18(2): 137-146.

Hermawan, D., Mubarok, M. Sutiawan, J., Hartono, R., Abdillah, I. B., Aulia, M. I. Syukur, A. 2025. *Formulasi Oleoresin (Dipterocarpus Sp.) sebagai Pelapis Kayu*. Berita Resmi Paten Sederhana Seri-A No. 839/II/2024, No. Pengumuman 2024/S/00674, No. Permohonan S00202314516. Direktorat Jenderal Kekayaan Intelektual, Kementerian Hukum dan Hak Asasi Manusia Republik Indonesia.

Hill, C.A.S. 2006. *Wood modification: chemical, thermal and other processes*. West Sussex (UK): John Wiley and sons Ltd.

Hubbe, M.A. Laleicke, F. 2025. Outdoor wood finishing: A review on making wood resistant to moisture, ultraviolet light, and degradation, *BioResources*. 20(3), 7903-7982.

International Organization for Standardization. 1997. *Geometrical Product Specifications (GPS) Surface texture: Profile method. Terms, definitions and surface texture parameters*. ISO 4287-1977. Geneva (SW): International Organization for Standardization.

UNIVERSITAS
GADJAH MADA
Pengaruh Jenis Bahan Finishing berbasis Natural Resin dan Metode Aplikasi terhadap Kualitas Finishing Papan Laminasi Bambu Betung (Dendrocalamus asper)
Muhammad Ghossani Alwan, Ir. Muhammad Navis Rofii, S.Hut., M.Sc., Ph.D. IPM. ; Dr. Jajang Sutiawan, S.Hut., M.S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Jämsä, S., Viitaniemi, P. 2001. Heat treatment of wood better durability without chemicals. Di dalam: Rapp AO, editor. *Review on Heat Treatments of Wood dan Proceedings of Special Seminar*; 2001 Feb 9; Antibes, France. Antibes (FR): Cost Action E22. hlm 17-22.

Japanese Agricultural Standard. 2003. *Japanese Agricultural Standard for Glued Laminated Timber*. PT. Mutuagung Lestari. Bogor

Kartikawati, A., Augustina, S., Adly Rahandi Lubis, M., Surya Kusumah, S., Santoso, A., Sutiawan, J., Martha, R. 2025. Tannin-based Polyurethane Coating for Quality Improvement of Roof Tiles Composite. *BioResources*, *20*(3), 7088–7106. https://ojs.bioresources.com/index.php/BRJ/article/view/24617

Kasim, A., Permata, D. A., Malrianti, Y. 2020. Karakterisasi Damar Dari Pesisir Selatan Dan Aplikasinya Untuk Pembuatan Pernis. *Jurnal Teknologi Pertanian Andalas.* Vol. 24, No.2

Kuspradini, H., Rosamah, E., Sukaton, E., Arung, E. T., Kusuma I. W. 2016. *Pengenalan Jenis Getah : Gum-Lateks-Resin*. Mulawarman University Press. Samarinda.

Langenheim, J. H. 2003. *Plant resins: Chemistry, evolution, ecology, and ethnobotany*. Portland: Timber Press.

Martha, R., George, B., Gérardin-Charbonnier, C., Fredon, E., Rahayu, I. S., Darmawan, W., Gérardin, P. 2024. "Surface characteristics and artificial weathering resistance of oil-based coatings on the chemically and thermally modified short rotation teak wood," *Materials* 17(15), 1-20. DOI: 10.3390/ma17153881

Nardeli, J. V., Fugivara, C. S., Taryba, M., Montemor, M. F., Ribeiro, S. J. L., Benedetti, A. V. 2020. "Novel healing coatings based on natural-derived polyurethane modified with tannins for corrosion protection of AA2024-T3," *Corrosion Science* 162, 1-40. DOI: 10.1016/j.corsci.2019.108213

Özlüsoylu, İ. 2023. "The effect of varnish type, glue amount, and density on the surface properties of low density particleboards produced from waste wood bark," *BioResources* 18(4), 7025-7040. DOI: 10.15376/biores.18.4.7025-7040

Prayitno, T. A. 1999. *Hand Out Finishing Kayu*. Fakultas Kehutanan. Universitas Gadjah Mada. Yogyakarta

Priyanto, A., Yasin, I. 2019. Pemanfaatan Laminasi Bambu Petung Untuk Bahan Bangunan. *Science Tech: Jurnal Ilmu Pengetahuan Dan Teknologi.* 5(2): 23-39. https://doi.org/10.30738/jst.v5i2.5803

Qin, Z., Chen, H., Gao, Q., Zhang, S., Li, J. 2015. "Wettability of sanded and aged fast-growing poplar wood surfaces: Surface free energy," *BioResources* 10(1), 1008 1023. DOI: 10.1007/978-3-642-22647-2_100711

Rofii, M. N., Mairing, M. J., Listyanto, T., Sumardi, I., Hartono, R. 2024. Physical and Mechanical Properties of Laminated Board from Betung Bamboo (*Dendrocalamus asper*), *J. Korean Wood Science and Technology*. 52(4):383-392

Rofii, M. N., Cadwika, F. P., Sutiawan, J., Sumardi, I., Hartono, R. 2026. The Effect of Thermal Modification on the Finishing Quality of Betung Bamboo (*Dendrocalamus asper*) Laminated Boards, *J. Korean Wood Science and Technology*. 54(5): 664-678. https://doi.org/10.5658/WOOD.2026.54.5.664

Rowell, R. M. 2012. *Handbook of wood chemistry and wood composites* (2nd ed.). Boca Raton: CRC Press.

Sastrohamidjojo, H. 2004. *Kimia Minyak Atsiri*. Gadjah Mada University Press.

Setiawati, T., Purwatiningsih, E.A. Husaeni. 2001. Penapisan Senyawa Antirayap dari Getah S. javanica dan S. leprosula. *Buletin Kimia.* 1 : 101- 105.

Sharma, K., Lecha, C. 2013. Tapping of Pinus ruxburghii (*Chir Pine*) for oleoresin in Himachal Pradesh, India. *Advances in Forestry Letters (AFL)*, 2(3), 53-57

UNIVERSITAS
GADJAH MADA
Pengaruh Jenis Bahan Finishing berbasis Natural Resin dan Metode Aplikasi terhadap Kualitas Finishing Papan Laminasi Bambu Betung (Dendrocalamus asper)
Muhammad Ghossani Alwan, Ir. Muhammad Navis Rofii, S.Hut., M.Sc., Ph.D. IPM. ; Dr. Jajang Sutiawan, S.Hut., M.S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sharma, B., Gatóo, A., Bock, M., Ramage, M. 2015. *Engineered bamboo for structural applications*. *Construction and Building Materials, 81*, 66–73.

Shi S.Q., Gardner D.J. 2001. Dynamic Adhesive Wettability of Wood. *Wood and Fiber Science*. 33(1): 58-68.

Sitanggang, N., Luthan, P.L. 2019. *Manajemen Kewirausahaan Furnitur*. Deepublish, Sleman.

Soliman, A.A., Elsawy, M.M., Alian, N.A., Shaker, N. 2021. Characterization, coating and biological evaluation of polyol esters rosin derivatives as coating films. *Journal of Coatings Technology and Research*, 18(2):373-381. doi: 10.1007/S11998-020-00408-2.

Teacă, C., Roşu, D., Mustaţă, F., Rusu, T., Roşu, L., Roşca, I., Varganici, C. 2019. Natural bio-based products for wood coating and protection agaist degradation: a review. *Bioresources* 14(2): 1–29.

Tomak, E. D., Arican, F., Gonultas, O., Sam Parmak, E. D. 2018. "Influence of tannin containing coatings on weathering resistance of wood: Water based transparent and opaque coatings," *Polymer Degradation and Stability* 151, 152-159. DOI: 10.1016/j.polymdegradstab.2018.03.011

Utami, M.P., Lubis, M.A.R., Asmara, S., Bakri, S., Hidayati, S., Hidayat, W. 2023. Characteristics of eco-friendly and sustainable plywood adhesive derived from low-quality cat's eye damar resin. *Jurnal Sylva Lestari* 11(3): 514-526. doi: https://doi.org/10.23960/jsl.v11i3.764.

Wijayanto, A. 2021. Evaluasi Kualitas Finishing *Water* and *Solvent Based* yang Diaplikasikan Pada Kayu Lapis. *Jurnal Riset Industri Hasil Hutan*, 13(2), 73-82.

Wulandari, F.T., Rini, D.S., Wahyuningsih, E., Lestari, A.T. 2021. Pemanfaatan Papan Laminasi Bambu Petung (*Dendrocalamus asper (Schult. f) Backer ex Heyne*) Sebagai Pengganti Kayu. *Jurnal Media Bina Ilmiah* 15(8): 4897- 4908.

Yaremchuk, L., Hogaboam, L., Slabejova, G., Sedliatik, J. 2023. *Comparative Analysis of The Ouality Properties of Oil-Based and Alkyd Coating Materials For Wood*. Acta Facultatis Xylologiae Zvolen: 63-71.

Yuswanto. 2000. *Finishing Kayu*. Kanisius, Yogyakarta.