UNIVERSITAS
GADJAH MADA
Pengaruh Message Framing pada Stand-Up Reminder dalam Smartwatch terhadap Risk Comprehension, Risk Perception, dan Behavioral Intention
Arintya Widi Septyanti, Ir. Ardiyanto, S.T., M.Sc., Ph.D., AEP., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Afonso, J., Andrade, R., Rocha-Rodrigues, S., Nakamura, F. Y., Sarmento, H., Freitas, S. R., Silva, A. F., Laporta, L., Abarghoueinejad, M., Akyildiz, Z., Chen, R., Pizarro, A., Ramirez-Campillo, R., & Clemente, F. M. (2024). What we do not know about stretching in healthy athletes: A scoping review with evidence gap map from 300 trials. Sports Medicine, 54, 1517–1551. https://doi.org/10.1007/s40279-024-02002-7

Aikin, K. J., Betts, K. R., Boudewyns, V., Johnson, M., & Davis, C. N. (2020). Consumer responses to framing statements preceding the major risk statement in prescription drug direct-to-consumer television advertisements. Research in Social and Administrative Pharmacy, 16(9), 1237–1247. https://doi.org/10.1016/j.sapharm.2019.11.018

Ainsworth, B., Haskell, W., Herrmann, S., Meckes, N., Bassett, D., Tudor-Locke, C., Greer, J., Vezina, J., Whitt-Glover, M., & Leon, A. (2011). 2011 compendium of physical activities: A second update of codes and MET values. Medicine & Science in Sports & Exercise, 43(8), 1575–1581. https://doi.org/10.1249/MSS.0b013e31821ece12

Bansal-Travers, M., Hammond, D., Smith, P., & Cummings, K. M. (2011). The impact of cigarette pack design, descriptors, and warning labels on risk perception in the U.S. American Journal of Preventive Medicine, 40(6), 674–682. https://doi.org/10.1016/j.amepre.2011.01.021

Badan Penelitian dan Pengembangan Kesehatan. (2013). Riset Kesehatan Dasar (Riskesdas) 2013. Kementerian Kesehatan Republik Indonesia.

Blackwell, A. K. M., Drax, K., Attwood, A. S., Munafò, M. R., & Maynard, O. M. (2018). Informing drinkers: Can current UK alcohol labels be improved? Drug and Alcohol Dependence, 192, 163–170. https://doi.org/10.1016/j.drugalcdep.2018.07.032

Brewer, N. T., Weinstein, N. D., Cuite, C. L., & Herrington, J. E. (2004). Risk perceptions and their relation to risk behavior. Annals of Behavioral Medicine, 27(2), 125–130. https://doi.org/10.1207/s15324796abm2702_7

Chau, J. Y., Grunseit, A. C., Chey, T., Stamatakis, E., Brown, W. J., Matthews, C. E., Bauman, A. E., & van der Ploeg, H. P. (2013). Daily sitting time and all-cause mortality: A meta-analysis. PLOS

UNIVERSITAS
GADJAH MADA
Pengaruh Message Framing pada Stand-Up Reminder dalam Smartwatch terhadap Risk Comprehension, Risk Perception, dan Behavioral Intention
Arintya Widi Septyanti, Ir. Ardiyanto, S.T., M.Sc., Ph.D., AEP., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

ONE, 8(11), Article e80000. https://doi.org/10.1371/journal.pone.0080000

Cohen, J. (1988). Statistical power analysis for the behavioral sciences (2nd ed.). Lawrence Erlbaum Associates.

Conzola, V. C., & Wogalter, M. S. (2001). A communication–human information processing (C–HIP) approach to warning effectiveness in the workplace. Journal of Risk Research, 4(4), 309–322. https://doi.org/10.1080/13669870110062712

Davies, E., Lewin, J., & Field, M. (2024). Am I a responsible drinker? The impact of message frame and drinker prototypes on perceptions of alcohol product information labels. Psychology & Health, 39(8), 1005–1022. https://doi.org/10.1080/08870446.2022.2129055

Edwardson, C. L., Maylor, B. D., Biddle, S. J. H., Clemes, S. A., Cox, E., Davies, M. J., Dunstan, D. W., Eborall, H., Granat, M. H., Gray, L. J., Hadjiconstantinou, M., Healy, G. N., Jaicim, N. B., Lawton, S., Mandalia, P., Munir, F., Richardson, G., Walker, S., Yates, T., & Clarke-Cornwell, A. M. (2023). A multicomponent intervention to reduce daily sitting time in office workers: The SMART Work & Life three-arm cluster RCT. Public Health Research, 11(6), 1–229. https://doi.org/10.3310/DNYC2141

Edwardson, C. L., Yates, T., Biddle, S. J. H., Davies, M. J., Dunstan, D. W., Esliger, D. W., Gray, L. J., Jackson, B., O'Connell, S. E., Waiblinger, D., & Healy, G. N. (2016). Office workers' objectively assessed total and prolonged sitting time: Individual-level correlates and worksite variations. Preventive Medicine Reports, 4, 184–191. https://doi.org/10.1016/j.pmedr.2016.06.011

Ekelund, U., Tarp, J., Steene-Johannessen, J., Hansen, B. H., Jefferis, B., Fagerland, M. W., Whincup, P., Diaz, K. M., Hooker, S. P., Chernofsky, A., Larson, M. G., Spartano, N., Vasan, R. S., Dohrn, I.-M., Hagströmer, M., Edwardson, C., Yates, T., Shiroma, E., Anderssen, S. A., & Lee, I.-M. (2019). Dose-response associations between accelerometry measured physical activity and sedentary time and all cause mortality: Systematic review and harmonised meta-analysis. BMJ, 366, Article l4570. https://doi.org/10.1136/bmj.l4570

Felt, A. P., Reeder, R. W., Ainslie, A., Harris, H., & Walker, C. (2015). Improving SSL warnings: Comprehension and adherence. Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems, 2893–2902. https://doi.org/10.1145/2702123.2702442

UNIVERSITAS
GADJAH MADA
**Pengaruh Message Framing pada Stand-Up Reminder dalam Smartwatch terhadap Risk Comprehension, Risk
Perception, dan Behavioral Intention**
Arintya Widi Septyanti, Ir. Ardiyanto, S.T., M.Sc., Ph.D., AEP., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Field, A. (2013). Discovering statistics using IBM SPSS statistics (4th ed.). Sage Publications.

Gantiva, C., Jiménez-Leal, W., & Urriago-Rayo, J. (2021). Framing messages to deal with the COVID-19 crisis: The role of loss/gain frames and content. Frontiers in Psychology, 12, 568212. https://doi.org/10.3389/fpsyg.2021.568212

Gier, N. R., Krampe, C., & Kenning, P. (2023). Why it is good to communicate the bad: Understanding the influence of message framing in persuasive communication on consumer decision-making processes. Frontiers in Human Neuroscience, 17, 1085810. https://doi.org/10.3389/fnhum.2023.1085810

Goodall, C., & Appiah, O. (2008). Adolescents' perceptions of Canadian cigarette package warning labels: Investigating the effects of message framing. Health Communication, 23(2), 117–127. https://doi.org/10.1080/10410230801967825

Guo, J., Deng, Z., Jiang X., Wang, K., & Chen, Z. (2026). Exploring the impact of message framing and physical activity levels on the effectiveness of health communication and its underlying cognitive processes. BMC Psychology, 14, 166. https://doi.org/10.1186/s40359-025-03943-y

Waters, E. A., & Hawkins, E. (2018). Awareness of health outcomes associated with insufficient physical activity and associations with physical activity intentions and behavior. Journal of Health Communication, 23(7), 634–642. https://doi.org/10.1080/10810730.2018.1500658

Kitayama, A., Koohsari, M. J., Ishii, K., Shibata, A., & Oka, K. (2021). Sedentary time in a nationally representative sample of adults in Japan: Prevalence and sociodemographic correlates. Preventive Medicine Reports, 23, Article 101439. https://doi.org/10.1016/j.pmedr.2021.101439

Kothari, C. R. (2004). Research methodology: Methods & techniques. New Age International.

Liu, J., Ai, C., Li, Z., Huang, X., Shen, M., Zheng, C., Liao, W., Bin, J., Li, J., Lin, H., Guan, Z., & Liao, Y. (2024). Titration of sedentary behavior with varying physical activity levels reduces mortality in patients with type 2 diabetes. The Journal of Clinical Endocrinology & Metabolism, 109(12), 3156–3165. https://doi.org/10.1210/clinem/dgae323

Mays, D., Niaura, R. S., Evans, W. D., Hammond, D., Luta, G., & Tercyak, K. P. (2014). Cigarette packaging and health warnings: The impact

UNIVERSITAS
GADJAH MADA
Pengaruh Message Framing pada Stand-Up Reminder dalam Smartwatch terhadap Risk Comprehension, Risk Perception, dan Behavioral Intention
Arintya Widi Septyanti, Ir. Ardiyanto, S.T., M.Sc., Ph.D., AEP., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

of plain packaging and message framing on young smokers. Tobacco Control. https://doi.org/10.1136/tobaccocontrol-2013-051234

McGowan, L. J., Chater, A. M., Harper, J. H., Kilbride, C., Victor, C., Brierley, M. L., & Bailey, D. P. (2024). Acceptability of a remotely delivered sedentary behaviour intervention to improve sarcopenia and maintain independent living in older adults with frailty: A mixed-methods study. BMC Geriatrics, 24, Article 820. https://doi.org/10.1186/s12877-024-05385-4

Mehrotra, A., Hendley, R., & Musolesi, M. (2016). PrefMiner: Mining user's preferences for intelligent mobile notification management. Proceedings of the ACM International Joint Conference on Pervasive and Ubiquitous Computing. https://doi.org/10.1145/2971648.2971747

Mukaka, M. M. (2012). A guide to appropriate use of correlation coefficient in medical research. Malawi Medical Journal, 24(3), 69–71.

Nguyen, P., Le, L. K.-D., Nguyen, D., Gao, L., Dunstan, D., & Moodie, M. (2020). The effectiveness of sedentary behaviour interventions on sitting time and screen time in children and adults: An umbrella review of systematic reviews. International Journal of Behavioral Nutrition and Physical Activity, 17. https://doi.org/10.1186/s12966-020-01009-3

Nirmala, M., Bao, H., Jansen, B., Koh, M. W. A., Kok, L. W., Ng, J. J., & Lee, E. W. J. (2025). Sit is not lit: Examining the impact of message framing, modality, and peer influence on attitudes and intentions to reduce sedentary behavior. Social Science & Medicine, 366, 117683. https://doi.org/10.1016/j.socscimed.2025.117683

O'Keefe, D. J., & Jensen, J. D. (2007). The relative persuasiveness of gain-framed and loss-framed messages for encouraging disease prevention behaviors: A meta-analytic review. Journal of Health Communication, 12(7), 623–644. https://doi.org/10.1080/10810730701615198

Owen, N., Healy, G. N., Matthews, C. E., & Dunstan, D. W. (2010). Too much sitting: The population health science of sedentary behavior. Exercise and Sport Sciences Reviews, 38(3), 105–113. https://doi.org/10.1097/JES.0b013e3181e373a2

Park, J. H., Moon, J. H., Kim, H. J., Kong, M. H., & Oh, Y. H. (2020). Sedentary lifestyle: Overview of updated evidence of potential health risks. Korean Journal of Family Medicine, 41(6), 365–373. https://doi.org/10.4082/kjfm.20.0165

UNIVERSITAS
GADJAH MADA
**Pengaruh Message Framing pada Stand-Up Reminder dalam Smartwatch terhadap Risk Comprehension, Risk
Perception, dan Behavioral Intention**
Arintya Widi Septyanti, Ir. Ardiyanto, S.T., M.Sc., Ph.D., AEP., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Park, S., Lee, S., Woo, S., Webster-Dekker, K., Chen, W., Veliz, P., & Larson, J. L. (2024). Sedentary behaviors and physical activity of the working population measured by accelerometry: A systematic review and meta-analysis. BMC Public Health, 24, Article 2123. https://doi.org/10.1186/s12889-024-19449-y

Peraturan Pemerintah Republik Indonesia Nomor 35 Tahun 2021 tentang Perjanjian Kerja Waktu Tertentu, Alih Daya, Waktu Kerja dan Waktu Istirahat, dan Pemutusan Hubungan Kerja. (2021)

Pielot, M., Church, K., & de Oliveira, R. (2014). An in-situ study of mobile phone notifications. In Proceedings of the 16th International Conference on Human-Computer Interaction with Mobile Devices & Services (pp. 233–242). Association for Computing Machinery. https://doi.org/10.1145/2628363.2628364

Rothman, A. J., & Salovey, P. (1997). Shaping perceptions to motivate healthy behavior: The role of message framing. Psychological Bulletin, 121(1), 3–19. https://doi.org/10.1037/0033-2909.121.1.3

Tavakol, M., & Dennick, R. (2011). Making sense of Cronbach's alpha. International Journal of Medical Education, 2, 53–55. https://doi.org/10.5116/ijme.4dfb.8dfd

Unger, F., & Steul-Fischer, M. (2020). The effect of message framing and the presentation of health vs. social consequences on health risk perception. Zeitschrift für die gesamte Versicherungswissenschaft, 109, 399–411. https://doi.org/10.1007/s12297-020-00470-0

van der Ploeg, H. P., & Hillsdon, M. (2017). Is sedentary behaviour just physical inactivity by another name? International Journal of Behavioral Nutrition and Physical Activity, 14, 142. https://doi.org/10.1186/s12966-017-0601-0

van Strien-Knippenberg, I. S., Altendorf, M. B., Hoving, C., van Weert, J. C. M., & Smit, E. S. (2022). Message frame-tailoring in digital health communication: Intervention redesign and usability testing. JMIR Formative Research, 6(4), e33886. https://doi.org/10.2196/33886

Venkatesh, V., Thong, J. Y. L., & Xu, X. (2012). Consumer acceptance and use of information technology: Extending the unified theory of acceptance and use of technology. MIS Quarterly, 36(1), 157–178. https://doi.org/10.2307/41410412

Vervloet, M., Linn, A. J., van Weert, J. C. M., de Bakker, D. H., Bouvy, M. L., & van Dijk, L. (2012). The effectiveness of interventions using electronic reminders to improve adherence to chronic medication: A

UNIVERSITAS
GADJAH MADA
Pengaruh Message Framing pada Stand-Up Reminder dalam Smartwatch terhadap Risk Comprehension, Risk Perception, dan Behavioral Intention
Arintya Widi Septyanti, Ir. Ardiyanto, S.T., M.Sc., Ph.D., AEP., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

systematic review. Journal of Medical Internet Research, 14(2), e52. https://doi.org/10.2196/jmir.1705

Vidal, G., Machín, L., Aschemann-Witzel, J., & Ares, G. (2019). Does message framing matter for promoting the use of nutritional warnings in decision making? Public Health Nutrition, 22(16), 3025–3034. https://doi.org/10.1017/S1368980019002507

Wogalter, M. S. (2018). Communication-human information processing (C-HIP) model. In Forensic human factors and ergonomics (pp. 33–49).

World Health Organization. (2020). WHO guidelines on physical activity and sedentary behaviour. https://www.who.int/publications/i/item/9789240015128

Zahid, A., & Reicks, M. (2018). Gain-framed messages were related to higher motivation scores for sugar-sweetened beverage parenting practices than loss-framed messages. Nutrients, 10(5), 625. https://doi.org/10.3390/nu10050625