UNIVERSITAS
GADJAH MADA
Pola Vokalisasi dan Waktu Aktif Rangkong (Bucerotidae) di Lanskap Kapuas Hulu, Kalimantan Barat
Galih Aldi Alamsyah, Dr. rer. silv. Muhammad Ali Imron, S.Hut., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Alexander, G. D., Houston, D. C., & Campbell, M. (1994). A possible acoustic function for the casque structure in hornbills (Aves: Bucerotidae). *Journal of Zoology*, *233*(1), 57–67.

Arlott, N. (2018). *Birds of the Philippines and Sumatra, Java, Bali, Borneo, Sulawesi, the Lesser Sundas and the Moluccas*. William Collins.

Aryanto, A. S., Setiawan, A., & Master, J. (2016). Keberadaan Burung Rangkong (Bucerotidae) di Gunung Betung Taman Hutan Raya Wan Abdul Rachman. *Jurnal Sylva Lestari*, *4*(2), 9–16.

Barber, J. R., Crooks, K. R., & Fristrup, K. M. (2010). The costs of chronic noise exposure for terrestrial organisms. In *Trends in Ecology and Evolution* (Vol. 25, Number 3, pp. 180–189). https://doi.org/10.1016/j.tree.2009.08.002

BirdLife International. (2020a). *Anthracoceros albirostris, Oriental Pied Hornbill*. https://doi.org/10.2305/IUCN.UK.2020

BirdLife International. (2020b). *Rhinoplax vigil, Helmeted Hornbill*. https://doi.org/10.2305/IUCN.UK.2020

Bradbury, J. W., & Vehrencamp, S. L. (2011). *Principles of Animal Communication, Second Edition*. Sinauer Association.

Brumm, H., & Slabbekoorn, H. (2005). Acoustic Communication in Noise. *Advances in the Study of Behavior*, *35*, 151–209. https://doi.org/10.1016/S0065-3454(05)35004-2

Burivalova, Z., Maeda, T. M., Purnomo, Rayadin, Y., Boucher, T., Choksi, P., Roe, P., Truskinger, A., & Game, E. T. (2022). Loss of temporal structure of tropical soundscapes with intensifying land use in Borneo. *Science of the Total Environment*, *852*. https://doi.org/10.1016/j.scitotenv.2022.158268

Burivalova, Z., Purnomo, Wahyudi, B., Boucher, T. M., Ellis, P., Truskinger, A., Towsey, M., Roe, P., Marthinus, D., Griscom, B., & Game, E. T. (2019). Using soundscapes to investigate homogenization of tropical forest diversity in selectively logged forests. *Journal of Applied Ecology*, *56*(11), 2493–2504. https://doi.org/10.1111/1365-2664.13481

Crawley, M. J. . (2013). *The R book*. Wiley.

Erbe, C., & Thomas, J. A. (2022). *Exploring Animal Behavior Through Sound: Volume 1*. Springer Nature Switzerland. https://doi.org/10.1007/978-3-030-97540-1

UNIVERSITAS
GADJAH MADA
Pola Vokalisasi dan Waktu Aktif Rangkong (Bucerotidae) di Lanskap Kapuas Hulu, Kalimantan Barat
Galih Aldi Alamsyah, Dr. rer. silv. Muhammad Ali Imron, S.Hut., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Ey, E., & Fischer, J. (2009). The "acoustic adaptation hypothesis"—a review of the evidence from birds, anurans and mammals. *Bioacoustics*, *19*(1–2), 21–48. https://doi.org/10.1080/09524622.2009.9753613

Farina, A. (2014). *Soundscape Ecology Principles, Patterns, Methods and Applications*. Springer Science. https://doi.org/10.1007/978-94-007-7374-5

Fletcher, N. H. (2004). A simple frequency-scaling rule for animal communication. *The Journal of the Acoustical Society of America*, *115*(5), 2334–2338.

Francis, C. D., Ortega, C. P., & Cruz, A. (2009). Noise Pollution Changes Avian Communities and Species Interactions. *Current Biology*, *19*(16), 1415–1419. https://doi.org/10.1016/j.cub.2009.06.052

Franco, F. M., & Minggu, M. J. (2019). When the seeds sprout, the hornbills hatch: Understanding the traditional ecological knowledge of the Ibans of Brunei Darussalam on hornbills. *Journal of Ethnobiology and Ethnomedicine*, *15*(1). https://doi.org/10.1186/s13002-019-0325-0

Gaveau, D. L. A., Sloan, S., Molidena, E., Yaen, H., Sheil, D., Abram, N. K., Ancrenaz, M., Nasi, R., Quinones, M., Wielaard, N., & Meijaard, E. (2014). Four decades of forest persistence, clearance and logging on Borneo. *PLoS ONE*, *9*(7). https://doi.org/10.1371/journal.pone.0101654

Giesen, W., & Aglionby, J. (2000). *Introduction to Danau Sentarum National Park, West Kalimantan, Indonesia*. *31*, 5–28.

Gonzalez, J. C. T., Sheldon, B. C., Collar, N. J., & Tobias, J. A. (2013). A comprehensive molecular phylogeny for the hornbills (Aves: Bucerotidae). *Molecular Phylogenetics and Evolution*, *67*(2), 468–483. https://doi.org/10.1016/j.ympev.2013.02.012

Guerra, S. L. J., Gonzalez, C. T., & Rafael, E. F. (2019). Description and comparison of philippine hornbill (bucerotidae) vocalizations. *Biodiversity Data Journal*, *7*. https://doi.org/10.3897/BDJ.7.E31723

Hadiprakasa, Y., & Kinnaird, M. F. (2004). Foraging characteristics of an assemblage of four Sumatran hornbill species. *Bird Conservation International*, (14), 53–62.

Hasilová, K., Horová, I., Vališ, D., & Zámečník, S. (2024). A comprehensive exploration of complete cross-validation for circular data. *Statistics in Transition New Series*, *25*(3), 1–12.

James, D. A., & Kannan, R. (2009). Nesting Habitat of the Great Hornbill (Buceros bicornis) in the Anaimalai Hills of Southern India. *The Wilson Journal of Ornithology*, *121*(3), 485–492.

UNIVERSITAS
GADJAH MADA
Pola Vokalisasi dan Waktu Aktif Rangkong (Bucerotidae) di Lanskap Kapuas Hulu, Kalimantan Barat
Galih Aldi Alamsyah, Dr. rer. silv. Muhammad Ali Imron, S.Hut., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kasper, K., Devriance, N., Aran, K., & Martin, B. (2024). Conservation among oil palm plantations? Mammalian diversity in protected forest areas of a mixed-use landscape in Indonesian Borneo. *Animal Biodiversity and Conservation*, *47.2*, 123–134. https://doi.org/10.32800/abc.2024.47.0123

Kemp, A. C. (1995). *The Hornbills: Bucerotiformes*. Oxford University Press.

Kennedy, A. G., Ahmad, A. H., Klinck, H., Johnson, L. M., & Clink, D. J. (2023). Evidence for acoustic niche partitioning depends on the temporal scale in two sympatric Bornean hornbill species. *Biotropica*, *55*(2), 517–528. https://doi.org/10.1111/btp.13205

Kinnaird, M. F., & O'brien, T. G. (2007). The Ecology and Conservation of Asian Hornbills: Farmers of the Forest. In *The Condor* (Number 4). University of Chicago Press. https://doi.org/10.1525/cond.2008.8657

Kitamura, S. (2011). Frugivory and seed dispersal by hornbills (Bucerotidae) in tropical forests. *Acta Oecologica*, *37*(6), 531–541. https://doi.org/10.1016/j.actao.2011.01.015

Kitamura, S., Yumoto, T., Poonswad, P., Chuailua, P., & Plongmai, K. (2004). Characteristics of hornbill-dispersed fruits in a tropical seasonal forest in Thailand. *Bird Conservation International*, *14*(SPEC. ISS.). https://doi.org/10.1017/S0959270905000250

Krause, B. L. (1993). *The Niche Hypothesis: A virtual symphony of animal sounds, the origins of musical expression and the health of habitats*.

Lu, Y.-C., & Cooke, M. (2010). Binaural Estimation of Sound Source Distance via the Direct-to-Reverberant Energy Ratio for Static and Moving Sources. *IEEE Transactions on Audio, Speech and Language Processing*, *18*(7), 1793–1805.

MacKinnon, J., Phillipps, K., & van Balen, B. (1999). *Burung-burung di Sumatra, Jawa, Bali, dan Kalimantan (Termasuk Sabah, Sarawak, dan Brunei Darussalam)*. LIPI.

Morton, E. S. (1975). Ecological Sources of Selection on Avian Sounds. *The American Naturalist*, *109*(965), 17–34. https://about.jstor.org/terms

Mueller-Dombois, D., & Ellenberg, H. (1974). *Aims and Methods of Vegetation Ecology*. John Wiley & Sons, Inc.

Mukhtadin, M. R., Nurcahyani, N., Zen, T. V., Septiadi, L., & Utoyo, L. (2023). Ecology of Hornbill Food Trees at Bukit Barisan Selatan National Park. *Media Konservasi*, *28*(3), 262–272. https://doi.org/10.29244/medkon.28.3.262

UNIVERSITAS
GADJAH MADA
Pola Vokalisasi dan Waktu Aktif Rangkong (Bucerotidae) di Lanskap Kapuas Hulu, Kalimantan Barat
Galih Aldi Alamsyah, Dr. rer. silv. Muhammad Ali Imron, S.Hut., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Myers, N., Mittermeier, R. A., Mittermeier, C. G., da Fonseca, G. A. B., & Kent, J. (2000). Biodiversity hotspots for conservation priorities. *Nature, 403*, 853–858.

Naniwadekar, R., Mishra, C., & Datta, A. (2015). Fruit resource tracking by hornbill species at multiple scales in a tropical forest in India. *Journal of Tropical Ecology*, *31*(6), 477–490. https://doi.org/10.1017/S0266467415000449

Nurdiansyah, R., Aji, I. M. L., & Syaputra, M. (2023). Structure and Composition of Habitat Used by Oriental Pied Hornbill (Anthracoceros albirostris) in the Utilization Zone of Bama Resort Baluran National Park. *Jurnal Rimba Lestari*, *2*(2), 63–78. https://doi.org/10.29303/rimbalestari.v2i2.2439

Papale, E., Alonge, G., Caruso, F., Grammauta, R., Mazzola, S., Mussi, B., Pace, D. S., & Buscaino, G. (2021). The higher, the closer, the better? Influence of sampling frequency and distance on the acoustic properties of short-beaked common dolphins burst pulses in the Mediterranean Sea. *Aquatic Conservation: Marine and Freshwater Ecosystems*, *31*(S1), 51–60. https://doi.org/10.1002/aqc.3158

Pascotto, M. C., Höfling, E., & Donatelli, R. J. (2006). Osteologia craniana de Coraciiformes (Aves). In *Revista Brasileira de Zoologia* (Vol. 23, Number 3).

Peel, M. C., Finlayson, B. L., & Mcmahon, T. A. (2007). Hydrology and Earth System Sciences Updated world map of the Köppen-Geiger climate classification. In *Hydrol. Earth Syst. Sci* (Vol. 11). www.hydrol-earth-syst-sci.net/11/1633/2007/

Peraturan Menteri Lingkungan Hidup Dan Kehutanan Republik Indonesia Nomor P.106/MENLHK/SETJEN/KUM.1/12/2018 Tentang Jenis Tumbuhan Dan Satwa Yang Dilindungi, Pub. L. P.106/MENLHK/SETJEN/KUM.1/12/2018 (2018).

Phillipps, Q., & Phillipps, K. (2016). *Phillipps' Field Guide to The Mammals of Borneo and Their Ecology*. Princeton University Press.

Pijanowski, B. C., Villanueva-Rivera, L. J., Dumyahn, S. L., Farina, A., Krause, B. L., Napoletano, B. M., Gage, S. H., & Pieretti, N. (2011). Soundscape ecology: The science of sound in the landscape. *BioScience*, *61*(3), 203–216. https://doi.org/10.1525/bio.2011.61.3.6

Policht, R., Petrů, M., Lastimoza, L., & Suarez, L. (2009). Potential for the use of vocal individuality as a conservation research tool in two threatened Philippine hornbill species, the Visayan Hornbill and the Rufous-headed Hornbill. *Bird Conservation International*, *19*(1), 83–97. https://doi.org/10.1017/S0959270908008228

UNIVERSITAS
GADJAH MADA
Pola Vokalisasi dan Waktu Aktif Rangkong (Bucerotidae) di Lanskap Kapuas Hulu, Kalimantan Barat
Galih Aldi Alamsyah, Dr. rer. silv. Muhammad Ali Imron, S.Hut., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Posa, M. R. C. (2011). Peat swamp forest avifauna of Central Kalimantan, Indonesia: Effects of habitat loss and degradation. *Biological Conservation*, *144*(10), 2548–2556. https://doi.org/10.1016/j.biocon.2011.07.015

Posa, M. R. C., Wijedasa, L. S., & Corlett, R. T. (2011). Biodiversity and Conservation of Tropical Peat Swamp Forest. *BioScience*, *61*(1), 49–57.

Rachmadi, A. S. (2023). *Distribusi Spasial dan Temporal Burung Rangkong di Kawasan Hutan Desa Tahawa, Kalimantan Tengah*. Universitas Gadjah Mada.

Rahayuningsih, M., Kartijono, N. E., & Retnoningsih, A. (2017). Short communication: The nest characteristics of wreathed hornbill (Rhyticeros undulatus) in Mount Ungaran, Central Java, Indonesia. *Biodiversitas*, *18*(3), 1130–1134. https://doi.org/10.13057/biodiv/d180334

Ramadhan, S., Mulyadi, Kamal, S., & Safryadi, A. (2017). Analisis Jenis Tumbuhan sebagai Pakan Burung Rangkong di Kawasan Gugop Pulo Breuh Kecamatan Pulo Aceh Kabupaten Aceh Besar. *Prosiding Seminar Nasional Biotik*.

Ridout, M. S., & Linkie, M. (2009). Estimating overlap of daily activity patterns from camera trap data. *Journal of Agricultural, Biological, and Environmental Statistics*, *14*(3), 322–337. https://doi.org/10.1198/jabes.2009.08038

Russo, N. J., Nshom, D. L., Ferraz, A., Barbier, N., Wikelski, M., Noonan, M. J., Ordway, E. M., Saatchi, S., & Smith, T. B. (2024). Three-dimensional vegetation structure drives patterns of seed dispersal by African hornbills. *Journal of Animal Ecology*, *93*(12), 1935–1946. https://doi.org/10.1111/1365-2656.14202

Russon, A. E., Wich, S. A., Ancrenaz, M., Kanamori, T., Knott, C. D., Kuze, N., Morrogh-Bernard, H. C., Pratje, P., Ramlee, H., Rodman, P., Sawang, A., Sidiyasa, K., Singleton, I., & van Schaik, C. P. (2009). Geographic variation ini orangutan diets. In *Orangutans: Geographic Variation ini Behavioral Ecology and Conservation* (pp. 135–156). Oxford University Press.

Ryan, M. J., & Brenowitz, E. A. (1985). The Role of Body Size, Phylogeny, and Ambient Noise in the Evolution of Bird Song. *The American Naturalist*, *126*(1), 87–100.

Schafer, R. M. (1977). *Our Sonic Environment and The Soundscape the Tuning of the World*. Alfred Knopf, Inc.

Strange, M. (2012). *A Photographic Guide to the Birds of Indonesia Second Edition* (2nd ed.). Tuttle Publishing.

UNIVERSITAS
GADJAH MADA
Pola Vokalisasi dan Waktu Aktif Rangkong (Bucerotidae) di Lanskap Kapuas Hulu, Kalimantan Barat
Galih Aldi Alamsyah, Dr. rer. silv. Muhammad Ali Imron, S.Hut., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

UNESCO Man and the Biosphere Programme. (2018). *Betung Kerihun Danau Sentarum Kapuas Hulu Biosphere Reserve*. Https://Www.Unesco.Org/En/Mab/Betung-Kerihun-Danau-Sentarum-Kapuas-Hulu.

Utoyo, L., Marthy, W., Noske, R. A., & Surahmat, F. (2017). Nesting cycle and nest tree characteristics of the Helmeted Hornbill Rhinoplax vigil, compared to the Wreathed Hornbill Rhyticeros undulatus, in Sumatran lowland rainforest. *Kukila*.

Wallschläger, D. (1980). Correlation of song frequency and body weight in passerine birds. In *Recent Prog. Horm. Res* (Vol. 36). Bergmann.

Whitmore, T. C. (1998). *An Introduction to Tropical Rain Forest (2nd ed.)*. Oxford University Press.

Winkler, D. W., Lovette, I. J., & Billerman, S. M. (2025, October 8). *Hornbills (Bucerotidae), version 1.1. In Birds of the World (S. M. Billerman, B. K. Keeney, P. G. Rodewald, and T. S. Schulenberg, Editors)*. Cornell Lab of Ornithology, Ithaca, NY, USA. https://doi.org/https://doi.org/10.2173/bow.bucero1.01.1

WWF-Indonesia. (2017, October 23). *Labian-Leboyan Ditetapkan sebagai KEE Koridor Orangutan*. Wwf.Id. https://www.wwf.id/id/blog/labian-leboyan-ditetapkan-sebagai-kee-koridor-orangutan

Yusni, A. S. A., Kaur, R., Goossens, B., Ancrenaz, M., & Liew, T. S. (2026). Passive Acoustic Monitoring of Asian Hornbill: A Case Study of Oriental Pied Hornbill (Anthracoceros albirostris convexus) in the Lower Kinabatangan Wildlife Sanctuary, Sabah. *Journal of Tropical Biology and Conservation, 23*, 150–166. https://doi.org/10.51200/jtbc.v23i.6667

Yusra, A. A., Fachrizal, A., Sinurat, B., & Arman, S. (2018). *Jalan Lingkar Restorasi Inspirasi dari Tapak Mengembalikan Hutan Bersama Masyarakat*. WWF-Indonesia Program Kalimantan Barat.

Yusran, A., Mulyani, Y. A., Kartono, A. P., Ramadhan, G. F., Sugeng W, M. H., & Sahari, B. (2023). Population status of the oriental pied hornbill in oil palm landscapes with a conserved natural habitat in Runtu Village, West Kotawaringin, Central Kalimantan. *IOP Conference Series: Earth and Environmental Science*, *1220*(1). https://doi.org/10.1088/1755-1315/1220/1/012010

Zhu, D., Zuo, A., Bai, G., Yang, Z., Yang, X., Yang, L., Yang, R., Qiao, Y., Mo, R., & Duan, Y. (2026). Breeding ecology and multi-scale niche differentiation in three sympatric hornbill species in Yinjiang, SW China. *Current Zoology*.

UNIVERSITAS
GADJAH MADA
Pola Vokalisasi dan Waktu Aktif Rangkong (Bucerotidae) di Lanskap Kapuas Hulu, Kalimantan Barat
Galih Aldi Alamsyah, Dr. rer. silv. Muhammad Ali Imron, S.Hut., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zuur, A. F., Ieno, E. N., Walker, N. J., Saveliev, A. A., & Smith, G. M. (2009). *Mixed Effects Models and Extensions in Ecology with R*. Springer.