UNIVERSITAS
GADJAH MADA
**Karakterisasi Respons Temporal dan Kinematik Berjalan Fase Stance pada Penggunaan Insole Heel Cup
Arch Support Prefabrikasi di Berbagai Kemiringan**
Annisa Taufiqah Istiqomah, Prof. Dr. Eng. Ir. Herianto, S.T., M.Eng., IPU., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Alexander, N., Strutzenberger, G., Ameshofer, L. M., & Schwameder, H. (2017). Lower limb joint work and joint work contribution during downhill and uphill walking at different inclinations. *Journal of Biomechanics*, *61*, 75–80. https://doi.org/10.1016/j.jbiomech.2017.07.001

Aminian, K., Najafi, B., Ula, C. B., Leyvraz, P.-F., & Robert, P. (2002a). Spatio-temporal parameters of gait measured by an ambulatory system using miniature gyroscopes. In *Journal of Biomechanics* (Vol. 35).

Aminian, K., Najafi, B., Ula, C. B., Leyvraz, P.-F., & Robert, P. (2002b). Spatio-temporal parameters of gait measured by an ambulatory system using miniature gyroscopes. In *Journal of Biomechanics* (Vol. 35).

Andorid Developer. (2026). *SensorEvent API Reference*. Android Developers. https://developer.android.com/reference/android/hardware/SensorEvent?utm_source=chatgpt.com

Anil Kumar, N., Patrick, S., Hong, W., & Hur, P. (2022). Control Framework for Sloped Walking With a Powered Transfemoral Prosthesis. *Frontiers in Neurorobotics*, *15*. https://doi.org/10.3389/fnbot.2021.790060

Behboodi, A., Zahradka, N., Wright, H., Alesi, J., & Lee, S. C. K. (2019). Real-time detection of seven phases of gait in children with cerebral palsy using two gyroscopes. *Sensors (Switzerland)*, *19*(11). https://doi.org/10.3390/s19112517

Bonanno, D. R., Ledchumanasarma, K., Landorf, K. B., Munteanu, S. E., Murley, G. S., & Menz, H. B. (2019). Effects of a contoured foot orthosis and flat insole on plantar pressure and tibial acceleration while walking in defence boots. *Scientific Reports*, *9*(1). https://doi.org/10.1038/s41598-018-35830-5

Buurke, T. J. W., Lamoth, C. J. C., Van Der Woude, L. H. V., & Den Otter, R. (2019). Handrail holding during treadmill walking reduces locomotor learning in able-bodied persons. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, *27*(9), 1753–1759. https://doi.org/10.1109/TNSRE.2019.2935242

Cabo, C. A., Fernandes, O., Santos, S., & Parraca, J. A. (2023). Assessment of spatiotemporal characteristics of gait, trough the Phyphox® app: a case series. *Journal of Medical Case Reports*, *17*(1). https://doi.org/10.1186/s13256-023-04296-z

Catalfamo, P., Ghoussayni, S., & Ewins, D. (2010). Gait event detection on level ground and incline walking using a rate gyroscope. *Sensors*, *10*(6), 5683–5702. https://doi.org/10.3390/s100605683

Cavanagh, P. R. (1980). *The Running Shoe Book*.

Cavanagh, P. R., & Rodgers, M. M. (1987). THE ARCH INDEX: A USEFUL MEASURE FROM FOOTPRINTS. *Journal Biomechanics*, *20*. https://doi.org/10.1016/0021-9290(87)90255-7

UNIVERSITAS
GADJAH MADA
**Karakterisasi Respons Temporal dan Kinematik Berjalan Fase Stance pada Penggunaan Insole Heel Cup
Arch Support Prefabrikasi di Berbagai Kemiringan**
Annisa Taufiqah Istiqomah, Prof. Dr. Eng. Ir. Herianto, S.T., M.Eng., IPU., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Chumanov, E. S., Wall-Scheffler, C., & Heiderscheit, B. C. (2008). Gender differences in walking and running on level and inclined surfaces. *Clinical Biomechanics*, *23*(10), 1260–1268. https://doi.org/10.1016/j.clinbiomech.2008.07.011

Cohen, J. (1988). *Statistical Power Analysis for the Behavioral Sciences* (2nd ed.). LAWRENCE ERLBAUM ASSOCIATES.

Creaby, M. W., May, K., & Bennell, K. L. (2011). Insole effects on impact loading during walking. *Ergonomics*, *54*(7), 665–671. https://doi.org/10.1080/00140139.2011.592600

Donath, L., Faude, O., Lichtenstein, E., Nuesch, C., & Mündermann, A. (2016). Validity and reliability of a portable gait analysis system for measuring spatiotemporal gait characteristics: Comparison to an instrumented treadmill. *Journal of NeuroEngineering and Rehabilitation*, *13*(1). https://doi.org/10.1186/s12984-016-0115-z

Fellin, R. E., Seay, J. F., Gregorczyk, K. N., & Hasselquist, L. (2016). Spatiotemporal parameters are not substantially influenced by load carriage or inclination during treadmill and overground walking. *Journal of Human Kinetics*, *50*(1), 27–35. https://doi.org/10.1515/hukin-2015-0138

Fortune, E., Morrow, M. M. B., & Kaufman, K. R. (2014). Assessment of gait kinetics using triaxial accelerometers. *Journal of Applied Biomechanics*, *30*(5), 668–674. https://doi.org/10.1123/JAB.2014-0037

Franz, J. R., Lyddon, N. E., & Kram, R. (2012). Mechanical work performed by the individual legs during uphill and downhill walking. *Journal of Biomechanics*, *45*(2), 257–262. https://doi.org/10.1016/j.jbiomech.2011.10.034

Gibson, T., Jeffery, R. S., & Bakheit, A. M. O. (2006). Comparison of three definitions of the mid-stance and mid-swing events of the gait cycle in children. *Disability and Rehabilitation*, *28*(10), 625–628. https://doi.org/10.1080/09638280500276448

Hamacher, D., Hamacher, D., Müller, R., Schega, L., & Zech, A. (2017). Exploring phase dependent functional gait variability. *Human Movement Science*, *52*, 191–196. https://doi.org/10.1016/j.humov.2017.02.006

Haowlader, S., Magistro, D., Apps, C., Bencsik, M., & Bisele, M. (2025). The effects of minimal shoes in combination with textured and supportive insoles on spatiotemporal walking gait parameters in healthy young adults. *Footwear Science*, *17*(1), 47–55. https://doi.org/10.1080/19424280.2024.2410296

Heravi, H., Ebrahimi, A., Nikzad, S., Olyaee, E., & Salek Zamani, Y. (2020). Low price foot pressure distribution screening technique: Optical podoscope with accurate foot print segmentation using hidden Markov random field model. *Journal of Biomedical Physics and Engineering*, *10*(4), 523–536. https://doi.org/10.31661/jbpe.v0i0.618

Ibeachu, C., Selfe, J., Sutton, C. J., & Dey, P. (2019). Knee problems are common in young adults and associated with physical activity and not obesity: The findings of a cross-

UNIVERSITAS
GADJAH MADA
**Karakterisasi Respons Temporal dan Kinematik Berjalan Fase Stance pada Penggunaan Insole Heel Cup
Arch Support Prefabrikasi di Berbagai Kemiringan**
Annisa Taufiqah Istiqomah, Prof. Dr. Eng. Ir. Herianto, S.T., M.Eng., IPU., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

sectional survey in a university cohort. *BMC Musculoskeletal Disorders*, *20*(1). https://doi.org/10.1186/s12891-019-2487-2

James, K. A., Corrigan, P., Lanois, C., Huang, C. H., Davis, I. S., & Stefanik, J. J. (2023). Association of tibial acceleration during walking to pain and impact loading in adults with knee osteoarthritis. *Clinical Biomechanics*, *109*. https://doi.org/10.1016/j.clinbiomech.2023.106097

Jasiewicz, J. M., Allum, J. H. J., Middleton, J. W., Barriskill, A., Condie, P., Purcell, B., & Li, R. C. T. (2006). Gait event detection using linear accelerometers or angular velocity transducers in able-bodied and spinal-cord injured individuals. *Gait and Posture*, *24*(4), 502–509. https://doi.org/10.1016/j.gaitpost.2005.12.017

Kafetzakis, I., Konstantinou, I., & Mandalidis, D. (2024). Effects of Hiking-Dependent Walking Speeds and Slopes on Spatiotemporal Gait Parameters and Ground Reaction Forces: A Treadmill-Based Analysis in Healthy Young Adults. *Applied Sciences (Switzerland)*, *14*(11). https://doi.org/10.3390/app14114383

Kasai, T., Orito, E., Furukawa, A., Kobata, T., & Yasui, T. (2024). Smart insole-based analysis of gait biomechanics for insoles in patients with flatfoot. *Gait and Posture*, *114*, 42–47. https://doi.org/10.1016/j.gaitpost.2024.08.074

Kelly, L. A., Cresswell, A. G., Racinais, S., Whiteley, R., & Lichtwark, G. (2014). Intrinsic foot muscles have the capacity to control deformation of the longitudinal arch. *Journal of the Royal Society Interface*, *11*(93). https://doi.org/10.1098/rsif.2013.1188

Kementrian Pekerjaan Umum dan Perumahan Rakyat. (2018). *Perencanaan teknis fasilitas pejalan kaki*.

Lavender, S. A., Wang, Z., Allread, W. G., & Sommerich, C. M. (2019). Quantifying the effectiveness of static and dynamic insoles in reducing the tibial shock experienced during walking. *Applied Ergonomics*, *74*, 118–123. https://doi.org/10.1016/j.apergo.2018.08.006

Lay, A. N., Hass, C. J., & Gregor, R. J. (2006). The effects of sloped surfaces on locomotion: A kinematic and kinetic analysis. *Journal of Biomechanics*, *39*(9), 1621–1628. https://doi.org/10.1016/j.jbiomech.2005.05.005

Lee, J., Hong, Y. N. G., & Shin, C. S. (2018). The Alteration in the Center of Pressure and Duration Ratio of Stance Sub-Phases during Upslope Walking. *International Journal of Precision Engineering and Manufacturing*, *19*(2), 309–314. https://doi.org/10.1007/s12541-018-0038-7

Leroux, A., Fung, J., & Barbeau, H. (2002). Postural adaptation to walking on inclined surfaces: I. Normal strategies. In *Gait and Posture* (Vol. 15). www.elsevier.com/locate/gaitpost

Liu, M. Q., Anderson, F. C., Pandy, M. G., & Delp, S. L. (2006). Muscles that support the body also modulate forward progression during walking. *Journal of Biomechanics*, *39*(14), 2623–2630. https://doi.org/10.1016/j.jbiomech.2005.08.017

UNIVERSITAS GADJAH MADA
Karakterisasi Respons Temporal dan Kinematik Berjalan Fase Stance pada Penggunaan Insole Heel Cup Arch Support Prefabrikasi di Berbagai Kemiringan
Annisa Taufiqah Istiqomah, Prof. Dr. Eng. Ir. Herianto, S.T., M.Eng., IPU., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Lu, C., Al-Juaid, R., & Al-Amri, M. (2023). Gait Stability Characteristics in Able-Bodied Individuals During Self-paced Inclined Treadmill Walking: Within-Subject Repeated-Measures Study. *JMIR Formative Research*, *7*. https://doi.org/10.2196/42769

Lucas-Cuevas, A. G., Encarnación-Martínez, A., Camacho-García, A., Llana-Belloch, S., & Pérez-Soriano, P. (2017). The location of the tibial accelerometer does influence impact acceleration parameters during running. *Journal of Sports Sciences*, *35*(17), 1734–1738. https://doi.org/10.1080/02640414.2016.1235792

Maqbool, H. F., Husman, M. A. Bin, Awad, M. I., Abouhossein, A., Iqbal, N., Tahir, M., & Dehghani-Sanij, A. A. (2019). Heuristic Real-Time Detection of Temporal Gait Events for Lower Limb Amputees. *IEEE Sensors Journal*, *19*(8), 3138–3148. https://doi.org/10.1109/JSEN.2018.2889970

Musaid, R., Ghazwan, A., & Al-Saadan, W. A. (2023). A low-cost podoscope for extracting morphological features of the foot. *Original Research*, *11*(3), 269–280.

Muzayanah, I. F. U., Damayati, A., Indraswari, K. D., Simanjuntak, E. M., & Arundina, T. (2022). Walking down the street: how does the built environment promote physical activity? A case study of Indonesian cities. *International Journal of Urban Sustainable Development*, *14*(1), 425–440. https://doi.org/10.1080/19463138.2022.2135099

Nigg, B. M. (1986). *Biomechanics of running shoes*. Human Kinetics Publishers, Inc.

Ohuchi, H., Chavez, J. S., & Alvarez, C. A. D. (2019). Changes in calcaneal pitch and heel fat pad thickness in static weight bearing radiographs while wearing shoes with arch support and heel cup orthotics. *Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology*, *17*, 21–24. https://doi.org/10.1016/j.asmart.2019.07.001

O'Leary, K., Vorpahl, K. A., & Heiderscheit, B. (2008). Effect of Cushioned Insoles on Impact Forces During Running. *Journal of the American Podiatric Medical Association*, *98*. https://doi.org/10.7547/0980036

Pan, J. X., Lam, W. K., Sze, P. L. W., Tan, M. F., & Leung, A. K. L. (2021). Influence of arch-support orthoses with heel lift manipulation on joint moments and forefoot mechanics in running. *Applied Sciences (Switzerland)*, *11*(4), 1–11. https://doi.org/10.3390/app11041613

Park, S., Jung, J. H., Lei, S., Jung, E. Y., & Cho, H. Y. (2025). 3D-Printed Customized Arch-Support Insoles Improve Gait Mechanics and Ankle Alignment in Young Adults with Functional Flat Foot During Uphill Walking. *Medicina (Lithuania)*, *61*(2). https://doi.org/10.3390/medicina61020281

Peng, H. Te, Lin, C. H., Kuo, Y. C., & Song, C. Y. (2020). Effects of arch support insoles on single-and dual-task gait performance among community-dwelling older adults. *Clinical Interventions in Aging*, *15*, 1325–1332. https://doi.org/10.2147/CIA.S254474

UNIVERSITAS
GADJAH MADA
**Karakterisasi Respons Temporal dan Kinematik Berjalan Fase Stance pada Penggunaan Insole Heel Cup
Arch Support Prefabrikasi di Berbagai Kemiringan**
Annisa Taufiqah Istiqomah, Prof. Dr. Eng. Ir. Herianto, S.T., M.Eng., IPU., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Peng, H. Te, Liu, L. W., Chen, C. J., & Chen, Z. R. (2023). The Soft Prefabricated Orthopedic Insole Decreases Plantar Pressure during Uphill Walking with Heavy Load Carriage. *Bioengineering*, *10*(3). https://doi.org/10.3390/bioengineering10030353

Perry, J., & Burnfield, J. M. (2010). *GAIT ANALYSIS Normal and Pathological Function* (2nd ed.). SLACK Incorporated.

phyphox. (2026). *Supported sensors*. Phyphox. https://phyphox.org/sensors/

Pieper, N. L., Lewek, M. D., & Franz, J. R. (2020). Can shank acceleration provide a clinically feasible surrogate for individual limb propulsion during walking? *Journal of Biomechanics*, *98*. https://doi.org/10.1016/j.jbiomech.2019.109449

Rössler, R., Wagner, J., Knaier, R., Rommers, N., Kressig, R. W., Schmidt-Trucksäss, A., & Hinrichs, T. (2024). Spatiotemporal gait characteristics across the adult lifespan: Reference values from a healthy population – Analysis of the COmPLETE cohort study. *Gait and Posture*, *109*, 101–108. https://doi.org/10.1016/j.gaitpost.2024.01.005

Salarian, A., Russmann, H., Vingerhoets, F. J. G., Dehollain, C., Blanc, Y., Burkhard, P. R., & Aminian, K. (2004). Gait assessment in Parkinson's disease: Toward an ambulatory system for long-term monitoring. *IEEE Transactions on Biomedical Engineering*, *51*(8), 1434–1443. https://doi.org/10.1109/TBME.2004.827933

Salminen, M., Perttunen, J., Avela, J., & Vehkaoja, A. (2024). Comparative assessment of heel rise detection for consistent gait phase separation. *Heliyon*, *10*(13). https://doi.org/10.1016/j.heliyon.2024.e33546

Sarshar, M., Polturi, S., & Schega, L. (2021). Gait phase estimation by using lstm in imu-based gait analysis—proof of concept. *Sensors*, *21*(17). https://doi.org/10.3390/s21175749

Sawicki, G. S., & Ferris, D. P. (2009). A pneumatically powered knee-ankle-foot orthosis (KAFO) with myoelectric activation and inhibition. *Journal of NeuroEngineering and Rehabilitation*, *6*(1). https://doi.org/10.1186/1743-0003-6-23

Scharl, T., Frisch, M., & Fuss, F. K. (2024). *Gender Differences in the Dynamics and Kinematics of Running and Their Dependence on Footwear*. https://doi.org/10.3390/bioengineering

Shinohara, H., Umezaki, Y., Ikeda, A., Ikeda, T., & Tateyama, N. (2025). Reconsideration of the load-bearing functions of the plantar fascia and intrinsic foot muscles in the windlass mechanism. *Scientific Reports*, *15*(1). https://doi.org/10.1038/s41598-025-97477-3

Staacks, S., Heinke, H., & Stampfer, C. (2018). Advanced tools for smartphone-based experiments: phyphox. *Physics Education*. https://doi.org/10.1088/1361-6552/aac05e

Tang, Y., Huangfu, M., Ren, H., Liang, P., Cheng, S., & Hao, X. (2026a). Arch-pad design and insole material jointly influence regional plantar loading and perceived comfort

UNIVERSITAS
GADJAH MADA
**Karakterisasi Respons Temporal dan Kinematik Berjalan Fase Stance pada Penggunaan Insole Heel Cup
Arch Support Prefabrikasi di Berbagai Kemiringan**
Annisa Taufiqah Istiqomah, Prof. Dr. Eng. Ir. Herianto, S.T., M.Eng., IPU., ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

during walking in women's occupational footwear. *Ergonomics*. https://doi.org/10.1080/00140139.2026.2666378

Tang, Y., Huangfu, M., Ren, H., Liang, P., Cheng, S., & Hao, X. (2026b). Arch-pad design and insole material jointly influence regional plantar loading and perceived comfort during walking in women's occupational footwear. *Ergonomics*. https://doi.org/10.1080/00140139.2026.2666378

Tao, S., Zhang, H., Kong, L., Sun, Y., & Zhao, J. (2024). Validation of gait analysis using smartphones: Reliability and validity. *Digital Health*, *10*. https://doi.org/10.1177/20552076241257054

Tourillon, R., Gojanovic, B., & Fourchet, F. (2019). How to Evaluate and Improve Foot Strength in Athletes: An Update. *Frontiers in Sports and Active Living*, *1*. https://doi.org/10.3389/fspor.2019.00046

Vijayakumar, K., Subramanian, R., Senthilkumar, S., & Dineshkumar, D. (2021). An Analysis of Arches of Foot: A Comparison between Ink Foot Print Method and Custom Made Podoscope Device Method. *Journal of Pharmaceutical Research International*, 249–256. https://doi.org/10.9734/jpri/2021/v33i34b31866

Whittle, M. W. (2007). *GAIT ANALYSIS AN INTRODUCTION* (4th ed.). Elsevier.

Wundersitz, D. W. T., Gastin, P. B., Richter, C., Robertson, S. J., & Netto, K. J. (2015). Validity of a trunk-mounted accelerometer to assess peak accelerations during walking, jogging and running. *European Journal of Sport Science*, *15*(5), 382–390. https://doi.org/10.1080/17461391.2014.955131

Yulizah, I., & Merijanti, L. T. (2025). Pemakaian Flat Shoes dan Indeks Massa Tubuh Berhubungan dengan Gejala Plantar Fasciitis pada Mahasiswi Trisakti. *Jurnal Kedokteran Meditek*, *31*(2). https://doi.org/10.36452/jkdoktmeditek.v31i2.3303