UNIVERSITAS
GADJAH MADA
ENHANCING MUSIC RECOMMENDATION PIPELINE THROUGH DEAM-BASED TRACK MOOD CLASSIFICATION FOR
MOOD-ALIGNED AND COHERENT PLAYLIST GENERATION
Kemal Susanto, Dr. techn. Khabib Mustofa, S.Si.,M.Kom. ; Muhammad Oriza Nurfajri S.Kom.,M.IT.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

REFERENCES

Adomavicius, G. dan Tuzhilin, A. (2005). Toward the next generation of recommender systems: A survey of the state-of-the-art and possible extensions. *IEEE Transactions on Knowledge and Data Engineering*, 17(6):734–749. doi:10.1109/TKDE.2005.99.

Al-Wakil, K. M., Rahman, R., Nawal, N., Rahman, M. S., dan Rashid, S. (2023). Recommendation system for mood stabilization using content recommendation. BRAC University repository record, ID: 23341073.

Aljanaki, A., Yang, Y.-H., dan Soleymani, M. (2017). Developing a benchmark for emotional analysis of music. *PLOS ONE*, 12(3):e0173392. doi:10.1371/journal.pone.0173392.

Bernardi, L. (2006). Cardiovascular, cerebrovascular, and respiratory changes induced by different types of music in musicians and non-musicians: The importance of silence. *Heart*, 92(4):445–452. doi:10.1136/hrt.2005.064600.

Cohrdes, C., Wrzus, C., Frisch, S., dan Riediger, M. (2017). Tune yourself in: Valence and arousal preferences in music-listening choices from adolescence to old age. *Developmental Psychology*, 53(9):1777–1794. doi:10.1037/dev0000362.

Daikoku, T. (2019). Tonality tunes the statistical characteristics in music: Computational approaches on statistical learning. *Frontiers in Computational Neuroscience*, 13. doi:10.3389/fncom.2019.00070.

Davis, S. dan Mermelstein, P. (1980). Comparison of parametric representations for monosyllabic word recognition in continuously spoken sentences. *IEEE Transactions on Acoustics, Speech, and Signal Processing*, 28(4):357–366. doi:10.1109/TASSP.1980.1163420.

Goodfellow, I., Bengio, Y., dan Courville, A. (2016). *Deep Learning*. MIT Press.

Graves, A. (2012). *Supervised Sequence Labelling with Recurrent Neural Networks*. Springer.

UNIVERSITAS
GADJAH MADA
ENHANCING MUSIC RECOMMENDATION PIPELINE THROUGH DEAM-BASED TRACK MOOD CLASSIFICATION FOR
MOOD-ALIGNED AND COHERENT PLAYLIST GENERATION
Kemal Susanto, Dr. techn. Khabib Mustofa, S.Si.,M.Kom. ; Muhammad Oriza Nurfajri S.Kom.,M.IT.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hizlisoy, S., Yildirim, S., dan Tufekci, Z. (2021). Music emotion recognition using convolutional long short term memory deep neural networks. *Engineering Science and Technology, an International Journal*, 24(3):760–767. doi:10.1016/j.jestch.2020.10.009.

Hochreiter, S. dan Schmidhuber, J. (1997). Long short-term memory. *Neural Computation*, 9(8):1735–1780. doi:10.1162/neco.1997.9.8.1735.

Inoshita, T. dan Katto, J. (2009). Key estimation using circle of fifths. volume 5371, pages 287–297.

Jia, X. (2022). A music emotion classification model based on the improved convolutional neural network. *Computational Intelligence and Neuroscience*, pages 1–11. doi:10.1155/2022/6749622.

Kania, M., Łukaszewicz, T., Kania, D., Mościńska, K., dan Kulisz, J. (2022). A Comparison of the Music Key Detection Approaches Utilizing Key-Profiles with a New Method Based on the Signature of Fifths. *Applied Sciences*, 12(21):11261. doi:10.3390/app122111261.

Karve, A., Humnabadkar, A., Shivbhakta, B., dan Naik, B. (2024). Advancements and challenges in mood prediction and recommendation systems: A comprehensive review. *International Journal of Scientific Research in Engineering and Management*, 8:1–6. doi:10.55041/IJSREM37401.

Knees, P. dan Schedl, M. (2015). Music retrieval and recommendation: A tutorial overview. In *Proceedings of the 38th International ACM SIGIR Conference on Research and Development in Information Retrieval*, pages 1133–1136. ACM.

Krumhansl, C. L. dan Kessler, E. J. (1982). Tracing the dynamic changes in perceived tonal organization in a spatial representation of musical keys. *Psychological Review*, 89(4):334–368. doi:10.1037/0033-295X.89.4.334.

Lang, P. J. (1995). The emotion probe: Studies of motivation and attention. *American Psychologist*, 50(5):372–385. doi:10.1037/0003-066X.50.5.372.

LeCun, Y., Bottou, L., Bengio, Y., dan Haffner, P. (1998). Gradient-based learning applied to document recognition. *Proceedings of the IEEE*, 86(11):2278–2324. doi:10.1109/5.726791.

UNIVERSITAS
GADJAH MADA
ENHANCING MUSIC RECOMMENDATION PIPELINE THROUGH DEAM-BASED TRACK MOOD CLASSIFICATION FOR
MOOD-ALIGNED AND COHERENT PLAYLIST GENERATION
Kemal Susanto, Dr. techn. Khabib Mustofa, S.Si.,M.Kom. ; Muhammad Oriza Nurfajri S.Kom.,M.IT.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Li, Q., Kim, B. M., Guan, D. H., dan Oh, D. H. (2004). A music recommender based on audio features. In *Proceedings of the 27th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval*, pages 532–533. ACM.

Lops, P., de Gemmis, M., dan Semeraro, G. (2011). Content-based recommender systems: State of the art and trends. In Ricci, F., Rokach, L., Shapira, B., dan Kantor, P. B., editors, *Recommender Systems Handbook*, pages 73–105. Springer, Boston, MA.

Louro, P. L., Redinho, H., Malheiro, R., Paiva, R. P., dan Panda, R. (2024). A comparison study of deep learning methodologies for music emotion recognition. *Sensors*, 24(7):2201. doi:10.3390/s24072201.

Mehrabian, A. dan Russell, J. A. (1974). *An Approach to Environmental Psychology*. MIT Press.

Mohsen, S., Elkaseer, A., dan Scholz, S. (2021). Industry 4.0-oriented deep learning models for human activity recognition. *IEEE Access*, PP:1–1. doi:10.1109/ACCESS.2021.3125733.

Müller, M. (2019). Musical tempo and key estimation using convolutional neural networks with directional filters. In *Proceedings of the SMC Conferences*.

O'Shaughnessy, D. (2000). *Speech Communications: Human and Machine*. IEEE Press.

Patil, S., Patil, R., Goudar, S., Sangani, S., dan Goudar, R. H. (2025). Review on music emotion analysis using machine learning: technologies, methods, datasets, and challenges. *Discover Applied Sciences*, 7(7). doi:10.1007/s42452-025-07178-9.

Pazzani, M. J. dan Billsus, D. (2007). Content-based recommendation systems. In Brusilovsky, P., Kobsa, A., dan Nejdl, W., editors, *The Adaptive Web*, volume 4321 of *Lecture Notes in Computer Science*, pages 325–341. Springer, Berlin, Heidelberg.

Pricop, T. dan Iftene, A. (2024). Music generation with machine learning and deep neural networks. *Procedia Computer Science*, 246:1855–1864. doi:10.1016/j.procs.2024.09.692.

UNIVERSITAS
GADJAH MADA
ENHANCING MUSIC RECOMMENDATION PIPELINE THROUGH DEAM-BASED TRACK MOOD CLASSIFICATION FOR
MOOD-ALIGNED AND COHERENT PLAYLIST GENERATION
Kemal Susanto, Dr. techn. Khabib Mustofa, S.Si.,M.Kom. ; Muhammad Oriza Nurfajri S.Kom.,M.IT.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Pyrovolakis, K., Tzouveli, P., dan Stamou, G. (2022). Multi-Modal Song Mood Detection with Deep Learning. *Sensors*, 22:1065. doi:10.3390/s22031065.

Qayyum, R., Akre, V., Hafeez, T., Khattak, H. A., Nawaz, A., Ahmed, S., Mohindru, P., dan Khan, D. (2021). Android based emotion detection using convolutions neural networks. pages 360–365.

Rabiner, L. R. dan Schafer, R. W. (1978). *Digital Processing of Speech Signals*. Prentice-Hall.

Rasch, R. (2000). The unification of tonal systems, or about the circle of fifths. *Journal of New Music Research*, 29(1):1–14. doi:10.1080/09298210008565465.

Ricci, F., Rokach, L., dan Shapira, B. (2011). Introduction to recommender systems handbook. In Ricci, F., Rokach, L., Shapira, B., dan Kantor, P. B., editors, *Recommender Systems Handbook*, pages 1–35. Springer, Boston, MA.

Russell, J. A. (1980). A circumplex model of affect. *Journal of Personality and Social Psychology*, 39(6):1161–1178. doi:10.1037/h0077714.

Schoenberg, A. (1983). *Theory of Harmony*. University of California Press, Berkeley.

Schweiger, H., Parada-Cabaleiro, E., dan Schedl, M. (2025). The impact of playlist characteristics on coherence in user-curated music playlists. *EPJ Data Science*, 14(1). doi:10.1140/epjds/s13688-025-00531-3.

Soleymani, M., Aljanaki, A., dan Yang, Y.-H. (2018). *DEAM: MediaEval Database for Emotional Analysis in Music*. Swiss Center for Affective Sciences, University of Geneva. Dataset manual.

Thoma, M. V., La Marca, R., Brönnimann, R., Finkel, L., Ehlert, U., dan Nater, U. M. (2013). The effect of music on the human stress response. *PLOS ONE*, 8(8):e70156. doi:10.1371/journal.pone.0070156.

Wang, S., Xu, C., Ding, A. S., dan Tang, Z. (2021). A Novel Emotion-Aware Hybrid Music Recommendation Method Using Deep Neural Network. *Electronics*, 10(15):1769. doi:10.3390/electronics10151769.

UNIVERSITAS
GADJAH MADA
**ENHANCING MUSIC RECOMMENDATION PIPELINE THROUGH DEAM-BASED TRACK MOOD CLASSIFICATION FOR
MOOD-ALIGNED AND COHERENT PLAYLIST GENERATION**
Kemal Susanto, Dr. techn. Khabib Mustofa, S.Si.,M.Kom. ; Muhammad Oriza Nurfajri S.Kom.,M.IT.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Yang, Z., Su, Q., Xie, J., Su, H., Huang, T., Han, C., Zhang, S., Zhang, K., dan Xu, G. (2025). Music tempo modulates emotional states as revealed through eeg insights. *Scientific Reports*, 15(1):1–20. doi:10.1038/s41598-025-92679-1.