

DAFTAR PUSTAKA

- Aisha, A., F., Abu-Salah, K., M., Ismail, Z., Majid, A., M., S., A., 2013, Determination of total xanthenes in *Garcinia mangostana* fruit rind extracts by Ultraviolet (UV) Spectrophotometry, *J.Med.Plants.Res.*, **7**(1), 29-35.
- Akao, Y., Nakagawa, Y., Iinuma, M. & Nozawa, Y., 2008, Anti-Cancer Effects of Xanthenes from Pericarps of Mangosteen, *Int. J. Mol. Sci.*, **9**, 355-370.
- Allen, L.V.Jr., Popovich, N.G. & Ansel, H.C., 2011, *Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems*, 9th Ed., 278-279 dan 405, Lippincott Williams & Wilkins, Philadelphia.
- Ananingrum, G., W., 2017, Formulasi Ekstrak Kulit Buah Manggis (*Garcinia mangostana* L.) dalam Pembawa Campuran Propilen Glikol-Air dan Uji Transpor secara In Vitro, *Skripsi*, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Andrysek, T., 2003, Impact of physical properties of formulations on bioavailability of active substance : current and novel drugs with cyclosporine, *Molecular Immunology*, **39**, 1061-1065.
- Anonim, 1998, Center for Food Safety and Applied Nutrition, Everything Added to Food in the United States :A Food Additive Database, Food and Drug Administration, Rockville MD.
- Anonim, 2002, Toxicology and Exposure Guidelines, 472-4925, University of Nebraska Lincoln.
- Anonim, 2004, Guidance Document on Dermal Absorption, 1-15, European Commission.
- Anonim, 2006, Environmental Health Criteria 235 Dermal Absorption, *International Labour Organization and The World Health Organization*. 1-197.
- Anonim , 2013, Visible and Ultraviolet Spectroscopy, <https://www2.chemistry.msu.edu/faculty/reusch/virttxtjml/Spectrpy/UV-Vis/spectrum.htm>, 23 Februari 2018.
- Anonim, 2015, Statistik Produksi Hortikultura Tahun 2014, 118, Kementrian Pertanian, Jakarta.
- Anonim, 2017, (1S)-(-)-Camphor, <http://www.sigmaaldrich.com/catalog/product/aldrich/279676?lang=en®ion=US>, 9 November 2017.
- Anonim, 2017, D-Camphor, <https://pubchem.ncbi.nlm.nih.gov/compound/d-camphor#section=Top>, 9 November 2017.

- Anonim, 2017, Illustrated Glossary of Organic Chemistry, http://www.chem.ucla.edu/~harding/IGOC/L/lambda_max.html, 23 Februari 2018.
- Asai, F., Tosa, H., Tanaka, T. & Iinuma, M., 1995, A Xanthone From Pericarps of *Garcinia mangostana*, *Phytochemistry*, **39** (4), 943-944.
- Baby, A., R., Migliato, K., F., Maciel, C., P., M., Zague, V., Pinto, C., A., S., D., O., Salgado, H., R., N., Kaneko, T., M., & Velasco, M., V., R., 2007, Accelerated Chemical Stability Data of O/W Fluid Emulsions Containing The Extract of *Trichilia catigua* Adr. Juss (and) *Ptychopetalum olacoides* Bentham, *Braz. J. of Pharm. Sciences*, **43**(3), 405-412.
- Barry, B.W., 1986, Penetration Enhancers; Mode of Action in Human Skin, dalam *Symposium Advances in Skin Pharmacology-Skin Pharmacokinetics*, Nice.
- Barry, B., W., 1991, Lipid-Protein-Partitioning theory of skin penetration enhancement, *Journal of Controlled Release*, **15**, 237-248.
- Burkhart, C. Dan Burkhart, H., 2003, Contact Irritant Dermatitis dan Anti-Pruritic Agent : the Need to Address The Itch, *J. Drugs Dermatol.*, **2**, 143-146.
- Chan, W.,K., Tan, L.,T., Chan, K.,Lee, L. & Goh, B.,2016, Nerolidol: A Sesquiterpene Alcohol with Multi-Faceted Pharmacological and Biological Activities, *Molecules*, **21** (5), 3-58.
- Chen, J., Jiang, Q., Chai, Y., Zhang, H., Peng, P., & Yang, X., Natural Terpenes as Penetration Enhancers for Transdermal Drug Delivery, *Molecules*, **21** (1709), 1-22.
- Chien, Y., W. dan Valia, K., H., 1984, Development of A Dynamic Skin Permeation System For Long-Term Permeation Studies, *Drug Dev. Ind. Pharm.*, **10**, 575-599.
- Christian, G., D., Dasgupta, P., K., Schug, K., A., 2014, *Analytical Chemistry*, 7th Ed., Wiley, Washington.
- Cornwell, P., A. dan Barry, B.,W., 1994, Sesquiterpene Component of Volatile Oils as Skin Penetration Enhancers for The Hydrophilic Permeant 5-Fluorouracil, *J. Pharm. Pharmacol.*, **46**, 261-269.
- Cronquist, A., 1981, *An Integrated System of Classification of Flowering Plants*, 337-340, Columbia University Press, New York.
- Cui, Y., Li, L., Zhang, L., Li, J., Gu, J., Gong, H., Guo, P. & Tong, W., 2011, Enhancement and Mechanism of Transdermal Absorption of Terpene-Induced Propanolol Hydrochloride, *Arch. Pharm. Res.*, **34**, 1477-1485.
- Degim, T., I., 2006, New Tools and Approaches For Predicting Skin Permeability, *Drug Discov*, **11**, 11-12.

- Droge, W., 2002, Free Radicals in the Physiological Control of Cell Function, *Phsiol. Rev.*, **82**, 47-95.
- Dungir, S., G., Katja, D., G., Kamu, V., S., 2012, Aktivitas Antioksidan Ekstrak Fenolik dari Kulit Buah Manggis, *Jurnal Mipa Unsrat Online*, **1**(1), 11-15.
- Erdal, M., S., Pekoz, A., Y., Aksu, B., dan Araman, A., 2013, Impacts of chemical enhancers on skin permeation and deposition of terbinafine, *Pharm. Dev. Technol.*, 1-6.
- Fadhilah, N., 2017, Formulasi Krim A/M dan M/A Ekstrak Kulit Buah Manggis (*Garcinia mangostana* L.) dan Uji Sifat Fisik Krim, Daya Antioksidan, serta Kemampuan Transpor Melewati Membran, *Skripsi*, Fakultas Farmasi, Universitas Gadjah Mada.
- Ferreira, F., M., Palmeira, C., M., Oliveira, M., M., Santos, D., Simoes, A., M., Rocha, S., M., Coimbra, M., A. & Peixoto, F., 2012, Nerolidol Effects on Mitochondrial and Cellular Energetics, *Tox. In Vit.*, **26**, 189-196.
- Gandjar, I., G., dan Rohman, A., 2013, *Kimia Farmasi Analisis*, Pustaka Pelajar, Yogyakarta.
- Godwin, D., A. dan Michniak, B., B., 1999, Influence of Drug Lipophilicity on Terpenes as Transdermal Penetration Enhancers, *Drug Dev. Ind. Pharm.*, **25**, 905-915.
- Gopalakrishnan, G., Banumathi, B. & Suresh, G., 1997, Evaluation of the Antifungal Activity of Natural Xanthenes from *Garcinia mangostana* and Their Synthetic Derivatives, *J. Nat. Prod.*, **60**, 519-524.
- Garg, A., Aggrawal, D., Garg, S., dan Singla, A., K., 2002, Spreading of Semisolid Formulation, Pharmaceutical Technology, USA.
- Hadgraft, J., 2001, Skin, The Final Frontier, *Int. Journ. Pharm.* **224**, 1-18.
- Halliwell, B., 2006, Reactive Species and Antioxidants, Redox Biology Is A Fundamental Theme of Aerobic Life, *Plant Physiol.*, **141**(2), 312-322.
- Halliwell, B., dan Gutteridge, J., M., C., 1990, The Antioxidants of Human Extracellular Fluids, *Arch. of Biochem. and Biophys.* **280** (1), 1-8.
- Halliwell, B., dan Gutteridge, J., M., C., 2006, *Free Radicals in Biology and Medicine*, 4th Ed., Clarendon Press, Oxford.
- Herkenne, C., Naik, A., Kalia, Y., N., Hadgraft, J., dan Guy, R., H., 2007, Ibuprofen Transport into and through Skin from Topical Formulations: In Vitro-In Vivo Comparison, *Journal of Investigative Dermatology*, **127** (1), 135-142.
- Hiranrangsee, L., Kumaree, K. K., Sadiq, M., B., dan Anai, A., K., 2016, Extraction of anthocyanins from pericarp and lipids from seeds of

- mangosteen (*Garcinia mangostana* L.) by Ultrasound-assisted extraction (UAE) and evaluation of pericarp extract enriched functional ice-cream, *J. Food Sci. Technol.*, **53** (10), 3806-3813.
- Inoue, Y., Suzuki, K., Maeda, R., Shimura, A., Murata, I., dan Kanamoto, I., 2014, Evaluation of formulation properties and skin penetration in the same additive-containing formulation, *Results Pharma. Sci.*, **4**, 42-49.
- Kaur, I. P., Kakkar, S., 2010, Topical Delivery of Antifungal Agents, *Expert Opin Drug Deliv.*, **7** (11), 1303-1327.
- Kuncari, E.S., Iskandarsyah & Praptiwi, 2014, Evaluasi, Uji Stabilitas Fisik dan Sineresis Sediaan Gel yang Mengandung Minoksidil, Apigenin dan Perasan Herba Seledri (*Apium graveolens* L.), *Bul. Penelit. Kesehat.*, **42**(4), 213-222.
- Lakshmi, P.K., Samratha, K., D., Prasanthi, D., Veereseh, B., Chennuri, A., 2017, Oils as Penetration Enhancers for Improved Transdermal Drug Delivery : A Review, *Int. Res. J. Pharm.* **8**(4), 9-17.
- Lesmana, I., 2017, Pengaruh Etanol pada Formulasi Gel Ekstrak Kulit Buah Manggis (*Garcinia mangostana* L.), Sifat Fisik, Daya Antioksidan, dan Kemampuan Difusinya melewati Membran, *Skripsi*, Fakultas Farmasi, Universitas Gadjah Mada.
- Lim, T.K., 2012, *Edible Medicinal and Non-Medicinal Plants: Volume 2, Fruits*, 83-103, Springer, New York.
- Lobo, V., Patil, A., Phatak, A., dan Chandra, N., 2010, Free radicals, antioxidants and functional foods: Impact on human health, *Pharmacogn. Rev.*, **4** (8), 118-126.
- Mahabusarakam, W., Wiriyachitra, P., & Taylor, W.C., 1987, Chemical Constituents of *Garcinia mangostana*, *J. Nat. Prod.*, **50** (3), 474-478.
- Mardiah, N., Mulyanto, C., Amelia, A., Lisnawati, Anggraeni, D., Rahmawanty, D., 2017, Penentuan Aktivitas Antioksidan, dari Ekstrak kulit Bawang Merah (*Allium ascalonicum* L.) Dengan Metode DPPH, *Jurnal Pharmascience*, **4** (2), 147-154.
- Martin, A., Swarbrick, J., dan Cammarata, A., 1993, *Farmasi Fisik :Dasar-dasar Farmasi Fisik dalam Ilmu Farmasetik*, edisi III, UI Press, Jakarta.
- Martin, F., W., 1980, Durian and mangosteen. In *Tropical and Subtropical Fruits : Composition, Properties and Uses*, 407-414 AVI Publishing, Westport.
- Menon, G., K., 2002, New Insights Into Skin Structure: Scratching The Surface, *Adv. Drug Deliv. Rev.*, **54** (1), 3-17.

- Molyneux, P., 2004, *The Use of the Stable Free Radical DPPH (1,1-Diphenyl-2-pikrolhidrazyl) for Estimating Antioxidant Activity*, Songklanakarin Journal of Science Technology, **26**(2), 211-219.
- Morrissey, K., M. dan Sumpter, K., B., 2015, Mutual Diffusion Coefficients of VX and VM, <https://www.ecbc.army.mil/about/posters/2015/C25.pdf>, 9 November 2017.
- Moser, K., Kriwet, K., Naik, A., Kalia, Y., N. & Guy, R., H., 2001, Passive Skin Penetration Enhancement and Its Quantification *In Vitro*, *Eur. J. Pharm.*, **52**, 103-112.
- Ranade, V., V., 1991, Drug delivery systems Transdermal drug delivery (Review), *J. Clin. Pharmacol.* **31**, 401-418.
- Richa, Y. 2009, Uji Aktivitas Penangkap Radikal dari Ekstrak Petroleumeter, Etil Asetat dan Etanol Rhizoma Binahong (*Anredera cordifolia* (Tenore) Steen) dengan Metode DPPH (2,2-difenil-1-pikrihidrazil). *Skripsi*, Fakultas Farmasi, Universitas Muhammadiyah Surakarta.
- Rolland, A., Demichelis, G., Jamouille, J.C. & Shroot, B., 1992, Influence of Formulation, Receptor Fluid, and Occlusion, on *in Vitro* Drug Release from Topical Dosage Forms, Using an Automated Flow-Through Diffusion Cell, *Pharm. Res.*, **9**, 82.
- Rowe, R., C., Sheskey, P., J. & Quinn, M., E., *Handbook of Pharmaceutical Excipients*, 6th Ed., 17-770, Pharmaceutical Press, Grayslake.
- Salamah, N., dan Farahana, L., 2014, Uji Aktivitas Antioksidan Ekstrak Etanol Herba Pegagan (*Centella asiatica* L. Urb) dengan Metode Fosfomolibdat, *Pharmaciana*, **4**(1), 23-30.
- Sashikumar, J.M., Maheshu, V., Jayadev, R., 2009, *In Vitro Antioxidant Activity of Methanolic Extracts of Berberis Tinctoria Lesch*, Root and Root Bark, India, *Journal of Herbal Medicine and Toxicology*, **3**(2), 53-58.
- Schaefer, H., Stuttgart, G., Schalla, W., Gazith, J. & Bauer, E., 1978, Principles of Percutaneous Absorption, dalam *Proceedings of the 7th International Congress of Pharmacology*, Paris 1978, 223-235, Pergamon Press, Paris.
- Scherer, G., W., 1989, Mechanics of Syneresis I. Theory, *Journal of Non-Crystalline Solids*, **108**, 18-27.
- Shah, V., P., Flynn, G., L., Guy, R., H., Maibach, H., I., Schaefer, H., Skelly, J., P., Wester, R., C., & Yacobi, A., 1991, Workshop Report On *In Vivo* Percutaneous Penetration/Absorption, *Skin Pharmacol.*, **4**, 220-228.

- Simon G., A. dan Maibach, H., I., 2000, The pig as an experimental animal model of percutaneous permeation in man: qualitative and quantitative observations-an overview, *Skin Pharmacol. Appl. Skin Physiol.*, **13**, 229–234.
- Skelly, J., V., Shah, H., Maibach, R., Guy, G., Flynn, dan Yacobi, A., 1987, FDA and AAPS report of the workshop on principles and practices of in vitro percutaneous penetration, *Pharm. Res.*, **4**, 265-267.
- Sohal, R., S., Mockett, R., J., Orr, W., C., 2002, Mechanisms of Aging : An Appraisal of The Oxidative Stress Hypothesis, *Free Radic. Biol. Med.*, **33**, 575-586.
- Suksamrarn, S., Suwannapoch, N. Ratananukul, P., Aroonlerk, N & Suksamrarn, A., 2002, Xanthones from the Green Fruit Hulls of *Garcinia mangostana*, *J. Nat. Prod.*, **65**, 761-763.
- Voight, R., 1994, *Buku Pengantar Teknologi Farmasi*, edisi V, Universitas Gadjah Mada Press, Yogyakarta.
- World Health Organization, 1996, Guidelines For Stability Testing of Pharmaceutical Products Containing Well Established Drug Substances in Conventional Dosage Forms, *WHO Tech. Rep. Series.*, **863**, 65-79.
- Xie, F., Chai, J., Hu, Q., Yu, Y., Ma, L., Liu, L., Zhang, X., Li, B. & Zhang, D., 2016, Transdermal Permeation of Drugs with Differing Lipophilicity: Effect of Penetration Enhancer Camphor, *Int. J. Pharm.*, **507**, 90-101.
- Xiong, G., L., Quan, D., dan Maibach, H., I., 1996, Effects of penetration enhancers on in vitro percutaneous absorption of low molecular weight heparin through human skin, *Journal of Controlled Release*, **42** (3), 289-296.
- Yoshioka, S., dan Stella, V., J., 2002, *Stability of Drugs and Dosage Forms*, 1-135, Kluwer Academic Publishers, New York.
- Zendzian, R., P., 2000, Dermal absorption of pesticides in the rat, *AIHAJ*, **61**, 473–483.