UNIVERSITAS
GADJAH MADA
PENGARUH WAKTU PERLAKUAN PANAS TERHADAP SIFAT FISIKA, MEKANIKA DAN PEREKATAN KAYU MERBAU (INTSIA BIJUGA)
Yunika Andria Citra Utami, Prof. Dr.Agr.Sc. Ir. Ragil Widyorini, S.T., M.T., IPU
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adzkia, U., Priadi, T., & Karlinasari, L. (2019). Evaluasi cacat pengeringan dan pemesinan pada empat jenis kayu cepat tumbuh yang diberi perlakuan panas. *Jurnal Penelitian Hasil Hutan*, 37(3), 209-222.

ASTM D5266. (2017). *Standard Practice for Estimating the Percentage of Wood Failure in Adhesive Bonded Joints*. ASTM International.

Ayrilmis, N., & Winandy, J. E. (2009). Effects of post heat-treatment on surface characteristics and adhesive bonding performance of medium density fiberboard. *Materials and Manufacturing Processes*, 24(5), 594–599.

Bodig, J., & Jayne, B. A. (1982). *Mechanics of Wood and Wood Composites*. New York: Van Nostrand Reinhold.

Boonstra, M. J., & Tjeerdsma, B. (2006). Chemical analysis of heat treated softwoods. *Holz als Roh- und Werkstoff*, 64(3), 204-211.

Bowyer, J. L., Shmulsky, R., & Haygreen, J. G. (2003). *Forest Products and Wood Science: An Introduction* (4th ed.). Iowa State Press.

Brischke, C., Welzbacher, C.R., Brandt, K., & Rapp, A. (2007). Quality control of thermally modified timber: Interrelationship between heat treatment intensities and CIE L*a*b* color data on homogenized wood samples.

Cahyono, T. D., Wahyudi, I., Priadi, T., Febrianto, F., & Ohorella, S. (2014). Analisis modulus geser dan pengaruhnya terhadap kekakuan panel laminasi kayu samama (*Antocephallus macrophyllus). Jurnal Teknik Sipil ITB, 21(2)*, 121-128.

Candelier, K., Dumarçay, S., & Gérardin, P. (2016). Thermochemical reactions during wood heat treatment. *Wood Science and Technology, 50*(6), 1223–1236.

Carvalho, A. G., Andrade, B. G. de, Donato, D. B., Silva, C. M. S. da, Carneiro, A. C. O., Castro, V. R. de, & Zanuncio, A. J. V. (2020). Bonding performance of structural

UNIVERSITAS GADJAH MADA
PENGARUH WAKTU PERLAKUAN PANAS TERHADAP SIFAT FISIKA, MEKANIKA DAN PEREKATAN KAYU MERBAU (INTSIA BIJUGA)
Yunika Andria Citra Utami, Prof. Dr.Agr.Sc. Ir. Ragil Widyorini, S.T., M.T., IPU
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

adhesives on heat-treated *Mimosa scabrella* and *Pinus oocarpa* wood. *Cellulose Chemistry and Technology*, 54(7–8), 663–668.

Coto, Z. (2005). *Pengeringan Kayu*. Fakultas Kehutanan IPB, Bogor.

Cui, W., Kamdem, D. P., & Rypstra, T. (2004). Diffuse reflectance infrared Fourier transform spectroscopy (DRIFT) and color changes of artificial weathered wood. *Wood and Fiber Science*, *36*(3), 291–301

de Moura, L. F., Brito, J. O., Nolasco, A. M., & Uliana, L. R. (2011). Effect of thermal rectification on machinability of *Eucalyptus grandis* and *Pinus caribaea* var. *hondurensis* woods. *European Journal of Wood and Wood Products*, 69(4), 641-648.

Ditommaso, G., Gaff, M., Kačík, F., Sikora, A., Sethy, A., Corleto, R., Rezaei, F., Kaplan, L., Kubš, J., Das, S., Kamboj, G., Gašparík, M., Šedivka, P., Hýsek, Š., Macků, J., & Sedlecký, M. (2020). Interaction of technical and technological factors on qualitative and energy/ecological/economic indicators in the production and processing of thermally modified merbau wood. *Journal of Cleaner Production*, 252, 119793.

Esteves, B., Marques, A. V., Domingos, I., & Pereira, H. (2008a). Heat-induced colour changes of pine (Pinus pinaster) and eucalypt (Eucalyptus globulus) wood. Wood Science and Technology, 42(5), 369–384. https://doi.org/10.1007/s00226-007-0157-2

Esteves, B., Domingos, I., & Pereira, H. (2008b). Pine wood modification by heat treatment in air. BioResources, 3(1), 142–154.

Esteves, B., & Pereira, H. (2009). Wood modification by heat treatment: A review. *BioResources*, 4(1), 370–404. https://doi.org/10.15376/biores.4.1.370-404

Fredriksson, M. (2019). On wood–water interactions in the over-hygroscopic moisture range—Mechanisms, methods, and influence of wood modification. *Forests*, 10(9), 779.

Frihart, C. R., & Hunt, C. G. (2010). Adhesives with wood materials: Bond formation and performance. In R. M. Rowell (Ed.), *Handbook of wood chemistry and wood composites* (2nd ed., pp. 99-126). CRC Press.

PENGARUH WAKTU PERLAKUAN PANAS TERHADAP SIFAT FISIKA, MEKANIKA DAN PEREKATAN KAYU MERBAU (INTSIA BIJUGA)
Yunika Andria Citra Utami, Prof. Dr.Agr.Sc. Ir. Ragil Widyorini, S.T., M.T., IPU
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Gaff, M., Kubovský, I., Sikora, A., Kačíková, D., Li, H., Kubovský, M., & Kačík, F. (2023). Impact of thermal modification on color and chemical changes of African padauk, merbau, mahogany, and iroko wood species. *Reviews on Advanced Materials Science*, 62(1), 20220277.

Gašparík, M., Gaff, M., Kačík, F., & Sikora, A. (2019). Color and chemical changes in teak (*Tectona grandis* L. f.) and meranti (*Shorea* spp.) wood after thermal treatment. *BioResources*, 14(2), 2667-2683.

Gusmawati, R. (2018). *Karakteristik papan laminasi kayu sengon dengan variasi jenis perekat.* Jurnal Rekayasa Kayu Tropis, 4(1), 27–35.

Gusmawati, E., Wulandari, F. T., & Rini, D. S. (2018). Sifat fisika dan mekanika papan laminasi berdasarkan warna dan bidang orientasi kayu. *Jurnal Ilmu Kehutanan*, 12(1), 1–9.

Hakkou, M., Pétrissans, M., Zoulalian, A., & Gérardin, P. (2005). Investigation of wood wettability changes during heat treatment on the basis of chemical analysis. *Polymer Degradation and Stability*, 89(1), 1–5.

Hardiwinoto, S., Gunawan, H., & Siregar, E. (2005). *Dasar-dasar ilmu kayu dan teknologi hasil hutan.* Yogyakarta: Fakultas Kehutanan UGM Press.

Haygreen, J. G., & Bowyer, J. L. (1989). *Hasil Hutan dan Ilmu Kayu: Suatu Pengantar*. Gadjah Mada University Press.

Haygreen, J. G., & Bowyer, J. L. (1996). *Forest products and wood science: An introduction* (3rd ed.). Iowa State University Press.

Hill, C. A. S. (2006). *Wood modification: Chemical, thermal and other processes.* Chichester, UK: John Wiley & Sons. https://doi.org/10.1002/0470021748

Hill, C. A. S., Altgen, M., & Rautkari, L. (2021). Thermal modification of wood–a review: chemical changes and hygroscopicity. *Journal of Materials Science*, 56(11), 6581–6614.

UNIVERSITAS
GADJAH MADA
PENGARUH WAKTU PERLAKUAN PANAS TERHADAP SIFAT FISIKA, MEKANIKA DAN PEREKATAN KAYU MERBAU (INTSIA BIJUGA)
Yunika Andria Citra Utami, Prof. Dr.Agr.Sc. Ir. Ragil Widyorini, S.T., M.T., IPU
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hu, C., Jiang, G., Xiao, M., Zhou, J., & Yi, Z. (2012). Effects of heat treatment on water-soluble extractives and color changes of merbau heartwood. *Journal of Wood Science, 58*, 465–469.

Hu, C., Jiang, G., Zhou, J., Xiao, M., & Yi, Z. (2013). Effects of the thickness of the heat-treated wood specimen on water-soluble extractives and mechanical properties of merbau heartwood. *BioResources*, 8(1), 603–611. https://doi.org/10.15376/biores.8.1.603-611

Hunter, R. S. (1996). *The Measurement of Appearance*. 2nd ed. Hunter Associates Laboratory.

Indarti, D., Nugroho, N., & Darmawan, W. (2022). The bonding performance of EPI adhesive on tropical hardwoods with different surface roughness and density. *Journal of Tropical Forest Science*, 34(4), 530–542.

Ismail, I. (2023). Pengaruh perbedaan kadar air papan dan jumlah lapisan terhadap kekuatan geser rekat serta lengkung statis balok laminasi meranti merah (*Shorea spp*) perekat PVAc [Skripsi, Universitas Mulawarman].

Jurczyková, T., Šárovec, O., Kačík, F., Hájková, K., Jurczyk, T., & Hrčka, R. (2023). Chromophores' Contribution to Color Changes of Thermally Modified Tropical Wood Species. *Polymers*, 15(19), 4000.

Kačíková, D., Gaff, M., Kačík, F., & Kubovský, I. (2021). The effect of thermal modification on properties of eucalyptus wood. *European Journal of Wood and Wood Products*, 79(3), 627–637.

Karlinasari, L., Lestari, A. T., & Priadi, T. (2018). Evaluation of surface roughness and wettability of heat-treated, fast-growing tropical wood species sengon (*Paraserianthes falcataria* (L.) I.C.Nielsen), jabon (*Anthocephalus cadamba* (Roxb.) Miq), and acacia (*Acacia mangium* Willd.). *International Wood Products Journal*. https://doi.org/10.1080/20426445.2018.1516918

Kilic, M., Hiziroglu, S., & Burdurlu, E. (2006). Effect of machining on surface roughness of wood. *Building and Environment*, 41(8), 1074-1078.

PENGARUH WAKTU PERLAKUAN PANAS TERHADAP SIFAT FISIKA, MEKANIKA DAN PEREKATAN KAYU MERBAU (INTSIA BIJUGA)
Yunika Andria Citra Utami, Prof. Dr.Agr.Sc. Ir. Ragil Widyorini, S.T., M.T., IPU
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kollmann, F. F. P., & Côté, W. A. (1968). *Principles of Wood Science and Technology: I Solid Wood*. Springer-Verlag.

Liao, Y., Wang, J., Lu, Z., Gu, J., & Hu, C. (2016). Effects of heat treatment on durability of merbau heartwood. *BioResources, 11*(1), 426–438.

Li, X., Mou, Q., Ji, S., Li, X., Chen, Z., & Yuan, G. (2022). Effect of elevated temperature on physical and mechanical properties of engineered bamboo composites. *Industrial Crops and Products*, 189, 115847.

Lütkemeier, B., Konnerth, J., & Militz, H. (2018). Distinctive impact of processing techniques on bonding surfaces of acetylated and heat-treated beech wood and its relation to bonding strength. *Forest Products Journal, 68*, 372–382.

Lu, Z., Zhou, H., Liao, Y., & Hu, C. (2018). *Effects of surface treatment and adhesives on bond performance and mechanical properties of cross-laminated timber (CLT) made from small diameter Eucalyptus timber*. *Construction and Building Materials, 161*, 9–15.

Mantanis, G. I., & Young, R. A. (1997). Wetting of wood. *Wood Science and Technology*, 31(5), 339-353.

Navi, P., & Sandberg, D. (2012). *Thermo-hydro-mechanical Processing of Wood.* EPFL Press.

Nguyen, T. H. V., Nguyen, T. T., Ji, X., Nguyen, V. D., & Guo, M. (2018). Enhanced bonding strength of heat-treated wood using a cold atmospheric-pressure nitrogen plasma jet. *European Journal of Wood and Wood Products*, 76(6), 1693-1703.

Nurachmania, D., Puspitasari, D., & Fitriani, Y. (2020). Pengaruh jenis kayu terhadap sifat fisika dan mekanika papan laminasi. *Jurnal Rekayasa Kayu Tropis*, 6(2), 75–84.

Olek, W., & Bonarski, J. T. (2008). Texture changes in thermally modified wood. *Archives of Metallurgy and Materials*, 53(1), 207-211.

Osvaldova, L. M., Gasparik, M., Castellanos, J. R. S., Markert, F., Kadlicova, P., & Cekovska, H. (2018). Effect of thermal treatment on selected fire safety features of tropical wood. *Communications - Scientific Letters of the University of Zilina, 20*(2), 3–7.

UNIVERSITAS GADJAH MADA
PENGARUH WAKTU PERLAKUAN PANAS TERHADAP SIFAT FISIKA, MEKANIKA DAN PEREKATAN KAYU MERBAU (INTSIA BIJUGA)
Yunika Andria Citra Utami, Prof. Dr.Agr.Sc. Ir. Ragil Widyorini, S.T., M.T., IPU
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Özcan, S., Ozcifci, A., Hiziroglu, S., & Toker, H. (2012). Effects of heat treatment and surface roughness on bonding strength. *Construction and Building Materials*, 33, 7-13.

Panshin, A. J., & de Zeeuw, C. (1980). *Textbook of Wood Technology* (4th ed.). McGraw-Hill.

Perçin, O. (2022). Effects of heat treatment on surface roughness and bonding strength of wood material. *Mobilya ve Ahşap Malzeme Araştırmaları Dergisi*, 5(1), 17-28.

Percin, O., & Uzun, O. (2023). Physical and mechanical properties of laminated wood made from heat-treated scotch pine reinforced with carbon fiber. *BioResources*, 18(3), 5146–5164.

Petrič, M., Kricej, B., & Homan, A. (2007). Wettability and surface free energy of heat-treated wood. *Wood Research*, 52(4), 55-68.

Pétrissans, M., Gérardin, P., Elbakali, I., & Serraj, M. (2003). Wettability of heat-treated wood. *Holzforschung*, 57(3), 301-307.

Pizzi, A. (Ed.). (2018). *Wood Adhesives: Chemistry and Technology---Volume 2*. Routledge.

Poncsák, S., Shi, S. Q., Kocaefe, D., & Miller, G. (2007). Effect of thermal treatment of wood lumbers on their adhesive bond strength and durability. *Journal of Adhesion Science and Technology*, 21(8), 745–754.

Priadi, T., Orfian, G., Cahyono, T. D., & Iswanto, A. H. (2020). Dimensional stability, color change, and durability of boron-MMA treated red jabon (*Antochephalus macrophyllus*) wood. *Journal of the Korean Wood Science and Technology, 48*(3), 315-325.

Priadi, T., Sholihah, M., & Karlinasari, L. (2019). Thermal modification of wood: Review and prospects for tropical species. *Jurnal Ilmu dan Teknologi Kayu Tropis*, 17(2), 173–187.

PROSEA. (n.d.). *Intsia (PROSEA)*. PlantUse English. https://plantuse.plantnet.org/en/Intsia_%28PROSEA%29 (diakses 10 Oktober 2026)

Queensland Government. (n.d.). *Kwila*. Business Queensland. https://www.business.qld.gov.au/industries/farms-fishing-forestry/forests-wood/properties-timbers/kwila (diakses 10 Oktober 2026)

UNIVERSITAS
GADJAH MADA
PENGARUH WAKTU PERLAKUAN PANAS TERHADAP SIFAT FISIKA, MEKANIKA DAN PEREKATAN KAYU MERBAU (INTSIA BIJUGA)
Yunika Andria Citra Utami, Prof. Dr.Agr.Sc. Ir. Ragil Widyorini, S.T., M.T., IPU
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Rahmawati, L. (2023). *Peningkatan sifat fisis dan mekanis kayu jabon (*Anthocephalus cadamba*) melalui perlakuan panas air heat treatment*. Skripsi. Fakultas Pertanian, Universitas Lampung, Bandar Lampung.

Rowell, R. M. (2005). *Handbook of wood chemistry and wood composites*. CRC Press.

Sahin Kol, H., Özbay, G., & Altun, S. (2009). Shear strength of heat-treated tali (*Erythrophleum ivorense*) and iroko (*Chlorophora excelsa*) woods, bonded with various adhesives. *BioResources, 4*(4), 1545–1554.

Sandberg, D., Kutnar, A., & Mantanis, G. (2017). Wood modification technologies – A review. *iForest – Biogeosciences and Forestry, 10*(6), 895–908.

Simbolon, A. F. A., Widiati, K. Y., & Dayadi, I. PENGARUH JUMLAH LAPISAN TERHADAP SIFAT FISIKA DAN MEKANIKA KAYU LAMINA. *Mencari Idealisme Konservasi Satwaliar: Antara Beban, Belenggu, Target dan Prioritas*, 25.

Spurr, S. H., & Barnes, B. V. (1980). *Forest ecology* (3rd ed.). New York: Wiley.

Suhasman, Sadiyo, S., & Coto, Z. (2009). Pengaruh perlakuan pemanasan dan pemadatan terhadap sifat higroskopisitas kayu kelapa hibrida. *Jurnal Perennial*, 5(1), 1-8.

Sulastiningsih, I. M., & Santoso, A. (2012). Pengaruh jenis bambu dan waktu kempa terhadap sifat papan lamina. *Jurnal Penelitian Hasil Hutan, 30*(3), 199–207.

Sulthanulmufti, S., Wulandari, F. T., & Ningsih, R. V. (2024). Peningkatan mutu kayu rajumas (*Duabanga moluccana*) melalui perlakuan panas. *GeoScienceEd Journal*, 5(2), 240-246.

Sundqvist, B., Karlsson, O., & Westermark, U. (2006). Determination of formic-acid and acetic acid concentrations formed during hydrothermal treatment of birch wood and its relation to colour, strength and hardness. *Wood Science and Technology*, 40(7), 549-561.

Suri, I. F., Purusatama, B. D., Kim, J. H., Yang, G. U., Prasetia, D., Kwon, G. J., Hidayat, W., Lee, S. H., Febrianto, F., & Kim, N. H. (2022). Comparison of physical and mechanical

PENGARUH WAKTU PERLAKUAN PANAS TERHADAP SIFAT FISIKA, MEKANIKA DAN PEREKATAN KAYU MERBAU (INTSIA BIJUGA)
Yunika Andria Citra Utami, Prof. Dr.Agr.Sc. Ir. Ragil Widyorini, S.T., M.T., IPU
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

properties of *Paulownia tomentosa* and *Pinus koraiensis* wood heat-treated in oil and air. *European Journal of Wood and Wood Products*, 80(6), 1389-1399.

Thybring, E. E., & Fredriksson, M. (2023). Wood and moisture. In P. Niemz, A. Teischinger, & D. Sandberg (Eds.), *Springer Handbook of Wood Science and Technology* (pp. 355-397). Springer.

Trianoski, R., Michaud, F., Matos, J. L. M. de, Irle, M., Moreau, J., Simon, F., & Duarte, L. L. (2025). Potential use of *Pinus patula* wood for frames and edge glued panels. *Ambiente Construído*, 25, e143385.

Tsoumis, G. (1991). *Science and Technology of Wood: Structure, Properties, Utilization*. Van Nostrand Reinhold.

Vick, C. B., & Okkonen, E. A. (1998). Strength and durability of one-part polyurethane adhesive bonds to wood. *Forest products journal. Vol. 48, nos. 11/12 (Nov./Dec. 1998).: p. 71-76.*

Wei, P., Zhou, D., & Bao, M. (2019). Mechanical performance of laminated bamboo and wood hybrid beams. *Construction and Building Materials, 212*, 739–749.

Widiati, K. Y., Supraptono, B., & Tripratono, A. B. Y. (2018). Karakteristik sifat fisika dan mekanika kayu lamina kombinasi jenis kayu sengon (*Paraserianthes falcataria* (L.) Nilsen) dan jenis kayu merbau (*Intsia* spp.). *Jurnal Hutan Tropis*, 6(1), 1–10.

Widiati, K. Y., Simanjuntak, A. J., Handayani, S. A., & Karmini. (2024). Keteguhan lengkung statis dan rekat kayu laminasi jenis karet (*Hevea brasiliensis*) berdasarkan variasi waktu tekan. *Ulin: Jurnal Hutan Tropis*, 8(1), 248–254.

Windeisen, E., Strobel, C., & Wegener, G. (2007). Chemical changes during the production of thermo-treated beech wood. *Wood Science and Technology*, 41(6), 523-536.

Wulandari, D., & Latifah, N. (2022). Karakteristik papan laminasi kayu akasia dibandingkan kayu solid. *Jurnal Teknologi Hasil Hutan Tropika*, 15(1), 45–55.

Wulandari, F. T., Lestari, D., & Dewi, N. P. E. L. (2023). Analisis Pengaruh Jenis Papan, Berat Labur Perekat Dan Interaksinya Terhadap Sifat Fisika Dan Mekanika Papan Laminasi:

UNIVERSITAS
GADJAH MADA
PENGARUH WAKTU PERLAKUAN PANAS TERHADAP SIFAT FISIKA, MEKANIKA DAN PEREKATAN KAYU MERBAU (INTSIA BIJUGA)
Yunika Andria Citra Utami, Prof. Dr.Agr.Sc. Ir. Ragil Widyorini, S.T., M.T., IPU
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Analysis Of The Influence Of Board Type, Adhesive Labor Weight And Its Interactions On The Physical And Mechanical Properties Of Laminate Boards. *Daun: Jurnal Ilmiah Pertanian dan Kehutanan*, *10*(1), 97-113.

Wulandari, F., & Amin, R. (2023). Sifat Fisika dan Mekanika Papan Laminasi Bambu Petung (Dendrocalamus Asper) dengan Susunan Bilah Ke Arah Lebar. *Jurnal Hutan Tropika*, *18*(1), 109-116.

Yoresta, F. S. (2015). Pengujian sifat mekanik kayu merbau dari daerah Bogor Jawa Barat. *Jurnal Rekayasa Sipil*, 11(2), 81–84. https://doi.org/10.25077/jrs.11.2.81-84.2015

Ziglio, A. C., Santos, S. N. C., Mendes, N., & Gonçalves, D. (2015). Wettability and surface free energy on heat-treated *Pinus* sp. and *Erisma* sp. woods. *Materials Research*, 18(Suppl 2), 86-92.